ENERGY STAR Qualified Lamps Product List

List Posted on February 22, 2012

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Ace Hardware Corporation	Ace	3405065	3405065	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	9	11/21/11
Ace Hardware Corporation	Ace	FLE15/2/A19/8K	3286358	Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	8000	2700	0.53	2	1/12/12
Ace Hardware Corporation	Ace	FLE15/2/R30	3286051	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700	0.56	2	1/12/12
Ace Hardware Corporation	Ace	FLE32HT3/2/D3/SW	3286325	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700	0.55	2	1/4/12
Ace Hardware Corporation	ACE	7416605		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.55	9	10/5/10
Ace Hardware Corporation	ACE	7416647		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.54	9	10/5/10
Ace Hardware Corporation	ACE	7416654		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100	0.58	9	10/12/10
Ace Hardware Corporation	ACE	7416662		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100	0.6	9	10/12/10
Ace Hardware Corporation	ACE	7416670		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	10/12/10
Ace Hardware Corporation	ACE	FLE10HT3/2/SW	3285822; 3285939	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700	0.58	2	11/30/10
Ace Hardware Corporation	ACE	FLE11/2/G25/8K	3286390	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	8000	2700	0.56	2	12/31/10
Ace Hardware Corporation	ACE	FLE11/2/R20/8K	3286028	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	2700	0.57	2	10/29/10
Ace Hardware Corporation	ACE	FLE13HT3/2/SW	3285830; 3285947	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	11/30/10
Ace Hardware Corporation	ACE	FLE15/2/DV/R30	3286168	Covered reflector	E26/24 (Medium)	CFL	Dimmable	740	15	N/A	6000	2700	0.68	2	12/31/10
Ace Hardware Corporation	ACE	FLE20HT3/2/SW	3285889; 3285996	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.55	2	11/30/10
Ace Hardware Corporation	ACE	FLE26/2/DV/R40	3286317	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1260	26	N/A	6000	2700	0.73	2	11/24/10
Ace Hardware Corporation	ACE	FLE26/2/PAR38/8K	3286127	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700	0.56	2	12/31/10
Ace Hardware Corporation	ACE	FLE26HT3/2/SW	3286010, 3285897	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700	0.58	2	12/31/10
Aero-Tech Light Bulb Company	Evolution	AE4B-11W		Bare-quadruple tube	E26/24 (Medium)	CFL		580	11	N/A	15000	2700	0.55	2	9/5/07
Aero-Tech Light Bulb Company	Evolution	AE4B-14W		Bare-quadruple tube	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	9/5/07
Aero-Tech Light Bulb Company	Evolution	AE4B-20W		Bare-quadruple tube	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700	0.56	2	9/5/07
Aero-Tech Light Bulb Company	Evolution	AE4B-25W		Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	8000	2700	0.54	2	9/5/07
Aero-Tech Light Bulb Company	Evolution	AE4B/CA-11W		Bare-quadruple tube	E12 (Candelabra)	CFL		580	11	N/A	15000	2700	0.55	2	8/31/09
Aero-Tech Light Bulb Company	Evolution	AE5B-25W	AE5B-25W	Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	15000	2700		2	7/20/11
Aero-Tech Light Bulb Company	Evolution	FS4B-11W		Bare-quadruple tube	E26/24 (Medium)	CFL		545	11	N/A	15000	5000	0.55	2	12/21/07
Aero-Tech Light Bulb Company	Evolution	FS4B-14W		Bare-quadruple tube	E26/24 (Medium)	CFL		800	14	N/A	15000	5000	0.59	2	9/5/07
Aero-Tech Light Bulb Company	Evolution	FS4B-20W		Bare-quadruple tube	E26/24 (Medium)	CFL		1100	20	N/A	12000	5000	0.55	2	12/21/07
Aero-Tech Light Bulb Company	Evolution	FS4B/CA-11W		Bare-quadruple tube	E12 (Candelabra)	CFL		545	11	N/A	15000	5000	0.55	2	9/30/09
Ahold USA	Smart Living	31001		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/1/09
Ahold USA	Smart Living	87147		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87148		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87149		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87150		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87150 (2M)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	5/18/10
Ahold USA	Smart Living	87151		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87152		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/10/09
Ahold USA	Smart Living	87547		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	6/10/09
Ahold USA	Smart Living	87548		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/10/09
AIBC International	AIBC LED Lighting	AI-ES-11P38DIM	AI-ES-11P38DIM-3000-610-111	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.8	3	10/13/11
AIBC International	AIBC LED Lighting	AI-ES-9P30DIM	AI-ES-9P30DIM-3000-480-110	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.8	3	10/13/11
ALDI Inc.	ON	7830 19W		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	3/8/10
ALDI Inc.	ON	7830 19WT		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	12000	2700		2	6/7/10
ALDI Inc.	ON	7830 19WTT		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	8000	2700		7	6/23/10
ALDI Inc.	ON	7830 23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/8/10
ALDI Inc.	ON	7830 23WT		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.54	2	6/7/10
ALDI Inc.	ON	7830 23WTT	17838	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/24/10
ALDI Inc.	ON	9237		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/1/10
ALDI Inc.	ON	9237WT		Bare-spiral	E26/24 (Medium)	CFL		950	13	N/A	12000	2700		2	6/7/10
ALDI Inc.	ON	9237WTT	19238	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		7	5/24/10
AM Conservation Group, Inc.	AM Conservation Group	330501		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	7/13/07
AM Conservation Group, Inc.	AM Conservation Group	330502		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700	0.52	2	11/10/11
AM Conservation Group, Inc.	AM Conservation Group	AM09	AM094 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		1	6/10/05
AM Conservation Group, Inc.	AM Conservation Group	AM09PERM	AM094PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		1	7/6/07
AM Conservation Group, Inc.	AM Conservation Group	AM14	AM144 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	6/23/05
AM Conservation Group, Inc.	AM Conservation Group	AM14PERM	AM144PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	7/6/07
AM Conservation Group, Inc.	AM Conservation Group	AM20PERM	AM204PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		1	7/6/07
AM Conservation Group, Inc.	AM Conservation Group	AM23PERM	AM234PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	7/6/07
AM Conservation Group, Inc.	AM Conservation Group	AM27PERM	AM274PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		1	7/6/07
AM Conservation Group, Inc.	LUMAcoil	L30109T2		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		1	9/4/09
AM Conservation Group, Inc.	LUMAcoil	L30113M		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		1	12/11/09
AM Conservation Group, Inc.	LUMAcoil	L30113T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.5	1	9/4/09
AM Conservation Group, Inc.	LUMAcoil	L30115M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15.0	N/A	10000	2700		1	3/4/03
AM Conservation Group, Inc.	LUMAcoil	L30118T2		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.53	2	12/15/11
AM Conservation Group, Inc.	LUMAcoil	L30119T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700	0.5	1	9/4/09
AM Conservation Group, Inc.	LUMAcoil	L301197K35		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		1	5/2/11
AM Conservation Group, Inc.	LUMAcoil	L30120M		Bare-spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700		1	12/11/09
AM Conservation Group, Inc.	LUMAcoil	L30123M		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	12/11/09
AM Conservation Group, Inc.	LUMAcoil	L31123T2	L31123T2	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	10/7/11
American-DeRosa Lamparts	Permalite	L4575	L4575, J4576	Bare-spiral	E26/24 (Medium)	CFL		1100	15.0	N/A	10000	2700		2	11/1/02
American-DeRosa Lamparts	Siella	L30050		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30051		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30054		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30055		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30088		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30089		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30094		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.58	2	10/18/10
American-DeRosa Lamparts	Siella	L30100		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30101		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30102		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30103		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	12/18/09
American-DeRosa Lamparts	Siella	L30105		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		2	12/2/09
American-DeRosa Lamparts	Siella	L30107		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/7/09
American-DeRosa Lamparts	Siella	L30111		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.52	2	10/16/10
American-DeRosa Lamparts	Siella	L30113		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/10/09
American-DeRosa Lamparts	Siella	L30141		Bare-spiral	E26/24 (Medium)	CFL		1300	23	N/A	15000	2700		2	12/8/09
American-DeRosa Lamparts	Siella	L30164		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	8000	2700		2	6/16/10
American-DeRosa Lamparts	Siella	L30165		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	8000	2700		2	6/16/10
American-DeRosa Lamparts	Siella	L30168		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	6/16/10
American-DeRosa Lamparts	Siella	L30169		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	12000	2700		2	12/29/09
American-DeRosa Lamparts	Siella	L30173		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/2/10
American-DeRosa Lamparts	Siella	L30174		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		2	4/2/10
American-DeRosa Lamparts	Siella	L30175		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30176		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/26/40	10000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30180		Covered A-line	E26/24 (Medium)	CFL		410	7	N/A	10000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30181		Covered A-line	E26/24 (Medium)	CFL		360	7	N/A	10000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30182		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	6/14/10
American-DeRosa Lamparts	Siella	L30189		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	6000	2700		2	11/23/10
American-DeRosa Lamparts	Siella	L30200		Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	8000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30205		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	6/14/10
American-DeRosa Lamparts	Siella	L30250		Bare-spiral	E26/24 (Medium)	CFL		1710	26	N/A	10000	2700	0.59	2	10/18/10
American-DeRosa Lamparts	Siella	L30360		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700	0.72	2	10/18/10
American-DeRosa Lamparts	Siella	L4671		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/3/09
Ascent Battery Supply	Ultralast	CFL10490		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700		2	1/12/11
Ascent Battery Supply	Ultralast	CFL10493		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.58	2	10/13/10
Ascent Battery Supply	Ultralast	CFL10496		Bare-spiral	E26/24 (Medium)	CFL		810	14	N/A	10000	2700	0.58	2	10/13/10
Ascent Battery Supply	Ultralast	CFL10507		Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700	0.58	2	10/13/10
Ascent Battery Supply	Ultralast	CFL10508		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700	0.62	2	10/13/10
Ascent Battery Supply	Ultralast	CFL10510		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	10000	2700	0.56	2	10/13/10
Ascent Battery Supply	Ultralast	TP120-11MSL 2700K	CFL10486	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.56	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-11MSL 4100K	CFL10487	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	4100	0.59	2	5/26/10
Ascent Battery Supply	Ultralast	TP120-13MSL 2700K	CFL10009; CFL10466	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.6	2	5/25/10
Ascent Battery Supply	Ultralast	TP12013MSL 4100K	CFL10011; CFL10468	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.59	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-20MSL 2700K	CFL10017; CFL10469	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.58	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-20MSL 4100K	CFL10077; CFL10470	Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.57	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-20MSL 5000K	CFL10016; CFL10471	Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	5000	0.57	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-23MSL 2700K	CFL10472, CFL10022	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	5/25/10
Ascent Battery Supply	Ultralast	TP120-23MSL 4100K	CFL10473, CFL10023	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100		2	6/1/10
Ascent Battery Supply	Ultralast	TP120-23MSL 6500K	CFL10474, CFL10020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500	0.58	2	5/25/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
AutoCell Electronics, Inc.	AutoCell Electronics	11W-CFL-27KYN		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	2700		9	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	11W-S-MCFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	12000	2700		11	9/10/07
AutoCell Electronics, Inc.	AutoCell Electronics	13/20/25W-27KTP		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W/23W/32W-27KYN		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		11	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	13W-A19-27KYN		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	13W-CFL-27KYN2		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.61	9	12/5/11
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.59	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.58	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	13W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	9/16/08
AutoCell Electronics, Inc.	AutoCell Electronics	13W-S-MCFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		9	9/11/07
AutoCell Electronics, Inc.	AutoCell Electronics	13W-T2-27KTP		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700		2	12/8/09
AutoCell Electronics, Inc.	AutoCell Electronics	14W-A19-27KTP		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	14W-CAN26-27KTP		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/14/10
AutoCell Electronics, Inc.	AutoCell Electronics	14W-G25-27KTP		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	10000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	15W-G25-27KYN		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	15W-R30-27KYN		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	15W-S-CFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		9	9/11/07
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.55	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.55	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	18W-T2-27KTP		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		11	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	19W-CFL-27KYN		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700		11	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	19W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		9	9/16/08
AutoCell Electronics, Inc.	AutoCell Electronics	20W-S-CFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		9	9/11/07
AutoCell Electronics, Inc.	AutoCell Electronics	23W-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-CFL-27KYN		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	12/29/10
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	7/16/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-PAR38-27KTP		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	12000	2700		11	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-R40-27KTP		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	12000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	23W-S-CFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	9/11/07
AutoCell Electronics, Inc.	AutoCell Electronics	23W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/16/08
AutoCell Electronics, Inc.	AutoCell Electronics	23W-T2-27KTP		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	12/10/09
AutoCell Electronics, Inc.	AutoCell Electronics	27W-S-CFL-27KTP		Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		9	9/11/07
AutoCell Electronics, Inc.	AutoCell Electronics	32W-S-CFL-27KTP		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	42W-S-CFL-27KTP		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	2/26/09
AutoCell Electronics, Inc.	AutoCell Electronics	9W-G25-27KTP		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	12000	2700		2	2/26/09
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	9/30/08
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	9/30/08
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	9/30/08
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	9/30/08
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	9/30/08
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	9/30/08
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	9/30/08
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	9/30/08
Beauty Shadow Co., Ltd.	Sunshine	SELM-11W		Bare-spiral	E26/24 (Medium)	CFL		660	11	N/A	8000	2700	0.52	2	2/9/10
Beauty Shadow Co., Ltd.	Sunshine	SELM-15W		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	2700	0.53	2	2/9/10
Beauty Shadow Co., Ltd.	Sunshine	SELM-23W		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.54	2	6/1/10
Broada, Inc.	Broada	BAHL-14		Covered A-line	E26/24 (Medium)	CFL		850	14	N/A	10000	2700		2	2/16/12
Broada, Inc.	Broada	BAML-13		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	12/31/10
Broada, Inc.	Broada	BASD-15	091205	Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	8000	2700	0.95	2	1/14/10
Broada, Inc.	Broada	BCS-11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	3000		2	1/27/09
Broada, Inc.	Broada	BCS-14		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	14	N/A	10000	2700		2	1/27/09
Broada, Inc.	Broada	BCS-23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	10/14/09
Broada, Inc.	Broada	BDM-15		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	10/14/09
Broada, Inc.	Broada	BDM-19		Bare-spiral	E26/24 (Medium)	CFL		1500	19	N/A	10000	2700		2	10/14/09
Broada, Inc.	Broada	BDM-26		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700		2	10/14/09
Broada, Inc.	Broada	BDS-23		Bare-spiral	E26/24 (Medium)	CFL		1690	23	N/A	10000	2700	0.52	2	12/8/08
Broada, Inc.	Broada	BGM-11		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		2	3/21/11
Broada, Inc.	Broada	BGM-14		Covered globe	E26/24 (Medium)	CFL		890	14	N/A	10000	2700		2	2/16/12
Broada, Inc.	Broada	BHR-23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	2	2/14/12
Broada, Inc.	Broada	BJS-13		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	12/20/10
Broada, Inc.	Broada	BJS-18		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.5	2	12/20/10
Broada, Inc.	Broada	BMR-15		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700		2	3/21/11
Broada, Inc.	Broada	BMS-18		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.5	2	12/16/10
Broada, Inc.	Broada, DIM-BRITE	BACD-15	091204	Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	8000	2700	0.95	2	1/14/10
Broada, Inc.	Broada, DIM-BRITE	BDSER-23	091202	Covered reflector	E26/24 (Medium)	CFL	Dimmable	920	23	N/A	8000	2700	0.93	2	1/14/10
Broada, Inc.	Broada, DIM-BRITE	BSDM-15	091200	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.95	2	1/14/10
Broada, Inc.	Broada, DIM-BRITE	BSDM-23	091201	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700	0.93	2	1/14/10
Buffalo Lite	Buffalo	1011		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	1/7/10
Buffalo Lite	Buffalo	1013		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/7/10
Buffalo Lite	Buffalo	1013-2		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	1/7/10
Buffalo Lite	Buffalo	1016		Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	8/17/11
Buffalo Lite	Buffalo	1019		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	8/17/11
Buffalo Lite	Buffalo	1021		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	8/17/11
Buffalo Lite	Buffalo	1023		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		5	1/7/10
Buffalo Lite	Buffalo	1026		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700	0.53	2	10/21/11
Buffalo Lite	Buffalo	1027		Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700		2	8/17/11
Buffalo Lite	Buffalo	1033		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	8000	2700	0.62	2	10/20/11
Buffalo Lite	Buffalo	1042		Bare-spiral	E26/24 (Medium)	CFL		2838	42	N/A	10000	2700		5	1/7/10
Buffalo Lite	Buffalo	1052		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700	0.62	2	10/20/11
Buffalo Lite	Buffalo	1914		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	12/31/09
Buffalo Lite	Buffalo	2209		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	11/30/07
Buffalo Lite	Buffalo	2315		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	11/26/07
Buffalo Lite	Buffalo	2320		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	11/26/07
Buffalo Lite	Buffalo	2509		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		5	12/31/09
Buffalo Lite	Buffalo	2514		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	12/31/09
Buffalo Lite	Buffalo	3016-2		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		1	8/17/11
Buffalo Lite	Buffalo	3415		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	11/30/07
Buffalo Lite	Buffalo	3823		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		5	1/7/10
Buffalo Lite	Buffalo	4438		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	11/30/07
Buffalo Lite	Buffalo	6059		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	6500		1	8/17/11
Buffalo Lite	Buffalo	6207		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/17/11
Buffalo Lite	Buffalo	7729		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	4100		1	8/17/11
Buffalo Lite	Buffalo	7915		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	8000	6500		1	8/17/11
Buffalo Lite	Buffalo	9019		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	10000	2700		1	8/17/11
Buffalo Lite	Buffalo	9021		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1250	18	N/A	10000	2700		1	8/17/11
Buffalo Lite	Buffalo	9023		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		1	8/17/11
Bulbrite Industries	BULBRITE	509019	CF18WW/LM	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.57	2	1/12/12
Bulbrite Industries	BULBRITE	509024	CF23WW/LM	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.56	2	1/12/12
Bulbrite Industries	BULBRITE	CF25C/3WAY	515025	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700	0.53	2	1/5/12
Bulbrite Industries	BULBRITE	LED11PAR38WW/FL/D	772431	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	7/26/11
Bulbrite Industries	BULBRITE	LED11PAR38WW/NF/D	772430	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	7/26/11
Bulbrite Industries	BULBRITE	LED9PAR30WW/FL/D	772331	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	7/26/11
Bulbrite Industries	BULBRITE	LED9PAR30WW/NF/D	772330	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	7/26/11
Bulbrite Industries	Energy Wiser	CF13WW/4P	509413	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		2	2/6/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Bulbrite Industries	Energy Wiser	CF13WW/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	2/10/09
Bulbrite Industries	Energy Wiser	CF13WW/GU24/DM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	1/11/11
Bulbrite Industries	Energy Wiser	CF13WW/LM	509014	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/16/11
Bulbrite Industries	Energy Wiser	CF14A/WW	512014	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		2	4/17/08
Bulbrite Industries	Energy Wiser	CF15A/GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	7/30/09
Bulbrite Industries	Energy Wiser	CF15G25/GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	3/30/09
Bulbrite Industries	Energy Wiser	CF15PAR30WW	514305	Covered reflector	E26/24 (Medium)	CFL		670	15	N/A	8000	3000		5	8/5/08
Bulbrite Industries	Energy Wiser	CF15R30/GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/09
Bulbrite Industries	Energy Wiser	CF18T2/WW	509018	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.58	2	7/30/09
Bulbrite Industries	Energy Wiser	CF18WW/GU24	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	2/10/09
Bulbrite Industries	Energy Wiser	CF23BR38WW	511423	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		2	4/29/08
Bulbrite Industries	Energy Wiser	CF23CWW/DM	514023	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	8/9/10
Bulbrite Industries	Energy Wiser	CF23PAR38WW	514503	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		5	8/5/08
Bulbrite Industries	Energy Wiser	CF23T2/WW	509023	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	7/30/09
Bulbrite Industries	Energy Wiser	CF23WW/GU24	N/A	Bare-spiral	GU24	CFL		1540	22.6	N/A	10000	2700	0.57	2	8/28/08
Bulbrite Industries	Energy Wiser	CF26WW/GU24	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	10/7/09
Bulbrite Industries	Energy Wiser	CF32C/3WAY	515032	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2280	N/A	12/21/32	10000	3500		2	9/15/10
Bulbrite Industries	Energy Wiser	CF32C/WW	50932	Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	4/29/08
Bulbrite Industries	Energy Wiser	CF42C/WW	509542	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	8000	2700		2	8/24/09
Bulbrite Industries	Energy Wiser	CF9A17/WW	512009	Bare-Mini-Spiral	E26/24 (Medium)	CFL		510	9	N/A	10000	2700		2	7/22/09
Bulb Star	BulbStar	BSA19W/2700K		Covered A-line	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	5/6/10
Bulb Star	BulbStar	BSA19W/4100K		Covered A-line	E26/24 (Medium)	CFL		1200	19	N/A	10000	4100		2	5/6/10
Bulb Star	BulbStar	BSK05W/2700K		Bare-spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700		2	8/24/09
Bulb Star	BulbStar	BSK13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	6/16/09
Bulb Star	BulbStar	BSK13W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		5	6/16/09
Bulb Star	BulbStar	BSK13W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		5	6/16/09
Bulb Star	BulbStar	BSK20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/16/09
Bulb Star	BulbStar	BSK20W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		5	6/16/09
Bulb Star	BulbStar	BSK23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		5	6/16/09
Bulb Star	BulbStar	BSK23W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	6/16/09
Bulb Star	BulbStar	BSK23W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		5	6/16/09
Bulb Star	BulbStar	BSK40W/2700K	BSK40W	Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	3/16/11
Bulb Star	BulbStar	BSK9W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		5	6/16/09
Bulb Star	BulbStar	BSK9W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		5	6/16/09
Bulb Star	BulbStar	BSK9W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		5	6/16/09
Bulb Star	BulbStar	ESP-13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/28/08
Bulb Star	BulbStar	ESP-20W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	3/28/08
Bulb Star	BulbStar	ESP-23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/28/08
Bulb Star	BulbStar	ESP-9W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	3/28/08
Bulb Star	BulbStar	SEM-13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/1/06
Bulb Star	BulbStar	SEM-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	2700		2	5/1/06
Bulb Star	BulbStar	T2BSK09W/2700K	896012; 896024	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	5/21/09
Bulb Star	BulbStar	T2BSK09W/5000K	896010; 896022	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	5/21/09
Bulb Star	BulbStar	T2BSK13W/2700K	896009; 896021	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/21/09
Bulb Star	BulbStar	T2BSK13W/4100K	896008; 896020	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	5/21/09
Bulb Star	BulbStar	T2BSK13W/5000K	896077; 896019	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	5/21/09
Bulb Star	BulbStar	T2BSK20W/2700K	896006; 896018	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	5/21/09
Bulb Star	BulbStar	T2BSK20W/4100K	896005; 896017	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	5/21/09
Bulb Star	BulbStar	T2BSK20W/5000K	896001; 896013	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	5/21/09
Bulb Star	BulbStar	T2BSK23W/2700K	896003; 896015	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/21/09
Bulb Star	BulbStar	T2BSK23W/4100K	896002; 896014	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	5/21/09
Bulb Star	BulbStar	T2BSK23W/5000K	896004; 896016	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	5/21/09
Bulb Star	BulbStar	T3BSA09W/2700K	896025	Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	3/9/09
Bulb Star	BulbStar	T3BSA09W/4100K	896026	Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	3/9/09
Bulb Star	BulbStar	T3BSA14W/2700K	896027	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	3/9/09
Bulb Star	BulbStar	T3BSA14W/4100K	896028	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	3/9/09
Bulb Star	BulbStar	T3BSG09W/2700K	896025	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	3/9/09
Bulb Star	BulbStar	T3BSG09W/4100K	896030	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	3/9/09
Bulb Star	BulbStar	T3BSG14W/4100K	896032	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	3/9/09
Bulb Star	BulbStar	T3BSK23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/18/08
Bulb Star	BulbStar	T3BSP16W/2700K	896036	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	3/6/09
Bulb Star	BulbStar	T3BSP23W/2700K	869037	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	3/6/09
Bulb Star	BulbStar	T3BSR14W/2700K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	3/6/09
Bulb Star	BulbStar	T3BSR16W/2700K	896034	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	3/6/09
Bulb Star	BulbStar	T3BSR23W/2700K	896033	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	3/6/09
Camelion Lighting Co., Ltd	Camelion	CLS11-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	1/20/11
Camelion Lighting Co., Ltd	Camelion	CLS13-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/12/11
Camelion Lighting Co., Ltd	Camelion	CLS15-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	1/12/11
Camelion Lighting Co., Ltd	Camelion	CLS20-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	1/18/11
Camelion Lighting Co., Ltd	Camelion	CLS23-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/12/11
Canac	CANAC	109550		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/6/08
Canac	CANAC	109552		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	10/6/08
Canac	CANAC	109554	111132	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	10/6/08
Canac	CANAC	112978	109546	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	10/6/08
Canac	CANAC	115324		Bare-spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	10/8/08
Canac	CANAC	115324		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	10/8/08
Canadian Tire	blue planet	052-5531-2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	6/17/08
Canadian Tire	blue planet	052-5562-8		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/17/08
Canadian Tire	blue planet	052-5594-2		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	6/17/08
Canadian Tire	blue planet	SPS9W	052-5128-4	Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.56	6	1/20/12
Canadian Tire	NOMA	052-5117-0		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	9/24/08
Canadian Tire	NOMA	052-5134-8		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		5	9/15/08
Canadian Tire	NOMA	052-5140-2		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	9/24/08
Canadian Tire	NOMA	052-5151-6		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	9/24/08
Canadian Tire	NOMA	052-5182-2		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	9/24/08
Canadian Tire	NOMA	052-5192-8		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	9/24/08
Canadian Tire	NOMA	052-5192-8		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	9/24/08
Canadian Tire	NOMA	052-5193-6		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	9/24/08
Canadian Tire	NOMA	052-5335-0		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		5	9/15/08
Canadian Tire	NOMA	052-5357-8		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700	0.5	5	9/15/08
Canadian Tire	NOMA	052-5390-6		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		6	9/8/08
Canadian Tire	NOMA	052-5395-6		Covered-Candle	E26/24 (Medium)	CFL		340	7	N/A	10000	2700		2	9/24/08
Canadian Tire	NOMA	FLE11/2/R20/NOMA	52-5352-8	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	6000	2700		4	5/6/05
Canadian Tire	NOMA	FLE13HT3/2/NOMA	52-5196-0; FLE13HT3/2/NOMA3, 52-5120-0; FLE13HT3/2/NOMA8, 52-5124-2	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	5	5/6/05
Canadian Tire	NOMA	FLE15/2/R30/NOMA	52-5333-4; FLE15/2/R30/ NOMA2, 52-5335-0	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	6000	2700		4	5/6/05
Canadian Tire	NOMA	FLE26HT3/2/NOMA	52-5125-0; FLE26HT3/2/NOMA3, 52-5121-8	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700		5	5/6/05
Canadian Tire	NOMA	FLE26PAR38/2/NOMA	52-5334-3; FLE26PAR38/2/ NOMA2, 52-5357-8	Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	6000	2700		4	2/4/10
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-10WL(D)	N/A	Bare-spiral	GU24	CFL		602	9.1	N/A	10000	2700	0.53	2	9/28/10
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-15WL(D)	N/A	Bare-spiral	GU24	CFL		941	14.4	N/A	10000	2700	0.57	2	9/28/10
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-20WL(D)	N/A	Bare-spiral	GU24	CFL		1290	18.65	N/A	10000	2700	0.53	2	9/28/10
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-25WL(D)	N/A	Bare-spiral	GU24	CFL		1503	23.2	N/A	10000	2700	0.55	2	9/28/10
Cathelle, Inc.	ECOPLUS	70952	73790	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		7	8/18/05
Cathelle, Inc.	ECOPLUS	70953	73793	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	1/3/06
Cathelle, Inc.	ECOPLUS	70954	73794	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	3/15/10
Cathelle, Inc.	ECOPLUS	70958	73808	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/27/08
Cathelle, Inc.	ECOPLUS	70958	73808	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	3/15/10
Cathelle, Inc.	ECOPLUS	70972	73791	Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700		7	6/4/07
Cathelle, Inc.	ECOPLUS	70973	73792	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		9	3/15/10
Cathelle, Inc.	ECOPLUS	70988	73838	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		7	3/15/10
Centrifuge Sourcing, LLC	Centrifuge	FLE10HT3/2	61464, 65196	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		2	7/13/10
Centrifuge Sourcing, LLC	Centrifuge	FLE11A17XLBX2/OP	63528	Covered A-line	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	8/30/11
Centrifuge Sourcing, LLC	Centrifuge	FLE13HT3/2	61465; 61468; 62947, 65197, 65198, 63529	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	7/13/10
Centrifuge Sourcing, LLC	Centrifuge	FLE15HT3/2/D	61584	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	6500	0.5	2	6/3/10
Centrifuge Sourcing, LLC	Centrifuge	FLE20HT3/2	61466, 65199	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	7/13/10
Centrifuge Sourcing, LLC	Centrifuge	FLE26HT3/2	61467, 65201	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	7/13/10
Centrifuge Sourcing, LLC	Centrifuge	FLE26HT3/2/D	61585	Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500	0.5	2	6/3/10
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE10HT3/2/SW	76991	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700	0.5	5	2/11/10
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE13HT3/2/SW	76992	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.5	5	2/11/10
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE20HT3/2/SW	76993	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.5	5	2/11/10
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE26HT3/2/SW	61586	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	2	2/11/10
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE26HT3/2/SW	76994	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		5	3/24/11
Centrifuge Sourcing, LLC	General Electric	FLE11G25XLBX2/OP	63527	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	10000	2700	0.5	2	10/26/11
Centrifuge Sourcing, LLC	General Electric	FLE15R30XLBX2/OP	63526	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.5	2	10/26/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Chain Drug Consortium	Premier Value	6540002		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	12/7/10
Chain Drug Consortium	Premier Value	6540102		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.58	9	12/16/10
Chain Drug Consortium	Premier Value	6540202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/7/10
Chain Drug Consortium	Premier Value	6541502		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		9	12/16/10
City Electric Supply dba Cefco	Fusion	FS13827/T2		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		8	11/17/10
City Electric Supply dba Cefco	Fusion	FS13841/T2		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100	0.6	8	11/17/10
City Electric Supply dba Cefco	Fusion	FS23827/T2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.51	8	11/17/10
City Electric Supply dba Cefco	Fusion	FS23841/T2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	8	11/17/10
CMG Energy Solutions	Duracell	DL-P30F-38-27K-BL	DL-P30F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	624	11.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30F-38-27K-WH	DL-P30F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	624	11.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30F-38-30K-BL	DL-P30F-38-30K-WH; DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30F-38-30K-WH	DL-P30F-38-30K-WH; DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30F-60-30K-BL	DL-P30F-38-30K-WH; DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30F-60-30K-WH	DL-P30F-38-30K-WH; DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-38-27K-BL	DL-P30FL-38-27K-WH; DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-38-27K-WH	DL-P30FL-38-27K-WH; DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-38-30K-BL	DL-P30FL-38-30K-WH; DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-38-30K-WH	DL-P30FL-38-30K-WH; DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-60-27K-BL	DL-P30FL-38-27K-WH; DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-60-27K-WH	DL-P30FL-38-27K-WH; DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-60-30K-BL	DL-P30FL-38-30K-WH; DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P30FL-60-30K-WH	DL-P30FL-38-30K-WH; DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-38-27K-BL	DL-P38F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	11/10/11
CMG Energy Solutions	Duracell	DL-P38F-38-27K-BL	DL-P38F-38-27K-WH; DL-P38F-38-27K-BL; DL-P38F-60-27K-WH; DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-38-27K-WH	DL-P38F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	11/10/11
CMG Energy Solutions	Duracell	DL-P38F-38-27K-WH	DL-P38F-38-27K-WH; DL-P38F-38-27K-BL; DL-P38F-60-27K-WH; DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-38-30K-BL	DL-P38F-38-30K-WH; DL-P38F-38-30K-BL; DL-P38F-60-30K-WH; DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-38-30K-WH	DL-P38F-38-30K-WH; DL-P38F-38-30K-BL; DL-P38F-60-30K-WH; DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-60-27K-BL	DL-P38F-38-27K-WH; DL-P38F-38-27K-BL; DL-P38F-60-27K-WH; DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-60-27K-WH	DL-P38F-38-27K-WH; DL-P38F-38-27K-BL; DL-P38F-60-27K-WH; DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-60-30K-BL	DL-P38F-38-30K-WH; DL-P38F-38-30K-BL; DL-P38F-60-30K-WH; DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/12
CMG Energy Solutions	Duracell	DL-P38F-60-30K-WH	DL-P38F-38-30K-WH; DL-P38F-38-30K-BL; DL-P38F-60-30K-WH; DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/12
CNA International Ent., Inc.	CNA	EST-11W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		660	11	N/A	10000	2700		6	8/14/07
CNA International Ent., Inc.	CNA	EST-14W		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.53	6	5/24/07
CNA International Ent., Inc.	CNA	EST-19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700	0.53	2	9/8/11
CNA International Ent., Inc.	CNA	EST-23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.53	6	5/19/10
CNA International Ent., Inc.	CNA	EST-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		6	6/21/07
CNA International Ent., Inc.	CNA	LED 11W Par30	LED 11W Par30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	575	11.0	N/A	25000	3000	0.84	3	2/3/12
CNA International Ent., Inc.	CNA	LED 17W Par38	LED 17W Par38	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	920	17.0	N/A	25000	3000	0.73	3	2/3/12
CNA International Ent., Inc.	CNA	LED 7W Par20	LED 7W Par20	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	335	7.0	N/A	25000	3000	0.77	3	2/3/12
CNA International Ent., Inc.	CNA	LED 7W Par20D	LED 7W Par20D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	335	7.0	N/A	25000	3000	0.79	3	2/6/12
CNA International Ent., Inc.	CNA Lighting	LED 7W A19	LED 7W A19	Non-standard	E26/24 (Medium)	LED		455	7.0	N/A	25000	3000	0.87	3	1/13/12
Cnlight Co., Ltd.	Cnlight	120/14-S		Bare-spiral	E26/24 (Medium)	CFL		890	14	N/A	10000	2700	0.57	2	12/9/09
Cnlight Co., Ltd.	Cnlight	120/23-S		Bare-spiral	E26/24 (Medium)	CFL		1460	22	N/A	10000	2700	0.57	9	12/22/09
Conglom, Inc.	Luminus	P-17516H	245484	Covered reflector	E26/E24 (Medium)	CFL		750	16.0	N/A	10000	3000	0.57	3	12/14/11
Conglom, Inc.	Luminus	P-17523S	888873	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	3	8/26/09
Conglom, Inc.	Luminus	P-17523T	872872, P-C17623	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	3	9/17/09
Conglom, Inc.	Luminus	P-17613A		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.58	3	9/14/09
Conglom, Inc.	Luminus	P-17613T	200920	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.58	3	9/14/09
Conglom, Inc.	Luminus	P-17625TR	P-17625TRT (2-pack)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		3	5/17/04
Conglom, Inc.	Luminus	P-17626DL		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		3	2/17/10
Conglom, Inc.	Luminus	P-17713S	888871, P-C17613	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.6	3	12/18/09
Conglom, Inc.	Luminus	P-17751	P17751T8; P-C17609; P-177612	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		3	7/26/07
Conglom, Inc.	Luminus	P-17756T	871871, P-177624	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		3	8/31/09
Conglom, Inc.	Luminus	P-177622		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		3	8/31/09
Conglom, Inc.	Luminus	P-177632		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	3	9/17/09
Conglom, Inc.	Luminus	P-177713S	999971	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		3	8/2/10
Conglom, Inc.	Luminus	P-177716S	245484	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	3000		3	8/3/10
Conglom, Inc.	Luminus	P-L4013D	P-L4013D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	8/26/11
Conglom, Inc.	Luminus	P-L4023D	P-L4023D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	9/12/11
Conglom, Inc.	Luminus	P-L4523D	P-L4523D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	12/5/11
Conglom, Inc.	Prolux	P-A277254		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	25	N/A	8000	2700		2	8/9/04
Cree, Inc.	CREE, Inc.	LBR30A92-25D	LBR30A92-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	618	11.866	N/A	25000	2700	0.95	3	10/5/11
Cree, Inc.	CREE, Inc.	LBR30A92-25D-GU24	LBR30A92-25D-GU24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	618	11.866	N/A	25000	2700	0.95	3	10/5/11
Cree, Inc.	CREE, Inc.	LBR30A92-50D	LBR30A92-50D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	616	12.24	N/A	25000	2700	0.95	3	10/5/11
Cree, Inc.	CREE, Inc.	LBR30A92-50D-GU24	LBR30A92-50D-GU24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	616	12.24	N/A	25000	2700	0.95	3	10/5/11
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-12D	LRP38-10L-27K-12D	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	948	11.9	N/A	25000	2700	0.93	3	1/10/12
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-12D-GU24	LRP38-10L-27K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	948	11.9	N/A	25000	2700	0.93	3	1/10/12
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-25D	LRP38-10L-27K-25D	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	985	13.42	N/A	25000	2700	0.94	3	1/10/12
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-25D-GU24	LRP38-10L-27K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	985	13.42	N/A	25000	2700	0.94	3	1/10/12
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D	LRP38-10L-30K-12D	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.95	3	12/20/11
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D-GU24	LRP38-10L-30K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.95	3	12/20/11
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D	LRP38-10L-30K-25D	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	25000	3000	0.95	3	10/7/11
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D	LRP38-10L-30K-25D	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.95	3	12/20/11
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D-GU24	LRP38-10L-30K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	25000	3000	0.95	3	10/7/11
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D-GU24	LRP38-10L-30K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.95	3	12/20/11
Cyber Tech Lighting Inc.	Cyber Lamp	P13XSP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/16/08
Cyber Tech Lighting Inc.	Cyber Lamp	P14A/WW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	1/8/10
Cyber Tech Lighting Inc.	Cyber Lamp	P14G25/WW		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		2	2/25/09
Cyber Tech Lighting Inc.	Cyber Lamp	P15PAR/CW		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	8000	4100		2	1/21/10
Cyber Tech Lighting Inc.	Cyber Lamp	P16R30/WW		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	5/5/09
Cyber Tech Lighting Inc.	Cyber Lamp	P18XSP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	12/16/08
Cyber Tech Lighting Inc.	Cyber Lamp	P20SP/WW	P20SP/WW; P20SP/WW3PK; P20SP/WW/4PK; P20SP/WW/6PK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	10/25/07
Cyber Tech Lighting Inc.	Cyber Lamp	P23PAR/CW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	4100		2	2/25/09
Cyber Tech Lighting Inc.	Cyber Lamp	P23R40/WW		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	4/30/09
Cyber Tech Lighting Inc.	Cyber Lamp	P23XSP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/16/08
Cyber Tech Lighting Inc.	Cyber Lamp	P26SP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100		2	12/16/08
Cyber Tech Lighting Inc.	Cyber Lamp	P32SP/WW		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	4/27/09
Cyber Tech Lighting Inc.	Cyber Lamp	P42SP/WW		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/27/09
Cyber Tech Lighting Inc.	Cyber Lamp	P9XSP/ WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/16/08
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.59	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	1/30/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.58	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.56	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.56	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.56	2	1/30/09
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	1/30/09
Cyber Tech Lighting Inc.	Eco-Star	LB11PAR38/D/WW	LB11PAR38/D/WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	607	11.0	N/A	50000	3000	0.79	3	11/29/11
Cyber Tech Lighting Inc.	Eco-Star	LB6PAR20/D/WW	LB6PAR20/D/WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	281	5.6	N/A	25000	3000	0.71	3	12/14/11
Digital Lighting, Inc.	Q-RAY	QMR16-USN-30GS33	9555521006211	MR - Multifaceted reflector	GU5.3	LED	Dimmable	151	3.26	N/A	50000	3000	0.66	3	3/8/11
DLU Lighting	DLU Lighting	DMA14	FLSX9230V	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/25/10
DLU Lighting	DLU Lighting	DME20		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/13/07
DLU Lighting	DLU Lighting	DME23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/13/07
DLU Lighting	DLU Lighting	DME27		Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		2	9/13/07
DLU Lighting	DLU Lighting	DME32		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	9/13/07
DLU Lighting	DLU Lighting	DMG14	FLSY9230V	Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		7	2/25/10
DLU Lighting	DLU Lighting	DMP23	FLSJG2301	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		7	2/25/10
DLU Lighting	DLU Lighting	DMS18	FLSHC230V	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		7	2/23/10
DLU Lighting	DLU Lighting	DMS23	FLSHG230V	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/23/10
Do It Best Corporation	Do It	68909DB	504262	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	6/22/11
Do It Best Corporation	Do It	689142DB	514811	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/7/11
Do It Best Corporation	Do It	689145DB	521086	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/7/11
Do It Best Corporation	Do It	68914DB	504424, 514811, 521086	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/22/11
Do It Best Corporation	Do It	68914DIMDB	521983	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		9	6/22/11
Do It Best Corporation	Do It	68914DL2DB	517774	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	6/22/11
Do It Best Corporation	Do It	689192DB	514820	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	7/7/11
Do It Best Corporation	Do It	689195DB	514839	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	7/7/11
Do It Best Corporation	Do It	68919DB	504440, 514820, 514839	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/22/11
Do It Best Corporation	Do It	68919DL2DB	517792	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		9	6/24/11
Do It Best Corporation	Do It	689232DB	514848	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/7/11
Do It Best Corporation	Do It	689235DB	514866	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/7/11
Do It Best Corporation	Do It	68923DB	504521, 514848, 514866	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/22/11
Do It Best Corporation	Do It	68923DIMDB	522018	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	6/24/11
Do It Best Corporation	Do It	68923DL2DB	517765	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	6/24/11
Do It Best Corporation	Do It	691093DB	517783	Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		7	7/7/11
Do It Best Corporation	Do It	69109DB	558532, 517783	Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		7	6/24/11
Do It Best Corporation	Do It	6R3014DB	558540	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	6/24/11
Do It Best Corporation	Do It	6R3016DIMDB	522027	Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	6/24/11
Do It Best Corporation	Do It	7P38192DB	517809	Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	2700		2	7/7/11
Do It Best Corporation	Do It	7P3819DB	517818, 517809	Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	2700		7	6/24/11
Do It Best Corporation	Do It	FE-G25A-9W	558532, 517783	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	4/20/09
Do It Best Corporation	Do It	FE-IIS-23W	504521, 514866, 514848	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		7	7/31/07
Do It Best Corporation	Do It	FE-IISB-14W/27	504424; 514811; 521086	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	2/19/10
Do It Best Corporation	Do It	FE-IISB-14W/50	517774	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		7	7/3/08
Do It Best Corporation	Do It	FE-IISB-19W	504440, 514839, 514820	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700		7	12/11/07
Do It Best Corporation	Do It	FE-IISB-19W/50	517792	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.56	2	7/8/09
Do It Best Corporation	Do It	FE-IISB-23W/27	504521; 514848; 514866	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		7	2/19/10
Do It Best Corporation	Do It	FE-IISB-23W/50	517765	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	7/8/09
Do It Best Corporation	Do It	FE-IISB-9W	504262	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		7	7/31/07
Do It Best Corporation	Do It	FE-ISD-15W	521983	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	8000	2700		2	6/17/09
Do It Best Corporation	Do It	FE-ISD-15W	521983	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700		2	6/17/09
Do It Best Corporation	Do It	FE-ISD-20W	521992	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	20	N/A	10000	2700		2	6/17/09
Do It Best Corporation	Do It	FE-ISD-23W	522018	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	6/17/09
Do It Best Corporation	Do It	FE-ISM-26W/35	514884	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500		7	7/8/09
Do It Best Corporation	Do It	FE-R30-15W	558540	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		7	7/31/07
Do It Best Corporation	Do It	FE-R38-20W/27	517818, 517809	Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		7	12/11/07
Dongguan Apsun Lighting Technology Co., Ltd.	Apsunlighting	SL1315B-120	N/A	Bare-spiral	GU24	CFL		766	10.7	N/A	10000	2700	0.58	2	6/22/10
Dongguan City General Success Industrial Co., Ltd.	General Success	GS-E26-13W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.61	2	1/6/10
Dongguan City General Success Industrial Co., Ltd.	General Success	GS-E26-26W		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.57	2	1/6/10
Earthmate	Earthmate	E1352AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		7	7/18/07
Earthmate	Earthmate	E145218		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/09
Earthmate	Earthmate	E145236		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		7	4/14/09
Earthmate	Earthmate	E1552AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		7	7/19/07
Earthmate	Earthmate	E2052AK		Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	11/28/07
Earthmate	Earthmate	E235252		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		7	4/14/09
Earthmate	Earthmate	E235266		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.54	7	4/14/09
Earthmate	Earthmate	E2352AK		Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		7	7/20/07
Earthmate	Earthmate	E3052AE		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		7	7/20/07
Earthmate	Earthmate	E3362AN		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	11/22/33	10000	2700		7	7/20/07
Earthmate	Earthmate	E4052AE		Bare-spiral	E26/24 (Medium)	CFL		2900	40	N/A	10000	2700		5	7/20/07
Earthmate	Earthmate	EM1552AK4-WM		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	6/30/09
Earthmate	Earthmate	EM2352AK3-WM		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	6/30/09
Earthmate	Earthmate	ES1552AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		7	11/28/07
Earthmate	Earthmate	ES2052AK		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	11/28/07
Earthmate	Earthmate	ES2352AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	11/28/07
Earthmate	Litetronics International	EM1552AK4		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	6/30/09
Earthmate	Litetronics International	EM2352AK3		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	6/30/09
EarthTronics, Inc.	BioLife	SDM11MSL	057800131014	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM13MSL	057800131021, 057800131038, 057800131045, 057800131144	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM13MSLT2	057800131120, 057800131137	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM16MRL/S	057800131274	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM16SR3DIM	057800131052	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	BioLife	SDM23MSL	057800131083	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM32MSL	057800131168	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM3W25S	057800131250	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	13/20/25	8000	2700		2	10/28/08
EarthTronics, Inc.	BioLife	SDM42MSL	057800131175	Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	10/28/08
EarthTronics, Inc.	BMR	BMR13MSLT2	BMRCF13SW6BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/20/09
EarthTronics, Inc.	BMR	BMR13MSLT2-41	BMRCF13CW6BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		2	4/5/10
EarthTronics, Inc.	BMR	BMR23MSLT2	BMRCF23SW4BT2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	7/27/09
EarthTronics, Inc.	Bright Green	ET13MSLT2	CF13SW2BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	4/1/10
EarthTronics, Inc.	Bright Green	ET23MSLT2	CF23SW2BT2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	4/1/10
EarthTronics, Inc.	EarthBulb	AT14SW1B	ET14MALS	Covered A-line	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF18351BT2E	CF18351BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	3500	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF18DL1BT2E	CF18DL1BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	6500	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF18SW1BT2E	CF18SW1BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.57	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF18SW2BT2E	CF18SW2BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.57	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF18SW4BT2E	CF18SW4BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.57	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF23351BT2E	CF23351BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	3500	0.55	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF23DL2BT2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	3/19/10
EarthTronics, Inc.	EarthBulb	CF23SW1BT2E	CF23SW1BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF23SW2BT2E	CF23SW2BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	CF23SW4BT2E	CF23SW4BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.56	2	1/12/12
EarthTronics, Inc.	EarthBulb	ET09MSLT2E	CF09SW1BT2E; CF09SW4BT2E	Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.55	2	1/4/12
EarthTronics, Inc.	EarthBulb	ET11MSL	CF11SW1B, CF11SW2B, CF11SW4B	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	2/5/08
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.59	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		711	10.985	N/A	10020	2700	0.58	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		721	11.17	N/A	10020	2700	0.59	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.59	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET13MSL	CF13SW1B, CF13SW2B, CF13SW4B, CF13SW6B	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/5/08
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	12/23/10
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	12/23/10
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	12/23/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
EarthTronics, Inc.	EarthBulb	ET13MSLT2	CF13SW1BT2; CF13SW2BT2; CF13SW4BT2; CF13SW6BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/3/09
EarthTronics, Inc.	EarthBulb	ET13MSLT2-41	CF13CW2BT2; CF13CW4BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		2	4/5/10
EarthTronics, Inc.	EarthBulb	ET13MSLT2E	CF13SW1BT2E, CF13SW2BT2E, CF13SW4BT2E, CF13SW6BT2E	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	1/4/12
EarthTronics, Inc.	EarthBulb	ET14MAL/S	AT14SW1B, AT14SW2B	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/29/09
EarthTronics, Inc.	EarthBulb	ET14MCL/S	CT14SW1B	Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	8/24/10
EarthTronics, Inc.	EarthBulb	ET14MGL/S-10H	GT14SW1B-10H	Covered globe	E26/24 (Medium)	CFL		810	14	N/A	10000	2700		9	11/9/10
EarthTronics, Inc.	EarthBulb	ET14SDIM	CF14SW1BDIM	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	EarthBulb	ET15FP3/S	FP315301B	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000		7	7/30/10
EarthTronics, Inc.	EarthBulb	ET16MRL/S	R316SW1B; R316SW2B	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	4/3/09
EarthTronics, Inc.	EarthBulb	ET16MRL/S-12H	R316SW1B-12H	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	12000	2700		11	11/9/10
EarthTronics, Inc.	EarthBulb	ET16SADIM	AT16SW1BDIM	Covered A-line	E26/24 (Medium)	CFL	Dimmable	800	16	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	EarthBulb	ET16SR2DIM	R216SW1BDIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	540	16	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	EarthBulb	ET16SR3DIM	R316SW1BDIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET18MSLT2	CF18SW1BT2, CF18SW2BT2; CF18SW4BT2	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	7/20/09
EarthTronics, Inc.	EarthBulb	ET20MSL	CF20SW1B; CF20SW2B; CF20SW4B	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	2/6/08
EarthTronics, Inc.	EarthBulb	ET23FP38/S	FP3823301B	Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	8000	3000		7	7/30/10
EarthTronics, Inc.	EarthBulb	ET23MPL/S	Pa23SW1B	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	2/15/08
EarthTronics, Inc.	EarthBulb	ET23MRL/S	R423SW1B	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	2/15/08
EarthTronics, Inc.	EarthBulb	ET23MRL/S	R423SW2B	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	4/3/09
EarthTronics, Inc.	EarthBulb	ET23MSL	CF23SW1B, CF23SW2B, CF23SW4B	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/6/08
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	2/4/09
EarthTronics, Inc.	EarthBulb	ET23MSLT2	CF23SW4BT2; CF23SW1BT2; CF23SW2BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/29/08
EarthTronics, Inc.	EarthBulb	ET23MSLT2-65	CF23DL2BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	7/30/10
EarthTronics, Inc.	EarthBulb	ET24SDIM	CF24SW1BDIM	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1490	24	N/A	8000	2700		2	12/29/08
EarthTronics, Inc.	EarthBulb	ET27MSL	CF27SW1B; CF27SW4B	Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		2	2/6/08
EarthTronics, Inc.	EarthBulb	ET32MSL	CF32SW1B	Bare-spiral	E26/24 (Medium)	CFL		1950	32	N/A	8000	2700		2	9/1/09
EarthTronics, Inc.	EarthBulb	ET3W25S	3W25SW1B	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	13/20/25	8000	2700		2	4/21/08
EarthTronics, Inc.	EarthBulb	ET42MSL	CF42SW1B	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	2/6/08
EarthTronics, Inc.	EarthBulb	ET9MGL/S	GT09SW1B	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	11/18/10
EarthTronics, Inc.	EarthBulb	GT14SW1B		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/13/10
EarthTronics, Inc.	EarthBulb	R316SW1B	ET16MRLS	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.57	2	1/12/12
EarthTronics, Inc.	Honeywell	HWL1FP26D	HWL1FP26D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	282	5.58	N/A	40000	3000	0.71	3	12/5/11
EarthTronics, Inc.	Honeywell	HWL1FP3811D	HWL1FP3811D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	7/28/11
EarthTronics, Inc.	Honeywell	HWL1FP39D	HWL1FP39D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	7/28/11
EarthTronics, Inc.	Honeywell	HWL1MR164	HWL1MR164	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.64	3	2/7/12
EarthTronics, Inc.	Meijer	2884975	ET16MRLSIS	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.57	2	1/12/12
EarthTronics, Inc.	Meijer	2885040	ET16MRLSIS	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.57	2	1/12/12
EarthTronics, Inc.	Meijer	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	8/3/11
eDVA Tech	eDVA Tech	IR30TF30ES	IR30tf30ES	R - Reflector	E26/E24 (Medium)	LED		525	6.0	N/A	50000	3000	0.7	3	10/18/11
Efficient Lighting	Efficient Lighting	EL11EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	5/2/08
Efficient Lighting	Efficient Lighting	EL13EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/2/08
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	10/1/08
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	10/1/08
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	10/1/08
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	10/1/08
Efficient Lighting	Efficient Lighting	EL13GU27T2	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	8/25/10
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.59	2	12/23/08
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	12/23/08
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	12/23/08
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.58	2	12/23/08
Efficient Lighting	Efficient Lighting	EL13GU41T2	N/A	Bare-spiral	GU24	CFL		945	14.2	N/A	10000	4100	0.58	2	8/25/10
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	10/1/08
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	10/1/08
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	10/1/08
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	10/1/08
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.55	2	12/23/08
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.55	2	12/23/08
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	EL20EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	5/2/08
Efficient Lighting	Efficient Lighting	EL23EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/18/08
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	10/1/08
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	10/1/08
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	10/1/08
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	10/1/08
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	12/23/08
Efficient Lighting	Efficient Lighting	ELS9GL27		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	2/16/10
Efficient Lighting	Efficient Lighting	ELT213EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/18/09
Efficient Lighting	Efficient Lighting	ELT223EB27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/23/09
EiKO Ltd.	Eiko	LEDP-11WPAR38/FL/830-DIM	LEDP-11WPAR38/FL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	10/26/11
EiKO Ltd.	Eiko	LEDP-11WPAR38/SP/830-DIM	LEDP-11WPAR38/SP/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	10/26/11
EiKO Ltd.	Eiko	LEDP-9WPAR30/FL/830-DIM	LEDP-9WPAR30/FL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	10/26/11
EiKO Ltd.	Eiko	LEDP-9WPAR30/SP/830-DIM	LEDP-9WPAR30/SP/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	10/26/11
EiKO Ltd.	Eiko	PAR20/9/30K		Covered reflector	E26/24 (Medium)	CFL		280	9	N/A	8000	3000		2	6/2/10
EiKO Ltd.	Eiko	PAR20/9/41K		Covered reflector	E26/24 (Medium)	CFL		270	9	N/A	8000	4100		2	6/2/10
EiKO Ltd.	Eiko	PAR30LN/15/35K	PAR30LN/15/35K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3500	0.5	2	6/16/10
EiKO Ltd.	Eiko	PAR30LN/15/41K		Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100	0.53	2	6/3/10
EiKO Ltd.	Eiko	PAR30LN/15/50K		Covered reflector	E26/24 (Medium)	CFL		745	15	N/A	8000	5000		2	6/8/10
EiKO Ltd.	Eiko	PAR38/23/30	PAR38/23/30	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		2	12/21/10
EiKO Ltd.	Eiko	PAR38/23/35		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500	0.58	2	9/27/11
EiKO Ltd.	Eiko	PAR38/23/41K		Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	4100	0.56	2	8/3/09
EiKO Ltd.	Eiko	SP10T2/27K		Bare-spiral	E26/24 (Medium)	CFL		530	9	N/A	10000	2700	0.55	2	12/15/11
EiKO Ltd.	Eiko	SP10T2/27K/CG	SP10T2/27K/CG	Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		2	8/3/10
EiKO Ltd.	Eiko	SP10T2/50K/CG	SP10T2/50K/CG	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	8/3/10
EiKO Ltd.	Eiko	SP10T2/65K		Bare-spiral	E26/24 (Medium)	CFL		530	9	N/A	10000	6500	0.54	2	12/15/11
EiKO Ltd.	Eiko	SP13/27-GU24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	9/24/09
EiKO Ltd.	Eiko	SP13/27K	88DN, 38XC	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/9/06
EiKO Ltd.	Eiko	SP13/41K	88DN, 38XC	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	10/29/09
EiKO Ltd.	Eiko	SP13/50K	88DN, 38XC	Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	10000	5000		2	10/29/09
EiKO Ltd.	Eiko	SP13A19/27K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	9/1/09
EiKO Ltd.	Eiko	SP13A19/41K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.58	2	8/24/09
EiKO Ltd.	Eiko	SP13G25/41K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.59	2	8/24/09
EiKO Ltd.	Eiko	SP13T2/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.56	2	11/22/11
EiKO Ltd.	Eiko	SP13T2/27K/CG		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/1/10
EiKO Ltd.	Eiko	SP13T2/41K/CG	SP13T2/41K/CG	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	9/7/10
EiKO Ltd.	Eiko	SP13T2/50K/CG		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	10/1/10
EiKO Ltd.	Eiko	SP14/R20/27K		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	3/25/11
EiKO Ltd.	Eiko	SP15/R30/27K		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	3/25/10
EiKO Ltd.	Eiko	SP16/R30/27K-DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	16	N/A	8000	2700		2	7/1/11
EiKO Ltd.	Eiko	SP18/27-GU24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	8/24/10
EiKO Ltd.	Eiko	SP19/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	1/9/06
EiKO Ltd.	Eiko	SP19/35K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		2	1/9/06
EiKO Ltd.	Eiko	SP19/41K		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100		2	4/8/10
EiKO Ltd.	Eiko	SP19/50K		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	5000		2	4/8/10
EiKO Ltd.	Eiko	SP19T2/27K/CG	SP19T2/27K/CG	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		1	8/3/10
EiKO Ltd.	Eiko	SP19T2/41K/CG	SP19T2/41K/CG	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	8/23/10
EiKO Ltd.	Eiko	SP19T2/50K/CG	SP19T2/50K/CG	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	8/23/10
EiKO Ltd.	Eiko	SP23/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/9/06
EiKO Ltd.	Eiko	SP23/65K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	4/8/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
EIKO Ltd.	Eiko	SP23/R40/27K		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	6/2/10
EIKO Ltd.	Eiko	SP23T2/27K/CG	SP23T2/27K/CG	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/3/10
EIKO Ltd.	Eiko	SP23T2/41K/CG	SP23T2/41K/CG	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	8/23/10
EIKO Ltd.	Eiko	SP23T2/50K/CG	SP23T2/50K/CG	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	8/23/10
EIKO Ltd.	Eiko	SP26/27-GU24	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.58	2	3/10/11
EIKO Ltd.	Eiko	SP27/27		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700		2	7/19/10
EIKO Ltd.	Eiko	SP27/27K		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		2	5/27/09
EIKO Ltd.	Eiko	SP27/41K	SP27/41K	Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100	0.58	2	6/3/10
EIKO Ltd.	Eiko	SP27/50K	SP27/50K	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	10000	5000	0.58	2	6/3/10
EIKO Ltd.	Eiko	SP32/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1920	31	N/A	8000	2700		2	8/18/09
EIKO Ltd.	Eiko	SP42/27K		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	12000	2700		2	4/24/09
EIKO Ltd.	Eiko	SP5B10/E12/27K		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	10000	2700		2	8/17/09
EIKO Ltd.	Eiko	SP5B13/E26/27K		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	10000	2700		2	8/17/09
EIKO Ltd.	Eiko	SP7B10/E12/27K		Covered-Candle	E12 (Candelabra)	CFL		300	7	N/A	10000	2700		2	8/17/09
EIKO Ltd.	Eiko	SP9A19/27K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.56	2	8/24/09
EIKO Ltd.	Eiko	SP9A19/41K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.56	2	8/24/09
EIKO Ltd.	Eiko	SP9G25/27K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	9/1/09
EIKO Ltd.	Eiko	SP9G25/41K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	8/24/09
Energetic Lighting Inc.	Energetic	E117-10GW-B1		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700		2	1/6/11
Energetic Lighting Inc.	Energetic	E117-15GW-B1	E117-15GW-V1; E117Q-15GW-B1	Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	1/12/10
Energetic Lighting Inc.	Energetic	E151-19SC-B1	FE151C-19-VP1	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	4100		2	9/10/09
Energetic Lighting Inc.	Energetic	E151-23SC-B1	FE151C-23-VP1; FE151C-23-VP2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	9/15/09
Energetic Lighting Inc.	Energetic	E151-27SW-B1	FE151-S-27 2700K	Bare-spiral	E26/24 (Medium)	CFL		2000	27	N/A	10000	2700		2	10/21/09
Energetic Lighting Inc.	Energetic	E151M-23SW-B6		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/29/11
Energetic Lighting Inc.	Energetic	E151X-19SW-B1		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.55	2	11/28/11
Energetic Lighting Inc.	Energetic	E152-15RW-B1	E152Q-15RW-B1	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.58	2	9/18/09
Energetic Lighting Inc.	Energetic	E152-23RW-B1		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.56	2	9/18/09
Energetic Lighting Inc.	Energetic	E152-23RW-B1		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	9/18/09
Energetic Lighting Inc.	Energetic	E153-13SN-B1		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000		2	12/31/10
Energetic Lighting Inc.	Energetic	E153-7SW-B1		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	8/20/09
Energetic Lighting Inc.	Energetic	E172-7SW-B1		Bare-spiral	E26/24 (Medium)	CFL		375	7	N/A	12000	2700		2	1/20/11
Energetic Lighting Inc.	Energetic	E213-13SW-B2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	3/24/11
Energetic Lighting Inc.	Energetic	E231C-11AW-B1	FE231C-11-VP1; FE231C-11-VP2	Covered A-line	E12 (Candelabra)	CFL		600	11	N/A	10000	2700		2	10/15/09
Energetic Lighting Inc.	Energetic	E242-23PW-B1		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.56	2	9/18/09
Energetic Lighting Inc.	Energetic	E247-23SW-B2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/24/11
Energetic Lighting Inc.	Energetic	E275C-13AW-B1	FE275C-13-VP1; FE275C-13-VP2	Covered A-line	E12 (Candelabra)	CFL		850	13	N/A	10000	2700		2	10/15/09
Energetic Lighting Inc.	Energetic	E501-10SW-B1		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700		2	8/6/10
Energetic Lighting Inc.	Energetic	E501-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	7/23/10
Energetic Lighting Inc.	Energetic	E502-20SW-B1	E502-20SW-VP1	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	7/23/10
Energetic Lighting Inc.	Energetic	E502-20SW-B2		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	3/24/11
Energetic Lighting Inc.	Energetic	E502-23SW-B1	E502-23SW-VP1	Bare-spiral	E26/24 (Medium)	CFL		1620	23	N/A	10000	2700		2	6/17/10
Energetic Lighting Inc.	Energetic	E508T-32SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		2	7/30/10
Energetic Lighting Inc.	Energetic	E509D-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700		2	8/19/10
Energetic Lighting Inc.	Energetic	E509D-23SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	12000	2700		2	1/20/11
Energetic Lighting Inc.	Energetic	E511-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/29/11
Energetic Lighting Inc.	Energetic	E511-13SW-VB10		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/29/11
Energetic Lighting Inc.	Energetic	ELE03CWC-VB	ELE03CWC-VB	C - Candle	E12 (Candelabra)	LED		120	2.65	N/A	40000	3000	0.55	3	10/5/11
Energetic Lighting Inc.	Energetic	ELE03GWF-VB	ELE03GWF-VB	G - Globe	E12 (Candelabra)	LED		119	2.74	N/A	40000	3000	0.55	3	9/27/11
Energetic Lighting Inc.	Energetic	ELE04MR5.3W-VB	ELE04MR5.3W-VB	MR - Multifaceted reflector	GU5.3	LED		169	3.78	N/A	40000	3000	1	3	12/15/11
Energetic Lighting Inc.	Energetic	ELE06D-RW25-VB	ELE06D-RW25-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	250	5.13	N/A	40000	3000	0.7	3	10/20/11
Energetic Lighting Inc.	Energetic	ELE10D-PLW25-VB	ELE10D-PLW25-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.72	3	12/20/11
Energetic Lighting Inc.	Energetic	ELE10D-PLW35-VB	ELE10D-PLW35-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.72	3	12/20/11
Energetic Lighting Inc.	Energetic	ELE10PLW25-VB	ELE10PLW25-VB	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.89	3	12/20/11
Energetic Lighting Inc.	Energetic	ELE10PLW35-VB	ELE10PLW35-VB	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.89	3	12/20/11
Energetic Lighting Inc.	Energetic	ELE17D-PW25-VB	ELE17D-PW25-VB	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	745	16.21	N/A	40000	3000	0.73	3	12/20/11
Energetic Lighting Inc.	Energetic	ELE17D-PW40-VB	ELE17D-PW40-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.9	3	1/10/12
Energetic Lighting Inc.	Energetic	ELE17PW25-VB	ELE17PW25-VB	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED		775	15.78	N/A	40000	3000	0.89	3	12/1/11
Energetic Lighting Inc.	Energetic	ELE17PW40-VB	ELE17PW40-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.74	3	1/10/12
Energetic Lighting Inc.	Energetic	FE101-11W 2700K	E101-11SW-B1	Bare-spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	2700		2	7/20/09
Energetic Lighting Inc.	Energetic	FE101 15W 2700K	E101-15SW-B1	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	7/20/09
Energetic Lighting Inc.	Energetic	FE127 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	9/15/09
Energetic Lighting Inc.	Energetic	FE151A 19S	FE151-S-19; E151-19SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	7/15/09
Energetic Lighting Inc.	Energetic	FE151D-19-VP1		Bare-spiral	E26/24 (Medium)	CFL		1240	19	N/A	10000	6500		2	8/3/09
Energetic Lighting Inc.	Energetic	FE151-S-23W 2700K	E151-23SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/15/09
Energetic Lighting Inc.	Energetic	FE152-40-19		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	6000	2700		5	7/14/06
Energetic Lighting Inc.	Energetic	FE153-13D-VP1	FE153-13D-VP2, FE153-13D-VP4, E153-13SD-B1; E153-13SD-B10; E153-13SD-B6	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		2	8/3/09
Energetic Lighting Inc.	Energetic	FE153-13S	FE 153 13W, FE 153-13s VP1, FE 153-13s VP2, FE 153-13s VP4, FE153-13S-VP6, FE153-13S-VP10, FE153-13S-108X, FE153-13SP-VP1, FE153-13SP-VP2; E153-13SW-B6; E153-13SW-V4; E153-13SW-V3; WPS153 13W	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/24/08
Energetic Lighting Inc.	Energetic	FE213 13W	FE213-13-VP2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/3/08
Energetic Lighting Inc.	Energetic	FE231-11-VP1	FE231-11-VP2; E231-11AW-B1	Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	9/30/09
Energetic Lighting Inc.	Energetic	FE247-19-VP1	E247-19SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1180	19	N/A	10000	2700		2	10/6/09
Energetic Lighting Inc.	Energetic	FE247-23-VP1	E247-23SW-B1; E247-23SW-V3	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/5/09
Energetic Lighting Inc.	Energetic	FE275-13-VP1	FE275-13-VP2; E275-13AW-B1; E275-13AW-V2	Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/30/09
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-19SC	N/A	Bare-spiral	GU24	CFL		1265	18.1	N/A	10000	4100	0.54	2	2/15/10
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-19SW	N/A	Bare-spiral	GU24	CFL		1297	18.5	N/A	10000	2700	0.54	2	2/15/10
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-23SC	N/A	Bare-spiral	GU24	CFL		1678	21.5	N/A	10000	4100	0.56	2	1/5/10
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-23SW	N/A	Bare-spiral	GU24	CFL		1580	21.4	N/A	10000	2700	0.56	2	1/19/10
Energetic Lighting Inc.	Energetic Lighting Inc.	E153GU-13SC	N/A	Bare-spiral	GU24	CFL		899	12.3	N/A	10000	4100	0.55	2	7/26/10
Energetic Lighting Inc.	Energetic Lighting Inc.	E153GU-13SW	N/A	Bare-spiral	GU24	CFL		939	13.2	N/A	10000	2700	0.59	2	6/22/10
Energetic Lighting Inc.	Energetic Yankon	FE151-S-19		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000	0.63	7	12/17/07
Energetic Lighting Inc.	Energetic Yankon	FE151-S-19 (352)		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3500	0.56	7	12/17/07
Energetic Lighting Inc.	Energetic Yankon	FE151S-19-VP1		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	10/2/08
Energetic Lighting Inc.	Energetic Yankon	FE151-S-23	FE151S-23-VP1, FE151S-23-VP2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000	0.64	7	12/17/07
Energetic Lighting Inc.	Energetic Yankon	FE151-S-23 (352)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.57	7	12/17/07
Energetic Lighting Inc.	Energetic Yankon	FE151S-23-VP1	FE151S-23-VP1	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000	0.64	7	12/17/07
Energetic Lighting Inc.	Energetic Yankon	FE213-13-VP2	E213-13SW-B1; E213-13SW-B6	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	10/2/08
Energetic Lighting Inc.	ON	9237		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.59	2	9/18/09
Energy Mad Ltd	Ecospiral	15WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	15000	2700	0.98	2	4/30/09
Energy Mad Ltd	Ecospiral	20WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		1400	20	N/A	15000	2700	0.89	2	4/30/09
Energy Mad Ltd	Ecospiral	23WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	15000	2700	0.88	2	4/30/09
Energy Mad Ltd	Quality Choice	QC-96726	QC-96726	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.6	2	10/17/11
Energy Mad Ltd	Quality Choice	QC-96727	143426	Covered A-line	E26/E24 (Medium)	CFL		894	14.0	N/A	10000	2700	0.56	3	9/29/11
Energy Mad Ltd	Quality Choice	QC-96728	QC-96728	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	10/5/11
Energy Saver Lights	Energy Saver Lights	ESLGU24-11	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.59	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-11	N/A	Bare-spiral	GU24	CFL		711	10.985	N/A	10020	2700	0.58	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-11	N/A	Bare-spiral	GU24	CFL		721	11.17	N/A	10020	2700	0.59	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-11	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.59	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-13	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-13	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-13	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-13	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-18	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-18	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-18	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-18	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-23	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-23	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-23	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	12/9/08
Energy Saver Lights	Energy Saver Lights	ESLGU24-23	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	12/9/08
Espen Technology Inc.	Espen	VE11AGU27	N/A	Covered	GU24	CFL		620	10.6	N/A	10000	2700	0.59	2	10/29/08
Espen Technology Inc.	Espen	VE13SGUX27	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	2700	0.53	2	10/29/08
Espen Technology Inc.	Espen	VE13SGUX41	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	4100	0.53	2	10/29/08
Espen Technology Inc.	Espen	VE18SGUX27	N/A	Bare-spiral	GU24	CFL		1355	20.2	N/A	10000	2700	0.55	2	10/29/08
Espen Technology Inc.	Espen	VE26SGUX27	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	2700	0.52	2	10/29/08
Exceedlite Ltd.	Exceedlite	EL 13W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	6/16/11
Exceedlite Ltd.	Exceedlite	EL 18W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	6/16/11
Exceedlite Ltd.	Exceedlite	EL 23W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	6/16/11
Exceedlite Ltd.	Exceedlite	EL 27W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.58	2	6/16/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Feit Electric	APS	ESL18TM/APS		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	9/1/11
Feit Electric	Conserv-Energy	BPCE11G/3		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	3/13/06
Feit Electric	Conserv-Energy	BPCE11G/4	BPCE11G/4	Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	1/2/07
Feit Electric	Conserv-Energy	BPCE13T/8		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/18/02
Feit Electric	Conserv-Energy	BPCE15A/4		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	3/13/06
Feit Electric	Conserv-Energy	BPCE18PAR38/DIM/LED	18PAR38/DM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	25000	3000	0.85	3	2/8/11
Feit Electric	Conserv-Energy	BPCE18TM/D/6	BPCE18TM/D/6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	1/2/07
Feit Electric	Conserv-Energy	BPCE23TM/4		Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	12/12/02
Feit Electric	Conserv-Energy	CE11G/4		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	12/17/07
Feit Electric	Conserv-Energy	CE13T	BPCE13T/5	Bare-spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700	0.57	2	3/9/09
Feit Electric	Conserv-Energy	CE13T/10	877205	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/24/07
Feit Electric	Conserv-Energy	CE13T/10(N)	877205	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	9/30/09
Feit Electric	Conserv-Energy	CE13T/4	440075	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	8/25/09
Feit Electric	Conserv-Energy	CE13T/4(N)	440075	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	9/30/09
Feit Electric	Conserv-Energy	CE15BR30		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	3/9/09
Feit Electric	Conserv-Energy	CE15BR30/4	440076	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.54	2	8/25/09
Feit Electric	Conserv-Energy	CE15BR30/4 (G)		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	4/29/11
Feit Electric	Conserv-Energy	CE15BR30/6		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	3/11/08
Feit Electric	Conserv-Energy	CE15R30DM/3		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.67	2	3/25/09
Feit Electric	Conserv-Energy	CE18T/D/6		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	3/9/11
Feit Electric	Conserv-Energy	CE18TM/D/6	238653	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	12/17/07
Feit Electric	Conserv-Energy	CE22TM/4		Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700		2	12/10/10
Feit Electric	Conserv-Energy	CE23R40/4	877541	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	10000	2700		2	3/9/09
Feit Electric	Conserv-Energy	CE23T2/4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/17/11
Feit Electric	Conserv-Energy	CE23TM/4	440078	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.58	2	8/25/09
Feit Electric	Conserv-Energy	CE23TM/4(N)	440078	Bare-spiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.57	2	10/6/09
Feit Electric	Conserv-Energy	CE23TM/6	877665	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	7/31/07
Feit Electric	Conserv-Energy	CE23TM/6(N)	877665	Bare-spiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.57	2	10/6/09
Feit Electric	Conserv-Energy	CE7C		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	8/19/09
Feit Electric	Conserv-Energy	CE7C		Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	2700	0.55	2	8/19/09
Feit Electric	Conserv-Energy	CE7C/6		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	8/19/09
Feit Electric	Conserv-Energy	ESL13T(N)	BPESL13T(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.58	2	9/30/09
Feit Electric	ECObulb	BPESL12GTMM		Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	6/1/07
Feit Electric	ECObulb	BPESL13TC/2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.58	2	10/7/09
Feit Electric	ECObulb	BPESL14T2/2 (G)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	1/26/09
Feit Electric	ECObulb	BPESL15ATMM	BPESL15A/4	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	2/16/05
Feit Electric	ECObulb	BPESL15T/DIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.97	7	5/27/10
Feit Electric	ECObulb	BPESL15T/DIM/CAN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700		2	1/6/11
Feit Electric	ECObulb	BPESL15T/DM (U)		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.9	2	2/17/10
Feit Electric	ECObulb	BPESL23T2/2(N)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/31/08
Feit Electric	ECObulb	BPESL23T/DIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700	0.98	2	5/27/10
Feit Electric	ECObulb	BPESL23T/DIM/CAN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	1/6/11
Feit Electric	ECObulb	BPESL9A		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.57	2	9/14/09
Feit Electric	ECObulb	ESL13T/2(N)	ESL13T/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	7/11/08
Feit Electric	ECObulb	ESL13T/4/BGL (N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	12/8/09
Feit Electric	ECObulb	ESL15T	BPESL15T(A)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		975	15	N/A	8000	2700	0.58	2	6/29/09
Feit Electric	ECObulb	ESL18TM/2(N)	ESL18TM/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	7/11/08
Feit Electric	ECObulb	ESL23TM/2(N)	ESL23TM/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	7/11/08
Feit Electric	ECObulb	ESL9A/ECO		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.57	2	9/14/09
Feit Electric	ECObulb	ESL9ATM	BPESL9ATM	Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		2	12/16/04
Feit Electric	ecobulbPLUS	BPESL11GT/2		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	7/26/10
Feit Electric	ecobulbPLUS	BPESL13T/D/3	ESL13T/D/3	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/14/10
Feit Electric	ecobulbPLUS	BPESL14T2/2/RP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	4/15/10
Feit Electric	ecobulbPLUS	BPESL14T2/2(Y)		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700	0.56	2	10/8/09
Feit Electric	ecobulbPLUS	BPESL15A (H)		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	6/10/11
Feit Electric	ecobulbPLUS	BPESL15BR30/2		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.59	2	5/27/10
Feit Electric	ecobulbPLUS	BPESL16AT/2		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	7/26/10
Feit Electric	ecobulbPLUS	BPESL16AT/2/RP		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	6/4/10
Feit Electric	ecobulbPLUS	BPESL18T2/2/RP		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700	0.52	2	4/15/10
Feit Electric	ecobulbPLUS	BPESL18T2/2(Y)		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700	0.52	2	10/8/09
Feit Electric	ecobulbPLUS	BPESL23T2/2/RP		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/15/10
Feit Electric	ecobulbPLUS	BPESL23T2/2(Y)	ESL23T2/4(Y)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.55	2	10/8/09
Feit Electric	ecobulbPLUS	ESL11GTMM/2/ECO		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	6/22/10
Feit Electric	ecobulbPLUS	ESL13T2/6(Y)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	3/22/10
Feit Electric	ecobulbPLUS	ESL13T/2/CAN		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/22/10
Feit Electric	ecobulbPLUS	ESL13T/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.58	2	8/27/09
Feit Electric	ecobulbPLUS	ESL13T/6(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	9/30/09
Feit Electric	ecobulbPLUS	ESL13T/BW	BPESL13T/BW/6; ESL13T/BW/4	Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	8000	3500	0.58	2	10/8/09
Feit Electric	ecobulbPLUS	ESL13T/BW	BPESL13T/BW/6; ESL13T/BW/4; ESL13T/BW/6; BPESL13T/BW	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.58	2	10/8/09
Feit Electric	ecobulbPLUS	ESL13T/D/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/14/10
Feit Electric	ecobulbPLUS	ESL13T/ECO/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.58	2	8/27/09
Feit Electric	ecobulbPLUS	ESL13T/ECO (E)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.59	2	3/31/10
Feit Electric	ecobulbPLUS	ESL13T/ECO (G)	ESL13T/5/ECO (G); ESL13T/3/ECO (G); ESL13T/4 (G)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/6/08
Feit Electric	ecobulbPLUS	ESL13T/ECO(N)	ESL13T/5/ECO(N); ESL13T/3/ECO(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/30/10
Feit Electric	ecobulbPLUS	ESL15A/ECO (H)	ESL15A/3/ECO (H)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	6/10/11
Feit Electric	ecobulbPLUS	ESL15BR30/BW	BPESL15BR30/BW/2	Covered reflector	E26/24 (Medium)	CFL		640	13	N/A	8000	3500	0.53	2	10/1/09
Feit Electric	ecobulbPLUS	ESL15BR30/BW		Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	3500	0.53	2	1/19/11
Feit Electric	ecobulbPLUS	ESL15BR30/ECO/6		Covered reflector	E26/24 (Medium)	CFL		695	15	N/A	8000	2700		2	3/24/11
Feit Electric	ecobulbPLUS	ESL15BR30/ECO (G)		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.5	2	8/25/09
Feit Electric	ecobulbPLUS	ESL15R30/DIM	BPESL15R30/DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700		2	6/15/10
Feit Electric	ecobulbPLUS	ESL18R40H/ECO		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	10000	2700	0.56	2	7/7/10
Feit Electric	ecobulbPLUS	ESL18R40T/65K		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	6500	0.57	2	10/7/09
Feit Electric	ecobulbPLUS	ESL18TM/ECO/41K		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	4100		2	8/20/10
Feit Electric	ecobulbPLUS	ESL23PAR38H/ECO (G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	12/8/09
Feit Electric	ecobulbPLUS	ESL23TM/2/CAN		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/22/10
Feit Electric	ecobulbPLUS	ESL23TM/BW	BPESL23TM/BW/6; ESL23TM/BW/4; BPESL23TM/BW	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.59	2	12/22/09
Feit Electric	ecobulbPLUS	ESL23TM/D/2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	6/22/10
Feit Electric	ecobulbPLUS	ESL23TM/ECO/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	8/20/10
Feit Electric	ecobulbPLUS	ESL23TM/ECO (G)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/6/08
Feit Electric	ecobulbPLUS	ESL23TM/ECO(N)	BPESL23TM/ECO(N); BPESL23TM/3/ECO(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/22/10
Feit Electric	ecobulbPLUS	ESL40T/ECO (G)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	10/6/08
Feit Electric	ecobulbPLUS	ESL50/150T/D(E)		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/21/32	10000	6500		2	3/16/11
Feit Electric	ecobulbPLUS	ESL9TM/3/ECO(N)		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.54	2	10/1/09
Feit Electric	ecobulbPLUS	ESL9TMM/2/CAN		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	1/6/11
Feit Electric	Feit Electric	7PAR20/DM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.85	3	2/8/11
Feit Electric	Feit Electric	BP7PAR20/DM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.85	5	8/29/11
Feit Electric	Feit Electric	BPESL11GTMM	ESL11GTMM/3/ECO, ESL11GTMM/ECO	Covered globe	E26/24 (Medium)	CFL		560	11	N/A	8000	2700	0.6	2	2/16/05
Feit Electric	Feit Electric	BPESL11GTMM/2		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	4/28/10
Feit Electric	Feit Electric	BPESL13T/3/ECO	ESL13T/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL13T/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL13TC/BW/2		Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	8000	3500	0.58	2	10/15/09
Feit Electric	Feit Electric	BPESL13TC/BW/2		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.58	2	10/15/09
Feit Electric	Feit Electric	BPESL13TC/CW/2		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	4100	0.61	2	10/15/09
Feit Electric	Feit Electric	BPESL13TC/CW/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.61	2	10/15/09
Feit Electric	Feit Electric	BPESL13TC/D/2		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500	0.58	2	10/15/09
Feit Electric	Feit Electric	BPESL13TC/D/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.58	2	10/15/09
Feit Electric	Feit Electric	BPESL13T(E)	BPESL13T/2(E); BPESL13T/3 (E); ESL13T/4(E), ESL13T(E)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3000		2	5/1/06
Feit Electric	Feit Electric	BPESL13T/TAR		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/19/11
Feit Electric	Feit Electric	BPESL14T2	ESL14t2/CAN, BPESL14T2/2, ESL14T2, ESL14T2/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	11/30/07
Feit Electric	Feit Electric	BPESL15R30TMM		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	2/23/06
Feit Electric	Feit Electric	BPESL18PAR38T	ESL18PAR38T	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	7/15/09
Feit Electric	Feit Electric	BPESL18TM	ESL18TM, ESL18TM/4	Bare-spiral	E26/24 (Medium)	CFL		1100	18.0	N/A	10000	2700		2	4/18/02
Feit Electric	Feit Electric	BPESL18TM-20		Bare-spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	8000	2700		1	6/16/03
Feit Electric	Feit Electric	BPESL 18TM/35K	ESL18TM/BW, ESL18TM/BW/4	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500		2	5/21/10
Feit Electric	Feit Electric	BPESL18TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL18TM/ECO	BPESL18TM/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL234		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	7/28/09
Feit Electric	Feit Electric	BPESL234		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700	0.63	2	7/28/09
Feit Electric	Feit Electric	BPESL23PAR38T(G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/11
Feit Electric	Feit Electric	BPESL23R40T (G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/11
Feit Electric	Feit Electric	BPESL23T2/2RP		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/9/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Feit Electric	Feit Electric	BPESL23T/DM(U)	ESL23T/DM/2(U); ESL23T/DM/4 (U); ESL23T/DM/6(U)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.98	2	8/3/09
Feit Electric	Feit Electric	BPESL23TM	BPESL23TM/2, ESL23TM, ESL23TM/4, ESL23TM/4/RP, BPESL23TM/3	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	4/18/02
Feit Electric	Feit Electric	BPESL23TM/3/ECO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL23TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL23TM(E)	BPESL23TM/2(E); BPESL23TM/3(E); ESL23TM/4(E), L23TM/4(E)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/1/06
Feit Electric	Feit Electric	BPESL50/150T (E1)	BPESL50/150T/2 (E1), ESL50/150T/ECO (E1)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/21/32	10000	2700		2	2/13/09
Feit Electric	Feit Electric	BPESL7F		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	7/7/09
Feit Electric	Feit Electric	BPESL9TM/3/ECO	ESL9TM/ECO, ESL9TM/3/ECO, CBESL9TM/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL9TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	9/12/06
Feit Electric	Feit Electric	BPESL9TMM/CAN(N)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	2700		2	10/2/09
Feit Electric	Feit Electric	CE13T(G)	CE13T/PGE(G)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/22/08
Feit Electric	Feit Electric	CE18PAR38/DIM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	25000	3000	0.85	3	8/24/11
Feit Electric	Feit Electric	CE18TM		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/13/06
Feit Electric	Feit Electric	CE23PAR	CE23PAR/4	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	3/9/09
Feit Electric	Feit Electric	CE23R40/4 (G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		6	7/19/11
Feit Electric	Feit Electric	CE23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/13/06
Feit Electric	Feit Electric	D15R303		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000		2	3/23/06
Feit Electric	Feit Electric	D18TM3		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	3/7/07
Feit Electric	Feit Electric	D23R403		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/9/09
Feit Electric	Feit Electric	D9A3		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		2	9/23/05
Feit Electric	Feit Electric	ES13		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.56	2	3/23/10
Feit Electric	Feit Electric	ESL11R20/DM	BPESL11R20/DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700	0.55	2	6/29/09
Feit Electric	Feit Electric	ESL11R20TM/35K	ESL11R20TM/BW	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500	0.57	2	4/3/09
Feit Electric	Feit Electric	ESL11R20TM/65K		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.57	2	4/3/09
Feit Electric	Feit Electric	ESL11R20TM/D		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.57	2	4/3/09
Feit Electric	Feit Electric	ESL12GT		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700	0.57	2	4/28/10
Feit Electric	Feit Electric	ESL12GTM		Covered globe	E26/24 (Medium)	CFL		600	12	N/A	10000	2700	0.59	2	1/21/11
Feit Electric	Feit Electric	ESL12GTM/35K		Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500	0.6	2	10/5/09
Feit Electric	Feit Electric	ESL12GTMM/ECO		Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	11/13/07
Feit Electric	Feit Electric	ESL13T	BPESL13T, BPESL13T/2, ESL13T/2, ESL13T/4, BPESL13T/4	Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700	0.58	2	3/9/09
Feit Electric	Feit Electric	ESL13T2C	BPESL13T2C/2	Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	8000	2700	0.58	2	6/29/09
Feit Electric	Feit Electric	ESL13T2C	BPESL13T2C/2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700	0.58	2	6/29/09
Feit Electric	Feit Electric	ESL13T/35K		Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500	0.57	2	9/30/09
Feit Electric	Feit Electric	ESL13T/4 (H)	ESL13T/6 (H)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	10/18/11
Feit Electric	Feit Electric	ESL13T/65K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.61	2	6/11/10
Feit Electric	Feit Electric	ESL13T/6/ECO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/13/07
Feit Electric	Feit Electric	ESL13T/APS(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/16/11
Feit Electric	Feit Electric	ESL13T/BW/6(E)		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	3500		2	4/26/10
Feit Electric	Feit Electric	ESL13T/BW(E)		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	3500		2	4/26/10
Feit Electric	Feit Electric	ESL13T/BW(N)	BPESL13T/BW/6(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.57	2	10/5/09
Feit Electric	Feit Electric	ESL13T/CW	BPESL13T/CW, ESL13T/CW/6, ESL13T/CW/MP/12	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	4100	0.61	2	3/9/09
Feit Electric	Feit Electric	ESL13T/CW	BPESL13T/CW, ESL13T/CW/6, ESL13T/CW/MP/12	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.61	2	3/9/09
Feit Electric	Feit Electric	ESL13T/CW(N)	ESL13T/CW/6(N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	4100	0.55	2	10/6/09
Feit Electric	Feit Electric	ESL13T/D	BPESL13T/D, ESL13T/D/4, ESL13T/D/3, BPESL13T/D/3, BPESL13T/D/4	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	10/30/03
Feit Electric	Feit Electric	ESL13T/D	BPESL13T/D, ESL13T/D/4, ESL13T/D/3, BPESL13T/D/3, BPESL13T/D/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	10/30/03
Feit Electric	Feit Electric	ESL13T/D(N)	BPESL13T/D(N), BPESL13T/D/3 (N), BPESL13T/D/4(N), ESL13T/D/3(N), ESL13T/D/4(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.57	2	10/1/09
Feit Electric	Feit Electric	ESL13T/ECO	BPESL13T/ECO, BPESL13T/2/ECO, BPESL13T/3/ECO, BPESL13T/4/ECO, ESL13T/3/ECO, ESL13T/6/ECO, CBPESL13T/ECO	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	3/9/09
Feit Electric	Feit Electric	ESL13T/ECO(H)	ESL13T/3/ECO (H), BPESL13T/ECO(H)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	10/18/11
Feit Electric	Feit Electric	ESL13T/ES	BPESL13T/ES, BPESL13T/3/ES	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/12/09
Feit Electric	Feit Electric	ESL13TM		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/10/10
Feit Electric	Feit Electric	ESL14TM		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.58	2	3/6/09
Feit Electric	Feit Electric	ESL15A	BPESL15A	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	4/28/10
Feit Electric	Feit Electric	ESL15A/4		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	5/26/10
Feit Electric	Feit Electric	ESL15A/4/ECO/CAN		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	1/11/08
Feit Electric	Feit Electric	ESL15BR30	BPESL15BR30, BPESL15BR30/3/RP	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	4/14/08
Feit Electric	Feit Electric	ESL15BR30/35K		Covered reflector	E26/24 (Medium)	CFL		640	15	N/A	8000	3500	0.53	2	9/30/09
Feit Electric	Feit Electric	ESL15BR30/65K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500	0.55	2	10/2/09
Feit Electric	Feit Electric	ESL15BR30/ECO	ESL15BR30H/ECO; ESL15R30H/ECO; ESL15R30/ECO/CAN; ESL15BR30H/ECO; ESL15BR30/4/ECO	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.54	2	3/9/09
Feit Electric	Feit Electric	ESL15GT	BPESL15GT, ESL15GT/ECO	Covered globe	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.61	2	3/9/09
Feit Electric	Feit Electric	ESL15R30/DM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.68	2	3/27/09
Feit Electric	Feit Electric	ESL15R30DM(A)	BPESL15R30/DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.68	2	7/24/09
Feit Electric	Feit Electric	ESL15R30DM(A1)	ESL15R30/DIM/3	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	10000	2700	0.67	2	6/15/10
Feit Electric	Feit Electric	ESL15R30H/DM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.67	2	3/25/09
Feit Electric	Feit Electric	ESL16AT(E)	BPESL16AT(E), ESL16A/T(E), BPESL16AT/2(E)	Covered A-line	E26/24 (Medium)	CFL		800	15.0	N/A	8000	2700		2	3/11/09
Feit Electric	Feit Electric	ESL18PAR38H	BPESL18PAR38H	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.67	2	7/15/09
Feit Electric	Feit Electric	ESL18R40H		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	10000	2700	0.6	2	6/29/09
Feit Electric	Feit Electric	ESL18R40H/35K		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500	0.6	2	4/3/09
Feit Electric	Feit Electric	ESL18R40T	BPESL18R40T	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	6/29/09
Feit Electric	Feit Electric	ESL18T	BPESL18TM/ECO, ESL18TM/3/ECO, ESL18TM/4/ECO	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.55	2	6/29/09
Feit Electric	Feit Electric	ESL18T/65K		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500	0.57	2	10/18/10
Feit Electric	Feit Electric	ESL18TM	ESL18TM/4, ESL18TM/2, BPESL18TM/2/RP, ESL18TM/4/RP	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.58	2	6/29/09
Feit Electric	Feit Electric	ESL18TMA		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.55	2	7/28/09
Feit Electric	Feit Electric	ESL18TM/CW	BPESL18TM/CW, ESL18TM/CW/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	4100		2	10/30/03
Feit Electric	Feit Electric	ESL18TM/D	BPESL18TM/D, ESL18TM/D/3, ESL18TM/D/4,	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	3/11/09
Feit Electric	Feit Electric	ESL18TM/D(N)	ESL18TM/D/4(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/09
Feit Electric	Feit Electric	ESL18TM/ECO	BPESL18TM/2/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/29/07
Feit Electric	Feit Electric	ESL18TM/ECO(N)	ESL18TM/3/ECO(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	10/6/09
Feit Electric	Feit Electric	ESL18TMM		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.6	2	7/28/09
Feit Electric	Feit Electric	ESL22TM		Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700	0.56	2	11/22/10
Feit Electric	Feit Electric	ESL22TM/4/SCE	ESL22TM/3/SCE	Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700		2	5/12/11
Feit Electric	Feit Electric	ESL23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	10/8/10
Feit Electric	Feit Electric	ESL23PAR38H	BPCE23PAR/3, BPESL23PAR38T, BPESL23PAR38H, BPESL23PAR38T/2 , ESL23PAR38T	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	8000	2700	0.59	2	3/9/09
Feit Electric	Feit Electric	ESL23PAR38H/ECO	ESL23PAR38H/2/ECO	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/9/09
Feit Electric	Feit Electric	ESL23R40	BPESL23R40T, ESL23R40H	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	3/9/09
Feit Electric	Feit Electric	ESL23R40H/ECO	ESL23R40H/2/ECO	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/9/09
Feit Electric	Feit Electric	ESL23R40H/ECO(G)	ESL23R40H_2_ECO(G)	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/11
Feit Electric	Feit Electric	ESL23TA		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	11/22/11
Feit Electric	Feit Electric	ESL23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.58	2	8/3/09
Feit Electric	Feit Electric	ESL23TM/12		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	11/22/11
Feit Electric	Feit Electric	ESL23TM/35K		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.6	2	9/30/09
Feit Electric	Feit Electric	ESL23TM 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500	0.57	2	6/22/10
Feit Electric	Feit Electric	ESL23TM/APS(N)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/16/11
Feit Electric	Feit Electric	ESL23TM/D	BPESL23TM/D, BPESL23TM/D/3/RP, ESL23TM/D/4, BPESL23TM/D/3	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	10/2/07
Feit Electric	Feit Electric	ESL23TM/ECO	BPESL23TM/ECO, ESL23TM/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/29/07
Feit Electric	Feit Electric	ESL23TM(G)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/22/08
Feit Electric	Feit Electric	ESL23TMM/CW	BPESL23TMM/CW, ESL23TM/CW/4	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100		2	8/15/05
Feit Electric	Feit Electric	ESL23TMM/CW(N)	ESL23TM/CW/4(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100	0.57	2	10/1/09
Feit Electric	Feit Electric	ESL23TM(N)	BPESL23TM(N), ESL23TM/2(N), ESL23TM/4(N), ESL23TM/12(N)	Bare-spiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.57	2	10/6/09
Feit Electric	Feit Electric	ESL25T	BPESL25T	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700	0.62	2	6/29/09
Feit Electric	Feit Electric	ESL25TM	BPESL25TM, BPESL25TA, ESL25TA	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	8000	2700		2	7/22/09
Feit Electric	Feit Electric	ESL25TM/ECO	BPESL25TM/ECO	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700		2	6/22/09
Feit Electric	Feit Electric	ESL30/100T	BPESL30/100T, ESL30/100T/ECO	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700	0.57	2	6/29/09
Feit Electric	Feit Electric	ESL30T		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.55	2	3/6/09
Feit Electric	Feit Electric	ESL30T/ECO		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	7/20/09
Feit Electric	Feit Electric	ESL30TM	BPESL30T/3, BPESL30T, ESL30T/ECO	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	7/21/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Feit Electric	Feit Electric	ESL315	BPESL315	Bare-Triple Tube	E26/24 (Medium)	CFL		1000	15	N/A	8000	2700	0.53	2	3/25/09
Feit Electric	Feit Electric	ESL320	BPESL320	Bare-Triple Tube	E26/24 (Medium)	CFL		1430	22.0	N/A	8000	2700		2	6/29/09
Feit Electric	Feit Electric	ESL325	BPESL325	Bare-Triple Tube	E26/24 (Medium)	CFL		1600	24	N/A	8000	2700	0.59	2	6/29/09
Feit Electric	Feit Electric	ESL3C	BPESL3C	Covered-Candle	E12 (Candelabra)	CFL		120	3	N/A	8000	2700	0.54	2	9/15/09
Feit Electric	Feit Electric	ESL3C	BPESL3C	Covered-Candle	E26/24 (Medium)	CFL		120	3	N/A	8000	2700	0.54	2	9/15/09
Feit Electric	Feit Electric	ESL40T	BPESL40T	Bare-spiral	E26/24 (Medium)	CFL		2650	40	N/A	8000	2700	0.58	2	12/17/07
Feit Electric	Feit Electric	ESL7C	ESL7C, BPESL7C, BPESL7C/2, BPESL7C/5	Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/09
Feit Electric	Feit Electric	ESL7C	ESL7C, BPESL7C, BPESL7C/2, BPESL7C/5	Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/09
Feit Electric	Feit Electric	ESL7C/35K		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/09
Feit Electric	Feit Electric	ESL7C/35K		Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/09
Feit Electric	Feit Electric	ESL9T		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.59	2	1/6/11
Feit Electric	Feit Electric	ESL9TM	BPESL9TM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.55	2	4/28/10
Feit Electric	Feit Electric	ESL9TM/4(H)		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.55	2	10/18/11
Feit Electric	Feit Electric	ESL9TM/ECO (H)	ESL9TM/3/ECO (H)	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.55	2	10/18/11
Feit Electric	Feit Electric	ESL9TMM		Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	9	N/A	8000	2700		2	5/10/05
Feit Electric	Feit Electric	L23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.59	2	4/15/10
Feit Electric	Feit Electric	PAR20/HP/DIM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.85	3	2/8/11
Feit Electric	Feit Electric	PAR38/HP/DIM/LED	18PAR38/DM/LED, BPCE18PAR38/DIM/LED, CE18PAR38/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	30000	3000	0.85	3	2/8/11
Feit Electric	FEIT ELECTRIC	11R20T	BPESL11R20	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.55	2	3/1/11
Feit Electric	FEIT ELECTRIC	11R20T	ESL11R20/ECO	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.55	2	3/1/11
Feit Electric	FEIT ELECTRIC	13PAR30L/DM/LED	13PAR30L/DM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	30000	3000	0.94	3	12/7/11
Feit Electric	FEIT ELECTRIC	BPCE13PAR30/DIM/LED	BPCE13PAR30L/DM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	30000	3000	0.94	3	12/7/11
Feit Electric	FEIT ELECTRIC	BPESL13T/GU24/4	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	6/9/10
Feit Electric	FEIT ELECTRIC	BPESL13T/GU24/CAN	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	11/3/10
Feit Electric	FEIT ELECTRIC	BPESL18TM/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	1/26/09
Feit Electric	FEIT ELECTRIC	BPESL23BR40(G)	ESL23BR40/ECO(G), ESL23BR40/2/ECO(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	BPESL23PAR/2/RP(G)	ESL23PAR/2/ECO(G), BPESL23PAR(G), CE23PAR38/4 (G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	BPESL23PAR(G)	ESL23PAR/2/ECO(G), BPESL23PAR/2/RP(G), CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	BPESL23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	1/26/09
Feit Electric	FEIT ELECTRIC	BPESL23TM/GU24/CAN	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	11/3/10
Feit Electric	FEIT ELECTRIC	CE11GT/4	N/A	Covered globe	E26/E24 (Medium)	CFL		550	11.81	N/A	8000	2700	0.57	2	3/18/11
Feit Electric	FEIT ELECTRIC	CE13PAR30/DIM/LED	CE13PAR30/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	30000	3000	0.94	5	12/7/11
Feit Electric	FEIT ELECTRIC	CE23PAR38/4(G)	ESL23PAR/2/ECO(G), BPESL23PAR(G), BPESL23PAR/2/RP(G),	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	CE23PAR/4 (G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	7/19/11
Feit Electric	FEIT ELECTRIC	ES16A	ESL15A/ECO	Covered A-line	E26/E24 (Medium)	CFL		800	14.3	N/A	8000	2700	0.53	2	6/27/11
Feit Electric	FEIT ELECTRIC	ESL13T/12/CAN(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	2/13/12
Feit Electric	FEIT ELECTRIC	ESL13T2	CE13T2/4	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	10000	2700	0.58	2	3/1/11
Feit Electric	FEIT ELECTRIC	ESL13T/D/12/CAN (N)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.57	2	2/13/12
Feit Electric	FEIT ELECTRIC	ESL13T/GU24	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	8/28/08
Feit Electric	FEIT ELECTRIC	ESL13T/GU24 30K	N/A	Bare-spiral	GU24	CFL		923	12.88	N/A	10000	3000	0.58	2	12/18/09
Feit Electric	FEIT ELECTRIC	ESL15BR30T	ESL15BR30T	Covered reflector	E26/E24 (Medium)	CFL		750	15.0	N/A	10000	2700	0.53	2	4/14/11
Feit Electric	FEIT ELECTRIC	ESL18T/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	8/28/08
Feit Electric	FEIT ELECTRIC	ESL18TM/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	1/26/09
Feit Electric	FEIT ELECTRIC	ESL23BR40/2/ECO(G)	ESL23BR40/ECO(G), BPESL23BR40(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	ESL23BR40/ECO(G)	ESL23BR40/2/ECO(G), BPESL23BR40(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	ESL23PAR/2/ECO(G)	ESL23PAR/2/ECO(G), BPESL23PAR(G), BPESL23PAR/2/RP(G), CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	ESL23PAR/ECO(G)	ESL23PAR/2/ECO(G), BPESL23PAR(G), BPESL23PAR/2/RP(G), CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/12
Feit Electric	FEIT ELECTRIC	ESL23T/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	8/28/08
Feit Electric	FEIT ELECTRIC	ESL23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	1/26/09
Feit Electric	FEIT ELECTRIC	ESL23TM/GU24 30K	N/A	Bare-spiral	GU24	CFL		1611	22.78	N/A	10000	3000	0.57	2	12/18/09
Feit Electric	FEIT ELECTRIC	ESL27TM/GU24 30K	N/A	Bare-spiral	GU24	CFL		1814	25.35	N/A	10000	3000	0.58	2	12/18/09
Feit Electric	FEIT ELECTRIC	LBP13T/GU24	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	4/15/11
Feit Electric	FEIT ELECTRIC	LBP23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	4/15/11
Feit Electric	Fine Living	BPESL13T/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	4/1/08
Feit Electric	Fine Living	BPESL18TM/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.6	2	8/12/09
Feit Electric	Fine Living	BPESL23TM/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	4/1/08
Feit Electric	Fine Living	BPESL9TMM/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	4/1/08
Feit Electric	Hawaii Energy	ESL13T/15A/HE		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	5/27/10
Feit Electric	Hawaii Energy	ESL13T/15A/HE		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	5/27/10
Feit Electric	HomeBrite	ESL11GTMM/2/HBR		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700	0.57	2	5/3/10
Feit Electric	HomeBrite	ESL13T/6/HBR		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/11/10
Feit Electric	HomeBrite	ESL15BR30/HBR		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.59	2	5/20/10
Feit Electric	HomeBrite	ESL16AT/HBR		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	4/28/10
Feit Electric	HomeBrite	ESL18TM/4/HBR		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.58	2	4/28/10
Feit Electric	HomeBrite	ESL23T/DM/HBR		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700	0.98	2	4/28/10
Feit Electric	HomeBrite	ESL23TM/6/HBR		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	5/20/10
Feit Electric	HomeBrite	ESL9TM/4/HBR		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	4/28/10
Feit Electric	ProValue	PV35988		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	2	7/28/08
Firefly Lighting Co., Ltd.	Firefly	BH4-11D E26		Bare-spiral	E26/24 (Medium)	CFL		580	11	N/A	12000	2700	0.56	9	4/30/09
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/2700K E12	BX4	Bare-spiral	E12 (Candelabra)	CFL		580	11	N/A	15000	2700		2	3/23/07
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/2700K E26	BX4	Bare-quadruple tube	E26/24 (Medium)	CFL		580	11	N/A	15000	2700		2	3/23/07
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		578	11	N/A	15000	5000		2	12/21/07
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/5000K E12		Bare-quadruple tube	E12 (Candelabra)	CFL		545	11	N/A	15000	5000	0.55	2	9/30/09
Firefly Lighting Co., Ltd.	Firefly	BU4-14D E26		Bare-spiral	E26/24 (Medium)	CFL		860	14	N/A	15000	2700	0.57	9	4/30/09
Firefly Lighting Co., Ltd.	Firefly	BU4-14W/2700K		Bare-quadruple tube	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	8/24/07
Firefly Lighting Co., Ltd.	Firefly	BU4-14W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		840	14	N/A	15000	5000		2	8/24/07
Firefly Lighting Co., Ltd.	Firefly	BU4-20D 2700K		Bare-spiral	E26/24 (Medium)	CFL		1150	20	N/A	15000	2700	0.57	2	1/19/10
Firefly Lighting Co., Ltd.	Firefly	BU4-20W/2700K	BU4	Bare-quadruple tube	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700		2	9/4/07
Firefly Lighting Co., Ltd.	Firefly	BU4-20W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		1115	20	N/A	12000	5000		2	12/21/07
Firefly Lighting Co., Ltd.	Firefly	BU5-25D (E26/E12)		Bare-spiral	E26/24 (Medium)	CFL		1630	25	N/A	15000	2700	0.56	9	7/17/09
Firefly Lighting Co., Ltd.	Firefly	BU5-25W/2700K		Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	15000	2700		2	8/24/07
Firefly Lighting Co., Ltd.	Firefly	BU5-25W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		1430	25	N/A	15000	5000		2	7/17/08
Firefly Lighting Co., Ltd.	Firefly	FLCD-A4 E12 3000K	FLCD-A4 E12 3000K	C-Candle	E12 (Candelabra)	LED		219	3.62	N/A	15000	3000	0.55	3	1/12/12
Firefly Lighting Co., Ltd.	Firefly	FLGL-A3.5 E26 3000K	FLGL-A3.5 E26 3000K	Non-standard	E26/24 (Medium)	LED		220	3.5	N/A	25000	3000	0.48	3	12/20/11
Firefly Lighting Co., Ltd.	Firefly	FLGL-A7 E26 3000K	FLGL-A7 E26 3000K	Non-standard	E26/24 (Medium)	LED		455	7.0	N/A	25000	3000	0.87	3	12/20/11
Firefly Lighting Co., Ltd.	Firefly	FLM16-A4 GU10 3000K	FLM16-A4 GU10 3000K	Non-standard	GU10	LED		208	4.0	N/A	25000	3000	0.57	3	1/13/12
Firefly Lighting Co., Ltd.	Firefly	FLP38-A12 12W E26 3000K	FLP38-A12 12W E26 3000K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		685	11.7	N/A	25000	3000	0.9	3	10/31/11
Firefly Lighting Co., Ltd.	Firefly	FPA30-15W 2700K		Covered reflector	E26/24 (Medium)	CFL		500	15	N/A	10000	2700	0.57	2	10/21/10
Firefly Lighting Co., Ltd.	Firefly	FPA30-15W 4100K		Covered reflector	E26/24 (Medium)	CFL		500	15	N/A	10000	4100	0.56	2	10/21/10
Firefly Lighting Co., Ltd.	Firefly	FST2-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	12/18/09
Firefly Lighting Co., Ltd.	Firefly	FST2-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	15000	4100	0.55	2	5/27/10
Firefly Lighting Co., Ltd.	Firefly	FST2-18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1206	18	N/A	12000	2700	0.55	2	12/18/09
Firefly Lighting Co., Ltd.	Firefly	FST2-18W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	15000	4100	0.55	2	5/27/10
Firefly Lighting Co., Ltd.	Firefly	FST2-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1610	23	N/A	15000	2700	0.55	2	12/10/09
Firefly Lighting Co., Ltd.	Firefly	FST2-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	15000	4100	0.56	2	5/27/10
Firefly Lighting Co., Ltd.	Firefly	FST2-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.55	2	12/10/09
Firefly Lighting Co., Ltd.	Firefly	FST2-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		480	9	N/A	15000	4100	0.55	2	5/27/10
Firefly Lighting Co., Ltd.	Firefly	XEU23-11T 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		668	11	N/A	15000	2700		2	7/17/08
Firefly Lighting Co., Ltd.	Firefly	XEU23-14T 2700K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	15000	2700	0.54	2	8/3/09
Firefly Lighting Co., Ltd.	Firefly	XEU23-15T 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		953	15	N/A	15000	2700		2	7/17/08
Firefly Lighting Co., Ltd.	Firefly	XEU23-9T 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		582	9	N/A	15000	2700		2	7/17/08
Firefly Lighting Co., Ltd.	Firefly	XEU38-18T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	15000	2700	0.55	2	7/31/09
Firefly Lighting Co., Ltd.	Firefly	XEU38-20T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.56	2	7/31/09
Firefly Lighting Co., Ltd.	Firefly	XEU38-24T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1500	24	N/A	15000	2700	0.55	2	8/3/09
Firefly Lighting Co., Ltd.	Firefly	XEU38-26T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	15000	2700	0.55	2	8/3/09
First Green Lighting Limited	FGL	TMS13	TMS13	Bare-spiral	E26/E24 (Medium)	CFL		850	12.33	N/A	10000	2700	0.56	3	10/20/11
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M13		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.54	5	7/14/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M13/CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.56	5	7/23/08
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M18		Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	15000	2700	0.56	13	8/31/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M18/CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	4100	0.56	5	7/23/08
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M22		Bare-spiral	E26/24 (Medium)	CFL		1450	22	N/A	10000	2700	0.57	9	9/21/09
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M23		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	15000	2700	0.56	13	6/14/07

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M23/CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	5	7/23/08
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M9 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	9	N/A	8000	2700	0.57	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2413	N/A	Bare-spiral	GU24	CFL		876	11.9	N/A	10000	2700	0.56	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2413/CW	N/A	Bare-spiral	GU24	CFL		855	11.8	N/A	10000	4100	0.56	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2415	N/A	Bare-spiral	GU24	CFL		1084	14.2	N/A	10000	2700	0.58	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2415/CW	N/A	Bare-spiral	GU24	CFL		1094	14.3	N/A	10000	4100	0.58	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2418	N/A	Bare-spiral	GU24	CFL		1199	16.4	N/A	10000	2700	0.58	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2418/CW	N/A	Bare-spiral	GU24	CFL		1235	16.7	N/A	10000	4100	0.59	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2423	N/A	Bare-spiral	GU24	CFL		1641	22.1	N/A	10000	2700	0.6	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2423/CW	N/A	Bare-spiral	GU24	CFL		1600	22.0	N/A	10000	4100	0.6	2	10/29/10
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-SS209		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.58	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-SS211		Bare-Mini-Spiral	E26/24 (Medium)	CFL		560	11	N/A	10000	2700	0.5	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	F613(F614)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	2700		5	3/9/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	F618		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1150	18	N/A	8000	2700		5	3/5/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	F624		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	24	N/A	8000	2700		5	3/5/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M11 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	11	N/A	8000	2700	0.59	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M15 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.57	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M20 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1290	20	N/A	10000	2700	0.57	7	11/30/07
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M7 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	7	N/A	8000	2700	0.54	7	11/30/07
Fred's Inc.	FRED'S	12101	12101	Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.59	9	9/29/09
Fred's Inc.	FRED'S	12144	12144	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.54	9	9/29/09
Fred's Inc.	FRED'S	12169	12169	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.54	9	9/29/09
Fred's Inc.	FRED'S	12172	12172	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.54	9	9/29/09
Fred's Inc.	FRED'S	12286	12287, 12288	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.55	2	3/23/10
Fred's Inc.	FRED'S	FRD689144		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/17/11
Fred's Inc.	FRED'S	FRD689194		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/17/11
Fred's Inc.	FRED'S	FRD689234		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/17/11
Fred's Inc.	FRED'S	FRD694142		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/17/11
Fred's Inc.	FRED'S	FRD7P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	2/17/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Eiko	SP11A/27K-GU24	N/A	Covered	GU24	CFL		601	10.93	N/A	10000	2700	0.58	2	7/26/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Eiko	SP13/27K-GU24-DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	7/26/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Eiko	SP15A/27K-GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	7/26/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Eiko	SP15G25/27K-GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	7/26/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Eiko	SP15/R30/27K-GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	7/26/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	3-WAY T4S 15W/26W/40W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	12/5/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE GU24 15W	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	6/12/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 11W	N/A	Covered-A-line	Medium E26/24 (medium)	CFL		630	11.0	N/A	15000	2700	0.59	2	8/10/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 15W	A-TYPE T2S 15W	Covered A-line	E26/24 (medium)	CFL		810	14.14	N/A	10000	2700	0.59	2	12/20/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 7W		Covered A-line	E12 (Candelabra)	CFL		450	7	N/A	12000	2700		2	12/18/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 7W		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	12000	2700		2	12/18/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 7W 4100K		Covered A-line	E12 (Candelabra)	CFL		450	7	N/A	10000	4100	0.58	2	9/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 7W 4100K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	4100	0.58	2	9/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S 9W	N/A	Covered-A-line	Medium E26/24 (medium)	CFL		520	9.0	N/A	15000	2700	0.58	2	8/10/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T2S GU24 11W	N/A	Covered	GU24	CFL		601	10.93	N/A	10000	2700	0.58	2	10/25/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-TYPE T3S 15W		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	2/4/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	A-Type T3S 15W 4100K		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100	0.57	2	7/6/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	GLOBE GU24 15W	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	10/6/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	GLOBE T3S 9W		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	2700		2	12/18/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	GLOBE T3S I 15W		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	15000	2700	0.57	2	12/24/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 A-TYPE 11W		Covered A-line	E26/24 (Medium)	CFL		500	11.0	N/A	10000	2700		2	12/30/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 A-TYPE 15W		Covered A-line	E26/24 (Medium)	CFL		720	15.0	N/A	6000	2700		1	6/13/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 A-TYPE 9W		Covered A-line	E26/24 (Medium)	CFL		425	9.0	N/A	6000	2700		2	10/14/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 Dimmable Reflector 15W		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15.0	N/A	10000	2700		2	4/14/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 GLOBE 15W		Covered globe	E26/24 (Medium)	CFL		720	15.0	N/A	10000	2700		2	1/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 GLOBE 9W		Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		2	1/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLC7-18 Reflector 23W		Covered reflector	E26/24 (Medium)	CFL		1040	23.0	N/A	10000	2700		2	4/8/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS 32W		Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700	0.53	2	11/16/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS 3-WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	10/4/01
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS 40W		Bare-spiral	E26/24 (Medium)	CFL		2600	40.0	N/A	10000	2700	0.51	2	12/30/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS A-TYPE 7W		Covered A-line	E12 (Candelabra)	CFL		450	7.0	N/A	10000	2700		2	6/13/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS A-TYPE 7W		Covered A-line	E26/24 (Medium)	CFL		450	7.0	N/A	10000	2700		2	6/13/02
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS DIMMABLE 26W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1560	26.0	N/A	10000	2700		2	12/6/01
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS DIMMABLE MINI 20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1300	20	N/A	10000	2700		2	8/25/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS DIMMABLE MINI GU24 13W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	10/29/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS DIMMABLE MINI I 23W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	5/6/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI 13W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13.0	N/A	10000	4100		2	12/22/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI 13W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	4100		2	12/22/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI 14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI-A 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		850	13.0	N/A	12000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI-A 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13.0	N/A	12000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI-A 15W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15.0	N/A	12000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI-A 9W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		540	9	N/A	10000	2700		2	6/10/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI-A 9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	6/10/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI GU24 18W	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	6/18/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI GU24 23W	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/13/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI GU24 26W	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	12/11/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI I 20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1350	20	N/A	11000	2700		2	11/1/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI I 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI I 23W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1450	23	N/A	10000	4100		2	6/10/07
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS MINI I 26W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	11000	2700		2	11/10/03
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS-S MINI 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		830	13.0	N/A	10000	2700		2	6/10/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS-S MINI 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13.0	N/A	10000	2700		2	6/10/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS-S MINI 18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	11000	2700		2	12/3/04
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS-S MINI 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/30/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 11W		Bare-spiral	E12 (Candelabra)	CFL		730	11	N/A	10000	2700		2	1/10/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 11W		Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700		2	1/10/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700		2	7/11/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/11/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 3500K		Bare-spiral	E12 (Candelabra)	CFL		850	13	N/A	12000	3500	0.6	2	8/24/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	3500	0.6	2	8/24/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13.0	N/A	10000	4100		2	11/7/06
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	4100		2	11/7/06
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 5000K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		890	13	N/A	15000	5000		2	7/2/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		890	13	N/A	15000	5000		2	7/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 6500K		Bare-spiral	E12 (Candelabra)	CFL		860	13	N/A	15000	6500	0.58	2	12/30/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	15000	6500	0.58	2	12/30/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 15W		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700	0.58	2	10/29/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	4100	0.59	2	11/30/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1140	18	N/A	15000	2700		2	6/10/07
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 18W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	3500	0.59	2	10/12/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 18W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	4100		2	6/11/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 18W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	5000	0.58	2	8/21/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 18W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	15000	6500		2	5/6/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 20W		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700	0.59	2	6/16/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	5/6/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 23W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3500	0.59	2	9/27/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 23W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1630	23	N/A	12000	4100		2	3/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	5000	0.58	2	7/15/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	6500	0.57	2	2/9/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 26W		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	8/16/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 26W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.6	2	1/10/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 5W		Bare-spiral	E12 (Candelabra)	CFL		300	5	N/A	10000	2700	0.54	2	10/20/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 5W		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	10000	2700	0.54	2	10/20/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	3/30/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	3/30/05
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	12/10/06
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	12/10/06
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W 5000K		Bare-spiral	E12 (Candelabra)	CFL		570	9	N/A	12000	5000	0.59	2	8/25/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	12000	5000	0.59	2	8/25/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 13W	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	4/29/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 13W 3500K	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.58	2	7/28/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 13W 4100K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	5/13/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 18W	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.59	2	1/28/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 18W 4100K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.61	2	12/20/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 23W	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	1/28/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 23W 4100K	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.6	2	12/20/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 GU24 26W	N/A	Bare-spiral	GU24	CFL		1637	23.43	N/A	10000	2700	0.59	2	6/22/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 I 18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	6/16/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 I 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/14/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 I GU24 13W	N/A	Bare-spiral	GU24	CFL		898	12.85	N/A	10000	2700	0.59	2	8/31/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 I GU24 18W	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.59	2	1/19/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		840	13	N/A	15000	2700		2	2/5/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	15000	2700		2	2/5/08
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 13W 4100K		Bare-spiral	E12 (Candelabra)	CFL		880	13	N/A	15000	4100	0.58	2	1/22/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	15000	4100	0.58	2	1/22/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 18W		Bare-spiral	E26/24 (Medium)	CFL		1230	18	N/A	12000	2700	0.59	2	11/3/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/23/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 9W		Bare-spiral	E12 (Candelabra)	CFL		570	9	N/A	12000	2700	0.59	2	11/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 9W		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	12000	2700	0.59	2	11/2/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 9W 4100K		Bare-spiral	E12 (Candelabra)	CFL		600	9	N/A	15000	4100	0.54	2	1/22/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II 9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	15000	4100	0.54	2	1/22/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	JLS T2 II GU24 13W	N/A	Bare-spiral	GU24	CFL		804	12.32	N/A	10000	2700	0.6	2	12/28/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	PAR30 T3S 15W		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.57	2	9/21/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	PAR30 T3S 15W 4100K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100	0.58	2	8/31/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	PAR38 T4S 23W 4100K		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	4100	0.6	2	5/28/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	PAR38 T4S II 23W		Covered reflector	E26/24 (Medium)	CFL		1110	23	N/A	10000	2700		2	6/30/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	PAR38 T4S II 23W 4100K		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	4100	0.58	2	7/20/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R20 T2S 11W		Covered reflector	E26/24 (Medium)	CFL		365	11	N/A	10000	2700	0.58	2	10/26/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R20 T2S 13W		Covered reflector	E26/24 (Medium)	CFL		430	13	N/A	10000	2700	0.58	2	11/30/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R20 T3S 11W		Covered reflector	E26/24 (Medium)	CFL		365	11	N/A	10000	2700	0.57	2	9/22/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R30 GU24 15W	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/09
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R30 T3S 15W		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.58	2	11/17/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R30 T3S 15W 4100K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100	0.58	2	9/21/10
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R30 T3S II 15W	R30 T3S II 15W	Covered reflector	E26/24 (medium)	CFL		783	14.6	N/A	10000	2700	0.57	2	12/20/11
Fujian Joinluck Electronic Enterprise Co., Ltd.	Joinluck	R40 T4S 23W		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	6/30/09
Fujian YDJ-Light Company	YDJ	10005-27		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	10000	2700	0.56	2	9/14/10
Fujian YDJ-Light Company	YDJ	10010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		640	10	N/A	10000	2700		2	11/16/06
Fujian YDJ-Light Company	YDJ	10010-27		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700	0.56	2	12/15/10
Fujian YDJ-Light Company	YDJ	10010-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	3500	0.55	2	6/14/10
Fujian YDJ-Light Company	YDJ	10010-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	6500	0.56	2	6/15/10
Fujian YDJ-Light Company	YDJ	10013-35		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.58	2	6/14/10
Fujian YDJ-Light Company	YDJ	10013-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.6	2	7/1/10
Fujian YDJ-Light Company	YDJ	10015-27		Bare-spiral	E26/24 (Medium)	CFL		935	15	N/A	10000	2700	0.58	2	10/6/10
Fujian YDJ-Light Company	YDJ	10020-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.57	2	7/1/10
Fujian YDJ-Light Company	YDJ	10023-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	2	6/14/10
Fujian YDJ-Light Company	YDJ	10023-65		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	10000	6500	0.55	2	7/15/10
Fujian YDJ-Light Company	YDJ	10026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	10000	2700	0.57	2	6/11/10
Fujian YDJ-Light Company	YDJ	10026-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1670	26	N/A	10000	3500	0.56	2	6/15/10
Fujian YDJ-Light Company	YDJ	100401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		616	10	N/A	8000	2700		2	3/6/06
Fujian YDJ-Light Company	YDJ	101101		Bare-spiral	E26/24 (Medium)	CFL		700	10	N/A	12000	2700	0.57	2	9/22/09
Fujian YDJ-Light Company	YDJ	12005-27		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	12000	2700	0.56	2	9/7/10
Fujian YDJ-Light Company	YDJ	12010-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		685	10	N/A	12000	2700	0.56	11	6/24/09
Fujian YDJ-Light Company	YDJ	12010-35		Bare-spiral	E26/24 (Medium)	CFL		650	10	N/A	12000	3500		11	9/15/09
Fujian YDJ-Light Company	YDJ	12010-65		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	6500	0.56	2	9/14/10
Fujian YDJ-Light Company	YDJ	12013	12013	Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700		2	5/18/07
Fujian YDJ-Light Company	YDJ	12013-27		Bare-spiral	E26/24 (Medium)	CFL		935	13	N/A	12000	2700	0.58	2	11/19/10
Fujian YDJ-Light Company	YDJ	12013-30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		785	13	N/A	12000	3000	0.57	11	6/24/09
Fujian YDJ-Light Company	YDJ	12013-35		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	3500	0.58	2	10/22/09
Fujian YDJ-Light Company	YDJ	12013-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	6500	0.6	2	8/4/10
Fujian YDJ-Light Company	YDJ	12015-27		Bare-spiral	E26/24 (Medium)	CFL		935	15	N/A	12000	2700	0.58	2	1/13/11
Fujian YDJ-Light Company	YDJ	12015-35		Bare-spiral	E26/24 (Medium)	CFL		940	15	N/A	12000	3500		11	9/15/09
Fujian YDJ-Light Company	YDJ	12020	12020	Bare-spiral	E26/24 (Medium)	CFL		1290	20	N/A	12000	2700		2	5/18/07
Fujian YDJ-Light Company	YDJ	12020-30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1332	20	N/A	12000	3000	0.57	11	6/24/09
Fujian YDJ-Light Company	YDJ	12020-35		Bare-spiral	E26/24 (Medium)	CFL		1360	20	N/A	12000	3500		11	7/8/09
Fujian YDJ-Light Company	YDJ	12023	12023	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	12000	2700	0.54	2	5/5/07
Fujian YDJ-Light Company	YDJ	12023-27		Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700	0.56	2	1/10/11
Fujian YDJ-Light Company	YDJ	12023-30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1598	23	N/A	12000	3000	0.56	11	6/24/09
Fujian YDJ-Light Company	YDJ	12023-35		Bare-spiral	E26/24 (Medium)	CFL		1585	23	N/A	12000	3500		11	7/8/09
Fujian YDJ-Light Company	YDJ	12023-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1416	23	N/A	12000	6500	0.55	11	6/24/09
Fujian YDJ-Light Company	YDJ	12026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	12000	2700	0.57	11	8/14/09
Fujian YDJ-Light Company	YDJ	12026-30		Bare-spiral	E26/24 (Medium)	CFL		1663	26	N/A	12000	3000	0.57	11	8/14/09
Fujian YDJ-Light Company	YDJ	12026-35		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	12000	3500	0.56	2	9/14/10
Fujian YDJ-Light Company	YDJ	12030-35		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	12000	3500	0.53	2	10/6/10
Fujian YDJ-Light Company	YDJ	12040-30		Bare-spiral	E26/24 (Medium)	CFL		2700	40	N/A	12000	3000	0.52	2	10/6/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Fujian YDJ-Light Company	YDJ	12110-65		Bare-spiral	E26/24 (Medium)	CFL		650	10	N/A	12000	6500	0.56	2	1/10/11
Fujian YDJ-Light Company	YDJ	12113-27		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700	0.59	2	12/8/10
Fujian YDJ-Light Company	YDJ	12113-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	6500	0.58	2	1/10/11
Fujian YDJ-Light Company	YDJ	12120-65		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	6500	0.58	2	1/10/11
Fujian YDJ-Light Company	YDJ	12123-65		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500	0.56	2	1/10/11
Fujian YDJ-Light Company	YDJ	12126-65		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	6500	0.57	2	1/10/11
Fujian YDJ-Light Company	YDJ	13010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	2700		2	11/16/06
Fujian YDJ-Light Company	YDJ	130401		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	8000	2700	0.59	7	4/29/09
Fujian YDJ-Light Company	YDJ	131001	12013	Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700		2	5/13/09
Fujian YDJ-Light Company	YDJ	140701	140701	Covered A-line	E26/24 (Medium)	CFL		855	14	N/A	10000	2700		2	10/6/06
Fujian YDJ-Light Company	YDJ	15010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	11/16/06
Fujian YDJ-Light Company	YDJ	15010-27		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700	0.56	2	8/4/10
Fujian YDJ-Light Company	YDJ	15013		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700	0.98	2	9/22/09
Fujian YDJ-Light Company	YDJ	15013-27		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	15000	2700	0.59	2	8/24/10
Fujian YDJ-Light Company	YDJ	15013-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	15000	6500	0.6	2	10/25/10
Fujian YDJ-Light Company	YDJ	15015-27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	15000	2700	0.58	2	1/13/11
Fujian YDJ-Light Company	YDJ	15020-30		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	15000	3000		2	9/14/10
Fujian YDJ-Light Company	YDJ	15023-30		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	3000		2	9/14/10
Fujian YDJ-Light Company	YDJ	15023-35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	3500	0.56	2	8/4/10
Fujian YDJ-Light Company	YDJ	15023-65		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	15000	6500	0.55	2	8/18/10
Fujian YDJ-Light Company	YDJ	15026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	15000	2700	0.57	2	8/4/10
Fujian YDJ-Light Company	YDJ	15026-30		Bare-spiral	E26/24 (Medium)	CFL		1660	26	N/A	15000	3000	0.57	2	9/14/10
Fujian YDJ-Light Company	YDJ	15030-35		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	15000	3500	0.53	2	10/25/10
Fujian YDJ-Light Company	YDJ	150401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		958	15	N/A	8000	2700		2	3/6/06
Fujian YDJ-Light Company	YDJ	150901/HPF		Bare-spiral	E26/24 (Medium)	CFL		957	15	N/A	15000	2700	0.98	11	4/15/09
Fujian YDJ-Light Company	YDJ	15126-27		Bare-spiral	E26/24 (Medium)	CFL		1796	26	N/A	15000	2700	0.58	2	1/13/11
Fujian YDJ-Light Company	YDJ	20010		Bare-spiral	E26/24 (Medium)	CFL		1290	20	N/A	10000	2700		2	11/16/06
Fujian YDJ-Light Company	YDJ	200201/HPF		Bare-spiral	E26/24 (Medium)	CFL		1427	20	N/A	15000	2700	0.89	11	4/13/09
Fujian YDJ-Light Company	YDJ	201201		Bare-spiral	E26/24 (Medium)	CFL		1451	20	N/A	15000	2700	0.58	11	3/12/09
Fujian YDJ-Light Company	YDJ	23010	23010	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		2	12/11/06
Fujian YDJ-Light Company	YDJ	230101		Bare-spiral	E26/24 (Medium)	CFL		1674	23	N/A	10000	2700	0.57	9	9/8/09
Fujian YDJ-Light Company	YDJ	230201/HPF		Bare-spiral	E26/24 (Medium)	CFL		1686	23	N/A	15000	2700	0.88	11	4/13/09
Fujian YDJ-Light Company	YDJ	231201		Bare-spiral	E26/24 (Medium)	CFL		1678	23	N/A	15000	2700	0.56	11	3/12/09
Fujian YDJ-Light Company	YDJ	250101		Bare-spiral	E26/24 (Medium)	CFL		1725	25	N/A	10000	2700	0.57	2	4/15/09
Fujian YDJ-Light Company	YDJ	260101		Bare-spiral	E26/24 (Medium)	CFL		1655	26	N/A	10000	2700		2	4/20/05
Fujian YDJ-Light Company	YDJ	330501	330501	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	12/11/06
Fujian YDJ-Light Company	YDJ	330502-30		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	3000	0.53	2	12/15/10
Fujian YDJ-Light Company	YDJ	330503		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	3000	0.53	9	8/10/09
Fujian YDJ-Light Company	YDJ	400501		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2650	N/A	20/30/40	10000	2700	0.53	2	10/22/09
Fujian YDJ-Light Company	YDJ	650601		Bare-spiral	E26/24 (Medium)	CFL		4450	65	N/A	12000	4100	0.55	2	9/22/09
Fujian YDJ-Light Company	YDJ	SSS30-27		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		2	7/29/09
Fujian YDJ-Light Company	YDJ	SSS30-30		Bare-spiral	E26/24 (Medium)	CFL		2080	30	N/A	10000	3000		9	7/7/09
Fujian YDJ-Light Company	YDJ	SSS30-35		Bare-spiral	E26/24 (Medium)	CFL		1950	30	N/A	10000	3500	0.53	2	9/23/09
Fujian YDJ-Light Company	YDJ	SSS30/50K		Bare-spiral	E26/24 (Medium)	CFL		2039	30	N/A	10000	5000	0.53	9	4/28/09
Fujian YDJ-Light Company	YDJ	SSS40-27		Bare-spiral	E26/24 (Medium)	CFL		2820	40	N/A	10000	2700	0.55	9	8/5/09
Fujian YDJ-Light Company	YDJ	SSS40-30		Bare-spiral	E26/24 (Medium)	CFL		2640	40	N/A	10000	3000		2	9/15/09
Fujian YDJ-Light Company	YDJ	T21001		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	8000	2700	0.54	2	7/17/06
Fujian YDJ-Light Company	YDJ	T21301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.56	2	7/17/06
Fujian YDJ-Light Company	YDJ	T21501	T21501	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.53	2	9/20/06
Fujian YDJ-Light Company	YDJ	T22001		Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	8000	2700	0.52	2	7/17/06
Fujian YDJ-Light Company	YDJ	T22301	T22301	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.55	2	9/20/06
Fujian YDJ-Light Company	YDJ	YDJ-15E		Bare-spiral	E26/24 (Medium)	CFL		900	15.0	N/A	10000	2700		2	6/1/02
Fujian YDJ-Light Company	YDJ	YDJ-20D/1		Bare-spiral	E26/24 (Medium)	CFL		1230	20.0	N/A	10000	2700		2	4/22/02
Fujian YDJ-Light Company	YDJ	YDJ-25D/1		Bare-spiral	E26/24 (Medium)	CFL		1750	25.0	N/A	10000	2700		2	7/14/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09		Bare-spiral	E26/24 (Medium)	CFL		530	9	N/A	8000	2700	0.56	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09T2		Bare-spiral	E26/24 (Medium)	CFL		560	9	N/A	10000	2700	0.57	9	4/24/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09T3		Bare-spiral	E26/24 (Medium)	CFL		530	9	N/A	12000	2700	0.56	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11		Bare-spiral	E26/24 (Medium)	CFL		740	11	N/A	8000	2700	0.55	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11T2		Bare-spiral	E26/24 (Medium)	CFL		610	11	N/A	10000	2700	0.55	9	4/27/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11T3		Bare-spiral	E26/24 (Medium)	CFL		740	11	N/A	12000	2700	0.55	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL13		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	8000	2700	0.56	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL13T3		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.56	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL14T2		Bare-spiral	E26/24 (Medium)	CFL		730	14	N/A	10000	2700	0.56	9	4/24/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL15		Bare-spiral	E26/24 (Medium)	CFL		890	15	N/A	8000	2700	0.57	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL15T3		Bare-spiral	E26/24 (Medium)	CFL		890	15	N/A	12000	2700	0.57	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18		Bare-spiral	E26/24 (Medium)	CFL		1240	18	N/A	8000	2700	0.54	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18T2		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.55	9	4/24/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18T3		Bare-spiral	E26/24 (Medium)	CFL		1240	18	N/A	12000	2700	0.54	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20		Bare-spiral	E26/24 (Medium)	CFL		1390	20	N/A	8000	2700	0.56	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20T2		Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700	0.56	9	4/24/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20T3		Bare-spiral	E26/24 (Medium)	CFL		1390	20	N/A	12000	2700	0.56	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.53	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23T2		Bare-spiral	E26/24 (Medium)	CFL		1350	23	N/A	10000	2700	0.53	9	4/24/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23T3		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.54	7	1/7/09
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL26		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.54	7	10/6/08
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL26T3		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.54	7	1/7/09
GE Appliances and Lighting	GE	LED9A19/830	62181, 62180, 01396, 64018	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		472	8.1	N/A	25000	3000	0.99	10	11/18/10
GE Appliances and Lighting	GE Lighting	61921 LED7DP20S830/20	61921	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	361	7.0	N/A	25000	3000	0.9	3	4/14/11
GE Appliances and Lighting	GE Lighting	FAM72LED2CAC-ES	61545, 63447, 01416	C - Candle	E12 (Candelabra)	LED		78	1.8	N/A	15000	3000	0.56	5	4/13/11
GE Appliances and Lighting	GE Lighting	LED10DP30S827/20	61923, 64326	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	497	10.0	N/A	50000	2700	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED10DP30S830/20	61922, 64312	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	517	10.0	N/A	50000	3000	0.98	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED10DP3LS827/20	61925	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	499	10.0	N/A	50000	2700	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED10DP3LS830/20	64313, 61924	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	534	10.0	N/A	50000	3000	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED12DBR30/827	65389	BR - Bulged Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	2700	0.73	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED12DBR30/830	65388, 65390, 66516	BR - Bulged Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.73	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED12DP30B827_25	65987	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30S827_20	65137	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30S827_25	65985	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30S827_35	65138	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30S830_20	65135	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30S830_35	65136	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP30W827_25	65986	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP3LS827_20	65141	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP3LS827_35	65142	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP3LS830_20	65139	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12DP3LS830_35	65140	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED12P3LS930/25	66050	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		660	12.0	N/A	25000	3000	0.99	3	1/27/12
GE Appliances and Lighting	GE Lighting	LED12P3LS930/40	66051	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		660	12.0	N/A	25000	3000	0.99	3	1/27/12
GE Appliances and Lighting	GE Lighting	LED17P38S83015	61930, 63150	PAR â Parabolic Aluminum Reflector	E26/24 (medium)	LED		862	17.07	N/A	50000	3000	0.99	3	4/25/11
GE Appliances and Lighting	GE Lighting	LED17P38S83017	64035	PAR â Parabolic Aluminum Reflector	E26/24 (medium)	LED		835	16.2	N/A	50000	3000	0.99	3	4/25/11
GE Appliances and Lighting	GE Lighting	LED17P38S83025	61931, 63104	PAR â Parabolic Aluminum Reflector	E26/24 (medium)	LED		871	17.27	N/A	50000	3000	0.99	3	4/25/11
GE Appliances and Lighting	GE Lighting	LED17P38S830/40	65421	PAR â Parabolic Aluminum Reflector	E26/24 (medium)	LED		820	17.0	N/A	50000	3000	0.99	3	4/25/11
GE Appliances and Lighting	GE Lighting	LED20DP38S827/15	64828	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.98	3	8/8/11
GE Appliances and Lighting	GE Lighting	LED20DP38S827/25	64829	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	8/8/11
GE Appliances and Lighting	GE Lighting	LED20DP38S827/40	64830, 65847	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.98	3	8/8/11
GE Appliances and Lighting	GE Lighting	LED20DP38S830/15	64827	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	25000	3000	0.98	3	8/8/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
GE Appliances and Lighting	GE Lighting	LED20DP38S830/25	64391	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	25000	2700	0.98	3	8/8/11
GE Appliances and Lighting	GE Lighting	LED20DP38S830/40	64392	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	25000	3000	0.98	3	8/8/11
GE Appliances and Lighting	GE Lighting	LED20P38S830/25	61929	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	20.0	N/A	50000	3000	0.99	3	8/25/11
GE Appliances and Lighting	GE Lighting	LED20P38S830/25	61929	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1129	19.3	N/A	25000	3000	0.99	3	4/18/11
GE Appliances and Lighting	GE Lighting	LED20P38S830/40	61927;61928;01412; PLGLEDPAR38/SBK;64036	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1093	19.3	N/A	25000	3000	0.99	5	5/20/11
GE Appliances and Lighting	GE Lighting	LED20P38S830/40	61928	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	20.0	N/A	50000	3000	0.99	3	8/25/11
GE Appliances and Lighting	GE Lighting	LED20P38S/FL	61927;61928;01412; PLGLEDPAR38/SBK;64036	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1093	19.3	N/A	25000	3000	0.99	5	5/20/11
GE Appliances and Lighting	GE Lighting	LED2CAC-C	61545, 63447, 01416	C - Candle	E12 (Candelabra)	LED		78	1.8	N/A	15000	3000	0.56	5	4/13/11
GE Appliances and Lighting	GE Lighting	LED2CAC-C/ES/TP	61545, 63447, 01416	C - Candle	E12 (Candelabra)	LED		78	1.8	N/A	15000	3000	0.56	5	4/13/11
GE Appliances and Lighting	GE Lighting	LED2CAC-F	LED2CAC-F/ES/BK, LED2CAC-F/ES/TP, 61544, 01415	C - Candle	E12 (Candelabra)	LED		79	1.8	N/A	15000	3000	0.55	5	4/28/11
GE Appliances and Lighting	GE Lighting	LED2CAM-C	62989; 01418	C - Candle	E26/24 (Medium)	LED		80	2.17	N/A	15000	3000	0.55	5	4/19/11
GE Appliances and Lighting	GE Lighting	LED2CAM-C/ES/BK	62989; 01418	C - Candle	E26/24 (Medium)	LED		80	2.17	N/A	15000	3000	0.55	5	4/19/11
GE Appliances and Lighting	GE Lighting	LED2CAM-C/ES/TP	62989; 01418	C - Candle	E26/24 (Medium)	LED		80	2.17	N/A	15000	3000	0.55	5	4/19/11
GE Appliances and Lighting	GE Lighting	LED2CAM-F	62988; 01417	C - Candle	E26/24 (Medium)	LED		84	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2CAM-F/ES/BK	62988; 01417	C - Candle	E26/24 (Medium)	LED		84	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2CAM-F/ES/TP	62988; 01417	C - Candle	E26/24 (Medium)	LED		84	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2DCAC-C	64046	CA - Candle with angular tip	E26/24 (medium)	LED	Dimmable	90	2.2	N/A	15000	3000	0.87	3	7/15/11
GE Appliances and Lighting	GE Lighting	LED2DCAC-F	64045	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.84	3	7/26/11
GE Appliances and Lighting	GE Lighting	LED2DCAM-C	64047	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.84	3	7/26/11
GE Appliances and Lighting	GE Lighting	LED2DCDM-C	64048	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.85	3	7/26/11
GE Appliances and Lighting	GE Lighting	LED2G16C-C	62991, 01420	G - Globe	E12 (Candelabra)	LED		77	1.8	N/A	15000	3000	0.54	3	4/19/11
GE Appliances and Lighting	GE Lighting	LED2G16C-C	62991, 01420	G - Globe	E26/24 (Medium)	LED		77	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2G16C-C/ES/BK	62991, 01420	G - Globe	E26/24 (Medium)	LED		77	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2G16C-C/ES/TP	62991, 01420	G - Globe	E26/24 (Medium)	LED		77	1.8	N/A	15000	3000	0.55	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2G16C-W	62290, 01419, 63746	G - Globe	E26/24 (Medium)	LED		75	2.0	N/A	15000	3000	0.56	5	4/20/11
GE Appliances and Lighting	GE Lighting	LED2G16M-C	62933, 01422	G - Globe	E26/24 (Medium)	LED		78	1.84	N/A	15000	3000	0.56	5	4/14/11
GE Appliances and Lighting	GE Lighting	LED2G16M-C/ES/TP	62933, 01422	G - Globe	E26/24 (Medium)	LED		78	1.84	N/A	15000	3000	0.56	5	4/14/11
GE Appliances and Lighting	GE Lighting	LED2G16M-W	62992, 01421	G - Globe	E26/24 (Medium)	LED		78	1.8	N/A	15000	3000	0.55	5	4/19/11
GE Appliances and Lighting	GE Lighting	LED2G25M-C	63014, 01424	G - Globe	E26/24 (Medium)	LED		97	2.17	N/A	15000	3000	0.57	5	4/14/11
GE Appliances and Lighting	GE Lighting	LED2G25M-C/ES/TP	63014, 01424	G - Globe	E26/24 (Medium)	LED		97	2.17	N/A	15000	3000	0.57	5	4/14/11
GE Appliances and Lighting	GE Lighting	LED2G25M-W	63013, 01423, 63701, LED2G25M-ES/W	G - Globe	E26/24 (Medium)	LED		95	2.2	N/A	15000	3000	0.57	5	4/28/11
GE Appliances and Lighting	GE Lighting	LED5GU10S830/25	64887, 62909, 01414, 64253	Non-standard	GU10	LED		219	4.5	N/A	25000	3000	0.53	3	4/25/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/827/15	66130	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/827/25	66131	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/827/35	66132	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/830/15	66127	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/830/25	66128	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DMR16/830/35	66129	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/11
GE Appliances and Lighting	GE Lighting	LED7DP20B827/15	63696	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	354	7.0	N/A	25000	2700	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED7DP20B827/20	61917, 61920, 63023, 01409	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	320	7.0	N/A	25000	2700	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED7DP20B830/12	61915, 61918	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	355	7.0	N/A	25000	3000	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED7DP20B830/20	61916	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	361	7.0	N/A	25000	3000	0.9	3	4/14/11
GE Appliances and Lighting	GE Lighting	LED7DP20B830/20	64314, 61916, 61919, 61921	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	368	7.0	N/A	25000	3000	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	LED7DP20S827/20, LED7DP20/NFL	65848, 64494	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	320	7.0	N/A	25000	2700	0.97	3	6/29/11
GE Appliances and Lighting	GE Lighting	LED7DP20W830/20	61919	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	361	7.0	N/A	25000	3000	0.9	3	4/14/11
GE Appliances and Lighting	GE Lighting	LED9DA19/827	65985	A - Arbitrary (standard incandescent shape)	E26/24 (medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.93	3	11/7/11
GE Appliances and Lighting	GE Lighting	LED9DA19/830	65385, 64128	A - Arbitrary (standard incandescent shape)	E26/24 (medium)	LED	Dimmable	450	9.0	N/A	25000	3000	0.93	3	11/10/11
GE Appliances and Lighting	GE Lighting	PLGP301DLEDCN, LED10DP30/FL-	65849, 01410, 63026	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	474	10.0	N/A	25000	2700	0.97	3	4/21/11
GE Appliances and Lighting	GE Lighting	PLGP301DLDLEDCN, PLGP301LDLE	01411, 63027, 65850	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	483	10.0	N/A	25000	2700	0.97	3	4/21/11
GE Appliances and Lighting	General Electric	FAM147-FLE13/8PK	31064	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		2	3/2/05
GE Appliances and Lighting	General Electric	FAM147FLE13HT36P	20737	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	8000	2700	0.58	5	8/18/03
GE Appliances and Lighting	General Electric	FLE10HT10KBX3	65168	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700	0.5	5	10/14/11
GE Appliances and Lighting	General Electric	FLE10HT2/2	85382; 85389	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	2700		8	7/19/06
GE Appliances and Lighting	General Electric	FLE10HT2/2/D	01111; 01157; 73441; 62948	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.56	8	7/27/09
GE Appliances and Lighting	General Electric	FLE10HT2/6H/CW	72468	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	4100		4	4/2/10
GE Appliances and Lighting	General Electric	FLE10HT2/6H/D	72471, 78546	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	6500		4	4/2/10
GE Appliances and Lighting	General Electric	FLE10HT2/6H/SW	72465; 73634	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	2700		4	1/7/08
GE Appliances and Lighting	General Electric	FLE10HT3/2	15829; 49807; 90065; 00728; 00349; 73156; 00817; 74196; 74197; 72931; 77004; 01031; 77671	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	12/12/06
GE Appliances and Lighting	General Electric	FLE10HT3/2	97688	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		6	12/12/06
GE Appliances and Lighting	General Electric	FLE10HT3/2/841	25182	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	4100		2	9/17/04
GE Appliances and Lighting	General Electric	FLE10HT3/2/D	89082; 85393; 00403; 01070; 73434	Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	10	N/A	8000	6500		6	12/13/06
GE Appliances and Lighting	General Electric	FLE10HT3/2/D/BX3	61587, 64004	Bare-spiral	E26/24 (Medium)	CFL		490	10	N/A	10000	6500		6	12/13/10
GE Appliances and Lighting	General Electric	FLE10HT3/2/GU24/827	76135, 76138	Bare-spiral	GU24	CFL		569	9.533	N/A	10000	2700	0.56	2	12/7/09
GE Appliances and Lighting	General Electric	FLE10HT3/2/XL	47430; 49671; 80936; 00450; 00695; 75372;	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	2700		8	6/7/05
GE Appliances and Lighting	General Electric	FLE10HT3/2/XL/841	77415	Bare-Mini-Spiral	E26/24 (Medium)	CFL		530	10	N/A	12000	4100	0.57	2	7/24/09
GE Appliances and Lighting	General Electric	FLE10HT3/3	49807	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	7/12/07
GE Appliances and Lighting	General Electric	FLE10HT3/5	15829; 49906	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	10/28/05
GE Appliances and Lighting	General Electric	FLE10T3SW/CD4/TP	62821	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700	0.5	6	1/20/11
GE Appliances and Lighting	General Electric	FLE11/2/A17XL	47486; 49687; 87809; 00682; 00696; 71992; 00532; 00570	Covered A-line	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		7	6/13/05
GE Appliances and Lighting	General Electric	FLE11/2/A17XL/F/CB/D	78941; 78942	Covered A-line	E12 (Candelabra)	CFL		460	11	N/A	10000	6500	0.56	6	5/18/10
GE Appliances and Lighting	General Electric	FLE11/2/A17XL/F/CB/SW	78937, 78938	Covered A-line	E26/24 (Medium)	CFL		505	11	N/A	10000	2700		6	3/4/10
GE Appliances and Lighting	General Electric	FLE11/2/A17XL/F/D	78939, 78940	Covered A-line	E26/24 (Medium)	CFL		460	11	N/A	10000	6500		6	4/2/10
GE Appliances and Lighting	General Electric	FLE11/2/A19XL	89622	Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	11/2/06
GE Appliances and Lighting	General Electric	FLE11/2/G25XL	47484; 85392; 89096; 90069; 00572; 00575	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	10000	2700	0.58	7	6/13/05
GE Appliances and Lighting	General Electric	FLE11/2/G25XL/D	78946, 78947	Covered globe	E26/24 (Medium)	CFL		450	11	N/A	10000	6500	0.5	6	1/27/10
GE Appliances and Lighting	General Electric	FLE11/2/R20/SW	24691	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	6000	2700		4	9/16/04
GE Appliances and Lighting	General Electric	FLE11/2/R20XL	47477, 80892, 90067, 00684; 73795; 00820; 00857; 01116; 76131	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700		7	2/19/10
GE Appliances and Lighting	General Electric	FLE11/2/R20XL/D	78948, 78949	Covered reflector	E26/24 (Medium)	CFL		370	11	N/A	10000	6500	0.5	6	1/27/10
GE Appliances and Lighting	General Electric	FLE11/2/T14XL	89631	Covered bullet	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	10/17/06
GE Appliances and Lighting	General Electric	FLE11/2/TC14/SW/CD	49894, 00507	Covered-post	E26/24 (Medium)	CFL		500	11.0	N/A	6000	2700	0.59	4	1/20/11
GE Appliances and Lighting	General Electric	FLE13HT10KBX3	65169	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.5	5	10/12/11
GE Appliances and Lighting	General Electric	FLE13HT2/2	85383; 85390; 00709; 00711; 86256; 00460	Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	12000	2700	0.51	8	10/17/06
GE Appliances and Lighting	General Electric	FLE13HT2/2/CAND	75368; 01194	Bare-Mini-Spiral	E12 (Candelabra)	CFL		850	13	N/A	8000	2700		5	7/13/09
GE Appliances and Lighting	General Electric	FLE13HT2/2/D	01158; 01112; 73442; 62949	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.55	8	7/28/09
GE Appliances and Lighting	General Electric	FLE13HT2/6H/CW	72469; 01107	Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	4100	0.5	4	4/16/10
GE Appliances and Lighting	General Electric	FLE13HT2/6H/D	01106, 72472, 78547	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	6500	0.5	5	4/16/10
GE Appliances and Lighting	General Electric	FLE13HT2/6H/SW	72466; 73635	Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700	0.5	5	4/19/10
GE Appliances and Lighting	General Electric	FLE13HT3/2	97659; 97689, 73542; 61228; 00854	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		6	1/3/08
GE Appliances and Lighting	General Electric	FLE13HT3/2/6H	71766; 71777	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700	0.5	5	4/16/10
GE Appliances and Lighting	General Electric	FLE13HT3/2/D	85394	Bare-Mini-Spiral	E26/24 (Medium)	CFL		750	13	N/A	8000	6500		5	8/18/06
GE Appliances and Lighting	General Electric	FLE13HT3/2/SW	16460; 00326; 16459; 21760; 49586; 85839; 97659; 00320; 00716; 00809; 00818; 97384; 97385; 97133; 74198; 74199; 73696; 01025; 77005; 78548; 61279; 61480; 62589; 77672	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	8000	2700	0.58	5	8/18/03
GE Appliances and Lighting	General Electric	FLE13HT3/3	49586, 97659, 31064	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		5	3/2/07
GE Appliances and Lighting	General Electric	FLE13HT3/5	16460	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		5	10/28/05
GE Appliances and Lighting	General Electric	FLE13HT3/6H/S	71763	Bare-Mini-Spiral	E26/24 (Medium)	CFL		855	13	N/A	8000	5000		4	3/12/10
GE Appliances and Lighting	General Electric	FLE13T3SW/CD4/TP	62822	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.5	6	1/20/11
GE Appliances and Lighting	General Electric	FLE14/2/TC16	85384, 01019	Covered-post	E26/24 (Medium)	CFL		750	14	N/A	10000	2700		2	10/16/08
GE Appliances and Lighting	General Electric	FLE14/3/A19	73162; 73163	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	6/10/08
GE Appliances and Lighting	General Electric	FLE14/3/G25	73164; 73165	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE14/3/R20	73161; 73160	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE15/2/A19XL	89632; 71876; 72609; 72679; 74879; 74878	Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	10000	2700		6	10/18/06
GE Appliances and Lighting	General Electric	FLE15/2/A21XL	47487	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		7	3/11/10
GE Appliances and Lighting	General Electric	FLE15/2/DV/R30	21709; FLE15/2/DV/R30SWCD, 21710; 71277; 71330; 00367; 00863; 98284; 01114; 62825	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15.0	N/A	6000	2700		4	1/14/04
GE Appliances and Lighting	General Electric	FLE15/2/G25/XL	47485; 89633; 00785; 01011; 76132	Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		8	10/17/06
GE Appliances and Lighting	General Electric	FLE15/2/R30/SW/CD	20708; FLE15/2/R30; 28909 (3pk); FLE15/2/R30/UTCD, 49610	Covered reflector	E26/24 (Medium)	CFL		720	15.0	N/A	8000	2700		5	1/14/04
GE Appliances and Lighting	General Electric	FLE15/2/R30XL	47478; 00683; 80893; 73793; 72984; 01115; 00856; 71276; 62826	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		7	6/13/05
GE Appliances and Lighting	General Electric	FLE15/2/R30XL/D	78950, 78951	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	10000	6500	0.5	6	1/27/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
GE Appliances and Lighting	General Electric	FLE15/A2/A23/SW/827	41439	Covered A-line	E26/24 (Medium)	CFL		825	15.0	N/A	6000	2700		5	2/4/00
GE Appliances and Lighting	General Electric	FLE15HT3/2/841	25183; 61166	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	4100		2	9/17/04
GE Appliances and Lighting	General Electric	FLE15HT3/2/CVG/827	78961	Bare-spiral	E26/24 (Medium)	CFL		920	15	N/A	8000	2700	0.5	8	2/17/10
GE Appliances and Lighting	General Electric	FLE15HT3/2/D	89091; 85394; 00791; 00461; 73435; 01071; 00699; 62110	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		5	12/13/06
GE Appliances and Lighting	General Electric	FLE15HT3/2/D/BX2/6	64005	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	6500		6	7/19/11
GE Appliances and Lighting	General Electric	FLE15HT3/2/DV	89623;89619;01020	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700		6	10/16/06
GE Appliances and Lighting	General Electric	FLE15HT3/2/GU24/827	75367, 76139, and 01193	Bare-spiral	GU24	CFL		1024	14.06	N/A	10000	2700	0.56	2	12/7/09
GE Appliances and Lighting	General Electric	FLE15HT3/2/SW	15831; FLE15HT3/2/SW/CD3PK, 00261; 01160	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15.0	N/A	8000	2700	0.57	5	10/7/02
GE Appliances and Lighting	General Electric	FLE15HT3/2/XL	47435; 49680; 80973; 00686; 00694; 71804; 71666; 80937; 75373	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	2700		8	6/7/05
GE Appliances and Lighting	General Electric	FLE16/3/R30	73042; 73043; 73097	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE20/2/A19XL	89634; 74191; 74192	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/16/06
GE Appliances and Lighting	General Electric	FLE20/2/T19XL	89636	Covered bullet	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/18/06
GE Appliances and Lighting	General Electric	FLE20AG21/2/SW	74438; 74726; 74858; 01086; 01089	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700		5	4/24/09
GE Appliances and Lighting	General Electric	FLE20HT10KBX3	65170	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.5	5	10/12/11
GE Appliances and Lighting	General Electric	FLE20HT2/2/XL	72875, 72880	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.5	8	2/17/10
GE Appliances and Lighting	General Electric	FLE20HT2/2/XL/D	73443; 62951	Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	12000	6500		8	10/19/10
GE Appliances and Lighting	General Electric	FLE20HT2/6H/D	73632	Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	6500	0.5	5	4/16/10
GE Appliances and Lighting	General Electric	FLE20HT2/6H/SW	73540; 73636	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.57	4	4/16/10
GE Appliances and Lighting	General Electric	FLE20HT3/2	97690; 61229	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	10000	2700	0.5	6	10/7/02
GE Appliances and Lighting	General Electric	FLE20HT3/2/6D	85396	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1150	20	N/A	8000	6500		4	2/25/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/6H	74200	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		5	2/25/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/841	25186	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	4100		2	3/26/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/CVG/827	78962	Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	8000	2700		5	3/25/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/D	85396; 89094	Bare-spiral	E26/24 (Medium)	CFL		1150	20	N/A	8000	6500	0.55	6	8/1/06
GE Appliances and Lighting	General Electric	FLE20HT3/2/D/BX3	61588, 64006	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	6500		6	12/13/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/GU24/827	76136, 76140	Bare-spiral	GU24	CFL		1296	18.72	N/A	10000	2700	0.58	2	12/7/09
GE Appliances and Lighting	General Electric	FLE20HT3/2/SW	15516; 15518; 15834; 49587; 97249; 74200; 71284; 74201; 77006; 77673; 61481	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	8000	2700		5	10/7/02
GE Appliances and Lighting	General Electric	FLE20HT3/2/XL	47442; 80888, 49684, 75374, 73863	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		8	3/4/10
GE Appliances and Lighting	General Electric	FLE20HT3/2/XL/D	47466, 00687, 01042	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500		8	4/2/10
GE Appliances and Lighting	General Electric	FLE20HT3/3	15516, 15518, 49587	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		5	3/2/07
GE Appliances and Lighting	General Electric	FLE20HT3/5	15516; 15518; 49587	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		5	2/13/08
GE Appliances and Lighting	General Electric	FLE20HT3/6H/S	71764	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	5000		4	3/19/10
GE Appliances and Lighting	General Electric	FLE20T3SW/CD4/TP	62823	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.5	6	1/20/11
GE Appliances and Lighting	General Electric	FLE23/2/PAR38F	61227; 78964; 61149; 61165	Covered reflector	E26/24 (Medium)	CFL		1185	23	N/A	10000	2700	0.5	6	5/19/10
GE Appliances and Lighting	General Electric	FLE23/3/R40	73044	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE23HT3/2/XL	47445, 80889	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		8	6/13/05
GE Appliances and Lighting	General Electric	FLE23HT3/3	72641	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		6	1/3/08
GE Appliances and Lighting	General Electric	FLE26/2/PAR38/SW/CD	21739; FLE26/2/PAR38/CDN, 00353	Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	6000	2700		4	2/4/10
GE Appliances and Lighting	General Electric	FLE26/2/PAR38/XL	47483; 80895; 47770; 00688; 00529; 73157; 00859; 73796; 01117; 62829	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		6	6/13/05
GE Appliances and Lighting	General Electric	FLE26/2/R40	21738; FLE26R40/2/CDN, 00368	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1300	26	N/A	6000	2700		4	5/25/04
GE Appliances and Lighting	General Electric	FLE26/2/R40XL	47479; 80894; 90066; 00689; 73792; 00864; 01172; 62828	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		7	6/13/05
GE Appliances and Lighting	General Electric	FLE26/2/T21XL	89636	Covered bullet	E26/24 (Medium)	CFL		1350	26	N/A	10000	2700		2	10/18/06
GE Appliances and Lighting	General Electric	FLE26HT10KBX3	65171	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	5	10/12/11
GE Appliances and Lighting	General Electric	FLE26HT2/2/XL	0110; 01156; 72877	Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.58	8	9/23/09
GE Appliances and Lighting	General Electric	FLE26HT2/2/XL/D	73444, 62952	Bare-spiral	E26/24 (Medium)	CFL		1625	26	N/A	12000	6500		8	12/14/10
GE Appliances and Lighting	General Electric	FLE26HT2/6H/D	73633	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		5	4/2/10
GE Appliances and Lighting	General Electric	FLE26HT2/6H/SW	73637, 73631	Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.6	4	7/29/09
GE Appliances and Lighting	General Electric	FLE26HT3/2	97691; 71285; 61230	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	6	12/21/09
GE Appliances and Lighting	General Electric	FLE26HT3/2/6D	85397	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		5	2/25/10
GE Appliances and Lighting	General Electric	FLE26HT3/2/6H	74202	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		5	2/25/10
GE Appliances and Lighting	General Electric	FLE26HT3/2/841	25195	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	4100		2	9/17/04
GE Appliances and Lighting	General Electric	FLE26HT3/2/CVG/827	78963	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700		5	3/25/10
GE Appliances and Lighting	General Electric	FLE26HT3/2/D	85397; 89095; 00462; 73436; 01072; 62111	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		5	8/1/06
GE Appliances and Lighting	General Electric	FLE26HT3/2/D3/SW	77123, 77124	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1750	N/A	13/19/26	10000	2700		6	9/29/09
GE Appliances and Lighting	General Electric	FLE26HT3/2/D/BX2/6	64007	Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500		6	7/19/11
GE Appliances and Lighting	General Electric	FLE26HT3/2/DV	89621; 89624; 00801	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	10000	2700		6	10/16/06
GE Appliances and Lighting	General Electric	FLE26HT3/2/GU24/827	76137, 76141	Bare-spiral	GU24	CFL		1801	25	N/A	10000	2700	0.59	2	12/7/09
GE Appliances and Lighting	General Electric	FLE26HT3/2/SW	15517; FLE26HT3/2/SW/2PK, 15519 (2-pack); FLE26HT3/2/827, 15836; FLE26HT3/2/10PK, 21845; FLE26HT3/2SW/CND, 00327; FLE26HT3/2/2P/CN 00323; FLE26HT3/2SW/CD3PK, 00262; 47709; 97250; 00849; 74202; 74203; 73697; 97134; 01026; 77007; 77677; 61482; 72070	Bare-spiral	E26/24 (Medium)	CFL		1750	26.0	N/A	8000	2700		5	10/7/02
GE Appliances and Lighting	General Electric	FLE26HT3/2/XL	47446; 49685; 80890; 00690; 00698; 75375; 73864; 01055	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700		8	6/13/05
GE Appliances and Lighting	General Electric	FLE26T3SW/CD4/TP	62824	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.58	6	1/20/11
GE Appliances and Lighting	General Electric	FLE29HLX/2/XL	47459; 00693; 81514	Bare-spiral	E26/24 (Medium)	CFL		2200	29	N/A	12000	2700		8	3/1/10
GE Appliances and Lighting	General Electric	FLE32HLX/2/SW	24684; 24743 (boxed)	Bare-spiral	E26/24 (Medium)	CFL		2200	32	N/A	8000	2700		5	3/12/10
GE Appliances and Lighting	General Electric	FLE32HT3/2/D3/CW	62070	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	4100		2	1/21/11
GE Appliances and Lighting	General Electric	FLE32HT3/2/D3/SW	78952, 79455; 01374; 62590; 63482	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700		5	3/4/10
GE Appliances and Lighting	General Electric	FLE42HLX/2/XL	47452; 80891; 00483; 97728	Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	2700		8	10/4/05
GE Appliances and Lighting	General Electric	FLE5/2/CAC/827	00373, 01009	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	6000	2700	0.5	4	2/22/10
GE Appliances and Lighting	General Electric	FLE55HT5/2/SW	78965	Bare-spiral	E26/24 (Medium)	CFL		3860	55	N/A	8000	2700	0.5	5	5/19/10
GE Appliances and Lighting	General Electric	FLE7/2/CAC/827	00374, 00574, 16103	Covered-Candle	E12 (Candelabra)	CFL		370	7	N/A	6000	2700	0.5	4	2/18/10
GE Appliances and Lighting	General Electric	FLE7/2/CAM	16104; FLE7/2/CAM/CDN, 00372; 01008	Covered-Candle	E26/24 (Medium)	CFL		370	7.0	N/A	6000	2700		4	8/18/03
GE Appliances and Lighting	General Electric	FLE9/2/CAC	74124, 85388, 01006, 16105	Covered-Candle	E12 (Candelabra)	CFL		430	9	N/A	6000	2700	0.5	2	12/31/09
GE Appliances and Lighting	General Electric	FLE9/2/CAC/XL/SW	79068	Covered-Candle	E12 (Candelabra)	CFL		400	9	N/A	10000	2700	0.5	5	1/5/12
GE Appliances and Lighting	General Electric	FLE9/2/CAM	16106; FLE9/2/CAM/SW/CD, 24692; FLE9/2/CAM/CDCDN, 00347	Covered-Candle	E26/24 (Medium)	CFL		430	9.0	N/A	6000	2700		4	8/18/03
GE Appliances and Lighting	General Electric	FLE9/2/CAM/XL	47488; 49688; 74123	Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700		6	6/20/05
GE Appliances and Lighting	General Electric	FLE9/3/A17	73038; 73039	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE9/3/G18	74586, 74587	Covered globe	E26/24 (Medium)	CFL		340	9	N/A	8000	2700	0.61	5	1/20/11
GE Appliances and Lighting	General Electric	FLE9/3/G25	73040; 73041	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		5	5/2/08
GE Appliances and Lighting	General Electric	FLE9AG19/2/SW	74724; 01084; 01087; 74436; 74856; 63497; 63498	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		5	3/3/09
Germain Lighting Limited	T-LITE	LSMA-13W E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.55	2	1/5/09
Germain Lighting Limited	T-LITE	LSMA-13W GU-24	N/A	Bare-spiral	GU24	CFL		910	13.26	N/A	10000	2700	0.54	2	11/25/08
Germain Lighting Limited	T-LITE	LSMA-13W GU-24	N/A	Bare-spiral	GU24	CFL		946	13.515	N/A	10000	2700	0.55	2	11/25/08
Germain Lighting Limited	T-LITE	LSMA-13W GU-24	N/A	Bare-spiral	GU24	CFL		1000	13.794	N/A	10000	2700	0.54	2	11/25/08
Germain Lighting Limited	T-LITE	LSMA-9W E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700	0.55	2	1/5/09
Germain Lighting Limited	T-LITE	LSMA-9W GU-24	N/A	Bare-spiral	GU24	CFL		597	8.907	N/A	10000	2700	0.52	2	11/25/08
Germain Lighting Limited	T-LITE	LSMA-9W GU-24	N/A	Bare-spiral	GU24	CFL		615	9.043	N/A	10000	2700	0.52	2	11/25/08
Germain Lighting Limited	T-LITE	LSMA-9W GU-24	N/A	Bare-spiral	GU24	CFL		637	9.257	N/A	10000	2700	0.53	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-20 GU-24	N/A	Bare-spiral	GU24	CFL		1330	18.368	N/A	10000	2700	0.54	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-20 GU-24	N/A	Bare-spiral	GU24	CFL		1427	19.25	N/A	10000	2700	0.55	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-20 GU-24	N/A	Bare-spiral	GU24	CFL		1531	20.178	N/A	10000	2700	0.55	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-20W E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.55	2	1/13/09
Germain Lighting Limited	T-LITE	LSMB-23 GU-24	N/A	Bare-spiral	GU24	CFL		1601	21.98	N/A	10000	2700	0.56	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-23 GU-24	N/A	Bare-spiral	GU24	CFL		1673	22.741	N/A	10000	2700	0.56	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-23 GU-24	N/A	Bare-spiral	GU24	CFL		1742	23.307	N/A	10000	2700	0.56	2	11/25/08
Germain Lighting Limited	T-LITE	LSMB-23W E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	7/13/09
GFL Lighting Group	GFL	SSS-15D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1077	15	N/A	10000	2700	0.58	1	6/14/10
GFL Lighting Group	GFL	SSS-20D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1395	20	N/A	10000	2700	0.58	1	6/14/10
GFL Lighting Group	GFL	SSS-27D		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	2	9/15/09
GFL Lighting Group	GFL	SSS30/35K		Bare-spiral	E26/24 (Medium)	CFL		1845	30	N/A	10000	3500		2	3/23/06
GFL Lighting Group	GFL	SSS33-3way		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/22/33	10000	2700	0.55	1	6/14/10
GFL Lighting Group	GFL	SSS40TX		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	7/11/05
GFL Lighting Group	GFL	SSS40TX/35k		Bare-spiral	E26/24 (Medium)	CFL		2820	40	N/A	12000	3500		2	11/5/08
Global Consumer Products, Inc.	Overdrive	11W/ODR20		Covered reflector	E26/24 (Medium)	CFL		340	11	N/A	10000	2700		2	12/18/09
Global Consumer Products, Inc.	Overdrive	13W/ODMS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	12/11/06
Global Consumer Products, Inc.	Overdrive	13W/ODSGU	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	9/2/08
Global Consumer Products, Inc.	Overdrive	13W/ODSGU/35K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	4/1/10
Global Consumer Products, Inc.	Overdrive	13W/ODSGU/41K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	6/16/09
Global Consumer Products, Inc.	Overdrive	13W/ODSGU/DIM/27K	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	1/4/11
Global Consumer Products, Inc.	Overdrive	13W/ODT2S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		815	13	N/A	10000	2700		2	3/21/07
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/41K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		825	13	N/A	10000	4100		2	3/21/07
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	3/21/07
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000		2	9/28/09
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/E12		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	9/23/09
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/E12/41K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	9/23/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Global Consumer Products, Inc.	Overdrive	15W/ODA		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	7/9/09
Global Consumer Products, Inc.	Overdrive	15W/ODA/41K		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	9/29/09
Global Consumer Products, Inc.	Overdrive	15W/ODAGU	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/26/10
Global Consumer Products, Inc.	Overdrive	15W/ODG		Covered globe	E26/24 (Medium)	CFL		720	15	N/A	10000	2700		2	5/4/09
Global Consumer Products, Inc.	Overdrive	15W/ODGGU	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	1/9/09
Global Consumer Products, Inc.	Overdrive	15W/ODGS		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	3/4/10
Global Consumer Products, Inc.	Overdrive	15W/ODPAR30		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/29/09
Global Consumer Products, Inc.	Overdrive	15W/ODPAR30/41K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	9/7/10
Global Consumer Products, Inc.	Overdrive	15W/ODR30		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	5/28/09
Global Consumer Products, Inc.	Overdrive	15W/ODR30/41K		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	10/18/10
Global Consumer Products, Inc.	Overdrive	15W/ODR30GU	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	5/13/09
Global Consumer Products, Inc.	Overdrive	18W/ODSGU	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/2/08
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/27K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/30/08
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/41K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	9/28/09
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	9/28/09
Global Consumer Products, Inc.	Overdrive	18W/ODT2SGU	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.59	2	2/1/10
Global Consumer Products, Inc.	Overdrive	18W/ODT2SGU/41K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.61	2	1/4/11
Global Consumer Products, Inc.	Overdrive	23W/ODMS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/11/06
Global Consumer Products, Inc.	Overdrive	23W/ODPAR38/41K		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	8/23/10
Global Consumer Products, Inc.	Overdrive	23W/ODR40		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	9/29/09
Global Consumer Products, Inc.	Overdrive	23W/ODSGU	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/26/08
Global Consumer Products, Inc.	Overdrive	23W/ODSPDIMN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	6/29/10
Global Consumer Products, Inc.	Overdrive	23W/ODT2S		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/30/09
Global Consumer Products, Inc.	Overdrive	23W/ODT2S/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/30/09
Global Consumer Products, Inc.	Overdrive	23W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	9/28/09
Global Consumer Products, Inc.	Overdrive	23W/ODT2SGU	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	2/1/10
Global Consumer Products, Inc.	Overdrive	23W/ODT2SGU/41K	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.6	2	1/4/11
Global Consumer Products, Inc.	Overdrive	26W/ODMS		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700		2	5/4/09
Global Consumer Products, Inc.	Overdrive	26W/ODSGU	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	1/15/09
Global Consumer Products, Inc.	Overdrive	26W/ODSP/3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	10/30/08
Global Consumer Products, Inc.	Overdrive	26W/ODT2S		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	9/16/10
Global Consumer Products, Inc.	Overdrive	40W/ODSP		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	9/28/09
Global Consumer Products, Inc.	Overdrive	40W/ODSP/3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/256/40	10000	2700		2	10/30/08
Global Consumer Products, Inc.	Overdrive	7W/ODA		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	3/21/07
Global Consumer Products, Inc.	Overdrive	7W/ODA/41K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	4100		2	9/29/09
Global Consumer Products, Inc.	Overdrive	9W/ODGS		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.53	2	12/12/06
Global Consumer Products, Inc.	Overdrive	9W/ODT2S		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	3/21/07
Global Consumer Products, Inc.	Overdrive	9W/ODT2S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	3/21/07
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/41K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	4100		2	3/21/07
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	4100		2	3/21/07
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000		2	9/28/09
Globe Electric Inc.	Globe	00006		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.59	11	12/9/09
Globe Electric Inc.	Globe	00007		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700	0.58	11	12/9/09
Globe Electric Inc.	Globe	00008		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	11	12/21/09
Globe Electric Inc.	Globe	00009		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.59	9	12/9/09
Globe Electric Inc.	Globe	00010		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/09
Globe Electric Inc.	Globe	00010		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100	0.59	9	12/21/09
Globe Electric Inc.	Globe	00011		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/09
Globe Electric Inc.	Globe	00011		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/09
Globe Electric Inc.	Globe	00012		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	12/21/09
Globe Electric Inc.	Globe	00013		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.59	9	12/9/09
Globe Electric Inc.	Globe	00014		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.56	9	12/9/09
Globe Electric Inc.	Globe	00025		Covered-Candle	E26/24 (Medium)	CFL		340	7	N/A	10000	2700	0.6	9	12/21/09
Globe Electric Inc.	Globe	00026		Covered-Candle	E26/24 (Medium)	CFL		340	7	N/A	10000	2700	0.6	9	12/21/09
Globe Electric Inc.	Globe	00031		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700	0.52	9	12/21/09
Globe Electric Inc.	Globe	00032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700	0.57	9	12/21/09
Globe Electric Inc.	Globe	00035	01111, 0744201	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.58	9	12/21/09
Globe Electric Inc.	Globe	00038		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.57	9	12/21/09
Globe Electric Inc.	Globe	00040		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700	0.5	9	12/21/09
Globe Electric Inc.	Globe	00048		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	11	12/21/09
Globe Electric Inc.	Globe	00049		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.56	9	12/9/09
Globe Electric Inc.	Globe	00050		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	12/21/09
Globe Electric Inc.	Globe	00200	07504, 240680, 2407001	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		11	1/7/08
Globe Electric Inc.	Globe	00201	07502	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	1/7/08
Globe Electric Inc.	Globe	00202	07506, 2750301	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		9	1/7/08
Globe Electric Inc.	Globe	0020301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/09
Globe Electric Inc.	Globe	00210		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	1/5/09
Globe Electric Inc.	Globe	00210		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/15/11
Globe Electric Inc.	Globe	00211		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		11	1/7/08
Globe Electric Inc.	Globe	00212		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		11	4/21/09
Globe Electric Inc.	Globe	0021201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	5/21/09
Globe Electric Inc.	Globe	0021201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	6/11/09
Globe Electric Inc.	Globe	0021301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	6/26/09
Globe Electric Inc.	Globe	00303		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/09
Globe Electric Inc.	Globe	00303		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/09
Globe Electric Inc.	Globe	00304		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/09
Globe Electric Inc.	Globe	00304		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/09
Globe Electric Inc.	Globe	00306		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	2/15/12
Globe Electric Inc.	Globe	00307		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.59	11	12/9/09
Globe Electric Inc.	Globe	00308		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700	0.58	11	12/9/09
Globe Electric Inc.	Globe	00351		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.57	9	12/24/09
Globe Electric Inc.	Globe	00400		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	00401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	00402		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/08
Globe Electric Inc.	Globe	0040201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/11/09
Globe Electric Inc.	Globe	0040301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/09
Globe Electric Inc.	Globe	00410		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	12/10/08
Globe Electric Inc.	Globe	00411		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/7/08
Globe Electric Inc.	Globe	00412		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	0041301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	6/26/09
Globe Electric Inc.	Globe	00501		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.53	9	12/24/09
Globe Electric Inc.	Globe	00601		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	2/16/12
Globe Electric Inc.	Globe	00606		Covered-Candle	E26/24 (Medium)	CFL		340	7	N/A	10000	2700	0.6	9	12/21/09
Globe Electric Inc.	Globe	00607		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.55	9	12/9/09
Globe Electric Inc.	Globe	0070101		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		9	3/16/10
Globe Electric Inc.	Globe	00903		Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	10000	3000		2	6/17/09
Globe Electric Inc.	Globe	00905		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	10000	3000		9	2/24/10
Globe Electric Inc.	Globe	01102		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	01104		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	01107		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	0110701		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		9	5/21/09
Globe Electric Inc.	Globe	01108		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	0110801		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		9	5/21/09
Globe Electric Inc.	Globe	01109		Covered A-line	E26/24 (Medium)	CFL		720	15	N/A	6000	2700		2	1/7/08
Globe Electric Inc.	Globe	01110	0737101	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.55	2	2/9/12
Globe Electric Inc.	Globe	01111		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	2700		9	1/7/08
Globe Electric Inc.	Globe	01114		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.57	9	10/19/09
Globe Electric Inc.	Globe	01116		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	01128		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	01402		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/5/09
Globe Electric Inc.	Globe	0171201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		9	8/24/10
Globe Electric Inc.	Globe	02109		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		9	2/13/09
Globe Electric Inc.	Globe	02402		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	06620,3560601, 37226, 0662088, 01	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	9/2/08
Globe Electric Inc.	Globe	06622, 01123, 37227	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/2/08
Globe Electric Inc.	Globe	07119	07219 (3-pack)	Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	
Globe Electric Inc.	Globe	07122	07221 (3-pack)	Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	3/16/04
Globe Electric Inc.	Globe	07198		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100	0.59	9	12/9/09
Globe Electric Inc.	Globe	07219		Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	
Globe Electric Inc.	Globe	07221		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	1/7/08
Globe Electric Inc.	Globe	07371		Covered reflector	E26/24 (Medium)	CFL		690	15.0	N/A	10000	2700		1	9/26/01
Globe Electric Inc.	Globe	0737101		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	7/28/09
Globe Electric Inc.	Globe	07428		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		5	9/26/07
Globe Electric Inc.	Globe	07432	27432 (2-pack); 37432 (3-pack)	Covered A-line	E26/24 (Medium)	CFL		385	7.0	N/A	6000	2700		5	9/23/02
Globe Electric Inc.	Globe	0744201		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	2700		9	8/26/09
Globe Electric Inc.	Globe	0749701	8870301	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/9/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Globe Electric Inc.	Globe	07500		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100		2	2/16/12
Globe Electric Inc.	Globe	0750201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/19/08
Globe Electric Inc.	Globe	0750601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/20/08
Globe Electric Inc.	Globe	07510		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	11/21/07
Globe Electric Inc.	Globe	0751001		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	0751101		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	07512	27512; 37512	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		2	
Globe Electric Inc.	Globe	0751201		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	2/16/10
Globe Electric Inc.	Globe	07514	27514 (2-pack), 37514 (3-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		7	9/26/01
Globe Electric Inc.	Globe	0751501		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/27/08
Globe Electric Inc.	Globe	07516	27516 (2-pack); 37516 (3-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	10/2/05
Globe Electric Inc.	Globe	0760201		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	10/15/08
Globe Electric Inc.	Globe	0766501		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/09
Globe Electric Inc.	Globe	0768101		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	11/19/08
Globe Electric Inc.	Globe	07840		Bare-spiral	E26/24 (Medium)	CFL		2400	40	N/A	10000	2700		5	2/15/08
Globe Electric Inc.	Globe	0790401		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700	0.52	5	7/8/09
Globe Electric Inc.	Globe	0790501		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700	0.57	5	7/8/09
Globe Electric Inc.	Globe	112277	N/A	Bare-spiral	GU24	CFL		898	12.85	N/A	10000	2700	0.59	2	10/27/09
Globe Electric Inc.	Globe	1124	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	9/2/08
Globe Electric Inc.	Globe	112401	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	6/22/09
Globe Electric Inc.	Globe	1141	N/A	Bare-spiral	GU24	CFL		887	13.8	N/A	10000	4100	0.58	2	12/28/10
Globe Electric Inc.	Globe	1435	1435	G - Globe	E26/E24 (Medium)	LED	Dimmable	416	8.04	N/A	40000	3000	0.72	3	8/17/11
Globe Electric Inc.	Globe	1436	1436	MR - Multifaceted reflector	E26/E24 (Medium)	LED		166	3.93	N/A	40000	3000	1	3	8/17/11
Globe Electric Inc.	Globe	1438	1438	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	7.0	N/A	25000	3000	0.79	3	8/10/11
Globe Electric Inc.	Globe	1439	1439	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	558	11.0	N/A	25000	3000	0.82	3	8/10/11
Globe Electric Inc.	Globe	1440	1440	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	819	17.0	N/A	25000	3000	0.76	3	8/10/11
Globe Electric Inc.	Globe	14820		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	5/13/08
Globe Electric Inc.	Globe	2406701		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.55	11	7/16/09
Globe Electric Inc.	Globe	2407301		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/10
Globe Electric Inc.	Globe	2407401		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	7/29/10
Globe Electric Inc.	Globe	2407501		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	5/28/09
Globe Electric Inc.	Globe	2407601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	8/7/08
Globe Electric Inc.	Globe	2407701		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	5/28/09
Globe Electric Inc.	Globe	2407801		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	8/7/08
Globe Electric Inc.	Globe	2408101		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	2408401		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/10
Globe Electric Inc.	Globe	25512		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	25514		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	25516		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	27371		Covered reflector	E26/24 (Medium)	CFL		520	15	N/A	6000	2700		5	1/15/04
Globe Electric Inc.	Globe	2737101		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	7/28/09
Globe Electric Inc.	Globe	2750101		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	2/24/10
Globe Electric Inc.	Globe	2751501		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/27/08
Globe Electric Inc.	Globe	27516		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/11/07
Globe Electric Inc.	Globe	27600		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	27602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	2760201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/26/08
Globe Electric Inc.	Globe	27604		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		7	2/15/08
Globe Electric Inc.	Globe	2760501		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.53	9	12/3/09
Globe Electric Inc.	Globe	28522		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	3/28/08
Globe Electric Inc.	Globe	28524	28524	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/8/07
Globe Electric Inc.	Globe	28524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	3/28/08
Globe Electric Inc.	Globe	2852401	2852401	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/8/07
Globe Electric Inc.	Globe	2852401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	28526	28526	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/8/07
Globe Electric Inc.	Globe	28526		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/28/08
Globe Electric Inc.	Globe	2852601	2852601	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/8/07
Globe Electric Inc.	Globe	28600		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	2/15/08
Globe Electric Inc.	Globe	28600		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		9	6/15/11
Globe Electric Inc.	Globe	2860401		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	3021601	3021901, 3031901, 8129201	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	12/16/10
Globe Electric Inc.	Globe	3021701	3021801	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	12/16/10
Globe Electric Inc.	Globe	3560901		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		9	2/16/10
Globe Electric Inc.	Globe	37371		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	7/28/09
Globe Electric Inc.	Globe	37600		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	37601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	37602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	37603		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/7/08
Globe Electric Inc.	Globe	37605		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/08
Globe Electric Inc.	Globe	38605		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	38610		Bare-spiral	E12 (Candelabra)	CFL		550	9	N/A	12000	4100		11	12/16/08
Globe Electric Inc.	Globe	38610		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		11	1/5/09
Globe Electric Inc.	Globe	38612		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/7/08
Globe Electric Inc.	Globe	4751701		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	2/16/10
Globe Electric Inc.	Globe	48400		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	1/5/09
Globe Electric Inc.	Globe	48400		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		11	1/5/09
Globe Electric Inc.	Globe	48402		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	1/5/09
Globe Electric Inc.	Globe	48402		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/5/09
Globe Electric Inc.	Globe	4841201		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/10
Globe Electric Inc.	Globe	4841401		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	48501	48501	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	8/20/07
Globe Electric Inc.	Globe	48504	48504, 4850401	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	8/20/07
Globe Electric Inc.	Globe	4850401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	48522		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700	0.52	7	12/21/09
Globe Electric Inc.	Globe	48524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/05
Globe Electric Inc.	Globe	4852601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	48600		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	48602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/05
Globe Electric Inc.	Globe	4860201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	4860201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/8/11
Globe Electric Inc.	Globe	4860401		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/28/09
Globe Electric Inc.	Globe	48622		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	48624		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	48626		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/1/05
Globe Electric Inc.	Globe	48700		Bare-spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	1/5/09
Globe Electric Inc.	Globe	48700		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/5/09
Globe Electric Inc.	Globe	48702		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/5/09
Globe Electric Inc.	Globe	55011		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/3/09
Globe Electric Inc.	Globe	55011		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/3/09
Globe Electric Inc.	Globe	67514		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/05
Globe Electric Inc.	Globe	6780201		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/10
Globe Electric Inc.	Globe	68504		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	2/16/10
Globe Electric Inc.	Globe	68524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/05
Globe Electric Inc.	Globe	68525		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	12/19/07
Globe Electric Inc.	Globe	68700		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		7	12/5/07
Globe Electric Inc.	Globe	68702		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	12/11/08
Globe Electric Inc.	Globe	68704		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	12/5/07
Globe Electric Inc.	Globe	6870401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/21/09
Globe Electric Inc.	Globe	6870401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/11/09
Globe Electric Inc.	Globe	68714		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/09
Globe Electric Inc.	Globe	6871401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	5/21/09
Globe Electric Inc.	Globe	6871401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	6/11/09
Globe Electric Inc.	Globe	68800		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	1/5/09
Globe Electric Inc.	Globe	68800		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		9	1/5/09
Globe Electric Inc.	Globe	6880201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/30/07
Globe Electric Inc.	Globe	68803		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	12/10/08
Globe Electric Inc.	Globe	68803		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	12/10/08
Globe Electric Inc.	Globe	6880301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	5/21/09
Globe Electric Inc.	Globe	7534	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	2700	0.55	2	9/30/08
Globe Electric Inc.	Globe	7535	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	4100	0.55	2	9/30/08
Globe Electric Inc.	Globe			Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	2/15/08
Globe Electric Inc.	Globe Enersaver	00207		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		9	12/1/10
Globe Electric Inc.	Globe Enersaver	00217		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		9	12/1/10
Globe Electric Inc.	Globe Enersaver	00705		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	5/9/11
Globe Electric Inc.	Globe Enersaver	00712		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		11	5/11/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Globe Electric Inc.	Globe Enersaver	00715		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		9	5/9/11
Globe Electric Inc.	Globe Enersaver	0110901		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	6/7/11
Globe Electric Inc.	Globe Enersaver	02102		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	12/1/10
Globe Electric Inc.	London Lights	70002		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/29/08
Globe Electric Inc.	London Lights	70003		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/29/08
Globe Electric Inc.	London Lights	70004		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/29/08
Globe Electric Inc.	London Lights	70005		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	8/29/08
Globe Electric Inc.	London Lights	70006		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/29/08
Globe Electric Inc.	London Lights	70007		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/29/08
Globe Electric Inc.	London Lights	70008		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/29/08
Globe Electric Inc.	London Lights	70009		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	8/29/08
Globe Electric Inc.	Meijer	112201	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	6/22/09
Globe Electric Inc.	NUNAVUT	07498		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	9/22/08
Globe Electric Inc.	Project Porchlight	14816		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		7	5/7/07
Globe Electric Inc.	RONA	2004245		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	6/10/09
Globe Electric Inc.	RONA	2008239		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	5/13/08
Globe Electric Inc.	RONA	2008240		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	5/13/08
Globe Electric Inc.	RONA	2008240		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	5/13/08
Globe Electric Inc.	RONA	2008241		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	5/13/08
Globe Electric Inc.	RONA	2008242		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/17/08
Globe Electric Inc.	RONA	2008245		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		2	5/13/08
Globe Electric Inc.	RONA	2008385		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/12/08
Globe Electric Inc.	Xtricity	1-70200		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	6/1/09
Globe Electric Inc.	Xtricity	1-70201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/1/09
Globe Electric Inc.	Xtricity	1-70202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/1/09
Globe Electric Inc.	Xtricity	1-70203		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	6/1/09
Globe Electric Inc.	Xtricity	1-70204		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	6/1/09
Globe Electric Inc.	Xtricity	1-70205		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/1/09
Golo Chang Co., Ltd	GOLO	G120427		Covered-Candle	E26/24 (Medium)	CFL		170	4	N/A	10000	2700	0.54	2	7/15/10
Golo Chang Co., Ltd	GOLO	G120727		Covered-Candle	E26/24 (Medium)	CFL		300	7	N/A	10000	2700	0.54	2	7/15/10
Golo Chang Co., Ltd	GOLO	G241327	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.55	2	7/20/09
Golo Chang Co., Ltd	GOLO	G241827	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	7/20/09
Golo Chang Co., Ltd	GOLO	G242327	N/A	Bare-spiral	GU24	CFL		1511	21.7	N/A	10000	2700	0.56	2	8/25/10
Golo Chang Co., Ltd	GOLO	G242627	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	1/16/09
Golo Chang Co., Ltd	GOLO	G242627	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	7/20/09
Golo Chang Co., Ltd	GOLO	G242627 5000K	N/A	Bare-spiral	GU24	CFL		1689	24.7	N/A	10000	5000	0.52	2	9/29/10
Golo Chang Co., Ltd	GOLO	G261327		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.54	2	12/31/09
Golo Chang Co., Ltd	GOLO	G261827		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	7/15/10
Golo Chang Co., Ltd	GOLO	G262327		Bare-spiral	E26/24 (Medium)	CFL		1550	23	N/A	10000	2700	0.56	2	6/29/10
Golo Chang Co., Ltd	GOLO	G2625EA3		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	13/20/25	10000	2700	0.52	2	7/16/10
Golo Chang Co., Ltd	GOLO	G262627		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.57	2	7/15/10
Golo Chang Co., Ltd	GOLO	GU241327	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	7/20/09
Golo Chang Co., Ltd	GOLO	GU241827	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	7/20/09
Golo Chang Co., Ltd	GOLO	GU242627	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	7/20/09
Golo Chang Co., Ltd	GOLO	GU242627 5000K	N/A	Bare-spiral	GU24	CFL		1578	24.7	N/A	10000	5000	0.52	2	9/29/10
Good Earth Lighting, Inc.	Good Earth Lighting	B2413-30-SP	N/A	Bare-spiral	GU24	CFL		923	12.88	N/A	10000	3000	0.58	2	5/11/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2413-41-SP	N/A	Bare-spiral	GU24	CFL		841	12.4	N/A	10000	4100	0.63	2	6/10/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2418-30-SP	N/A	Bare-spiral	GU24	CFL		1225	17.8	N/A	10000	3000	0.53	2	6/10/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2423-30-SP	N/A	Bare-spiral	GU24	CFL		1611	22.78	N/A	10000	3000	0.57	2	5/11/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2423-41-SP	N/A	Bare-spiral	GU24	CFL		1632	22.16	N/A	10000	4100	0.61	2	6/10/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2423-50-SP	N/A	Bare-spiral	GU24	CFL		1367	21.61	N/A	10000	5000	0.57	2	6/10/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2427-30-SP	N/A	Bare-spiral	GU24	CFL		1814	25.35	N/A	10000	3000	0.58	2	5/11/11
Good Earth Lighting, Inc.	Good Earth Lighting	B2427-41-SP	N/A	Bare-spiral	GU24	CFL		1768	25.5	N/A	10000	4100	0.53	2	6/10/11
Grainger Industrial Supply	Luma Pro	12T270		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.6	2	9/9/11
Grainger Industrial Supply	Luma Pro	12T271		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	2700	0.58	2	9/9/11
Grainger Industrial Supply	Luma Pro	12T273		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.56	2	9/8/11
Grainger Industrial Supply	Luma Pro	12T274		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100	0.6	2	9/8/11
Grainger Industrial Supply	Luma Pro	12T275		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.61	2	9/8/11
Grainger Industrial Supply	Luma Pro	12T277		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.63	2	9/8/11
Grainger Industrial Supply	Luma Pro	12T279		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.62	2	9/8/11
Grainger Industrial Supply	Luma Pro	12T281		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700	0.93	2	9/8/11
Grainger Industrial Supply	Luma Pro	2CEK6		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000	0.5	2	4/19/10
Grainger Industrial Supply	Luma Pro	2CEK7		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000	0.5	2	4/19/10
Grainger Industrial Supply	Luma Pro	2CUT4		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.52	2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUT5		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUT6		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	2700		2	8/3/11
Grainger Industrial Supply	Luma Pro	2CUT9		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/12/09
Grainger Industrial Supply	Luma Pro	2CUU1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/23/09
Grainger Industrial Supply	Luma Pro	2CUU2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	2/25/10
Grainger Industrial Supply	Luma Pro	2CUU6		Covered globe	E26/24 (Medium)	CFL		720	15	N/A	10000	2700		2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUU8		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1300	20	N/A	10000	2700		2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUU9		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1560	N/A	12/20/26	10000	2700		2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUV4		Covered reflector	E26/24 (Medium)	CFL		350	11	N/A	10000	2700		2	4/19/10
Grainger Industrial Supply	Luma Pro	2CUV6		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	8/27/07
Grainger Industrial Supply	Luma Pro	2CUV7		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/23/09
Grainger Industrial Supply	Luma Pro	2CUV9		Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		2	8/27/07
Grainger Industrial Supply	Luma Pro	3EMY1		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	7/7/09
Grainger Industrial Supply	Luma Pro	3TFP5		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.58	2	2/18/10
Grainger Industrial Supply	Luma Pro	3TFP8		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	10/1/10
Grainger Industrial Supply	Luma Pro	3TFR1		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	9/7/10
Grainger Industrial Supply	Luma Pro	3TFR3		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	7/26/10
Grainger Industrial Supply	Luma Pro	5MRK6		Covered reflector	E26/24 (Medium)	CFL		345	9	N/A	8000	3000	0.5	2	4/19/10
Grainger Industrial Supply	Luma Pro	5MRL0		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.58	2	6/27/08
Grainger Industrial Supply	LUMAPRO	12T269		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	2700		2	2/16/12
Grainger Industrial Supply	LUMAPRO	12T272		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	4100		7	2/14/12
Grainger Industrial Supply	LUMAPRO	12T282		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	2/13/12
Grandlite	Grandlite	E-26A-L12-PAR30-LN	E-26A-L12-PAR30-LN	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	531	11.24	N/A	40000	3000	0.92	3	8/25/11
Grandlite	Grandlite	E-26A-L16-PAR38	E-26A-L16-PAR38	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	750	14.73	N/A	40000	3000	0.9	3	8/25/11
Grandlite	Grandlite	E-26A-L8-PAR20	E-26A-L8-PAR20	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	8.09	N/A	40000	3000	0.88	3	8/24/11
Grandlite	Grandlite	E-26A-L8-PAR30-SN	E-26A-L8-PAR30-SN	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	421	8.55	N/A	40000	3000	0.88	3	8/24/11
Grandlite	Grandlite	E-GU10-L4-MR16-A	E-GU10-L4-MR16-A	Non-standard	E26/E24 (Medium)	LED		204	4.0	N/A	25000	3000	0.58	3	1/4/12
Grandlite	Grandlite	E-Gu5.3-L4-MR16	E-Gu5.3-L4-MR16	MR - Multifaceted reflector	E26/E24 (Medium)	LED		190	4.13	N/A	40000	3000	1	3	8/31/11
Green Creative	Green Creative	01-602/830-38D	01-602/830-38D	MR - Multifaceted reflector	E26/E24 (Medium)	LED		192	3.31	N/A	40000	3000	0.62	3	10/11/11
Green Creative	Green Creative	01-603-D/830-25D	01-603-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	8/4/11
Green Creative	Green Creative	01-603-D/830-40D	01-603-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	8/4/11
Green Creative	Green Creative	01-604-D/830-25D	01-604-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	8/4/11
Green Creative	Green Creative	01-604-D/830-40D	01-604-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	8/4/11
Green Creative	Green Creative	01-606-D/830-25D	01-606-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	297	5.09	N/A	40000	3000	0.71	3	10/19/11
Green Creative	Green Creative	01-606-D/830-40D	01-606-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	282	5.58	N/A	40000	3000	0.71	3	10/19/11
Green Energy Lighting Corp.	Green Energy	CF11PAR20/SW	G31210	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700		2	9/3/10
Green Energy Lighting Corp.	Green Energy	CF15PAR30/SW	G31230	Covered reflector	E26/24 (Medium)	CFL		740	15	N/A	10000	2700		2	9/3/10
Green Energy Lighting Corp.	Green Energy	CF23PAR38/SW	G31250	Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	2700		2	9/3/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 15W 2700K Spiral	G 30901	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.55	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 18W 2700K T2 Mini Spiral	G 30840	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 20W 2700K Spiral	G 30900	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.53	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 20W 2700K T2 Mini Spiral	G 30850	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.58	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 23W 2700K Spiral	G 30905	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 23W 2700K T2 Mini Spiral	G 30860	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	2	9/29/10
Green Energy Lighting Corp.	Greenlux Saver	CFL 26W/27K SPIRAL	30907	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	7/6/10
Greenlite Lighting Corporation	Greenlite	12/23/30W/3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/30	10000	2700		2	3/28/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-GU	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.56	2	7/28/09
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	2/1/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-GUI/41K	N/A	Bare-spiral	GU24	CFL		835	13.84	N/A	10000	4100	0.6	2	9/29/10
Greenlite Lighting Corporation	Greenlite	13W/ELS/GUI/41K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	2/1/11
Greenlite Lighting Corporation	Greenlite	13W/ELS/GUI/DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	2/1/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-M	13W/ELS-M/CD/1; 13W/ELS-M/CD/2; 13W/ELS-M/4	Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		2	9/21/01
Greenlite Lighting Corporation	Greenlite	13W/ELS-M/A	13W/ELS-M/A/4 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700		9	11/10/05
Greenlite Lighting Corporation	Greenlite	13W/ELS-U		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/11/05
Greenlite Lighting Corporation	Greenlite	13W/ELS-U1		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/21/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1/27K	13W/ELS-U/2; 13W/ELS-U/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	12000	2700		11	11/25/08
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		2	10/1/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1/50K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		2	7/30/10
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/41K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/3/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/50K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		2	8/3/11
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/LL/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	15000	2700		13	11/25/08
Greenlite Lighting Corporation	Greenlite	14W/ELR20/1/HH/2/27K		Covered reflector	E26/24 (Medium)	CFL		470	14	N/A	8000	2700		7	12/10/08
Greenlite Lighting Corporation	Greenlite	14W/ELX-1	14W/ELX-2	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	3/3/10
Greenlite Lighting Corporation	Greenlite	14W/ELX1	14W/ELX2	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/6/10
Greenlite Lighting Corporation	Greenlite	15W/ELG	15W/ELG	Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	3/10/03
Greenlite Lighting Corporation	Greenlite	15W/ELR30/GU	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	1/19/10
Greenlite Lighting Corporation	Greenlite	15W/ELR30/HH		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	6/3/08
Greenlite Lighting Corporation	Greenlite	15W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	12/3/09
Greenlite Lighting Corporation	Greenlite	15W/ELX	15W/ELX/CD/1	Covered A-line	E26/24 (Medium)	CFL		720	15.0	N/A	6000	2700		1	6/24/02
Greenlite Lighting Corporation	Greenlite	15W/ELX/GU	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/19/10
Greenlite Lighting Corporation	Greenlite	15W/ELXR30/1/27K	15W/ELXR30/1/4/27K	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700		2	2/16/10
Greenlite Lighting Corporation	Greenlite	15W/ELXR30/DIM	15W/ELXR30/DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	3/21/11
Greenlite Lighting Corporation	Greenlite	15W/ELXR30R	15W/ELXR30R	Covered reflector	E26/24 (medium)	CFL		783	14.6	N/A	10000	2700	0.57	2	1/25/11
Greenlite Lighting Corporation	Greenlite	18W/ELS-GU	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	7/28/09
Greenlite Lighting Corporation	Greenlite	18W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.59	2	2/1/11
Greenlite Lighting Corporation	Greenlite	18W/ELS/GU/41K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.61	2	2/1/11
Greenlite Lighting Corporation	Greenlite	18W/ELX/1	18W/ELX/2; 18W/ELX/4	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	2/17/11
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/1	19W/ELS-U; 19W/ELS-U/4; 19W/ELS-U/2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	12000	2700		2	11/13/07
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	12000	4100		2	10/1/10
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/50K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		2	1/10/11
Greenlite Lighting Corporation	Greenlite	20/11/26/3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500	0.56	2	6/29/09
Greenlite Lighting Corporation	Greenlite	20W/ELPAR38/1	20W/ELPAR38/2	Covered reflector	E26/24 (Medium)	CFL		960	20	N/A	8000	2700		2	2/17/10
Greenlite Lighting Corporation	Greenlite	20W/ELS-GU	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	1/11/11
Greenlite Lighting Corporation	Greenlite	20W/ELS-M/A		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		9	2/13/06
Greenlite Lighting Corporation	Greenlite	20W/ELXR30/DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	970	20	N/A	8000	2700		2	2/16/12
Greenlite Lighting Corporation	Greenlite	23W/ELPAR38/1		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	2/17/10
Greenlite Lighting Corporation	Greenlite	23W/ELPAR38/A		Covered reflector	E26/24 (Medium)	CFL		1200	23.0	N/A	8000	2700	0.61	7	4/28/06
Greenlite Lighting Corporation	Greenlite	23W/ELR40/1		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	10/27/10
Greenlite Lighting Corporation	Greenlite	23W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	2/1/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-GU/41K	N/A	Bare-spiral	GU24	CFL		1654	22.5	N/A	10000	4100	0.56	2	9/29/10
Greenlite Lighting Corporation	Greenlite	23W/ELS/GU/41K	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.6	2	2/1/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-M		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700		2	7/8/09
Greenlite Lighting Corporation	Greenlite	23W/ELS M/1		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	7/2/09
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/1/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/20/10
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/27K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	8/3/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/15/09
Greenlite Lighting Corporation	Greenlite	23W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	8/3/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-U1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	7/21/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	10/1/10
Greenlite Lighting Corporation	Greenlite	23W/ELS-U/1/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/20/10
Greenlite Lighting Corporation	Greenlite	23W/ELS-U2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/10/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-U/27K	23W/ELS-U/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	9/22/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-U/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	1/10/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-U/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/10/11
Greenlite Lighting Corporation	Greenlite	23W/ELS-UU	23W/ELS-UU; 23W/ELS-UU/4	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/4/10
Greenlite Lighting Corporation	Greenlite	26W/ELS-GU	N/A	Bare-spiral	GU24	CFL		1728	24.7	N/A	12000	2700	0.52	2	9/29/10
Greenlite Lighting Corporation	Greenlite	26W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1637	23.43	N/A	10000	2700	0.59	2	2/1/11
Greenlite Lighting Corporation	Greenlite	26W/ELS-M/1/27K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/22/09
Greenlite Lighting Corporation	Greenlite	26W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	1/10/11
Greenlite Lighting Corporation	Greenlite	26W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100		2	10/1/10
Greenlite Lighting Corporation	Greenlite	42W/ELS/1		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	10000	2700		2	4/25/08
Greenlite Lighting Corporation	Greenlite	7W/ELC/27K		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	10000	2700		2	12/29/09
Greenlite Lighting Corporation	Greenlite	7W/ELX	7W/ELX/CD/1(Single Card); 7W/ELX/CD/2 (Double Card);	Covered A-line	E26/24 (Medium)	CFL		450	7.0	N/A	10000	2700		2	6/19/02
Greenlite Lighting Corporation	Greenlite	7W/ELX		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	1/10/11
Greenlite Lighting Corporation	Greenlite	9W/ELG	9W/ELG/2	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	12000	2700		2	1/10/11
Greenlite Lighting Corporation	Greenlite	9W/ELG	9W/ELG; 9W/ELG/4	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	3/10/03
Greenlite Lighting Corporation	Greenlite	9W/ELG/1		Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	3/23/09
Greenlite Lighting Corporation	Greenlite	9W/ELS-GU/41K	N/A	Bare-spiral	GU24	CFL		474	8.1	N/A	10000	4100	0.57	2	9/29/10
Greenlite Lighting Corporation	Greenlite	9W/ELS-U		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		2	4/1/05
Greenlite Lighting Corporation	Greenlite	9W/ELS-U		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	4/1/05
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/13/07
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	4100		2	10/1/10
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1/50K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	5000		2	11/11/08
Greenlite Lighting Corporation	Greenlite	LED/MR16-WW	LED/MR16-WW	MR - Multifaceted reflector	E26/E24 (Medium)	LED		192	3.31	N/A	40000	3000	0.62	3	10/11/11
Greenlite Lighting Corporation	Greenlite	LED/PAR30/DIM-SW/25	LED/PAR30/DIM-SW/25	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	6/17/11
Greenlite Lighting Corporation	Greenlite	LED/PAR30/DIM-SW/40	LED/PAR30/DIM-SW/40	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	6/17/11
Greenlite Lighting Corporation	Greenlite	LED/PAR38/DIM-SW/25	LED/PAR38/DIM-SW/25	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	6/17/11
Greenlite Lighting Corporation	Greenlite	LED/PAR38/DIM-SW/40	LED/PAR38/DIM-SW/40	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	6/17/11
Halco Lighting Technologies	ProLED	80006	80006	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	5	9/12/11
Halco Lighting Technologies	ProLED	80008	80008	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	5	9/12/11
Halco Lighting Technologies	ProLED	80010	80010	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	5	9/12/11
Halco Lighting Technologies	ProLED	80012	80012	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	5	9/12/11
Halco Lighting Technologies	Prolume	45738	45738	Covered A-line	E26/E24 (Medium)	CFL		800	14.7	N/A	10000	2700	0.56	2	11/1/11
Halco Lighting Technologies	Prolume	46101	46101	Covered reflector	E26/E24 (Medium)	CFL		750	15.2	N/A	10000	3000	0.57	2	10/17/11
Halco Lighting Technologies	Prolume	CFL13/27/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	12/23/10
Halco Lighting Technologies	Prolume	CFL13/27/GU24/DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	1/11/11
Halco Lighting Technologies	Prolume	CFL13/35/GU24	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.58	2	11/2/10
Halco Lighting Technologies	Prolume	CFL13/41/GU24	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	2/1/10
Halco Lighting Technologies	Prolume	CFL15/27/A19/GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	10/21/09
Halco Lighting Technologies	Prolume	CFL15/27/G25/GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	10/6/08
Halco Lighting Technologies	Prolume	CFL15/27/R30/GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/09
Halco Lighting Technologies	Prolume	CFL18/27/GU24	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.59	2	12/23/10
Halco Lighting Technologies	Prolume	CFL18/41/GU24	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.61	2	12/23/10
Halco Lighting Technologies	Prolume	CFL23/27/GU24	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	12/23/10
Halco Lighting Technologies	Prolume	CFL23/41/GU24	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.6	2	12/23/10
Halco Lighting Technologies	Prolume	CFL26/27/GU24	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	1/7/09
Halco Lighting Technologies	Prolume	PL13SE/27/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	9/30/08
Halco Lighting Technologies	Prolume	PL18SE/27/GU24	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/30/08
Halco Lighting Technologies	Prolume	PL23SE/27/GU24	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	9/30/08
Halco Lighting Technologies	ProLume	109240		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	12000	2700	0.56	2	10/13/11
Halco Lighting Technologies	ProLume	109242		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	12000	4100	0.59	2	10/13/11
Halco Lighting Technologies	ProLume	109244		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	12000	5000	0.59	2	10/25/11
Halco Lighting Technologies	ProLume	109252		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.54	2	10/13/11
Halco Lighting Technologies	ProLume	109254		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.58	2	10/13/11
Halco Lighting Technologies	ProLume	109310		Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700	0.58	2	10/14/11
Halco Lighting Technologies	ProLume	109316		Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700	0.58	2	10/14/11
Halco Lighting Technologies	ProLume	109328		Bare-spiral	E26/24 (Medium)	CFL		2900	42	N/A	12000	2700	0.56	2	10/12/11
Halco Lighting Technologies	ProLume	45010		Bare-spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45011		Bare-spiral	E12 (Candelabra)	CFL		250	5	N/A	10000	2700	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45030		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45031		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700	0.52	2	10/11/11
Halco Lighting Technologies	ProLume	45036		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45037		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45050	45070	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45051		Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700	0.52	2	10/10/11
Halco Lighting Technologies	ProLume	45052		Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	10000	2700	0.52	2	1/4/12
Halco Lighting Technologies	ProLume	45056	45073	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100	0.52	2	10/13/11
Halco Lighting Technologies	ProLume	45057		Bare-spiral	E12 (Candelabra)	CFL		850	13	N/A	10000	4100	0.52	2	10/13/11
Halco Lighting Technologies	ProLume	45058		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000	0.52	2	10/11/11
Halco Lighting Technologies	ProLume	45075		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.52	2	10/3/11
Halco Lighting Technologies	ProLume	45077		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.52	2	10/5/11
Halco Lighting Technologies	ProLume	45079		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.52	2	10/6/11
Halco Lighting Technologies	ProLume	45101		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700	0.52	2	10/11/11
Halco Lighting Technologies	ProLume	45250		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.52	2	10/3/11
Halco Lighting Technologies	ProLume	45701		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	10000	2700	0.52	2	10/13/11
Halco Lighting Technologies	ProLume	45713		Covered globe	E26/24 (Medium)	CFL		850	15	N/A	10000	2700	0.57	2	9/19/11
Halco Lighting Technologies	ProLume	45720		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700	0.53	2	10/14/11
Halco Lighting Technologies	ProLume	45734		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	10000	2700	0.58	2	10/12/11
Halco Lighting Technologies	ProLume	45741		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.57	2	10/25/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Halco Lighting Technologies	ProLume	46001		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.56	2	9/19/11
Halco Lighting Technologies	ProLume	46003		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	4100	0.58	2	9/20/11
Halco Lighting Technologies	ProLume	46062		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.52	2	10/6/11
Halco Lighting Technologies	ProLume	46201		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700	0.52	2	10/4/11
Halco Lighting Technologies	ProLume	46203		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.52	2	10/5/11
Halco Lighting Technologies	ProLume	46334		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1650	23	N/A	10000	2700	0.52	2	10/4/11
Halco Lighting Technologies	ProLume	46605		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.56	2	10/13/11
Halco Lighting Technologies	ProLume	46610		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.58	2	10/13/11
Halco Lighting Technologies	ProLume	46615		Bare-spiral	E26/24 (Medium)	CFL		1280	18	N/A	12000	2700	0.55	2	10/13/11
Halco Lighting Technologies	ProLume	46620		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	10/14/11
Halco Lighting Technologies	ProLume	PL13SE/27/T2	45050	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	2/19/08
Halco Lighting Technologies	ProLume	PL13SE/41/T2	45056	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	12/5/07
Halco Lighting Technologies	ProLume	PL13SE/41/T2	45056	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	12/5/07
Halco Lighting Technologies	ProLume	PL18SE/27	45120	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		2	12/6/07
Halco Lighting Technologies	ProLume	PL23SE/27	45250	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/25/07
Halco Lighting Technologies	ProLume	PL42SE/27	109328	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	12/6/07
Halco Lighting Technologies	ProLume	PL9SE/27	45030	Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		2	12/6/07
Halco Lighting Technologies	ProLume	PL9SE/27	45030	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/6/07
Halco Lighting Technologies	ProLume	PL9SE/27/G	45701	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/6/07
Halco Lighting Technologies	ProLume	PL9SE/41	45036	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	1/31/08
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-10W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		7	11/5/04
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	11/5/04
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-15W		Bare-spiral	E26/24 (Medium)	CFL		930	15	N/A	10000	2700		7	3/29/05
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-20W		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700		7	4/11/05
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-23W		Bare-spiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700		7	3/29/05
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-26W		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	12/11/07
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS23-13W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	2/23/05
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700	0.54	2	5/27/09
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	4100	0.54	2	1/26/10
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	6500	0.54	2	1/26/10
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	2700	0.54	2	5/27/09
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	4100	0.56	2	1/26/10
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	6500	0.56	2	1/26/10
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	12000	2700	0.54	2	5/27/09
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		940	15	N/A	12000	4100	0.54	2	1/26/10
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		910	15	N/A	12000	6500	0.53	2	1/26/10
Hangzhou Ecolighting Industrial Co. Ltd.	Lux Watt	ECO21-11W	49851 11T2 E26	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	2700	0.57	7	5/2/08
Hangzhou Ecolighting Industrial Co. Ltd.	Lux Watt	ECO22-14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	14	N/A	10000	2700	0.58	7	4/14/08
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR2011W120V		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700	0.6	2	12/23/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR3015W120V		Covered reflector	E26/24 (Medium)	CFL		740	15	N/A	10000	2700	0.57	2	12/23/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR3823W120V		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	2700	0.59	2	12/23/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T207120FS		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	12000	2700	0.57	2	9/15/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T209120FS		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.55	2	8/24/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T211120FS		Bare-spiral	E26/24 (Medium)	CFL		680	11	N/A	12000	2700	0.57	2	9/15/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T220120FS		Bare-spiral	E26/24 (Medium)	CFL		1100	20	N/A	12000	2700	0.54	2	9/15/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T223120FS		Bare-spiral	E26/24 (Medium)	CFL		1400	23	N/A	12000	2700	0.55	2	9/15/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	YPV120V60HZ13WS		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	2700	0.55	2	9/29/09
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	YPV120V60HZ21WS		Bare-spiral	E26/24 (Medium)	CFL		1550	21	N/A	12000	2700	0.55	2	9/29/09
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	min_spiral_13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		715	13	N/A	12000	2700	0.55	5	6/11/09
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	min_spiral-9w		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.55	5	6/11/09
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	spiral-23w		Bare-spiral	E26/24 (Medium)	CFL		1350	23	N/A	12000	2700	0.58	5	10/9/09
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	T2_13W		Bare-spiral	E26/24 (Medium)	CFL		715	13	N/A	15000	2700	0.58	7	9/14/10
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	T2_9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	15000	2700	0.55	7	6/26/09
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-spiral 10W 827	6-943701-006763	Bare-spiral	E26/24 (Medium)	CFL		570	10	N/A	8000	2700	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-spiral 10W 841	6-943701-056782	Bare-spiral	E26/24 (Medium)	CFL		640	10	N/A	8000	4100	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-spiral 10W 865		Bare-spiral	E26/24 (Medium)	CFL		590	10	N/A	8000	6500	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-spiral 13W 827		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-spiral 13W 841		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	8000	4100	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-spiral 13W 865		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	8000	6500	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-spiral 15W 827		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-spiral 15W 841		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	4100	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-spiral 15W 865		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	6500	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 827		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	2700	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 841		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	4100	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 865		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	6500	0.6	3	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 827		Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	8000	2700	0.6	2	12/30/08
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 841		Bare-spiral	E26/24 (Medium)	CFL		1530	26	N/A	8000	4100	0.6	3	1/9/09
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 865		Bare-spiral	E26/24 (Medium)	CFL		1630	26	N/A	8000	6500	0.6	3	12/30/08
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96196		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/2/09
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96197		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/5/10
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96198		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/09
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96199		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/25/09
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96200/1K	X19927 1K	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/20/33	8000	2700		2	6/27/11
Harbor Freight Tools	HTF	98945		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	3/9/11
Harbor Freight Tools	HTF	98987		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/9/11
Havells Inc	HAVELLS	26136		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	10000	2700	0.56	2	11/17/11
Havells Inc	HAVELLS	26144	26145	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700	0.53	2	11/17/11
Havells Inc	HAVELLS	26150	26151	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.56	2	11/17/11
Havells Inc	HAVELLS	26159	26158	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.58	2	11/17/11
Havells Inc	HAVELLS	26160		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.57	2	11/17/11
Havells Inc	HAVELLS	26166	26169	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	11/17/11
Havells Inc	HAVELLS	26170	26173	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	11/17/11
Havells Inc	HAVELLS	26174	26177	Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700	0.58	2	11/17/11
HEB	GTC	008654	009949,009679,009582	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	7/2/08
HEB	GTC	008790	009357,008482,008726	Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700		2	7/2/08
HEB	GTC	009357	113318; 008726	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	5/12/11
HEB	GTC	009460		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	5/23/11
HEB	GTC	009488	009460	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	6000	2700		2	7/2/08
HEB	GTC	009579	009579	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		11	7/2/08
HEB	GTC	009580	006845	Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		2	7/2/08
HEB	GTC	098266		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.55	9	1/26/09
HEB	GTC	098963		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	1/26/09
HEB	GTC	113318	0750266	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		11	3/16/11
HEB	GTC	185038		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	8/3/11
Hengdian Group Tospo Lighting Co., Ltd.	Biltmore	13W-T3-GU24-27K	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	8/1/11
Hengdian Group Tospo Lighting Co., Ltd.	Biltmore	23W-T3-GU24-27K	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	8/1/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	101964		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	2700		2	7/3/07

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	103889		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	15000	2700		2	11/16/07
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	104700		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700		2	4/16/07
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	104903	1T48S323B	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700		2	7/9/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	105620		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700		2	4/17/07
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	105621		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700		2	12/11/07
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	133566	TP120-13MSL(T2)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700		2	11/16/07
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	135558		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.55	2	1/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136058		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	12000	2700		2	3/4/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136059		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	12000	6500	0.57	2	7/8/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136061		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	12000	2700		2	3/4/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136207	TP120-13MSL(1C); TP120-14MSL(T3)/T	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	11/18/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136345		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	2700		2	7/11/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136347		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	12000	2700	0.59	2	8/23/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136348		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	12000	2700		2	6/27/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136349		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	12000	2700	0.57	2	6/30/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136350		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700		2	6/27/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.59	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		711	10.985	N/A	10020	2700	0.58	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		721	11.17	N/A	10020	2700	0.59	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.59	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.58	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136610		Covered A-line	E26/24 (Medium)	CFL		760	14	N/A	12000	5000	0.57	2	8/12/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.79	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	2/29/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.59	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.58	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137048		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	3000	0.59	2	7/14/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137139		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		2	12/2/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137143	N/A	Bare-spiral	GU24	CFL		1236	17.31	N/A	10000	3000	0.56	2	6/30/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.55	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.55	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	8/13/08
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137463		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	4100	0.59	2	7/14/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137556		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.58	2	4/28/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137557		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.56	2	7/17/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137729		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	4100	0.58	2	5/11/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137915		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	12000	6500	0.56	2	10/29/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137972	N/A	Bare-spiral	GU24	CFL		961	13.23	N/A	10000	3000	0.59	2	1/28/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138223		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	15000	2700	0.56	2	4/28/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138224		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	15000	2700	0.58	2	4/28/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138379		Bare-Mini-Spiral	E26/24 (Medium)	CFL		660	11	N/A	15000	5000	0.59	2	6/29/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138390		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.59	2	6/18/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138464	N/A	Bare-spiral	GU24	CFL		961	22.48	N/A	10000	3000	0.56	2	1/28/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138509		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100	0.56	2	4/28/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138860		Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	12000	3000	0.56	2	4/8/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138920		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.57	2	7/14/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139011		Bare-spiral	E26/24 (Medium)	CFL		1810	26	N/A	12000	2700	0.57	2	8/12/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139019		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700	0.76	2	4/28/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139021		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1250	18	N/A	12000	2700	0.75	2	7/27/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139023		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	12000	2700	0.8	2	8/23/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139067		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	3000		2	6/18/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139631		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.58	2	7/14/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139779		Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	12000	2700	0.6	2	7/9/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140573		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	4100	0.59	2	7/14/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140676		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	3000	0.58	2	4/14/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140681	N/A	Bare-spiral	GU24	CFL		947	14.2	N/A	10000	4100	0.59	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140681	N/A	Bare-spiral	GU24	CFL		955	14.5	N/A	10000	4100	0.59	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		963	13.8	N/A	10000	2700	0.59	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		967	13.8	N/A	10000	2700	0.59	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		1004	14.2	N/A	10000	2700	0.58	2	9/22/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141033		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	12000	2700	0.62	2	9/7/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141052		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	12000	2700	0.62	2	8/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141052		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	12000	2700	0.62	2	8/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141053		Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	12000	2700	0.6	2	7/9/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141089		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	12000	3000	0.56	2	4/8/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141463		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	12000	2700	0.59	2	12/23/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141539		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.55	2	1/27/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141569	N/A	Bare-spiral	GU24	CFL		925	14.04	N/A	10030	3000	0.59	2	2/1/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143249	TP120-13MSL 2700K T2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	12/23/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143426	143426	Covered A-line	E26/E24 (Medium)	CFL		894	14.0	N/A	10000	2700	0.56	3	8/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143476		Covered A-line	E12 (Candelabra)	CFL		470	9	N/A	12000	2700	0.58	2	1/29/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143476		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	12000	2700	0.58	2	1/29/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143482		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700	0.58	2	1/29/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143603	143606	Bare-spiral	E26/E24 (Medium)	CFL		550	9.12	N/A	12000	2700	0.58	2	10/6/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143607	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.58	2	7/26/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143816		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.55	2	11/1/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144296	144296	Bare-spiral	E26/E24 (Medium)	CFL		1606	23.0	N/A	12000	2700	0.57	3	8/2/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144686	144686	Bare-spiral	E26/E24 (Medium)	CFL		1607	23.0	N/A	12000	3000	0.57	3	8/2/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144734	144734	Bare-spiral	E26/E24 (Medium)	CFL		540	9.0	N/A	12000	3500	0.55	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144735		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	12000	6500	0.54	2	12/14/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144736	144736	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	3500	0.56	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144738	144738	Bare-spiral	E26/E24 (Medium)	CFL		1250	18.0	N/A	12000	2700	0.57	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144739	144739	Bare-spiral	E26/E24 (Medium)	CFL		1250	18.0	N/A	12000	3500	0.56	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144740	144740	Bare-spiral	E26/E24 (Medium)	CFL		1200	18.0	N/A	12000	6500	0.56	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144741	144741	Bare-spiral	E26/E24 (Medium)	CFL		1600	23.84	N/A	12000	2700	0.56	2	10/5/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144742	144742	Bare-spiral	E26/E24 (Medium)	CFL		1600	22.43	N/A	12000	3500	0.55	2	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144743	144743	Bare-spiral	E26/E24 (Medium)	CFL		1500	23.0	N/A	12000	6500	0.55	3	9/9/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144840	N/A	Bare-spiral	GU24	CFL		1558	22.36	N/A	10000	6500	0.56	2	7/26/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144965	144965	Covered Reflector	E26/E24 (Medium)	CFL		821	15.11	N/A	10000	2700	0.57	3	7/12/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147075	147075	Covered reflector	E26/E24 (Medium)	CFL		741	16.0	N/A	10000	2700	0.57	3	8/2/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147076	147076	Covered reflector	E26/E24 (Medium)	CFL		1133	23.0	N/A	10000	2700	0.55	3	8/4/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	148164		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	16	N/A	8000	2700	0.66	2	12/23/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149293	149293	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	297	5.09	N/A	40000	3000	0.71	3	10/17/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149295	149295	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	282	5.58	N/A	40000	3000	0.71	3	10/17/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149372	149372	MR - Multifaceted reflector	E26/E24 (Medium)	LED		192	3.31	N/A	40000	3000	0.62	3	10/11/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150111	N/A	Bare-spiral	GU24	CFL		976	13.96	N/A	10000	2700	0.65	2	12/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150112	N/A	Bare-spiral	GU24	CFL		1300	19.08	N/A	10000	2700	0.66	2	12/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150113	N/A	Bare-spiral	GU24	CFL		1616	23.36	N/A	10000	2700	0.67	2	12/20/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150748	150748	Covered reflector	E26/E24 (Medium)	CFL		1359	23.0	N/A	10000	2700	0.56	3	8/4/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151301	151301	Covered reflector	E26/E24 (Medium)	CFL		1350	23.0	N/A	10000	2700	0.56	3	8/4/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	152716	152716	Covered reflector	E26/E24 (Medium)	CFL		806	16.0	N/A	10000	3000	0.57	3	8/4/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153104	153104	Bare-spiral	E26/E24 (Medium)	CFL		1015	13.0	N/A	12000	3000	0.61	2	12/28/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153105	153105	Bare-spiral	E26/E24 (Medium)	CFL		1725	23.0	N/A	12000	3000	0.58	2	1/4/12
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153741	153741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.73	3	6/16/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	18W-T3-GU24-27K	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	8/1/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	563741	563741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	6/16/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	763741	763741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.79	3	6/16/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	943741	943741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	6/16/11
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-11SL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11.0	N/A	8000	2700		2	6/29/09
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-15MSL		Bare-spiral	E26/24 (Medium)	CFL		990	15.0	N/A	10000	2700		1	1/3/03
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-20MSL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	20.0	N/A	10000	2700		2	3/31/03
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-25SL-3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700		2	3/10/10
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-27MSL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700		2	2/3/04
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-32MSL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700		2	2/13/04
Homelite Limited	Homelite	HLAD7W/3000K	HLAD7W/3000K	Non-standard	E26/E24 (Medium)	LED	Dimmable	383	7.41	N/A	40000	3000	0.8	3	9/9/11
Homelite Limited	Homelite	HLGD8W/3000K	HLGD8W/3000K	G - Globe	E26/E24 (Medium)	LED	Dimmable	416	8.04	N/A	40000	3000	0.72	3	8/17/11
Homelite Limited	Homelite	HLMR4W/3000K	HLMR4W/3000K	MR - Multifaceted reflector	E26/E24 (Medium)	LED		166	3.93	N/A	40000	3000	1	3	8/22/11
Homelite Limited	Homelite	HLPD11W/3000K	HLPD11W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	558	10.7	N/A	25000	3000	0.82	3	8/10/11
Homelite Limited	Homelite	HLPD17W/3000K	HLPD17W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	819	17.3	N/A	25000	3000	0.76	3	8/10/11
Homelite Limited	Homelite	HLPD7W/3000K	HLPD7W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	7.5	N/A	25000	3000	0.79	3	8/10/11
Homelite Limited	Homelite	HLPDL11W	HLPDL11W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	575	11.0	N/A	40000	3000	0.84	3	2/17/12
Homelite Limited	Homelite	HLPDL17W	HLPDL17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	17.0	N/A	40000	3000	0.73	3	2/17/12
Homelite Limited	Homelite	HLPDL7W	HLPDL7W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	335	7.0	N/A	40000	3000	0.77	3	2/17/12
Homelite Limited	Homelite	HLT2GU13W/2700K	N/A	Bare-spiral	GU24	CFL		883	13.0	N/A	10000	2700	0.59	2	12/28/10
Homelite Limited	Homelite	HLT2GU13W/4100K	N/A	Bare-spiral	GU24	CFL		887	13.8	N/A	10000	4100	0.58	2	12/28/10
Homelite Limited	Homelite	HLT2GU18W/2700K	N/A	Bare-spiral	GU24	CFL		1177	17.2	N/A	10000	2700	0.57	2	12/28/10
Homelite Limited	Homelite	HLT2GU23W/2700K	N/A	Bare-spiral	GU24	CFL		1566	21.0	N/A	10000	2700	0.55	2	12/28/10
Homelite Limited	Homelite	HLT2S09W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700	0.57	2	11/18/08
Homelite Limited	Homelite	HLT2S09W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.58	2	1/11/11
Homelite Limited	Homelite	HLT2S09W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100	0.54	2	1/11/11
Homelite Limited	Homelite	HLT2S13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.6	2	9/15/08
Homelite Limited	Homelite	HLT2S13W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.6	2	11/17/08
Homelite Limited	Homelite	HLT2S13W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.59	2	1/27/10
Homelite Limited	Homelite	HLT2S13W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.58	2	1/11/11
Homelite Limited	Homelite	HLT2S13WC/A2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.59	2	1/11/11
Homelite Limited	Homelite	HLT2S18W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.57	2	12/21/10
Homelite Limited	Homelite	HLT2S18W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	4100	0.59	2	1/11/11
Homelite Limited	Homelite	HLT2S20W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.57	2	11/22/08
Homelite Limited	Homelite	HLT2S20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.57	2	12/15/08
Homelite Limited	Homelite	HLT2S23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/15/08
Homelite Limited	Homelite	HLT2S23W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	9/15/08
Homelite Limited	Homelite	HLT2S23W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.57	2	9/15/08
Homelite Limited	Homelite	HLT2S23W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	1/27/10
Homelite Limited	Homelite	HLT2S23W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100	0.56	2	1/11/11
Homelite Limited	Homelite	HLT3A09/2700K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.56	2	12/26/08
Homelite Limited	Homelite	HLT3A09W/2700K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.56	2	6/11/10
Homelite Limited	Homelite	HLT3A09W/4100K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.56	2	1/15/08
Homelite Limited	Homelite	HLT3A1319W/2700K		Covered A-line	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.56	2	9/16/09
Homelite Limited	Homelite	HLT3A14W/2700K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.59	2	1/15/08
Homelite Limited	Homelite	HLT3A14W/4100K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.59	2	1/15/08
Homelite Limited	Homelite	HLT3A7W/2700K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.66	2	1/11/11
Homelite Limited	Homelite	HLT3C05W/E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	10000	2700	0.55	2	8/12/09
Homelite Limited	Homelite	HLT3C05W/E26/2700K		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	10000	2700	0.55	2	8/12/09
Homelite Limited	Homelite	HLT3C07W/E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		300	7	N/A	10000	2700	0.54	2	8/12/09
Homelite Limited	Homelite	HLT3G09W/2700K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.55	2	1/23/09
Homelite Limited	Homelite	HLT3G09W/4100K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	1/13/09
Homelite Limited	Homelite	HLT3G14W/4100K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	1/13/09
Homelite Limited	Homelite	HLT3G3019W/2700K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700	0.58	2	9/15/09
Homelite Limited	Homelite	HLT3GU09W/2700K	N/A	Bare-spiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	12/17/08
Homelite Limited	Homelite	HLT3GU13W/2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.58	2	12/17/08
Homelite Limited	Homelite	HLT3GU20W/2700K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.58	2	12/17/08
Homelite Limited	Homelite	HLT3GU23W/2700K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.56	2	12/17/08
Homelite Limited	Homelite	HLT3GU26W/2700K	N/A	Bare-spiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.57	2	12/17/08
Homelite Limited	Homelite	HLT3PAR16W/2700K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.57	2	1/14/09
Homelite Limited	Homelite	HLT3PAR16W/4100K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	10000	4100	0.56	2	9/16/09
Homelite Limited	Homelite	HLT3PAR23W/2700K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	2	1/14/09
Homelite Limited	Homelite	HLT3PAR23W/4100K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	4100	0.57	2	9/15/09
Homelite Limited	Homelite	HLT3R14W/2700K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.59	2	1/14/09
Homelite Limited	Homelite	HLT3R14W/4100K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100	0.59	2	9/15/09
Homelite Limited	Homelite	HLT3R16W/2700K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.56	2	1/14/09
Homelite Limited	Homelite	HLT3R16W/4100K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	4100	0.56	2	9/15/09
Homelite Limited	Homelite	HLT3R2011W/2700K		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700	0.58	2	9/15/09
Homelite Limited	Homelite	HLT3R23W/2700K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	2	1/14/09
Homelite Limited	Homelite	HLT3R23W/4100K		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.57	2	9/15/09
Homelite Limited	Homelite	HLT3S09W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	9/15/08
Homelite Limited	Homelite	HLT3S09W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.57	2	9/15/08
Homelite Limited	Homelite	HLT3S13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/15/08
Homelite Limited	Homelite	HLT3S13W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.55	2	9/15/08
Homelite Limited	Homelite	HLT3S13W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.59	2	1/27/10
Homelite Limited	Homelite	HLT3S18W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1202	18	N/A	12000	2700	0.57	2	12/22/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Homelite Limited	Homelite	HLT3S20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.54	2	1/15/09
Homelite Limited	Homelite	HLT3S23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	11/10/08
Homelite Limited	Homelite	HLT3S23W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.57	2	11/18/08
Homelite Limited	Homelite	HLT3S23W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	1/27/10
Homelite Limited	Homelite	HLT3S26W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.59	2	11/22/08
Homelite Limited	Homelite	HLT4S40W/2700K		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700	0.58	2	1/11/11
Howard Berger Co. Inc.	Bright-Way	BWCFS15		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	12/31/10
Howard Berger Co. Inc.	Bright-Way	BWCFS23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/31/10
Howard Berger Co. Inc.	Globe	185039	185039	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.5	2	6/22/11
Huangshan Qianlong Appliance Co., Ltd.	Sun Suang	QLS-20-13W		Bare-spiral	E26/24 (Medium)	CFL		720	12.7	N/A	10000	2700	0.6	7	10/19/09
Huangshan Qianlong Appliance Co., Ltd.	Sun Suang	QLS-20-15W		Bare-spiral	E26/24 (Medium)	CFL		880	15	N/A	10000	2700	0.61	7	10/19/09
Huangshan Qianlong Appliance Co., Ltd.	Sun Suang	QLS-22-18W		Bare-spiral	E26/24 (Medium)	CFL		1140	18	N/A	10000	2700	0.59	7	10/19/09
Huangshan Qianlong Appliance Co., Ltd.	Sun Suang	QLS-22-23W		Bare-spiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700	0.59	7	10/19/09
Huangshan Qianlong Appliance Co., Ltd.	Sun Suang	QLS-22-26W		Bare-spiral	E26/24 (Medium)	CFL		1500	25.7	N/A	10000	2700	0.58	7	10/19/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/13-T2S		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.59	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/13-T3S		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.59	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/18-T2S		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.58	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/18-T3S		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.58	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/23-T2S		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.57	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/23-T3S		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.57	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/9-T2S		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.57	2	7/24/09
Hyderson Lighting (Zhangzhou) Co., Ltd.	Hyderson	HD120/9-T3S		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.57	2	7/24/09
Hy-vee, Inc.	Hy-Vee	0110433	0722133	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/1/08
Hy-vee, Inc.	Hy-Vee	0110633		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	8/1/08
Hy-vee, Inc.	Hy-Vee	0110933		Covered A-line	E26/24 (Medium)	CFL		720	15	N/A	6000	2700	0.53	2	8/1/08
Hy-vee, Inc.	Hy-Vee	0750233	4870233,1290233, 8750233	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/31/08
Hy-vee, Inc.	Hy-Vee	0750433		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	7/31/08
Hy-vee, Inc.	Hy-Vee	0750533	0020333	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	8/1/08
Hy-vee, Inc.	Hy-Vee	0750633	0020233	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.53	2	8/1/08
Hy-vee, Inc.	Hy-Vee	131101		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	2700		9	12/4/09
Hy-vee, Inc.	Hy-Vee	201201		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		9	12/4/09
Hy-vee, Inc.	Hy-Vee	231201		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/4/09
Hy-vee, Inc.	Hy-Vee	4840233		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	7/31/08
IKEA of Sweden AB	Ikea	ES0910C7	N/A	Covered-Candle	E12 (Candelabra)	CFL		315	7.0	N/A	10000	2700	0.6	3	6/30/11
IKEA of Sweden AB	Ikea	ES1001S20	00215883, 50219402	Bare-Spiral	E26/24 (medium)	CFL	Dimmable	1174	19.03	N/A	8000	2700	0.71	7	1/12/12
IKEA of Sweden AB	IKEA	ES0805C5		Covered-Candle	E12 (Candelabra)	CFL		225	5	N/A	8000	2700	0.6	3	6/2/10
IKEA of Sweden AB	IKEA	ES0806G7		Covered globe	E12 (Candelabra)	CFL		315	7	N/A	10000	2700	0.67	3	6/2/10
IKEA of Sweden AB	IKEA	ES0806G7		Covered globe	E26/24 (Medium)	CFL		315	7	N/A	10000	2700	0.67	3	6/2/10
IKEA of Sweden AB	IKEA	ES0807G11		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		3	7/13/10
IKEA of Sweden AB	IKEA	ES0808G20		Covered globe	E26/24 (Medium)	CFL		1160	20	N/A	10000	2700	0.59	3	11/8/10
IKEA of Sweden AB	IKEA	ES0906S9		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		3	3/24/11
IKEA of Sweden AB	IKEA	ES0906S9		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		3	1/7/10
IKEA of Sweden AB	IKEA	ES0907S13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		5	1/11/10
IKEA of Sweden AB	IKEA	ES0908S20		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		5	1/11/10
IKEA of Sweden AB	SPARSAM	00215883		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1150	20	N/A	8000	2700		3	6/27/11
IKEA of Sweden AB	SPARSAM	50219402		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1260	20	N/A	8000	2700		3	6/27/11
Infinlight Products, Inc.	Infinlight	IFL-MR16-WW30	IFL-MR16-WW-30	MR - Multifaceted reflector	GU5.3	LED		321	6.0	N/A	25000	3000	0.7	3	2/3/12
Infinlight Products, Inc.	Infinlight	IFL-PAR20-WW30	IFL-PAR20-WW30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	3	11/21/11
Infinlight Products, Inc.	Infinlight	IFL-PAR30-WW30	IFL-PAR30-WW30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	11/21/11
Infinlight Products, Inc.	Infinlight	IFL-PAR38-WW30	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	11/21/11
iPAN LED Inc.	iPAN LED	IPAN-MR16-4W	IPAN-MR16-4W	MR - Multifaceted reflector	GU5.3	LED		160	4.0	N/A	25000	3000	1	3	1/12/12
iPAN LED Inc.	iPAN LED	IPAN-PAR38-17W	IPAN-PAR38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		765	17.0	N/A	25000	3000	0.89	3	1/12/12
iPAN LED Inc.	iPAN LED	IPAN-PAR38-17W-D	IPAN-PAR38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	745	17.0	N/A	25000	3000	0.73	3	1/12/12
Jessar	Xtricity	1-60200		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	8/31/11
Jessar	Xtricity	1-60201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	8/31/11
Jessar	Xtricity	1-60202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/18/11
Jessar	Xtricity	1-60210		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100		9	9/1/11
Jessar	Xtricity	1-60211		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		9	5/25/11
Jessar	Xtricity	1-60212		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	5/25/11
Jessar	Xtricity	1-60712		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		11	5/25/11
Jessar	Xtricity	1-68702		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	8/15/11
Jessar	Xtricity	1-68803		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		9	8/15/11
Jiang Su Justsaving Lighting Co. Ltd.	Justsaving	E12-13W-7		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	2700	0.6	7	1/5/11
Jiang Su Justsaving Lighting Co. Ltd.	Justsaving	E26-13W-10		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.6	7	1/5/11
Jiang Su Justsaving Lighting Co. Ltd.	Justsaving	HW-E26-13W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.6	2	9/21/10
Jiang Su Justsaving Lighting Co. Ltd.	Justsaving	HW-E26-26W		Bare-spiral	E26/24 (Medium)	CFL		1680	26	N/A	10000	2700	0.58	2	9/7/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-A20W 2700K		Covered A-line	E26/24 (Medium)	CFL		1000	20	N/A	10000	2700	0.56	2	6/25/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYA6013W/2700K		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700	0.56	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYA7W/2700K		Covered A-line	E26/24 (Medium)	CFL		300	7	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.53	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E12/2700K		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.53	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E26/2700K		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.53	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYG2011E26/2700K		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.56	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYG2514W/2700K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYP3014WE26/2700K		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.54	2	1/8/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR207W/2700K		Covered reflector	E26/24 (Medium)	CFL		250	7	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR3015/L		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700	0.53	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR3015WE26/4100K		Covered reflector	E26/24 (Medium)	CFL		550	15	N/A	10000	4100	0.54	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.54	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT2S18W/4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.53	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.56	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S9W		Bare-spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S09/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	8/29/08
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S11E26/2700K		Bare-spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700	0.58	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	8/29/08
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.56	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/L 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.58	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S15WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.59	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S15WE26/4100K		Bare-spiral	E26/24 (Medium)	CFL		850	15	N/A	10000	4100	0.59	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.54	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18/L 5000K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	5000	0.55	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.54	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S20/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.58	2	8/29/08
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	8/29/08
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/L 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.55	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S25WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S25WE26/5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000	0.56	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S30WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.57	2	9/14/09
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA/MIDEA	GYT4S32GU24/2700K	N/A	Bare-spiral	GU24	CFL		2276	29.8	N/A	10000	2700	0.55	2	1/12/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA/MIDEA	GYT4S42GU24/2700K	N/A	Bare-spiral	GU24	CFL		2703	38.3	N/A	10000	2700	0.56	2	1/12/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS13GU/2700K	N/A	Bare-spiral	GU24	CFL		802	12.0	N/A	10000	2700	0.53	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS13GU/4100K	N/A	Bare-spiral	GU24	CFL		813	12.1	N/A	10000	4100	0.53	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS18GU/2700K	N/A	Bare-spiral	GU24	CFL		1379	17.2	N/A	10000	2700	0.54	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS18GU/4100K	N/A	Bare-spiral	GU24	CFL		1303	17.2	N/A	10000	4100	0.54	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS26GU/2700K	N/A	Bare-spiral	GU24	CFL		1849	23.8	N/A	10000	2700	0.57	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS26GU/4100K	N/A	Bare-spiral	GU24	CFL		1732	23.8	N/A	10000	4100	0.57	2	12/28/10
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYT2S13/L/2700K		Bare-spiral	E26/24 (Medium)	CFL		932	13	N/A	10000	2700	0.57	2	1/13/11
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP13W-E26	MDESLMSP13W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		848	12.517	N/A	10000	2700	0.58	2	12/19/11
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP15W-E26	MDESLMSP15W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		940	13.86	N/A	10000	2700	0.6	2	12/19/11
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP7W-E26	MDESLMSP7W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		474	7.094	N/A	10000	2700	0.57	2	12/19/11
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP9W-E26	MDESLMSP9W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		626	9.185	N/A	10000	2700	0.56	2	12/19/11
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 2700K	SPS T2 13SM 2700K	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	2700	0.62	2	11/29/11
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 4100K	SPS T2 13SM 4100K	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	4100	0.61	2	11/29/11
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 13GUS	N/A	Bare-spiral	GU24	CFL		900	12.6	N/A	10000	2700	0.55	2	6/22/10
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 13S		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.59	2	6/2/10
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 18GUS	N/A	Bare-spiral	GU24	CFL		1276	17.3	N/A	10000	2700	0.55	2	6/22/10
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 18S		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.55	2	6/2/10
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 23GUS	N/A	Bare-spiral	GU24	CFL		1614	22.2	N/A	10000	2700	0.57	2	6/22/10
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 23S		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	6/2/10
Kroger Company	Everyday Living	2725-BXEL	2725-BXEL, 2725-2VPBXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	12/7/07
Kroger Company	Everyday Living	2725D-BXEL	2725D-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/23/10
Kroger Company	Everyday Living	2814S-BXEL	2814S-BXEL; 2814S-2VPBXEL; 2814S-4VPBXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	8000	6500		2	12/7/07
Kroger Company	Everyday Living	2814W-BXEL	2814W-2VPBXEL; 2814W-4VPBXEL	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	2/16/10
Kroger Company	Everyday Living	2819-BXEL	2819-2VPBXEL	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	1/26/11
Kroger Company	Everyday Living	2920-P/38 EL		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	7/16/09
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/27K	LED14PAR30L/DIM/NFL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	14.0	N/A	25000	2700	0.8	3	12/12/11
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/30K	LED14PAR30L/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	12/19/11
LEDirect	NaturaLED	LED17PAR38/DIM/NFL/27K	LED17PAR38L/DIM/NFL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	928	17.0	N/A	25000	2700	0.8	3	12/12/11
LEDirect	NaturaLED	LED17PAR38/DIM/NFL/30K	LED17PAR38/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	12/19/11
LEDirect	NaturaLED	LED6MR16/NFL/30K	LED6MR16/NFL/30K	MR - Multifaceted reflector	E26/24 (Medium)	LED		321	6.0	N/A	25000	3000	0.7	3	1/12/12
LEDirect	NaturaLED	LED9PAR20/DIM/NFL/30K	LED9PAR20/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	3	12/19/11
LEDirect	NaturaLED	LHO-4.5MR16/NFL/WW	LHO-4.5MR16/NFL/WW	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.62	3	3/2/11
LEDirect	NaturaLED	LHO-4.5MR16/NFL/WW	N/A	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.62	3	12/15/11
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR20-50-1WD-INFE	LED-PAR20-50-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	359	6.04	N/A	25000	3000	0.91	5	9/29/11
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR30S-75-1WD-INFE	LED-PAR30S-75-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	814	15.57	N/A	25000	3000	0.93	5	11/4/11
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR38-90-1WD-INFE	LED-PAR38-90-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	914	18.29	N/A	25000	3000	0.94	5	1/17/12
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	N2NR11		Bare-twin tube	E26/24 (Medium)	CFL		605	11	N/A	8000	2700	0.56	5	9/8/10
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	N3NS15		Bare-Triple Tube	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.56	5	9/8/10
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR09		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.57	5	5/23/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR09 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.57	5	5/23/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR11		Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.58	5	9/8/10
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.54	9	3/18/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR13 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR14 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100	0.59	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR14 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.59	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR18		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR18 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.58	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR20		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR20 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR23		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	5	9/8/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR23 CT		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	8/3/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC07		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700	0.56	5	12/11/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC09		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.55	5	12/11/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.55	5	12/11/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC13 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.53	2	2/5/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC14		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	2700	0.54	5	12/11/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSCT13	N/A	Bare-spiral	GU24	CFL		821	13.0	N/A	10000	2700	0.56	2	6/22/10
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.53	5	11/5/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.58	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000	0.58	2	8/12/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI19 CT		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	4100	0.58	5	12/18/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI19 IT		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		5	12/15/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI19 NT		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.58	5	12/18/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		7	9/4/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.53	5	10/25/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.59	5	1/18/11
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/25/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/23/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	5	5/26/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000	0.57	5	5/23/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI26 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700	0.56	9	1/4/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18	N/A	Bare-spiral	GU24	CFL		1243	18.64	N/A	10000	2700	0.58	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18	N/A	Bare-spiral	GU24	CFL		1369	19.33	N/A	10000	2700	0.58	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18CT	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.58	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18CT	N/A	Bare-spiral	GU24	CFL		1431	19.19	N/A	10000	4100	0.58	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23	N/A	Bare-spiral	GU24	CFL		1508	21.9	N/A	10000	2700	0.61	2	5/15/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23	N/A	Bare-spiral	GU24	CFL		1704	23.59	N/A	10000	2700	0.63	2	5/15/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23CT	N/A	Bare-spiral	GU24	CFL		1625	21.348	N/A	10000	4100	0.57	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23CT	N/A	Bare-spiral	GU24	CFL		1721	23.036	N/A	10000	4100	0.57	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (2700K)	N/A	Bare-spiral	GU24	CFL		1710	25.393	N/A	10000	2700	0.58	2	10/27/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (2700K)	N/A	Bare-spiral	GU24	CFL		1722	26.086	N/A	10000	2700	0.57	2	10/27/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.58	2	10/27/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1705	25.715	N/A	10000	4100	0.58	2	10/27/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST07 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	8000	2700	0.53	5	5/22/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST07 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700	0.53	5	11/7/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700	0.53	7	11/7/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	5000		5	6/6/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST11 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.53	5	11/7/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.56	5	11/5/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		5	6/6/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST15 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	2700	0.54	5	11/30/07
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST15 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.54	9	1/4/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13	N/A	Bare-spiral	GU24	CFL		828	12.52	N/A	10000	2700	0.55	2	5/15/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13CT	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.58	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13CT	N/A	Bare-spiral	GU24	CFL		967	13.74	N/A	10000	4100	0.59	2	10/17/08
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSZR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.57	5	12/10/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	PAR30A15		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.56	5	5/26/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	PAR38A23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.58	5	5/26/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	R30A15		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.55	5	5/26/09
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	R40A23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.58	5	5/26/09
Lemnis Inc.	Pharox	101300	101300	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		326	5.56	N/A	25000	3000	0.82	3	12/13/11
Lightel Technologies, Inc.	ALEDDRA	PAR30-S-D-30-30K	PAR30-S-D-30-30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	535	9.0	N/A	25000	3000	0.97	3	1/25/12
Lightel Technologies, Inc.	ALEDDRA	PAR30-S-D-30-40K	PAR30-S-D-30-40K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	568	9.0	N/A	25000	4100	0.97	3	1/25/12
Lighting Science Group, Corp	Definity	DFN 16 NW FL	7434000099	MR - Multifaceted reflector	GU5.3	LED	Dimmable	282	5.81	N/A	35000	4000	1	3	10/8/10
Lighting Science Group, Corp	Definity	DFN 16 NW FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	282	5.81	N/A	25000	4000	1	3	12/6/10
Lighting Science Group, Corp	Definity	DFN 16 NW NFL	7434000010	MR - Multifaceted reflector	GU5.3	LED	Dimmable	276	5.92	N/A	35000	4000	1	3	10/18/10
Lighting Science Group, Corp	Definity	DFN 16 NW NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	275	5.92	N/A	25000	4000	1	5	12/7/10
Lighting Science Group, Corp	Definity	DFN 16 W27 FL	7434000054	MR - Multifaceted reflector	GU5.3	LED	Dimmable	246	5.52	N/A	35000	2700	1	3	10/18/10
Lighting Science Group, Corp	Definity	DFN 16 W27 FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	246	5.5	N/A	25000	2700	1	3	1/14/11
Lighting Science Group, Corp	Definity	DFN 16 W27 NFL	7434000055	MR - Multifaceted reflector	GU5.3	LED	Dimmable	247	5.415	N/A	35000	2700	1	3	10/18/10
Lighting Science Group, Corp	Definity	DFN 16 W27 NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	247	5.4	N/A	25000	2700	1	3	1/14/11
Lighting Science Group, Corp	Definity	DFN 16 WW FL	7434000009	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.75	N/A	35000	3000	1	3	1/24/11
Lighting Science Group, Corp	Definity	DFN 16 WW FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	263	5.85	N/A	25000	3000	1	3	10/20/10
Lighting Science Group, Corp	Definity	DFN 16 WW NFL	7434000010	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.62	N/A	35000	3000	1	3	1/24/11
Lighting Science Group, Corp	Definity	DFN 16 WW NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	262	5.85	N/A	25000	3000	1	3	10/20/10
Lighting Science Group, Corp	Definity	DFN 19 NW	7434000000	Non - Standard	E26/24 (Medium)	LED	Dimmable	412	7.472	N/A	50000	4000	0.93	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 19 WW	7434000000	Non - Standard	E26/24 (Medium)	LED	Dimmable	390	7.52	N/A	50000	3000	0.93	5	7/7/11
Lighting Science Group, Corp	Definity	DFN 20 NW NFL	7434000021	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	367	8.069	N/A	35000	4000	0.94	5	10/14/11
Lighting Science Group, Corp	Definity	DFN 20 NW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	367	8.07	N/A	25000	4000	0.94	5	10/29/10
Lighting Science Group, Corp	Definity	DFN 20 WW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	321	8.13	N/A	25000	3000	0.94	5	11/17/10
Lighting Science Group, Corp	Definity	DFN 20 WW NFL	7434000011	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	7.85	N/A	50000	3000	0.95	5	12/20/11
Lighting Science Group, Corp	Definity	DFN 20 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	7.85	N/A	25000	3000	0.94	5	11/12/10
Lighting Science Group, Corp	Definity	DFN 25 NW	7434000017	G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.01	N/A	35000	4000	0.94	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 25 NW 120		G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.01	N/A	15000	4000	0.94	5	12/7/10
Lighting Science Group, Corp	Definity	DFN 25 W27	7434000019	G - Globe	E26/24 (Medium)	LED	Dimmable	385	7.98	N/A	35000	2700	0.94	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 25 WW	7434000008	G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.18	N/A	35000	3000	0.94	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 25 WW 120		G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.18	N/A	15000	3000	0.94	5	11/17/10
Lighting Science Group, Corp	Definity	DFN 30 NW FL	7434000027	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	780	15.25	N/A	50000	4000	0.8	5	4/5/11
Lighting Science Group, Corp	Definity	DFN 30 NW NFL	7434000002	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	822	15.22	N/A	50000	4000	0.77	5	9/27/10
Lighting Science Group, Corp	Definity	DFN 30 NW NFL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	822	15.22	N/A	25000	4000	0.79	5	10/19/10
Lighting Science Group, Corp	Definity	DFN 30 NW SP	7434000026	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	825	15.32	N/A	50000	4000	0.77	5	4/5/11
Lighting Science Group, Corp	Definity	DFN 30 W27 FL	7434000033	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	721	15.37	N/A	25000	2700	0.78	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 30 W27 FL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	722	15.37	N/A	25000	2700	0.78	5	1/14/11
Lighting Science Group, Corp	Definity	DFN 30 W27 NFL	7434000034	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	703	15.23	N/A	25000	2700	0.8	5	3/31/11
Lighting Science Group, Corp	Definity	DFN 30 W27 NFL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	702	15.23	N/A	25000	2700	0.8	5	1/14/11
Lighting Science Group, Corp	Definity	DFN 30 WW FL	7434000003	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	761	15.17	N/A	25000	3000	0.8	5	5/25/11
Lighting Science Group, Corp	Definity	DFN 30 WW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	761	15.17	N/A	25000	3000	0.8	5	12/10/10
Lighting Science Group, Corp	Definity	DFN 30 WW NFL	7434000002	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	752	15.37	N/A	25000	3000	0.8	5	5/25/11
Lighting Science Group, Corp	Definity	DFN 30 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	752	15.37	N/A	25000	3000	0.8	5	12/13/10
Lighting Science Group, Corp	Definity	DFN 30 WW SP	7434000004	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	714	15.11	N/A	25000	3000	0.79	5	5/25/11
Lighting Science Group, Corp	Definity	DFN 38 NW FL	7434000036	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	937	18.37	N/A	50000	4000	0.75	5	10/7/10
Lighting Science Group, Corp	Definity	DFN 38 NW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	937	18.37	N/A	25000	4000	0.76	5	10/28/10
Lighting Science Group, Corp	Definity	DFN 38 NW NFL	7434000007	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	18.07	N/A	50000	4000	0.78	5	10/7/10
Lighting Science Group, Corp	Definity	DFN 38 NW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	18.07	N/A	25000	4000	0.78	5	11/12/10
Lighting Science Group, Corp	Definity	DFN 38 NW SP	7434000035	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	994	18.33	N/A	50000	4000	0.78	5	12/17/10
Lighting Science Group, Corp	Definity	DFN 38 NW SP 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	994	18.3	N/A	25000	4000	0.77	5	10/28/10
Lighting Science Group, Corp	Definity	DFN 38 WW FL	7434000006	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	18.2	N/A	25000	3000	0.78	5	4/6/11
Lighting Science Group, Corp	Definity	DFN 38 WW NFL	7434000005	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	895	18.22	N/A	25000	3000	0.75	5	9/21/10
Lighting Science Group, Corp	Definity	DFN 38 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	904	18.22	N/A	25000	3000	0.75	5	9/27/10
Lighting Science Group, Corp	Definity	DFN 38 WW SP	7434000007	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	877	18.4	N/A	25000	3000	0.78	5	10/7/10
Lighting Science Group, Corp	Definity	DFN 38 WW SP 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	18	N/A	25000	3000	0.78	5	10/12/10
Lighting Science Group, Corp	EcoSmart	ECS 30 V2 WW FL 120	7434000108	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1008	17.47	N/A	50000	3000	0.76	5	12/6/11
Lights of America	Everyday Living	2824L-BXEL	2824L-BXEL, 2824L-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	10/3/11
Lights of America	Lights of America	22140DLEDS-LF3	22140DLEDS-LF3	Non - Standard	E26/24 (Medium)	LED	Dimmable	578	9.8	N/A	25000	3000	0.88	3	8/19/11
Lights of America	Lights of America	2425LEDE12-LF3	2425LEDE12-LF3	C - Candle	E12	LED		129	2.351	N/A	25000	3000	0.4	3	2/14/12
Lights of America	Lights of America	2509L		Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/26/10
Lights of America	Lights of America	2713C-GU24	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	5/25/10
Lights of America	Lights of America	2713-GU24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	5/25/10
Lights of America	Lights of America	2718C-GU24	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.56	2	5/25/10
Lights of America	Lights of America	2718-GU24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	5/25/10
Lights of America	Lights of America	2723C-GU24	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	5/25/10
Lights of America	Lights of America	2723-GU24	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	5/25/10
Lights of America	Lights of America	2725	2725BX-16	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23.0	N/A	10000	2700		7	11/5/06
Lights of America	Lights of America	2725D-BX	2725D-2VP-BX	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/23/10
Lights of America	Lights of America	2809-GU24	N/A	Bare-spiral	GU24	CFL		570	9.15	N/A	10000	2700	0.59	2	5/13/09
Lights of America	Lights of America	2809L	2809L-BXEL, 2809L-2VP-BXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	5/1/07
Lights of America	Lights of America	2809S	2809S-BXEL; 2809S-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	6500	0.57	2	10/7/11
Lights of America	Lights of America	2811L		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	5/1/07
Lights of America	Lights of America	2813		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	10/26/09
Lights of America	Lights of America	2814-GU24	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.56	2	5/13/09
Lights of America	Lights of America	2814S	2814S-BXEL, 2814S-2VP-BXEL, 2814S-4VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	6500	0.6	2	10/6/11
Lights of America	Lights of America	2814S-L	2814S-6VP BX, 2814SBX-16	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	8000	6500		2	5/30/07
Lights of America	Lights of America	2814W	2814WBX-16, 2814W-BXEL, 2814W-2VP-BXEL, 2814W-4VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	1/25/10
Lights of America	Lights of America	2819	2819BX-16, 2819-BXEL, 2819-2VP-BXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	4/3/08
Lights of America	Lights of America	2819D	2819DBX-16; 2819D-5VPBX, 2819D-BXEL, 2819D-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		2	8/19/09
Lights of America	Lights of America	2819-GU24	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	5/13/09
Lights of America	Lights of America	2819W	2819WBX-16	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	4/1/10
Lights of America	Lights of America	2823-GU24	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.51	2	5/13/09
Lights of America	Lights of America	2824D	2824DBX-16; 2824D-5VPBX	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	8/19/09
Lights of America	Lights of America	2824L	2824L-BX	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	10/3/11
Lights of America	Lights of America	2824W	2824WBX-16	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/25/10
Lights of America	Lights of America	2827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	4/3/08
Lights of America	Lights of America	2842	2842-3VPBX	Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	10000	2700		2	7/14/08
Lights of America	Lights of America	2915 L1		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	7/9/09
Lights of America	Lights of America	2920-P/38	2920-P/38EL	Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	3/4/10
Lights of America	Lights of America	2949DLEDS-LF3	2949DLEDS-LF3	Non - Standard	E26/24 (Medium)	LED	Dimmable	451	8.25	N/A	25000	3000	0.87	3	12/22/11
L?mage Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11325		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/16/07
L?mage Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11327	11979; 11981	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		9	2/16/07

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11738	11741	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	5/5/08
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11799		Bare-spiral	E26/24 (Medium)	CFL		840	14	N/A	10000	2700		2	2/4/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11800		Bare-spiral	E26/24 (Medium)	CFL		840	14	N/A	10000	2700		2	2/4/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	11982		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		2	3/18/08
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13080		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	4/7/08
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13172 (1-pk box)		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.55	2	4/15/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13174 (1-pk box)		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.55	2	4/15/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13349	13350, 13351	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/17/09
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13352		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	6/17/09
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13353		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	6/17/09
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13434 (2-pk box)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	4/15/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13455		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	6/22/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13469 (1-pk box)		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.55	2	4/15/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13470		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	6/22/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/19/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		9	7/19/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	13668		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/22/10
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	30410136	11799_2; 11800_2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.56	2	9/29/11
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	30410159	14151, 14152, 14164	Bare-spiral	E26/24 (Medium)	CFL		1610	23	N/A	10000	2700	0.55	2	9/12/11
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	30410255	13383	Bare-spiral	E26/24 (Medium)	CFL		1206	18	N/A	10000	2700	0.55	2	9/29/11
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	6482		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/20/07
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	6593	11978; 6593; 11326; 11980	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		10	4/30/07
L'Image Home Products Inc., a licensee selling Sunbeam¿½ branded products	Sunbeam	6625		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/8/07
Litetronics International Inc.	Earthmate	E14521 8LW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	4/21/11
Litetronics International Inc.	Earthmate	E1552AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	4/8/11
Litetronics International Inc.	Earthmate	E2052AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	4/8/11
Litetronics International Inc.	Earthmate	E2352AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	4/8/11
Litetronics International Inc.	Earthmate	E2752AJLW		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1975	27	N/A	10000	2700		9	4/21/11
Litetronics International Inc.	Earthmate	E3052AELW		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		9	4/21/11
Litetronics International Inc.	Earthmate	E3362ANLW		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	4/8/11
Litetronics International Inc.	Earthmate	ES1352AK		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	4/30/10
Litetronics International Inc.	Earthmate	ES3362AN		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	7/20/10
Litetronics International Inc.	harmony	SSS27		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700		1	1/9/04
Litetronics International Inc.	Harmony Lighting	SSS20		Bare-spiral	E26/24 (Medium)	CFL		1230	20.0	N/A	10000	2700		1	5/1/03
Litetronics International Inc.	Harmony Lighting	SSS25		Bare-spiral	E26/24 (Medium)	CFL		1625	25.0	N/A	10000	2700		1	5/1/03
Litetronics International Inc.	Lightwiz	E3052AELW		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		2	4/8/11
Litetronics International Inc.	Lightwiz	H15027S		Bare-spiral	E26/24 (Medium)	CFL		925	15.0	N/A	10000	2700		5	11/1/03
Litetronics International Inc.	Lightwiz	H150MS		Bare-spiral	E26/24 (Medium)	CFL		925	15.0	N/A	10000	2700		5	10/10/02
Litetronics International Inc.	Lightwiz	H25027S		Bare-spiral	E26/24 (Medium)	CFL		1625	25.0	N/A	10000	2700		5	11/1/03
Litetronics International Inc.	Lightwiz	H27027S		Bare-spiral	E26/24 (Medium)	CFL		1990	27	N/A	10000	2700		2	1/9/04
Litetronics International Inc.	Lightwiz	H30027S		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		2	12/31/03
Litetronics International Inc.	Lightwiz	H33327S-B		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	3/6/07
Litetronics International Inc.	Litetronics	E145218		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/8/11
Litetronics International Inc.	Litetronics	EL-13527		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		1	12/18/09
Litetronics International Inc.	Litetronics	EL-13541		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		1	12/22/09
Litetronics International Inc.	Litetronics	EL-13550		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	5000		1	12/22/09
Litetronics International Inc.	Litetronics	EL-20527		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700		1	12/22/09
Litetronics International Inc.	Litetronics	EL-20541		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100		1	12/22/09
Litetronics International Inc.	Litetronics	EL-20550		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	5000		1	12/22/09
Litetronics International Inc.	Litetronics	EL-23527		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		1	3/17/08
Litetronics International Inc.	Litetronics	ELB-13527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		1	9/26/08
Litetronics International Inc.	Litetronics	ELB-20527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700		1	9/26/08
Litetronics International Inc.	Litetronics	ELB-23527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	9/26/08
Litetronics International Inc.	Litetronics	L-1382		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	4100		1	1/26/10
Litetronics International Inc.	Litetronics	L-1385		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	3500		1	1/26/10
Litetronics International Inc.	Litetronics	L-13C27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	8/20/08
Litetronics International Inc.	Litetronics	L-13C27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	10/13/08
Litetronics International Inc.	Litetronics	L-14527A19		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	4/3/09
Litetronics International Inc.	Litetronics	L-14527G25		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		1	4/14/09
Litetronics International Inc.	Litetronics	L-1471		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		1	10/21/09
Litetronics International Inc.	Litetronics	L-1472		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	4100		1	2/24/11
Litetronics International Inc.	Litetronics	L-1572		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		1	10/21/09
Litetronics International Inc.	Litetronics	L-18C27	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	10/13/08
Litetronics International Inc.	Litetronics	L-18C27	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10000	2700	0.56	2	8/20/08
Litetronics International Inc.	Litetronics	L-23527P38		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		1	7/8/08
Litetronics International Inc.	Litetronics	L-23527R40		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	7/8/08
Litetronics International Inc.	Litetronics	L-23C27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10000	2700	0.57	2	8/20/08
Litetronics International Inc.	Litetronics	L-23C27	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	10/13/08
Litetronics International Inc.	Litetronics	L-27427		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	1	5/12/09
Litetronics International Inc.	Litetronics	L-27527D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	2000	27	N/A	10000	2700		1	12/4/09
Litetronics International Inc.	Litetronics	L-30427		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	L-314		Bare-spiral	E26/24 (Medium)	CFL		950	15.0	N/A	10000	2700		1	1/13/03
Litetronics International Inc.	Litetronics	L-33627		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2245	N/A	11/22/33	10000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	L-400	L-400	Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	2	2/1/07
Litetronics International Inc.	Litetronics	LP10562FL4D	LP10562FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	603	10.45	N/A	25000	3000	0.97	5	1/30/12
Litetronics International Inc.	Litetronics	LP10564FL4D	LP10564FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	594	10.49	N/A	25000	3000	0.97	5	2/9/12
Litetronics International Inc.	Litetronics	LP10564SP4D	LP10564SP4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	594	10.49	N/A	25000	3000	0.97	5	2/9/12
Litetronics International Inc.	Litetronics	LP10566FL4D	LP10566FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	585	9.17	N/A	25000	3000	0.95	5	1/30/12
Litetronics International Inc.	Litetronics	LP15566FL4D	LP15566FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	14.22	N/A	25000	3000	0.98	5	1/30/12
Litetronics International Inc.	Litetronics	LP15566SP4D	LP15566SP4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	14.22	N/A	25000	3000	0.98	5	2/9/12
Litetronics International Inc.	Litetronics	NL-10127	NL-10127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		635	10	N/A	10000	2700		1	12/19/06
Litetronics International Inc.	Litetronics	NL-10427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		635	10	N/A	10000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	NL-13127	NL-13127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	1/2/07
Litetronics International Inc.	Litetronics	NL-13427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	NL-15127	NL-15127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1005	15	N/A	10000	2700		2	1/2/07
Litetronics International Inc.	Litetronics	NL-15427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1005	15	N/A	10000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	NL-20127	NL-20127	Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	1/3/07
Litetronics International Inc.	Litetronics	NL-20427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1295	20	N/A	12000	2700		1	11/12/07
Litetronics International Inc.	Litetronics	NL-23127	NL-23127	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		2	1/3/07
Litetronics International Inc.	Litetronics	NL-23427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1660	23	N/A	12000	2700	0.55	1	11/12/07
Litetronics International Inc.	Litetronics	SSS30		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		1	1/13/04
London Drugs LTD	London Lights	94939	4463883	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500		9	7/13/10
London Drugs LTD	London Lights	94940	4463824	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/13/10
Lowe's Home Improvement	Bright Effects	0020928	LB9T2/27K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.67	2	9/18/09
Lowe's Home Improvement	Bright Effects	0020928	LBP9T2/27K	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		2	4/28/10
Lowe's Home Improvement	Bright Effects	0021926	LBP13T2/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.58	2	9/30/09
Lowe's Home Improvement	Bright Effects	0021926	LBP13T/27K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.58	2	4/23/10
Lowe's Home Improvement	Bright Effects	0079261	L13T4/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.57	2	10/2/09
Lowe's Home Improvement	Bright Effects	0079658	L18TM/4/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500	0.55	2	5/24/10
Lowe's Home Improvement	Bright Effects	0082382	LBP16AM2	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	6/1/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Lowe's Home Improvement	Bright Effects	0088959	L18TM4/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/09
Lowe's Home Improvement	Bright Effects	022419	LBP15BR302/27K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	6/30/09
Lowe's Home Improvement	Bright Effects	0252475	L23TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.59	2	4/15/10
Lowe's Home Improvement	Bright Effects	0269883	LBP23TM/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.6	2	9/30/09
Lowe's Home Improvement	Bright Effects	0296878	LBP15BR30/35K	Covered reflector	E26/24 (Medium)	CFL		640	15	N/A	8000	3500	0.53	2	9/30/09
Lowe's Home Improvement	Bright Effects	0296879	LBP15BR30/65K	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500		2	10/2/09
Lowe's Home Improvement	Bright Effects	0296883	LBP23TM/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/30/09
Lowe's Home Improvement	Bright Effects	0296884	LBP18TM/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/09
Lowe's Home Improvement	Bright Effects	0296885	LBP18TM/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500	0.55	2	5/24/10
Lowe's Home Improvement	Bright Effects	073511	L23TM4/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.6	2	9/30/09
Lowe's Home Improvement	Bright Effects	073511	L23TM4/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	7/27/09
Lowe's Home Improvement	Bright Effects	077180	L13T4/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	3500	0.58	2	9/30/09
Lowe's Home Improvement	Bright Effects	079653	L18TM3/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.58	2	10/7/09
Lowe's Home Improvement	Bright Effects	079658	L18TM4/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.58	2	10/7/09
Lowe's Home Improvement	Bright Effects	084878		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/09
Lowe's Home Improvement	Bright Effects	124990	LBP30T	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	2/10/06
Lowe's Home Improvement	Bright Effects	135653	135653	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	8/4/04
Lowe's Home Improvement	Bright Effects	146558	29071	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	8/4/04
Lowe's Home Improvement	Bright Effects	153972	29636; 29441	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/22/06
Lowe's Home Improvement	Bright Effects	153972/L23TM4	153972, L23TM4, 252475; L23TM6/27K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	9/13/07
Lowe's Home Improvement	Bright Effects	168725	LBP18R402	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	8/27/10
Lowe's Home Improvement	Bright Effects	20845	LBP13T2/27K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.58	2	4/23/10
Lowe's Home Improvement	Bright Effects	210691	LBP23TM2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	2/10/06
Lowe's Home Improvement	Bright Effects	21692	L13T2C4/27K, LBP13T2C4/27K	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	2700		2	6/30/09
Lowe's Home Improvement	Bright Effects	22419	LBP15BR302/27K(G)	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.5	2	8/25/09
Lowe's Home Improvement	Bright Effects	22519	LBP18R402/27K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	6/30/09
Lowe's Home Improvement	Bright Effects	23582	LBP18TM2/27K; 252480/ LBP18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.55	2	7/28/09
Lowe's Home Improvement	Bright Effects	236707		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/13/06
Lowe's Home Improvement	Bright Effects	23790	LBP23TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/28/10
Lowe's Home Improvement	Bright Effects	252003	L13T6/27K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.58	2	4/23/10
Lowe's Home Improvement	Bright Effects	252480	L18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	7/19/10
Lowe's Home Improvement	Bright Effects	275632/LBP12GTM2	275632; LBP12GTM2	Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	9/13/07
Lowe's Home Improvement	Bright Effects	296863	LBP18R40/35K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500	0.6	2	4/3/09
Lowe's Home Improvement	Bright Effects	296864	LBP18R40/65K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	6500	0.57	2	10/7/09
Lowe's Home Improvement	Bright Effects	296869	LBP12GTM2/35K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500	0.6	2	10/5/09
Lowe's Home Improvement	Bright Effects	296871	LBP7C/35K	Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/09
Lowe's Home Improvement	Bright Effects	296872	LBP7C/35K	Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	3500		2	10/1/09
Lowe's Home Improvement	Bright Effects	296873	LBP11R20TM/35K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500	0.56	2	4/3/09
Lowe's Home Improvement	Bright Effects	296875	LBP11R20TM/65K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.56	2	4/3/09
Lowe's Home Improvement	Bright Effects	296882/LBP23TM/65K	076275/L23TM4/65K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	3/27/09
Lowe's Home Improvement	Bright Effects	296884/LBP18TM/65K	088959/L18TM4/65K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	3/27/09
Lowe's Home Improvement	Bright Effects	296885	LBP18TM/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.58	2	10/7/09
Lowe's Home Improvement	Bright Effects	296888	LBP13T/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	3500	0.58	2	9/30/09
Lowe's Home Improvement	Bright Effects	296889	LBP13T/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.57	2	10/2/09
Lowe's Home Improvement	Bright Effects	296889/LB13T/65K	079261/L13T4/65K	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	3/27/09
Lowe's Home Improvement	Bright Effects	296889/LB13T/65K	079261/L13T4/65K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	3/27/09
Lowe's Home Improvement	Bright Effects	296890	LBP50/150T/65K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/21/32	8000	6500		2	10/7/10
Lowe's Home Improvement	Bright Effects	296891	LBP50/150T/35K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2262	N/A	12/21/32	8000	3500		2	10/7/10
Lowe's Home Improvement	Bright Effects	46428	29072; 252003; L13T6-27k	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/6/07
Lowe's Home Improvement	Bright Effects	46428		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	3/13/06
Lowe's Home Improvement	Bright Effects	75316	LBP18PAR2/36	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.67	2	5/6/04
Lowe's Home Improvement	Bright Effects	80201	L13T(E)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	9/22/04
Lowe's Home Improvement	Bright Effects	82382	LBP16AM2(E)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	4/30/09
Lowe's Home Improvement	Bright Effects	95996		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	3/13/06
Lowe's Home Improvement	Bright Effects	BE10T3/BW	0296886	Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	3500		2	10/6/10
Lowe's Home Improvement	Bright Effects	BE10T3/D	296887	Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	10	N/A	8000	6500		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE10T3/SW	020928	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE10T3/SW	0380376	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700	0.5	2	1/13/12
Lowe's Home Improvement	Bright Effects	BE13T3/BW	0296888, 0077180	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		2	10/6/10
Lowe's Home Improvement	Bright Effects	BE13T3/SW	021926, 020845, 252003, 0306204	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	12/1/08
Lowe's Home Improvement	Bright Effects	BE15R30/SW	022419; 0099816	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	2700		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE15T3/D	296889; 079261	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE20T3/BW	0296885, 0079658	Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500		2	10/6/10
Lowe's Home Improvement	Bright Effects	BE20T3/D	296884, 088959	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1150	20	N/A	8000	6500		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE20T3/SW	023582, 252480	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE26PAR38/SW	075232	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE26T3/BW	026883, 007351	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500		2	10/6/10
Lowe's Home Improvement	Bright Effects	BE26T3/D	296882; 076275	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE26T3/SW	023790; 252475	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		2	12/1/08
Lowe's Home Improvement	Bright Effects	BE26T3/SW	0380377	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	2	1/18/12
Lowe's Home Improvement	Bright Effects	LBP13T2/27K(N)	L13T6/27K(N), 252003,020845	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	7/11/08
Lowe's Home Improvement	Bright Effects	LBP13T2/283477	283477	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	1/11/08
Lowe's Home Improvement	Bright Effects	LBP13T/35K(E)	L13T4/35K(E), 077180, 296888	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		2	12/8/08
Lowe's Home Improvement	Bright Effects	LBP18TM2/27K(N)	023582, 252480	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	7/8/08
Lowe's Home Improvement	Bright Effects	LBP18TM2/280589	280589	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	1/11/08
Lowe's Home Improvement	Bright Effects	LBP23TM2/27K(N)	LBP23TM6/27K(N), 252475, 023790	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	7/11/08
Lowe's Home Improvement	Bright Effects	LBP23TM/35K(E)	L23TM4/35K(E), 073511, 296883	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500		2	12/8/08
Lowe's Home Improvement	Bright Effects	LBP50/150T (E1)	280590	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/21/32	8000	2700		2	2/13/09
Lowe's Home Improvement	Utilitech	0020845	LBP13T2/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/18/11
Lowe's Home Improvement	Utilitech	0020845	LBP13T2/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/20/11
Lowe's Home Improvement	Utilitech	0020845		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/15/10
Lowe's Home Improvement	Utilitech	0020928	LBP9T2/27K (N)	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		2	1/19/11
Lowe's Home Improvement	Utilitech	0020928		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	2/17/11
Lowe's Home Improvement	Utilitech	0021692	LBP13T2C4/27K	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	2700		2	8/25/11
Lowe's Home Improvement	Utilitech	0022419	LBP15BR302/27K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	8/16/11
Lowe's Home Improvement	Utilitech	0022419	LBP15BR302/27K(G)	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	5/9/11
Lowe's Home Improvement	Utilitech	0022519	LBP18R402/27K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.56	2	9/2/11
Lowe's Home Improvement	Utilitech	0023582	LBP18TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	1/20/11
Lowe's Home Improvement	Utilitech	0023582		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	2/17/11
Lowe's Home Improvement	Utilitech	0023790	LBP23TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/18/11
Lowe's Home Improvement	Utilitech	0023790	LBP23TM2/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/20/11
Lowe's Home Improvement	Utilitech	0023790		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/17/11
Lowe's Home Improvement	Utilitech	00345551		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	3/4/11
Lowe's Home Improvement	Utilitech	0073511	L23TM4/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500		2	8/26/11
Lowe's Home Improvement	Utilitech	0073511	L23TM4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/2/11
Lowe's Home Improvement	Utilitech	0073511		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	12/15/10
Lowe's Home Improvement	Utilitech	0075232	LBP23PAR2	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.59	2	9/26/11
Lowe's Home Improvement	Utilitech	0075232	LBP23PAR2 (G)	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.55	2	10/19/11
Lowe's Home Improvement	Utilitech	0077180	L13T4/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500		2	8/24/11
Lowe's Home Improvement	Utilitech	0077180	L13T4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500	0.57	2	9/2/11
Lowe's Home Improvement	Utilitech	0077180		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	12/20/10
Lowe's Home Improvement	Utilitech	0079658	L18TM4/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500		2	3/7/11
Lowe's Home Improvement	Utilitech	0079658	L18TM4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.58	2	9/2/11
Lowe's Home Improvement	Utilitech	0079658		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		9	2/17/11
Lowe's Home Improvement	Utilitech	0082382	LBP16AM2 (H)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.58	2	10/17/11
Lowe's Home Improvement	Utilitech	0099816	L15BR306	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	8/16/11
Lowe's Home Improvement	Utilitech	0211661	LBP11R20DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700		2	3/7/11
Lowe's Home Improvement	Utilitech	0213568	LBP15TDM	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1025	15	N/A	8000	2700		2	12/22/10
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/18/11
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K (M)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/22/11
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K (N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	9/2/11
Lowe's Home Improvement	Utilitech	0252003		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/17/11
Lowe's Home Improvement	Utilitech	0252475	L23TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/18/11
Lowe's Home Improvement	Utilitech	0252475	L23TM6/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/20/11
Lowe's Home Improvement	Utilitech	0252475		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/10
Lowe's Home Improvement	Utilitech	0252480	L18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	1/20/11
Lowe's Home Improvement	Utilitech	0252480		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	2/18/11
Lowe's Home Improvement	Utilitech	0275632	LBP12GTM2/27K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	2700		2	3/24/11
Lowe's Home Improvement	Utilitech	0280590	LBP50/150T(E1)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/21/32	8000	2700	0.55	2	10/24/11
Lowe's Home Improvement	Utilitech	0296863	LBP18R40/35K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500		2	9/1/11
Lowe's Home Improvement	Utilitech	0296869	LBP12GTM2/35K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500		2	9/1/11
Lowe's Home Improvement	Utilitech	0296873	LBP11R20TM/35K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500		2	8/26/11
Lowe's Home Improvement	Utilitech	0296878	LBP15BR30/35K	Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	3500		2	1/19/11
Lowe's Home Improvement	Utilitech	0296891	LBP50/150T/35K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2262	N/A	12/21/32	8000	3500	0.57	2	9/26/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Lowe's Home Improvement	Utilitech	0306204	L13T18/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/22/11
Lowe's Home Improvement	Utilitech	0306204	L13T18/27K (N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/12/11
Lowe's Home Improvement	Utilitech	0338898	L7PAR20/DM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.85	3	8/5/11
Lowe's Home Improvement	Utilitech	0338902	L18PAR38/DM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	30000	3000	0.85	3	8/5/11
Lowe's Home Improvement	Utilitech	0340252	LBP13T2/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500		2	8/24/11
Lowe's Home Improvement	Utilitech	0340252		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	3/4/11
Lowe's Home Improvement	Utilitech	0340280	LBP13T2/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	1/20/11
Lowe's Home Improvement	Utilitech	0340280		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		2	2/18/11
Lowe's Home Improvement	Utilitech	0340286	LBP23TM2/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/20/11
Lowe's Home Improvement	Utilitech	0340286		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	2/18/11
Lowe's Home Improvement	Utilitech	0340289	LBP23TM2/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.6	2	8/25/11
Lowe's Home Improvement	Utilitech	0340289	LBP23TM2/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/1/11
Lowe's Home Improvement	Utilitech	0340289		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	2/18/11
Lowe's Home Improvement	Utilitech	0340445	LBP23TDM	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	12/22/10
Lowe's Home Improvement	Utilitech	0340446	LBP15R30DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700		2	8/4/11
Lowe's Home Improvement	Utilitech	0345544	L23TM4/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/20/11
Lowe's Home Improvement	Utilitech	0345544		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	12/20/10
Lowe's Home Improvement	Utilitech	0345548	L13T4/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	1/20/11
Lowe's Home Improvement	Utilitech	0345548		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		2	12/15/10
Lowe's Home Improvement	Utilitech	0345551	L18TM4/5K (N)	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	3/24/11
Lowe's Home Improvement	Utilitech	0351531	LBP7CF/35K	Covered-Candle	E12 (Candelabra)	CFL		260	7	N/A	8000	3500		2	5/12/11
Lowe's Home Improvement	Utilitech	0351541	LBP7CF2	Covered-Candle	E12 (Candelabra)	CFL		250	7	N/A	8000	2700		2	5/12/11
Lowe's Home Improvement	Utilitech	0351620	LBP7EF2	Covered-Candle	E26/24 (Medium)	CFL		250	7	N/A	8000	2700		2	5/12/11
Lowe's Home Improvement	Utilitech	338900	L13PAR30L/DM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	30000	3000	0.94	5	9/7/11
Lowe's Home Improvement	Utilitech	354618	LBP11R202/27K	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.55	2	3/28/11
Lowe's Home Improvement	Utilitech	UT15R30/BW	0296878	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500	0.5	2	1/4/12
Lowe's Home Improvement	Utilitech	UT15R30/SW	0022419, 0099816	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	2700	0.5	2	1/4/12
Lowe's Home Improvement	Utilitech	UT15T3/CW	0331191	Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.5	2	1/4/12
Lowe's Home Improvement	Utilitech	UT26PAR38/SW	0075232	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700	0.5	2	1/4/12
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL101M450	MPL101M450	Non-standard	E26/24 (Medium)	LED		485	8.0	N/A	25000	3000	0.87	3	1/30/12
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL103M600	MPL103M600	Non-standard	E26/24 (Medium)	LED		581	9.9	N/A	25000	3000	0.99	3	1/30/12
Marote Lighting Industrial Co. Ltd.	Bri-Star	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Bri-Star	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/05
Marote Lighting Industrial Co. Ltd.	Halo	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Halo	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/05
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-15WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15.0	N/A	8000	2700	0.64	2	9/29/03
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-20WL		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		2	3/3/05
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	1/13/05
Marote Lighting Industrial Co. Ltd.	Lumina	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Lumina	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/05
Marote Lighting Industrial Co. Ltd.	Marote	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Marote	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/05
Marote Lighting Industrial Co. Ltd.	Splendor	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/03
Marote Lighting Industrial Co. Ltd.	Splendor	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/05
Maxlite	MaxLED	HCG08DLED30	HCG08DLED30	G - Globe	E26/24 (Medium)	LED	Dimmable	415	8.0	N/A	40000	3000	0.72	3	1/26/12
Maxlite	MaxLED	HCR3011FLDLED30	HCR3011FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	560	11.0	N/A	30000	3000	0.82	3	2/17/12
Maxlite	MaxLED	SKG08DLED30	SKG08DLED30	G - Globe	E26/24 (Medium)	LED	Dimmable	415	8.0	N/A	40000	3000	0.72	3	1/26/12
Maxlite	MaxLED	SKR2007FLDLED30	SKR2007FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	30000	3000	0.79	3	2/17/12
Maxlite	MaxLED	SKR2007SPDLED30	SKR2007SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	345	7.0	N/A	30000	3000	0.77	3	2/17/12
Maxlite	MaxLED	SKR3011FLDLED30	SKR3011FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	560	11.0	N/A	30000	3000	0.82	3	2/17/12
Maxlite	MaxLED	SKR3011SPDLED30	SKR3011SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	535	11.0	N/A	30000	3000	0.84	3	2/17/12
Maxlite	MaxLED	SKR3817FLDLED30	SKR3817FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	17.0	N/A	30000	3000	0.76	3	2/17/12
Maxlite	MaxLED	SKR3817SPDLED30	SKR3817SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	840	17.0	N/A	30000	3000	0.73	3	2/17/12
Maxlite	MaxLite	HC15R30WW		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	12/30/10
Maxlite	MaxLite	HC23R40WW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	12/30/10
Maxlite	MaxLite	HCB11WW	115776	Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	6/20/08
Maxlite	MaxLite	HCB13CW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	6/30/09
Maxlite	MaxLite	HCB13WW	115783	Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	7/3/08
Maxlite	MaxLite	HCB13WW-144		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/30/11
Maxlite	MaxLite	HCB20WW		Covered A-line	E26/24 (Medium)	CFL		1050	20	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	HCB7WW		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	6/22/09
Maxlite	MaxLite	HCB9WW		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/09
Maxlite	MaxLite	HCC5WW		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.53	2	12/30/09
Maxlite	MaxLite	HCG11WW		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.56	2	12/30/09
Maxlite	MaxLite	HCG14WW	115820, 115226	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	7/3/08
Maxlite	MaxLite	HCG9WW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/09
Maxlite	MaxLite	HCR2009WW		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	4/3/09
Maxlite	MaxLite	HCR315FLD30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	8000	3000		2	5/2/11
Maxlite	MaxLite	HCR315WW		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700		2	4/3/09
Maxlite	MaxLite	HCR3820CW	116612	Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	7/9/08
Maxlite	MaxLite	HCR3820WW		Covered reflector	E26/24 (Medium)	CFL		1000	20	N/A	8000	2700	0.54	2	5/19/08
Maxlite	MaxLite	HCS11T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	HCS11WW	HCS114WW	Bare-Mini-Spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700		2	2/15/08
Maxlite	MaxLite	HCS13CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS13DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	6/30/09
Maxlite	MaxLite	HCS13DL-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.61	2	9/19/11
Maxlite	MaxLite	HCS13T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS13T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	HCS13T2WW	116926 (HCS13T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	HCS13WW	HCS134WW6, HCS13WW/TR, HCS13WW6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/2/07
Maxlite	MaxLite	HCS13WW-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/30/11
Maxlite	MaxLite	HCS13WW6		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	7/6/11
Maxlite	MaxLite	HCS14T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	6/30/09
Maxlite	MaxLite	HCS14T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/30/09
Maxlite	MaxLite	HCS15DWW	115714	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	6000	2700		2	6/20/08
Maxlite	MaxLite	HCS19T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	HCS20T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS20T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	HCS20T2WW	116933 (HCS20T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	HCS23CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS23DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	HCS23T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS23T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	HCS23T2WW	116940 (HCS23T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	HCS23WW	HCS23/ HCS23-4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/2/07
Maxlite	MaxLite	HCS253WWW	115769	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	6/20/08
Maxlite	MaxLite	HCS25DWW	115738	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	25	N/A	6000	2700		2	6/20/08
Maxlite	MaxLite	HCS26T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	HCS30WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		2	3/27/09
Maxlite	MaxLite	HCS42WW		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/10/09
Maxlite	MaxLite	HCS9CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	HCS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	HCS9T2WW	116919 (HCS9T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	HCS9WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	4/24/09
Maxlite	MaxLite	HCT14WW	116452	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/3/08
Maxlite	MaxLite	HCT19CW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	4100	0.55	2	7/7/09
Maxlite	MaxLite	HCT19WW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	2700	0.55	2	7/7/09
Maxlite	MaxLite	MLB13GUWW	N/A	Covered	GU24	CFL		770	13.54	N/A	8000	2700	0.57	2	9/3/08
Maxlite	MaxLite	MLFC26, MLEC26	N/A	Bare-spiral	GU24	CFL	Dimmable	1184	26.1	N/A	8000	2700	0.57	2	9/24/08
Maxlite	MaxLite	MLG13GUWW	N/A	Covered	GU24	CFL		742	14.01	N/A	8000	2700	0.57	2	9/3/08
Maxlite	MaxLite	MLM20SCW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLM20SDL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	MLM20SWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	4/20/05
Maxlite	MaxLite	MLM23SH		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700		2	3/24/06

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Maxlite	MaxLite	MLM23SHLCW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLM23SHLDL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	MLM23SHLWW	900402; 410291	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	5/13/08
Maxlite	MaxLite	MLM25SCW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLM25SDL	MLM25SDL	Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000		2	1/2/07
Maxlite	MaxLite	MLM25SWW		Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700		2	7/29/05
Maxlite	MaxLite	MLM30SWW	41022; 90021; 90008; 90009	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		2	3/16/06
Maxlite	MaxLite	MLM42SWW		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/10/09
Maxlite	MaxLite	MLR315FLWW		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	12/30/10
Maxlite	MaxLite	MLR423FLWW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	12/30/10
Maxlite	MaxLite	MLS11T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	MLS13GU30	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.52	2	1/16/09
Maxlite	MaxLite	MLS13GUCW	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.58	2	12/20/10
Maxlite	MaxLite	MLS13GUSWW	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.52	2	4/28/08
Maxlite	MaxLite	MLS13GUWW	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.52	2	4/28/08
Maxlite	MaxLite	MLS13T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLS13T2DL		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	MLS13T2WW	116889	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	MLS14T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	6/30/09
Maxlite	MaxLite	MLS14T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/30/09
Maxlite	MaxLite	MLS15EADWW		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15.0	N/A	6000	2700		2	3/29/04
Maxlite	MaxLite	MLS15GUDWW	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	880	14.62	N/A	8000	2700	0.72	2	8/26/08
Maxlite	MaxLite	MLS18GU30	N/A	Bare-spiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.56	2	1/16/09
Maxlite	MaxLite	MLS18GUCW	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.58	2	12/20/10
Maxlite	MaxLite	MLS18GUSWW	N/A	Bare-spiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.56	2	4/28/08
Maxlite	MaxLite	MLS18GUWW	N/A	Bare-spiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.56	2	4/28/08
Maxlite	MaxLite	MLS19T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	MLS20T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLS20T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	MLS20T2WW	116896	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	MLS23EA65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	12/10/08
Maxlite	MaxLite	MLS23T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	MLS23T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	4/24/09
Maxlite	MaxLite	MLS23T2WW	116902	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	MLS25EA3		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		1	10/7/02
Maxlite	MaxLite	MLS25EA3WW - 110		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700	0.56	2	2/10/12
Maxlite	MaxLite	MLS25EADL		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000	0.56	2	12/15/11
Maxlite	MaxLite	MLS25EADWW		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	25.0	N/A	6000	2700		1	3/29/04
Maxlite	MaxLite	MLS25GUDWW	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	1755	26.68	N/A	8000	2700	0.71	2	8/26/08
Maxlite	MaxLite	MLS26GU30	N/A	Bare-spiral	GU24	CFL		1842	25.448	N/A	10000	3000	0.55	2	6/28/08
Maxlite	MaxLite	MLS26GUCW	N/A	Bare-spiral	GU24	CFL		1705	25.715	N/A	10000	4100	0.58	2	3/10/11
Maxlite	MaxLite	MLS26GUSWW	N/A	Bare-spiral	GU24	CFL		1842	25.448	N/A	11367	2700	0.55	2	5/28/08
Maxlite	MaxLite	MLS26GUWW	N/A	Bare-spiral	GU24	CFL		1842	25.448	N/A	10000	2700	0.55	2	5/28/08
Maxlite	MaxLite	MLS26T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/30/09
Maxlite	MaxLite	MLS32GUWW	N/A	Bare-spiral	GU24	CFL		2221	28.7	N/A	10097	2700	0.53	2	9/23/09
Maxlite	MaxLite	MLS33EA3WW		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2100	N/A	12/22/33	10000	2700		2	1/20/11
Maxlite	MaxLite	MLS42GUWW	N/A	Bare-spiral	GU24	CFL		2703	38.34	N/A	10000	2700	0.56	2	1/5/10
Maxlite	MaxLite	MLS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	MLS9T2WW	116872	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700		2	9/2/08
Maxlite	MaxLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.58	2	3/10/11
Maxlite	MaxLite	SKB11EAWW		Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	6/9/04
Maxlite	MaxLite	SKB13EACW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	6/30/09
Maxlite	MaxLite	SKB13EAP		Covered A-line	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	6/8/06
Maxlite	MaxLite	SKB13EAWW		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	5/21/04
Maxlite	MaxLite	SKB13EAWW-144		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/30/11
Maxlite	MaxLite	SKB20EAWW		Covered A-line	E26/24 (Medium)	CFL		1050	20.0	N/A	10000	2700		2	3/30/02
Maxlite	MaxLite	SKB7EAWW		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	12/7/04
Maxlite	MaxLite	SKC5CWW		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.53	2	12/30/09
Maxlite	MaxLite	SKC5EWW		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.53	2	12/30/09
Maxlite	MaxLite	SKM11EGWW		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.56	2	12/30/09
Maxlite	MaxLite	SKM14ECWW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/24/09
Maxlite	MaxLite	SKM14EGWW		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	4/10/09
Maxlite	MaxLite	SKM19ECCW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	4100	0.55	2	9/28/09
Maxlite	MaxLite	SKM19ECWW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	2700	0.55	2	9/28/09
Maxlite	MaxLite	SKM9EAWW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/09
Maxlite	MaxLite	SKM9EGWW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/09
Maxlite	MaxLite	SKMR1604.5WWLED	N/A	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.62	3	12/15/11
Maxlite	MaxLite	SKR2005FLWW		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	2/14/08
Maxlite	MaxLite	SKR315FLD30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	8000	3000		2	5/2/11
Maxlite	MaxLite	SKR315FLWW		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700	0.53	2	8/18/06
Maxlite	MaxLite	SKR3820FLCW		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	3/24/06
Maxlite	MaxLite	SKR3820FLWW		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700	0.5	2	3/23/06
Maxlite	MaxLite	SKR3823FLCW		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		2	4/3/09
Maxlite	MaxLite	SKR3823FLWW-156		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	1/5/12
Maxlite	MaxLite	SKS11EA		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	8000	2700		2	5/13/04
Maxlite	MaxLite	SKS11EAWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700		2	4/23/09
Maxlite	MaxLite	SKS13EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	SKS13EADL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/24/09
Maxlite	MaxLite	SKS13EADL-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.61	2	10/25/11
Maxlite	MaxLite	SKS13EAWW	HCS134WW6, HCS13WW/TR, HCS13WW6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/10/09
Maxlite	MaxLite	SKS13EAWW-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/30/11
Maxlite	MaxLite	SKS13GUWW	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	7/26/10
Maxlite	MaxLite	SKS13T2CW		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100	0.58	2	9/19/11
Maxlite	MaxLite	SKS13T2DL		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		2	4/29/11
Maxlite	MaxLite	SKS14EA	11260; 11261	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	14	N/A	10000	2700		2	3/16/06
Maxlite	MaxLite	SKS15EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	15	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	SKS15EAHLWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	8000	2700		2	4/3/09
Maxlite	MaxLite	SKS15EAWW		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	10/8/99
Maxlite	MaxLite	SKS18GUWW	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	7/26/10
Maxlite	MaxLite	SKS20EP		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	2700		2	2/13/06
Maxlite	MaxLite	SKS23T2DL		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	7/1/11
Maxlite	MaxLite	SKS23T2WW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.59	2	9/19/11
Maxlite	MaxLite	SKS30EA3WW	116957	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2100	N/A	13/22/30	10000	2700		2	7/9/08
Maxlite	MaxLite	SKS7EAWW		Bare-spiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700		2	4/13/11
Maxlite	MaxLite	SKS9EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	4/24/09
Maxlite	MaxLite	SKS9EAWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	4/24/09
Maxlite	MaxLite	SKS9T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100		2	6/30/09
Maxlite	MaxLite	SKS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	5000		2	6/30/09
Maxlite	MaxLite	SKS9T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	6/30/09
Maxlite	MAXLITE	HCS18WW	HCS18, HCS184	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	4/18/07
Maxlite	MAXLITE	MLS18T2WW		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		2	3/24/11
Maxlite	MAXLITE	MLS25EAWW		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	2700		2	7/21/11
Maxlite	MAXLITE	SKR420FLDWW		Covered reflector	E26/24 (Medium)	CFL	Dimmable	950	20	N/A	8000	2700		2	4/19/11
Maxlite	MAXLITE	SKS23T2CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/12/11
Maxlite	Spiralmax	SKS15EADL		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	5000		2	4/2/07
Megalight Inc.	EcoWatt	S38013-27	S38213-27, S38313-27, S38413-27, S38613-27, S38813-27	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/26/07
Megalight Inc.	MegaLight	S28010-27		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		9	5/2/11
Megalight Inc.	MegaLight	S28010-41		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	4100		9	5/11/11
Megalight Inc.	MegaLight	S28010-65		Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	6500		9	5/11/11
Megalight Inc.	MegaLight	S28013-27	S2801327; S28213-27; S28613-27; S28813-27; S28013-2700-6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/26/07
Megalight Inc.	MegaLight	S28013-278		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700		7	6/22/07
Megalight Inc.	MegaLight	S28013-41		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	5/11/11
Megalight Inc.	MegaLight	S28013-65		Bare-spiral	E26/24 (Medium)	CFL		750	13	N/A	10000	6500		9	5/11/11
Megalight Inc.	MegaLight	S28015-27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		9	5/2/11
Megalight Inc.	MegaLight	S28015-41		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		9	5/11/11
Megalight Inc.	MegaLight	S28015-65		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	6500		9	5/11/11
Megalight Inc.	MegaLight	S28018-27	S28118-27	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		7	7/24/07
Megalight Inc.	MegaLight	S28020-27		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		9	5/2/11
Megalight Inc.	MegaLight	S28020-41		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100		9	5/11/11
Megalight Inc.	MegaLight	S28020-65		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500		9	5/11/11
Megalight Inc.	MegaLight	S28026-27		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		9	5/11/11
Megalight Inc.	MegaLight	S28026-41		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100		9	5/11/11
Megalight Inc.	MegaLight	S28026-65		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	6500		9	5/11/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Meijer Incorporated	Meijer	0070277	2672061	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	8/24/09
Meijer Incorporated	Meijer	0070577	2672095	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	12/14/09
Meijer Incorporated	Meijer	0070877	2672068	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	12/14/09
Meijer Incorporated	Meijer	0071077	2672047	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		9	12/14/09
Meijer Incorporated	Meijer	0071477	2672091	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	8/24/09
Meijer Incorporated	Meijer	0722177	104699	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	0737177	241278	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	6/10/09
Meijer Incorporated	Meijer	0744477	248426	Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	0750277	251669	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	0760077	192655	Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	0760477	140270	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	0860277	225827	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	11/19/07
Meijer Incorporated	Meijer	0860377	295678	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	11/5/08
Meijer Incorporated	Meijer	2860377	269696	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	11/5/08
Meijer Incorporated	Meijer	2860477	211003	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	4/1/09
Meijer Incorporated	Meijer	6870277	314306	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	6880477	166393	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	8760577	171140	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	11/19/07
Meijer Incorporated	Meijer	ET09MGL-IS	2885027	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	12/14/10
Meijer Incorporated	Meijer	ET13MSLDM	2884978	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	10000	2700		2	12/15/10
Meijer Incorporated	Meijer	ET13MSLT2F	2884951; 2885036; 2884952	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700		2	12/14/10
Meijer Incorporated	Meijer	ET13MSLT2F-41	2884954; 2884955	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		7	12/31/10
Meijer Incorporated	Meijer	ET14MALCAN-IS	2885031	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/14/10
Meijer Incorporated	Meijer	ET16MRL-IS	2884975; 2885040	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	12/14/10
Meijer Incorporated	Meijer	ET18MSLT2	2884966; 2885038; 2884963	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	12/13/10
Meijer Incorporated	Meijer	ET23MPL/S	2884977	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	12/13/10
Meijer Incorporated	Meijer	ET23MSLT2	2884969; 2885039; 2884971	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/13/10
Meijer Incorporated	Meijer	ET23MSLT2-65	2884973	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		2	12/13/10
Meijer Incorporated	Meijer	ET3W2SS	2885024	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700		2	12/14/10
MSI SSL	MSI	iPAR30S27101N	iPAR30S27101N	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		616	11.9	N/A	25000	2700	0.9	5	1/31/12
MSI SSL	MSI	iPAR30S27161N	iPAR30S27161N	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		595	11.8	N/A	25000	2700	0.89	5	1/31/12
MSI SSL	MSI	iPAR30S27221N	iPAR30S27221N	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		623	12.3	N/A	25000	2700	0.89	5	1/31/12
MSI SSL	MSI	iPAR3830161N	iPAR3830161N	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		663	12.09	N/A	25000	3000	0.9	5	11/23/11
MSI SSL	MSI, SSL	iPAR3830101D	iPAR3830101D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	785	16.25	N/A	25000	3000	0.98	5	2/7/12
MSI SSL	PAR38 Non-Dimmable	iPAR3827221N	iPAR3827221N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		592	12.04	N/A	25000	2700	0.9	5	5/10/11
MSI SSL	PAR38 Non-Dimmable	iPAR3830101N	iPAR3830101N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		651	12.3	N/A	25000	3000	0.9	5	4/18/11
MSI SSL	PAR38 Non-Dimmable	iPAR3830221N	iPAR3830221N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		636	12.38	N/A	25000	3000	0.92	5	5/10/11
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSMR16 140L 40K M60	N/A	MR - Multifaceted reflector	GU5.3	LED		139	3.0	N/A	25000	4100	0.6	5	1/20/12
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSMR16 140L M60	N/A	MR - Multifaceted reflector	GU5.3	LED		139	3.0	N/A	25000	3000	0.6	5	1/17/12
Neptun Lighting	Neptun	24513		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/20/08
Neptun Lighting	Neptun	24514		Bare-spiral	E26/24 (Medium)	CFL		940	14	N/A	8000	2700		2	3/26/04
Neptun Lighting	Neptun	24514-ADIM		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	11/19/08
Neptun Lighting	Neptun	24518		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	2700		2	3/26/04
Neptun Lighting	Neptun	24518-ADIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	18	N/A	8000	2700		2	4/20/09
Neptun Lighting	Neptun	24524-ADIM		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1490	24	N/A	8000	2700	0.77	2	3/30/09
Neptun Lighting	Neptun	32014-ADIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	530	14	N/A	10000	2700	0.84	2	6/11/09
Neptun Lighting	Neptun	33016-ADIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	11/20/08
Neptun Lighting	Neptun	93019-ADIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	780	19	N/A	8000	2700		2	11/19/08
Neptun Lighting	Neptun	93820-ADIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700		2	11/20/08
Nexxus Lighting Inc.	array	AACMMR162715	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	288	6.1	N/A	25000	2700	0.7	3	1/19/12
Nexxus Lighting Inc.	array	AACMMR163015	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	292	5.9	N/A	25000	3000	0.7	3	1/27/12
Nexxus Lighting Inc.	array	AE26R3083025	N/A	BR - Bulged Reflector	EDISON	LED	Dimmable	490	8.0	N/A	50000	3000	0.9	3	2/10/12
Nexxus Lighting Inc.	array	AE26R3083060	N/A	BR - Bulged Reflector	EDISON	LED	Dimmable	486	8.0	N/A	50000	3000	0.9	3	2/10/12
Nexxus Lighting Inc.	Array Lighting	AE26PAR38183025	AE26PAR38183025	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	19.95	N/A	25000	3000	0.97	3	3/15/11
Nexxus Lighting Inc.	Array Lighting	AE26R3083025	N/A	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	490	8.03	N/A	25000	3000	0.9	3	6/30/11
Nexxus Lighting Inc.	Array Lighting	AE26R3083025		R - Reflector	E26/24 (Medium)	LED	Dimmable	490	8.0	N/A	25000	3000	0.92	3	10/14/10
Nexxus Lighting Inc.	Array Lighting	AE26R3083060	N/A	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	486	8.05	N/A	25000	3000	0.93	3	7/14/11
Nexxus Lighting Inc.	Array Lighting	AE26R3083060		R - Reflector	E26/24 (Medium)	LED	Dimmable	486	8.1	N/A	25000	3000	0.93	3	10/14/10
Niagara Conservation Corporation	EarthBrite	N0413M		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	9/24/07
Niagara Conservation Corporation	EarthBrite	N0420M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700		2	1/10/07
Niagara Conservation Corporation	EarthBrite	N0423M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/10/07
Niagara Conservation Corporation	EarthBrite	N13WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	8000	2700		2	11/11/10
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.6	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N13WMST2-2700		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	1/5/12
Niagara Conservation Corporation	EarthBrite	N14WA-2700		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	6/27/08
Niagara Conservation Corporation	EarthBrite	N14WC-2700		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N14WG-2700		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N14WR20-2700		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N15WPAR30-3000		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	3000		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N16WR30-2700		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N16WR30DIM-2700		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	16	N/A	8000	2700		2	5/26/11
Niagara Conservation Corporation	EarthBrite	N18WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1250	18	N/A	8000	2700		2	11/11/10
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.56	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N18WMST2-2700	N18WMST2-2700	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.57	2	1/12/12
Niagara Conservation Corporation	EarthBrite	N23WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	11/11/10
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	11/8/10
Niagara Conservation Corporation	EarthBrite	N23WMST2-2700	N23WMST2-2700	Bare-spiral	Medium E26/24 (medium)	CFL		1655	23.0	N/A	12000	2700	0.56	2	1/12/12
Niagara Conservation Corporation	EarthBrite	N23WPAR38-3000		Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	10000	3000		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N23WR40-2700		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N9WG-2700		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/28/10
Niagara Conservation Corporation	EarthBrite	N9WPAR20-2700		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	10000	2700		2	12/28/10
Ningbo Global Lamp Co., Ltd.	Global	3052509		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	6/16/08
Ningbo Global Lamp Co., Ltd.	Global	3052514		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/16/08
Office Depot, Inc	Office Depot Green	125-530		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	2700		9	1/7/09
Office Depot, Inc	Office Depot Green	386-500		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		9	1/7/09
Office Depot, Inc	Office Depot Green	386-550		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		9	1/7/09
Office Depot, Inc	Office Depot Green	416-110	416-105	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/09
OnPoint, Inc.	America's Choice	Spiral 13W Am Chc	66489, 66492, 66486	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.61	9	12/31/09
OnPoint, Inc.	America's Choice	Spiral 18W Am Chc	66487, 66490	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.54	9	12/31/09
OnPoint, Inc.	America's Choice	Spiral 23W Am Chc	66488, 66491	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.61	9	12/31/09
OptoLight	OptoLight	OP-ALAMP-14W	OP-ALAMP-14W2P; OP-ALAMP-14W4P	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/4/09
OptoLight	OptoLight	OP-ALAMP-18W	OP-ALAMP-18W2P	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	4/26/11
OptoLight	OptoLight	OP-CFL-20W	OP-CFL-20W4PK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700		2	1/23/07
OptoLight	OptoLight	OP-CFL-23W	OP-CFL-23W4pk	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	1/23/07
OptoLight	OptoLight	OP-CFL-3W-26W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700	0.56	2	7/15/09
OptoLight	OptoLight	OP-CFL-3W-26W2P		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700		2	2/18/11
OptoLight	OptoLight	OP-DM-15W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1000	15	N/A	10000	2700		2	10/14/09
OptoLight	OptoLight	OP-DM-20W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1350	20	N/A	10000	2700		2	10/14/09
OptoLight	OptoLight	OP-GU24-14W	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.56	2	6/17/09
OptoLight	OptoLight	OP-GU24-19W	N/A	Bare-spiral	GU24	CFL		1296	19.0	N/A	10000	2700	0.53	2	6/17/09
OptoLight	OptoLight	OP-GU24-23W	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.51	2	2/15/10
OptoLight	OptoLight	OP-N2-23W	OP-N2-23W, OP-N2-23W2P, OP-N2-23W4P	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	2/3/12
OptoLight	OptoLight	OP-R2-13W	OP-R2-13W2P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/8/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
OptoLight	OptoLight	OP-R2-13W4P		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/18/10
OptoLight	OptoLight	OP-R2-18W	OP-R2-18W2P	Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	2700		2	9/13/10
OptoLight	OptoLight	OP-R2-19W	OP-R2-19W4P; OP-R2-19W2P	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	1/15/10
OptoLight	OptoLight	OP-R2-20W	OP-R2-20W2P; OP-R2-20W4P	Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	10000	2700		2	11/19/10
OptoLight	OptoLight	OP-R2-23W	OP-R2-23W4P; OP-R2-23W2P	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/15/10
OptoLight	OptoLight	OP-R30-15W		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700		2	10/19/10
OptoLight	OptoLight	OP-R3-31W	OP-R3-31W2P	Bare-spiral	E26/24 (Medium)	CFL		2100	31	N/A	10000	2700		2	4/26/11
OptoLight	OptoLight	OP-R3-32W	OP-R3-32W2P	Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700	0.55	2	1/17/12
OptoLight	OptoLight	OP-R38-23W	OP-R38-23W2P	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.53	2	1/19/12
OptoLight	OptoLight	OP-R40-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	10/19/10
OptoLight	OptoLight	OP-T2-19W	OP-T2-19W4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	2/12/09
Ortech Industries Inc.	Glow Brite	GU24 26W-2700K	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	4/28/11
Ortech Industries Inc.	Glow Brite	GU24 26W-5000K	N/A	Bare-spiral	GU24	CFL		1578	24.7	N/A	10000	5000	0.52	2	4/28/11
Ortech Industries Inc.	Glow Brite	GU24 HS 26W-2700K	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	4/28/11
Ortech Industries Inc.	Glow Brite	GU24 HS 26W-5000K	N/A	Bare-spiral	GU24	CFL		1689	24.7	N/A	10000	5000	0.52	2	4/28/11
OSRAM SYLVANIA	BUYERS CHOICE	29678	29678	Covered reflector	E26/24 (medium)	CFL		750	16.0	N/A	8000	2700	0.9	7	10/19/11
OSRAM SYLVANIA	Sylvania	CE14EL/TWIST/827/DIM/RP (29969	29969	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	3/27/09
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/BL2/1K (26957;	26957	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700		11	3/11/10
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP2 (29401)	29401	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700		11	6/26/09
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP3/1K (26944	26944	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700		9	5/10/10
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP3 (27760)	27760	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700		9	7/25/11
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/827/BL6/PLT/ZJ (2999	29994	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	8/10/09
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/827/BL6/ZJ (29894)	29894	Bare-spiral	E26/24 (Medium)	CFL		660	11	N/A	10000	2700		9	5/3/10
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/830 (29378)	29378	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	3000		1	7/1/09
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/BL/6 (29894)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	3000	0.57	7	3/25/09
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/RP/6 (29891)	29891	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	3000		7	7/15/09
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/V/1 (29378)	29378	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	8000	2700		1	8/10/07
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/MC/RP3 (2976	29767	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		9	7/15/09
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/RP (29708)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.56	9	10/9/07
OSRAM SYLVANIA	Sylvania	CF11EL/Super827/6/P2/CDN (20005	20007	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		9	6/24/09
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/RP/2H (26921)	26921	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		9	4/26/10
OSRAM SYLVANIA	Sylvania	CF11EL/SUPERMINI/T/BL (29766)	29766	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	10000	3000		9	7/10/07
OSRAM SYLVANIA	Sylvania	CF11EL/SUPERMINI/T/RP/3 (29767	29767	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	10000	3000		7	7/3/07
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827	28957	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	4/29/08
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/BL	29162	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	7/1/09
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/BL	29162	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	7/26/10
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/RP	29957	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	7/1/09
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/RP	29957	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	7/26/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/2RP (29727)	29727	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	3000	0.57	11	6/29/09
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL2/1K (26959/	26959	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/16/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL4/1K (26964/	CF13EL/MICRO/827/BL4/1K (26964); CF13EL/MICRO/827/BL4/1K (26903)	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/11/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL4 (26964)	CF13EL/MICRO/827/BL4/96/CS; CF13EL/MICRO/827/BL4/DIS 26962	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	1/19/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL4 (29408)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	5/19/09
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2/1K (269/	26941; CF13EL/MICRO/C/865/BL2/1K (26936)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700	0.56	11	6/1/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2/1K (269/	CF13EL/MICRO/827/C/BL2/1K (26955); CF13EL/MICRO/827/C/BL2/1K (26901)	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/17/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2 (27780)	27780	Bare-spiral	E12 (Candelabra)	CFL		825	13	N/A	12000	2700		11	7/25/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/RP2 (29734)	29734	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	8/6/09
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/C/BL2/1K (2	26938	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	9/30/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/C/BL2/1K (2	28935	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	12000	2700		11	6/8/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/1K (26/	26922	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700	0.56	11	6/3/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/1K (28/	28933	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	6/8/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2 (29972/	29972, 29976	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	4/14/09
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/CDN/1 (2	29420	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	12/20/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP2/CDN/1K (2	29430	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	6/15/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP3/1K (26943	26943	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.56	9	5/28/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP3 (27761)	27761	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	7/25/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/830/ECO/1K (2989	29898	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	3000	0.57	11	5/26/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/BL2/1K (26967;	26967	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	3500		11	3/12/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/C/BL2 (27781)	27781	Bare-spiral	E12 (Candelabra)	CFL		820	13	N/A	12000	3500		11	8/30/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/RP3/1K (26927	26927	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	3500		9	8/23/10
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/RP3/CDN (277/	27762	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	3500		9	7/27/11
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/C/827/BL2 (29759)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	5/21/09
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/C/835/BL2/1K (269/	26932	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	3500		11	12/17/10
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/BL8/2M (29024)	29024; CF13EL/MINI/827/BL8/CLUBPAL/2M (29017)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	4/1/10
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/BL8/PLT/2M (290	29084	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.57	9	4/16/10
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/CVP (29149)	29149	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/CVP/YX (29120)	CF13EL/MINI/827/CVP/YX (29120)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/11
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/MC/RP (29609)	29609	Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700	0.58	7	2/23/07
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/MC/RP3/DIS (296	29610	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/6/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/T/RP3 (29610)	29610	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/30/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/Y/RP (29609)	29609	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.63	7	3/27/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/Y/RP3/DIS (2961C		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/08
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/830 (29376)	29376	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		1	7/1/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/830/YX (29376)	29376	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		2	7/20/11
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/835/DAY/RP (29709)	29709	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		2	4/2/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/835/DAY/RP (29781)	29781	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	4/2/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/T/BL8 (29024)	29024	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/24/09
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29001)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/31/08
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29148)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/08
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29155)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/08
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29631)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/08
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWISTG/POPUP(2915		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		6	4/16/04
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/3500K/BL/3/30 (	29052	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		7	6/29/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/3BL (29146)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000	0.63	7	3/31/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/BL/4 (29098)	29098	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/BL/4/PAL (2954	29544	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWISTFD/BL/2/2M (29/	29036	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	5/18/10
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWISTFD/BL/2/YX (29/	29036	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/27/11
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/RP/8/CLUBPAL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		7	3/26/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/T/827BL/2 (290	29036	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		5	4/10/06
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/V/6/60 (29653)	29653	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3000		7	7/9/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/V/DAY/BL/1 (29	29433	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		7	8/10/07
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/Y/BL/1 (29432)	29432	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/7/09
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/Y/DAY/BL/1 (29	29433	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	11/7/05
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/CVP/CDN (296	29627	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP2 (29529)	29529	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	8/25/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP (29529)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	5/29/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP (29710)	29710; CF13EL/MINI/827/RP/DIS50 29751	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	3/7/11
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP2/CDN (200	20010	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP/2M (29710)	29710	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/7/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/2M (2904	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	10/1/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/BL (29041	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	7/13/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/VV (2904	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	1/26/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/YX (2904	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/27/11
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP4/CDN (200	20011	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP6/CDN/ZJ (2	20012	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7	29095	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		2	6/25/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7 (28999)	28999	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	10/7/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7 (29095)	29095	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		2	6/25/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP/ZH (26912)	26912	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	6/4/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/T/RP3/ZH (290	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/17/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/830 (29710)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3000		9	10/18/07
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/830/RP4/CDN (297		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	12/19/07
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/DAY/RP3/YX (2	29780	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	6/29/11
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/DAY/RP3/ZJ (2	29780	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	4/5/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP2/CDN/ZJ (2	20013	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	5/3/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP4/CDN/ZJ (2	20014	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.6	9	6/3/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP/ZJ (26916)	26916	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.6	9	6/1/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/865/RP/ZJ (26918)	26918	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.63	9	12/30/10
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/BL/CDN/6/60 (	29604	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3000		9	6/29/09
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/CVP/12PK (29		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	3000	0.61	9	4/9/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/DAY/V/2/CDN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	3500		7	1/28/08
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/T/827/RP (29710)		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700	0.56	2	6/5/09
OSRAM SYLVANIA	Sylvania	CF13EL/TWIST/FD/BL (29096)	29096	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	9/30/09
OSRAM SYLVANIA	Sylvania	CF14EL/A19/2PK (29519)		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	3000		7	11/7/05
OSRAM SYLVANIA	Sylvania	CF14EL/A19/3K/V/1/BL (29485)	29485	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	8/10/07
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/BL (29485)	29485	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/30/09
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/FD/BL/ZJ (28994)	28994	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/18/10
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZH (28961)	28961	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/22/11
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZH (29680)	29680	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/22/11
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZJ (28961)	28961	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.6	7	6/3/10
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZJ (29680)	29680	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/16/10
OSRAM SYLVANIA	Sylvania	CF14EL/A19/830/ZJ (29468)	29468	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		1	6/15/10
OSRAM SYLVANIA	Sylvania	CF14EL/A19/BL/3 (20106)		Covered A-line	E26/24 (Medium)	CFL		700	14	N/A	8000	3000		7	10/9/07
OSRAM SYLVANIA	Sylvania	CF14EL/A19/BL3 (20106)	20106; CF14EL/A19/827/BL3/ZJ (20108)	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/15/09
OSRAM SYLVANIA	Sylvania	CF14EL/A19/SUPER/830 (29680)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	10/23/07
OSRAM SYLVANIA	Sylvania	CF14EL/A19/SUPER/830 (29680)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	11/15/07
OSRAM SYLVANIA	Sylvania	CF14EL/G25/827/BL/ZH (28977)	28977	Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		7	7/9/10
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/BL (29587)	29587	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	6/30/09
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/BL/ZH (29562)	29562	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	7/25/11
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/DIM/RP (28998)	28998	Covered reflector	E26/24 (Medium)	CFL	Dimmable	500	14	N/A	8000	2700		2	6/26/09
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/RP (29595)		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		2	4/2/09
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/RP/ZJ (29760)	29760	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	7/9/10
OSRAM SYLVANIA	Sylvania	CF14EL/R20/830 (29634)		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	3000		1	4/2/09
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/1 (29587)	29587	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL (29562)		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	12/21/07
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/2/DISPLAY (29572)	29572	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/2/DISPLAY/CDN (2	29448	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/4 (29774)	29774	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	7/21/07
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL4 (29774)	29774; 29457	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	9/30/09
OSRAM SYLVANIA	Sylvania	CF14EL/TWIST/827/DIM/BL/NC (26	26950; CF14EL/TWIST/827/DIM/BL/NC (26900)	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		7	3/19/10
OSRAM SYLVANIA	Sylvania	CF14EL/TWIST/DIM/827/BL (29454)		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	4/30/09
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM (29496, 29761)		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	6000	3000		5	10/9/07
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM/3000K (29761)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	6000	3000		5	4/14/09
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM/830 (29496)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	6000	3000		5	6/12/09
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/MC(27614)	CF15EL/BR30/MC(27614)	Covered reflector	E26/24 (Medium)	CFL		560	15	N/A	6000	3000		5	9/10/07
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/1BL/6 (29565)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	11/2/05
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/1BL/CDN/6/CS (2944		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/5/06
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/2700K (29591)	29591	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		1	4/10/06
OSRAM SYLVANIA	Sylvania	CF16EL/BR30 (29590)	29590	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		1	7/8/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL (29440)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	5/15/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL3/PLT (29998)	29998, inner SKU 29773	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	8/26/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL3/ZJ (29998)	29998	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	4/16/10
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/RP (29566)	29566	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	4/29/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/RP/ZJ (28972)	28972	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700	0.55	7	6/4/10
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/830/BL (29440)	29440	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	7/8/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/830/DIS (29293)	29293	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	7/8/09
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/BL3 (29773)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	5/15/09
OSRAM SYLVANIA	Sylvania	CF19EL/MINI/827/BL6/PLT/2M (299	29996	Bare-spiral	E26/24 (Medium)	CFL		1220	19	N/A	10000	2700		9	4/13/10
OSRAM SYLVANIA	Sylvania	CF19EL/MINI/830/RP/6 (29639)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	5/19/09
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/1PK/RP/ZJ (296	29611	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	6/17/10
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/MC/1PK/RP (2	29611	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	8000	3000		7	2/5/06
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/MC/BL/1 (2934	29347	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	7/6/09
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/V/4/40 (29655)	29655	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	2/23/07
OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/827/RP/ZH (26913)	26913	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		9	4/30/10
OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/827/Y/RP (29726)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/16/09
OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/830 (29693)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000		9	11/15/07
OSRAM SYLVANIA	Sylvania	CF20/BR40/3000		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	3000		7	7/13/09
OSRAM SYLVANIA	Sylvania	CF20EL/BR40/RP (29740)		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	3000		7	7/13/09
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/2RP (29728)	29728	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	3000		11	6/29/09
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/BL2/1K (26960)	26960	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700		11	3/19/10
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2/1K (26924	26924	Bare-spiral	E26/24 (Medium)	CFL		1355	20	N/A	15000	2700		13	6/24/10
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2 (29728)	29728	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700	0.52	11	5/25/07
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2/CDN/1K (2	29459	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700		11	10/18/10
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP3/1K (26925	26925	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700	0.52	9	6/1/10
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP3 (27764)	27764	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700		9	7/25/11
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/830/ECO/1K (2989	29899	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	3000		11	7/9/10
OSRAM SYLVANIA	Sylvania	CF23BR40/3000	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000	0.56	7	1/20/10
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/BL (29442) (2970	29442, 29706	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	6/30/09
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/BL3 (29463)	29463	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	7/7/09
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/RP (29452)	29452	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	7/7/09
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/RP/ZH (26915)	26915	Covered reflector	E26/24 (Medium)	CFL		1225	23	N/A	8000	2700		7	6/4/10
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/RP/ZJ (26915)	26915	Covered reflector	E26/24 (Medium)	CFL		1225	23	N/A	8000	2700		7	8/26/10
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/830/BL (29706)		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	12/21/07
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL/1 (29442)	29442	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL/3 (29772)	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000		7	1/20/10
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL3 (29772)	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	7/7/09
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL3/ZH (29772)	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	7/25/11
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/BL	29163	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.57	2	7/1/09
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/BL	29163	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.57	2	7/26/10
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/RP	29172	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.57	2	7/1/09
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/BL2/1K (26958	26958	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	3/12/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/BL4/1K (26963	CF23EL/MICRO/827/BL4/1K (26963), CF23EL/MICRO/827/BL4/1K (26902)	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	3/12/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP2/1K (26939	26939	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	15000	2700		13	6/24/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP2 (29729)	CF23EL/MICRO/827/RP2/WING (20029)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	4/9/09
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3/1K (28976	28976	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	4/16/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3 (27767)	27767	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/25/11
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3 (27768)	27768	Bare-spiral	E26/24 (Medium)	CFL		1630	23	N/A	10000	3500		9	7/25/11
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/835/BL2/1K (26961	26961	Bare-spiral	E26/24 (Medium)	CFL		1630	23	N/A	12000	3500		11	3/16/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/835/RP3/1K (26928	26928	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1630	23	N/A	10000	3500		9	8/23/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/C/827/BL2/1K (269	26904	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	6/27/11
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/C/827/BL2/1K (269	26906	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	9/14/10
OSRAM SYLVANIA	Sylvania	CF23EL/MICROMINI/2RP (29729)	29729	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	3000		11	6/29/09
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827 (29397)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		1	6/16/09
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	9/18/09
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL/2M (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	4/26/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/2M (29490)	29490	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	4/7/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/2M (29997)	29997	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/10/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/ZH (29997)	29997	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/25/11
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL/ZH (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	4/26/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/CVP (29614)	29614	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	10/16/09
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/D/CVP (29614-2)	CF23EL/MINI/827/D/CVP	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	4/24/09
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/ECONO12 (29400		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	3000		7	3/28/08
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/T/RP/ZH (29612)	29612	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/17/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINITWIST/T/3PK/RP/ZH (2	29613	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.56	7	6/3/10
OSRAM SYLVANIA	Sylvania	CF23EL/MINITWIST/V/4/40 (29657)	29657	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000		7	2/23/07
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/BL1/ZH (29625)	29625	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	7/25/11
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/BL3/PLT (2945	29456	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	10/7/09
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/RP (29597)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	6/4/09
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/RP/ZH (28956)	28956	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		7	11/22/10
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/830 (29635)	29635	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		1	7/6/09
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL/1 (29625)	29625	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		1	7/6/09
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL1 (29625)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	12/21/07
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL/1/CDN (29488)	29488	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL3 (29652)	29652	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	7/20/09
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/CL/PALLET (29776)	CF23EL/PAR38/CL/PALLET (29776), CF23EL/PAR38/CL/PALLET (29990)	Covered reflector	E26/24 (Medium)	CFL		1240	23	N/A	8000	3000		7	7/20/07
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/Y/2700K (29359)	29359	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		1	6/27/07
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP2/CDN (200	20020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/2/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP2/CDN/ZJ (2	20020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/6/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP3 (29694)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/16/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP4/CDN (200	20021	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/2/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP/Y (29712)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	5	5/18/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP/ZH (26914)	26914	Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	2700	0.56	9	6/4/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/830 (29712)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		9	10/9/07

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835 (29723)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	10/18/07
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/MC/RP (2	29784	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	6/29/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/RP (2978		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.55	2	4/18/08
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/RP4/CDN	20023	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	6/8/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/Y/RP (29	29784	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	6/29/09
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP (29723)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.58	9	4/18/08
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP2/CDN (200	20022	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	6/7/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP/ZJ (26917)	26917	Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	3500	0.56	9	6/4/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/865/RP/ZH (26919)	26919	Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	6500		9	4/16/10
OSRAM SYLVANIA	Sylvania	CF23EL/SUPERMINI/3500K (29714)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		9	4/5/08
OSRAM SYLVANIA	Sylvania	CF23EL/SUPERMINI/Y/RP/3 (29694		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		9	6/16/09
OSRAM SYLVANIA	Sylvania	CF24EL/TWIST/827/DIM/RP (29968)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1500	24	N/A	8000	2700		7	6/16/09
OSRAM SYLVANIA	Sylvania	CF24EL/TWIST/DIM/827/BL (29453)		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	24	N/A	8000	2700		2	4/30/09
OSRAM SYLVANIA	Sylvania	CF28EL/3WAY/TWIST/830 (29168)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	10/23/07
OSRAM SYLVANIA	Sylvania	CF28EL/3WAY/TWIST/BL/3/830 (29	29763	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	8/10/07
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/827/RP/1K (28967)	28967	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.53	2	6/3/10
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/827/RP/1K (29792)	29792	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		9	5/10/10
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/830 (29395)	29395	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	3000		1	7/8/09
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/830 (29792)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	30	N/A	6000	3000		5	10/10/07
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/835/DAY/RP (29793	29793	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	3500		9	9/28/09
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/1K (29747)	29747	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	6/21/11
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/BL3/1K (26945)	26945	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	4/13/10
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/BL3/1K (29471)	29471	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	5/18/10
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/RP (29913)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	2000	N/A	12/22/33	10000	2700		9	5/21/09
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/830/RP/1K (29913)	29913	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	3000		9	6/21/10
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/TWIST/827/BL/1K (2	28973	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	4/5/10
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/827/BL/1K (26951)	26951	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700		9	3/10/10
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/827/BL (29481)	29481	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700		9	9/30/09
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/827/RP/1K (28965)	28965	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700	0.55	9	6/1/10
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/827/RP (29786)	29786	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700		9	10/1/09
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/830 (29786)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2600	40	N/A	6000	3000		5	10/10/07
OSRAM SYLVANIA	Sylvania	CF4EL/SUPER/827/RP (29733)	29733	Bare-spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		7	6/25/09
OSRAM SYLVANIA	Sylvania	CF9EL/A15/827/RP2 (29546)		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	3/30/09
OSRAM SYLVANIA	Sylvania	CF9EL/FAN/2BL (29526)	29526	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	7/7/09
OSRAM SYLVANIA	Sylvania	CF9EL/G25/3K/1/BL (29495)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3000		7	6/16/09
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL2 (29528)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.61	7	5/15/09
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL (29474)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.61	7	5/15/09
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL/ZH (28959)	28959	Covered globe	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		7	5/18/10
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/ZH (29414)	29414	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	4/8/11
OSRAM SYLVANIA	Sylvania	CF9EL/G25/830/BL (29474)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	12/21/07
OSRAM SYLVANIA	Sylvania	CF9EL/G25/BL/3 (29616)	29616; CF9EL/G25/BL3/CL/ PALLET/ZJ 29732	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3000		7	10/9/07
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/NFL25	78666;78725	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	591	10.0	N/A	25000	3000	0.8	3	12/20/11
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/NFL25/H	78666;78725	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	591	10.0	N/A	25000	3000	0.8	3	12/20/11
OSRAM SYLVANIA	Sylvania	LED10PAR38/SG/830/WSP15	78735	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		667	9.63	N/A	25000	3000	0.88	3	7/14/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78747	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78751	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78773	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78829	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/CD	78769	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/HVP(	78842	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.81	5	12/21/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/FL40	78639	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	721	15.23	N/A	50000	3000	0.77	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25	78638	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.8	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25/HV	78494	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.8	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25/HV	78494	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	744	14.74	N/A	25000	3000	0.8	3	10/22/10
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25/HV	78777	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.8	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25/HV	78721	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	744	14.74	N/A	25000	3000	0.8	3	10/22/10
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/830/NFL25/HV	78739	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.8	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/ES/830/FL40	78686	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	720	14.78	N/A	25000	3000	0.78	3	11/19/10
OSRAM SYLVANIA	Sylvania	LED15PAR30L/N/DIM/ES/830/NFL25	78685	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	744	14.74	N/A	25000	3000	0.8	3	10/22/10
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/SP10	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	25000	3000	0.88	3	7/19/11
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/SP10/HVP	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	25000	3000	0.88	3	7/19/11
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/WSP12	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	25000	3000	0.88	3	7/19/11
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/WSP15	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	25000	3000	0.88	3	7/19/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/FL40	78658, HVP = 78729	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	868	18.25	N/A	25000	2700	0.7	3	8/1/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/FL40/HVP	78658, HVP = 78729	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	868	18.25	N/A	25000	2700	0.7	3	8/1/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/NFL25	78657	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	885	18.43	N/A	25000	2700	0.8	3	8/1/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/FL40	78641	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	923	18.46	N/A	50000	3000	0.78	3	2/23/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25	78640	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.75	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25	78778	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.75	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25/HVP	78495	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.75	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25/HVPC	78740	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.75	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/ES/830/FL40	78688	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	923	18.46	N/A	25000	3000	0.78	3	12/13/10
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/827/FL36	78652;78730	MR - Multifaceted reflector	E26/24 (Medium)	LED		230	5.54	N/A	25000	2700	1	3	11/9/11
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/827/FL36/HVP	78652;78730	MR - Multifaceted reflector	E26/24 (Medium)	LED		230	5.54	N/A	25000	2700	1	3	11/9/11
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/FL36	78635	MR - Multifaceted reflector	GU5.3	LED	Dimmable	271	5.87	N/A	35000	3000	1	3	2/25/11
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25	78634	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25	78775	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25/HVP	78492	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/ES/F/830	78702	G - Globe	E26/24 (Medium)	LED	Dimmable	435	8.43	N/A	15000	3000	0.95	3	12/22/10
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830	78643	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.95	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78559	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.95	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78734	G - Globe	E26/24 (Medium)	LED	Dimmable	435	8.43	N/A	15000	3000	0.95	3	12/22/10
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78780	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.95	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVPC	78736	G - Globe	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.95	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/827/FL36	78654;78727	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	346	8.0	N/A	25000	2700	0.9	3	8/30/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/827/FL36/HVP	78654;78727	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	346	8.0	N/A	25000	2700	0.9	3	8/30/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/FL36	78637	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	334	8.3	N/A	50000	3000	0.94	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8/PAR20/DIM/830/NFL25	78636	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.92	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/NFL25/HVP	78493	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.92	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/NFL25/HVP	78776	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.92	3	2/2/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H/830/FL36	78803	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.97	3	10/27/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H/830/FL36/HVP	78817	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.97	3	11/18/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H/830/FL36/HVP	78838	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.97	3	10/27/11
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H/830/NFL25	78802	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	409	8.12	N/A	25000	3000	0.97	3	10/27/11
OSRAM SYLVANIA	Sylvania DULUX EL	CF11EL/MINITWIST (29891)	29891	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	2700		7	4/4/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MICROMINI/2RP (29727)	29727	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	12000	2700		11	5/25/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/1/MC/BL/CDN (	CF13EL/MINITWIST/MC/BL/2/ CDN (27580), CF13EL/ MINITWIST/MC/BL/3/CDN (27582)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		6	4/16/04
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/2/12 (29031)	29031 (2-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST (29120)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		7	12/2/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST (29148)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/5/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST3/Y/BL (29146)	29146 (3-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/BL8/CLUB (29(	29001	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/BL8/CLUB (29(	29024	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000	0.63	7	5/12/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/DAY 72/CS 3/S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	2/5/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/DAY/BL/3 (290(		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	12/10/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWISTPRCLUB (2900(	29000 (8-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/23/07

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/T/1 (29376)	29376	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		1	6/2/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/Y/BL/1 (29116)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		7	4/2/02
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/1/BL/10 (29446		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		9	8/30/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/3500K/BL (297	29713	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	3500		9	4/28/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/BL/CDN (2960	29602	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	3000		7	2/6/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/DAY/1BL (2946		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		9	5/26/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/V/1BL (29524)	29524	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		9	11/7/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF14EL/A19/3K/1/BL (29485)		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	3000		7	6/13/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF14EL/MINI/1/BL (20482)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3000		7	6/13/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30 (29475)	29475 (3-pack)	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/2BL/CDN 12/CS (294		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/5/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/2PK/12 (29589)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	11/2/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/827/CVP (29573)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	2/5/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF19EL/SUPERMINI/1/BL (29689)	29689	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	3000		9	6/12/09
OSRAM SYLVANIA	Sylvania DULUX EL	CF20RC/A19/2700K (29537)		Covered A-line	E26/24 (Medium)	CFL		1200	20	N/A	15000	2700		1	5/25/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MICROMINI/2RP (29729)	29729	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	5/30/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/3500/BL/1/5 (29	29661	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3500		7	4/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/BL/6/CLUB (29	29490	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3000	0.61	7	5/12/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/DAY/BL/1 (294	29417	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3500		6	10/19/04
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/MC/1PK/RP (29	29612	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000		5	2/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/MC/3PK/RP (29	29613	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000		7	3/1/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/3 (29652)	29652	Covered reflector	E26/24 (Medium)	CFL		950	23	N/A	8000	2700		7	2/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/BL/1 (29586)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	12/2/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/BL/2/12 (29569)	29569	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	8/30/06
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/SUPERMINI/BL (29692)	29692	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	3000		6	4/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/SUPERMINI/RP/3 (29694)	29694	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		9	4/11/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF23WEL/MINITWIST/CLUB (29492	29492 (6-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3000	0.61	7	2/23/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/830/BL/1 (29349)		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	3/1/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/1/BL (29698)	29698	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	6/29/07
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/2700K (2952		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	2700		1	11/7/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/830/BL/1 (29		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	6000	3000		2	3/1/05
OSRAM SYLVANIA	Sylvania DULUX EL	CF30EL/TWIST/2700K (29415)	29415	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		1	3/24/04
OSRAM SYLVANIA	Sylvania DULUX EL	CF9EL/FAN/2BL (29526)	29526	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	3000		7	11/2/05
Pacific Coast Lighting	Tesler	HCS13WW/PCL	K7795	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.56	2	1/8/10
Pacific Coast Lighting	Tesler	MLM25SWW/PCL	K7793	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700	0.55	2	12/18/09
Philips (China) Investment Co., Ltd.	AmbientLED	12E26A60	BC12A19/AMB/2700-800 120V (409904)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.76	3	6/13/11
Philips (China) Investment Co., Ltd.	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (409904)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.76	3	6/13/11
Philips (China) Investment Co., Ltd.	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (409906)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.78	6	12/20/11
Philips (China) Investment Co., Ltd.	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (410315)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.78	6	12/20/11
Philips (China) Investment Co., Ltd.	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (410316)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.76	3	6/13/11
Philips (China) Investment Co., Ltd.	AmbientLED	12E26PAR30L-E2	12PAR30L/AMB/F25 3000 DIM 4/1 (410282)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	665	12.0	N/A	25000	3000	0.8	6	1/5/12
Philips (China) Investment Co., Ltd.	AmbientLED	17E26PAR38-E2	17PAR38/AMB/F25 3000 DIM 4/1(410290)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	871	17.0	N/A	25000	3000	0.8	6	1/5/12
Philips (China) Investment Co., Ltd.	AmbientLED	9E26A19DCAAAA	BC8A19/AMB/3000K DIM ES 120V (417055)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.71	6	6/24/11
Philips (China) Investment Co., Ltd.	AmbientLED	9E26A19DCAAAA	BC8A19/AMB/3000K DIM ES 120V (417048)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.71	6	6/24/11
Philips (China) Investment Co., Ltd.	AmbientLED	Sku No. is 046677410285	46677410285	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	665	12.09	N/A	25000	85	0.8	6	10/12/11
Philips (China) Investment Co., Ltd.	AmbientLED	Sku No. is 046677410292	46677410292	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	871	16.32	N/A	25000	85	0.8	6	10/12/11
Philips (China) Investment Co., Ltd.	EnduraLED	11E26PAR30L	11PAR30L/END/F25 2700 120V (406974)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		439	9.59	N/A	50000	2700	0.84	3	3/8/11
Philips (China) Investment Co., Ltd.	EnduraLED	11E26PAR30L-E	11PAR30L/END/F22 2700 DIM 6/1 (408120)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	511	10.21	N/A	50000	2700	0.8	3	3/23/11
Philips (China) Investment Co., Ltd.	EnduraLED	11E26PAR30L-E	11PAR30L/END/F22 3000 DIM6/1 (408138)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	508	10.25	N/A	40000	3000	0.81	3	3/23/11
Philips (China) Investment Co., Ltd.	EnduraLED	11E26PAR30S-E	11PAR30S/END/F22 3000 DIM6/1 (408104)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	512	10.36	N/A	25000	3000	0.8	3	3/23/11
Philips (China) Investment Co., Ltd.	EnduraLED	11E26PAR30S-E	11PAR30S/END/F25 2700 DIM6/1 (408096)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	517	10.41	N/A	25000	2700	0.8	3	3/23/11
Philips (China) Investment Co., Ltd.	EnduraLED	12E26A60	12A19/END/800LM/2700/120V/ DIMM (409946)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.76	3	6/13/11
Philips (China) Investment Co., Ltd.	EnduraLED	12E26A60-1	12A19/END/800LM/2700/120V/ DIMM (409944)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.78	3	12/20/11
Philips (China) Investment Co., Ltd.	EnduraLED	12E26A60-1	12A19/END/800LM/2700/120V/ DIMM (409946)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.76	3	6/13/11
Philips (China) Investment Co., Ltd.	EnduraLED	12E26P30LDBAAAA	12PAR30L/END/F36 2700 DIM 6/1 (414573)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	641	12.0	N/A	25000	2700	0.8	3	1/10/12
Philips (China) Investment Co., Ltd.	EnduraLED	12E26P30LDBAABA	12PAR30L/END/F36 3000 DIM 6/1 (414581)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	709	12.0	N/A	25000	3000	0.8	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	12E26PAR30L-E1	12PAR30L/END/2700/120V/ DIMM/22D (410142)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	667	12.0	N/A	25000	2700	0.8	3	1/10/12
Philips (China) Investment Co., Ltd.	EnduraLED	12E26PAR30L-E1	12PAR30L/END/3000/120V/ DIMM/22D (410159)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	724	12.0	N/A	25000	3000	0.8	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	12E26PAR30S-E1	12PAR30S/END/2700/120V/ DIMM/22D (410118)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	667	12.0	N/A	25000	2700	0.8	3	12/9/11
Philips (China) Investment Co., Ltd.	EnduraLED	12E26PAR30S-E1	12PAR30S/END/3000/120V/ DIMM/22D (410126)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	728	12.0	N/A	25000	3000	0.8	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	13E26PAR38	13PAR38/END/F10 3000 120V 6/1 (407932)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		620	12.7	N/A	25000	3000	0.87	3	11/12/10
Philips (China) Investment Co., Ltd.	EnduraLED	13E26PAR38	13PAR38/END/F10 3000 120V 6/2 (407932)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		619	12.71	N/A	45000	3000	0.87	3	3/8/11
Philips (China) Investment Co., Ltd.	EnduraLED	13E26PAR38	PAR38/END/S15 3000 120V 6/1 (410910)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		596	13.26	N/A	45000	3000	0.87	3	4/20/11
Philips (China) Investment Co., Ltd.	EnduraLED	13E26PAR38	PAR38/END/S15 3000 120V 6/2 (410910)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		623	12.8	N/A	25000	3000	0.85	3	11/19/10
Philips (China) Investment Co., Ltd.	EnduraLED	17E26P38DBAAAAA	17PAR38/END/F36 2700 DIM 6/1 (414607)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	866	17.0	N/A	25000	2700	0.8	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	17E26P38DBAABA	17PAR38/END/F36 3000 DIM 6/1 (414615)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	17.0	N/A	25000	3000	0.8	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	17E26PAR38-E1	17PAR38/END/2700/120V/ DIMM/22D (410175)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	901	17.0	N/A	25000	2700	0.7	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	17E26PAR38-E1	17PAR38/END/3000/120V/ DIMM/22D (410183)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	965	17.0	N/A	25000	3000	0.7	3	1/5/12
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/2700 12V 10/1 (408757)	MR - Multifaceted reflector	GU5.3	LED		153	3.671	N/A	45000	2700	0.55	3	3/8/11
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/2700 12V 10/2 (408757)	MR - Multifaceted reflector	GU5.3	LED		152	3.67	N/A	25000	2700	0.55	3	10/20/10
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/3000 12V 10/1 (408278)	MR - Multifaceted reflector	GU5.3	LED		165	3.677	N/A	45000	3000	0.55	3	3/8/11
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/3000 12V 10/2 (408278)	MR - Multifaceted reflector	GU5.3	LED		165	3.68	N/A	25000	3000	0.55	3	10/25/10
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/4000 12V 10/1 (408286)	MR - Multifaceted reflector	GU5.3	LED		184	3.759	N/A	45000	4000	0.57	3	3/8/11
Philips (China) Investment Co., Ltd.	EnduraLED	4GU5.3MR16-1	4MR16/END/4000 12V 10/1 (408286)	MR - Multifaceted reflector	GU5.3	LED		184	3.76	N/A	25000	4000	0.55	3	10/25/10
Philips (China) Investment Co., Ltd.	EnduraLED	9E26A19DCAAAA	8A19/END/2700-450 DIM ES 6/1 (414839)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.71	3	6/24/11
Philips Lighting Company	Energy Saver	224964		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500		9	5/10/10
Philips Lighting Company	Energy Saver	405837		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1150	20	N/A	10000	2700	0.68	9	5/10/10
Philips Lighting Company	Energy Saver	415034	415034	Covered A-line	E26/24 (medium)	CFL		795	14.0	N/A	8000	2700	0.56	7	4/22/11
Philips Lighting Company	Energy Saver	415042	415042	Covered A-line	E26/24 (medium)	CFL		520	9.0	N/A	8000	2700	0.6	7	4/22/11
Philips Lighting Company	Energy Saver	415059	415059	Covered A-line	E26/24 (medium)	CFL		290	5.0	N/A	8000	2700	0.55	7	4/22/11
Philips Lighting Company	Energy Saver	415067	415067	Covered A-line	E12 (Candelabra)	CFL		520	9.0	N/A	8000	2700	0.55	7	4/22/11
Philips Lighting Company	Energy Saver	415075	415075	Covered-Candle	E26/24 (medium)	CFL		1170	18.0	N/A	8000	2700	0.58	7	4/22/11
Philips Lighting Company	Energy Saver	415083	415083	Covered-Candle	E12 (Candelabra)	CFL		255	5.0	N/A	8000	2700	0.55	7	4/22/11
Philips Lighting Company	Energy Saver	415091	415091	Covered-Candle	E26/24 (medium)	CFL		255	5.0	N/A	8000	2700	0.55	7	4/22/11
Philips Lighting Company	Energy Saver	415109	415109	Covered-Candle	E12 (Candelabra)	CFL		520	9.0	N/A	8000	2700	0.55	7	4/22/11
Philips Lighting Company	Energy Saver	415117	415117	Covered-Candle	E26/24 (medium)	CFL		520	9.0	N/A	8000	2700	0.56	7	4/22/11
Philips Lighting Company	Energy Saver	415125	415125	Covered Globe	E12 (Candelabra)	CFL		430	8.0	N/A	8000	2700	0.56	7	4/22/11
Philips Lighting Company	Energy Saver	415133	415133	Covered Globe	E26/24 (medium)	CFL		430	8.0	N/A	8000	2700	0.56	7	4/22/11
Philips Lighting Company	Energy Saver	BC-EL/mdT 13W 6.5K	235374	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.63	9	2/23/09
Philips Lighting Company	Energy Saver	BC-EL/mdT2 13W	408559	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.58	11	12/23/09
Philips Lighting Company	Energy Saver	BC-EL/mdT D2D 14W	406918, 405852	Bare-spiral	E26/24 (Medium)	CFL		820	14	N/A	8000	2700	0.54	7	9/23/09
Philips Lighting Company	Energy Saver	BC-EL/O 14W Prisma 4/1	BC-EL/O 14W Prisma 4/1 417352, 417345, 417337, 417568, 417543	Covered bullet	E26/24 (medium)	CFL		855	14.0	N/A	8000	2700	0.57	7	4/22/11
Philips Lighting Company	Energy Saver	EL/A G25 T3 9W	211042	Covered globe	E26/24 (medium)	CFL		586	9.8	N/A	8000	2700	0.58	7	1/19/12
Philips Lighting Company	Energy Saver	EL/A G30 16W	211060	Covered globe	E26/24 (Medium)	CFL		980	16	N/A	10000	2700	0.56	9	11/13/08
Philips Lighting Company	Energy Saver	EL/A G40 23W	211078	Covered globe	E26/24 (Medium)	CFL		1560	23	N/A	8000	2700	0.55	7	11/13/08
Philips Lighting Company	Energy Saver	EL/A PAR30 16W 2pc	405829, 405811	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.56	9	10/30/09
Philips Lighting Company	Energy Saver	EL/A PAR38 DIM 20W	146449; 150433	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700	0.68	7	8/17/09
Philips Lighting Company	Energy Saver	EL/A PAR38 EDIM 20W	420018	Covered Reflector	E26/24 (Medium)	CFL	Dimmable	850	20.0	N/A	8000	2700	0.63	7	12/16/11
Philips Lighting Company	Energy Saver	EL/A R30 DIM 16W	150417, 137075, 413970	Covered reflector	E26/24 (Medium)	CFL	Dimmable	630	16	N/A	8000	2700		7	6/29/09
Philips Lighting Company	Energy Saver	EL/A R30 EDIM 16W	419977, 419985	Covered Reflector	E26/24 (medium)	CFL	Dimmable	630	16.0	N/A	8000	2700	0.62	7	12/16/11
Philips Lighting Company	Energy Saver	EL/A R40 DIM 20W	137083; 150425	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700	0.67	7	8/18/09
Philips Lighting Company	Energy Saver	EL/A R40 EDIM 20W	419993, 420000	Covered Reflector	E26/24 (medium)	CFL	Dimmable	900	20.0	N/A	8000	2700	0.69	7	12/16/11
Philips Lighting Company	Energy Saver	EL/A SWP 20W	200808	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700	0.56	7	6/11/10
Philips Lighting Company	Energy Saver	EL/Genie 14W	210534	Bare-Triple Tube	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.56	7	11/13/08
Philips Lighting Company	Energy Saver	EL/mdT 13W 4k	217588	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.56	11	4/5/10
Philips Lighting Company	Energy Saver	EL/mdT 13W 5k	217596	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	5000	0.56	11	5/21/10
Philips Lighting Company	Energy Saver	EL/mdT 15W 1% Dim	420026, 420042	Bare-Spiral	E26/24 (medium)	CFL	Dimmable	913	14.49	N/A	10000	2700	0.63	9	1/12/12
Philips Lighting Company	Energy Saver	EL/mdT 20W 1% Dim Å	420034, 420059	Bare-Spiral	E26/24 (medium)	CFL	Dimmable	1184	18.97	N/A	10000	2700	0.65	9	1/12/12
Philips Lighting Company	Energy Saver	EL/mdT2 13W	408328; 415901;415935; EL/ mdT2 13W 6/3	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.58	11	12/23/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Philips Lighting Company	Energy Saver	EL/mdT2 13W 3.5K	414029	Bare-Mini-Spiral	E26/24 (medium)	CFL		875	13.0	N/A	10000	3500	0.61	11	5/5/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 4.1K	414037	Bare-Mini-Spiral	E26/24 (medium)	CFL		834	13.0	N/A	10000	4100	0.6	9	8/4/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 5K	414045	Bare-Mini-Spiral	E26/24 (medium)	CFL		850	13.0	N/A	10000	5000	0.6	11	5/5/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 5K	415943	Bare-Mini-Spiral	E26/24 (medium)	CFL		850	13.0	N/A	10000	5000	0.6	11	5/20/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 6/1	EL/mdT2 13W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		890	13.0	N/A	12000	2700	0.59	11	4/22/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 6/4	EL/mdT2 13W 6/4, 415901, 415935	Bare-Mini-Spiral	E26/24 (medium)	CFL		890	13.0	N/A	12000	2700	0.59	11	2/9/11
Philips Lighting Company	Energy Saver	EL/mdT2 13W 6.5K	415927	Bare-Mini-Spiral	E26/24 (medium)	CFL		880	13.0	N/A	10000	6500	0.59	11	5/20/11
Philips Lighting Company	Energy Saver	EL/mdT2 18W	BC-EL/mdT2 18W; 408567; 408336; EL/mdT2 18W 6/3	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.58	11	1/12/10
Philips Lighting Company	Energy Saver	EL/mdT2 18W 6/1	EL/mdT2 18W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		1290	18.0	N/A	12000	2700	0.58	11	4/22/11
Philips Lighting Company	Energy Saver	EL/mdT2 18W 6/4	EL/mdT2 18W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		1290	18.0	N/A	12000	2700	0.58	11	2/9/11
Philips Lighting Company	Energy Saver	EL/mdT2 23W	BC-E/mdT2 23W; 408575; 408344; 415991; 415967; EL/ mdT2 23W 6/3	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	11	1/12/10
Philips Lighting Company	Energy Saver	EL/mdT2 23W 3.5K	414052	Bare-Mini-Spiral	E26/24 (medium)	CFL		1615	23.0	N/A	10000	3500	0.56	11	5/11/11
Philips Lighting Company	Energy Saver	EL/mdT2 23W 4.1K	414060	Bare-Mini-Spiral	E26/24 (medium)	CFL		1602	23.0	N/A	10000	4100	0.58	11	5/11/11
Philips Lighting Company	Energy Saver	EL/mdT2 23W 5K	414078, 415975, 416008	Bare-Mini-Spiral	E26/24 (medium)	CFL		1487	23.0	N/A	10000	5000	0.56	9	8/4/11
Philips Lighting Company	Energy Saver	EL/mdT2 23W 6/1	EL/mdT2 23W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		1655	23.0	N/A	12000	2700	0.56	11	4/22/11
Philips Lighting Company	Energy Saver	EL/mdT2 23W 6/4	EL/mdT2 23W 6/4, 415967, 415991	Bare-Mini-Spiral	E26/24 (medium)	CFL		1655	23.0	N/A	12000	2700	0.56	11	2/9/11
Philips Lighting Company	Energy Saver	EL/mdT2 26W 4.1k	414086	Bare-Mini-Spiral	E26/24 (medium)	CFL		1890	26.0	N/A	10000	4100	0.57	11	5/5/11
Philips Lighting Company	Energy Saver	EL/mdT2 26W 5K	414094	Bare-Mini-Spiral	E26/24 (medium)	CFL		1840	26.0	N/A	10000	5000	0.57	11	5/5/11
Philips Lighting Company	Energy Saver	EL/mdT2 26W 6/1	EL/mdT2 26W 6/1	Bare-Mini-Spiral	E26/24 (medium)	CFL		1855	26.0	N/A	12000	2700	0.57	11	4/22/11
Philips Lighting Company	Energy Saver	EL/mdT 23W LL	227694; 227868; BC-EL/mdT 23W LL; 156975	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.6	11	8/11/09
Philips Lighting Company	Energy Saver	EL/mdT 27W 4K LL	147884	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1930	27	N/A	12000	4100		11	11/18/08
Philips Lighting Company	Energy Saver	EL/mdT 27W 5K LL	147892	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1850	27	N/A	12000	5000	0.56	11	11/13/08
Philips Lighting Company	Energy Saver	EL/mdT2 9W 5K	415885	Bare-Mini-Spiral	E26/24 (medium)	CFL		545	9.0	N/A	10000	5000	0.58	11	5/5/11
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6/1	EL/mdT2 9W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		515	9.0	N/A	12000	2700	0.56	11	4/22/11
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6/4	EL/mdT2 9W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		515	9.0	N/A	12000	2700	0.56	11	2/9/11
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6.5K	415893	Bare-Mini-Spiral	E26/24 (medium)	CFL		540	9.0	N/A	10000	6500	0.59	11	5/20/11
Philips Lighting Company	Energy Saver	EL/mdT 32W Dim	407155	Bare-Mini-Spiral	E26/24 (medium)	CFL	Dimmable	2100	33.0	N/A	10000	2700	0.97	9	12/16/11
Philips Lighting Company	Energy Saver	EL/mdT 5W LL	147926, 413674	Bare-Mini-Spiral	E26/24 (Medium)	CFL		315	5	N/A	12000	2700	0.56	11	11/17/08
Philips Lighting Company	Energy Saver	EL/mdT 9W LL	147934, 406181, BC-EL/mdT 9W LL, 406199; ELmdT 9W LL 6/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.57	11	11/17/08
Philips Lighting Company	Energy Saver	EL/mdT 9W T2	EL/mdT 9W T2	Bare-Spiral	E26/24 (Medium)	CFL		550	8.36	N/A	12000	2700	0.55	11	1/26/12
Philips Lighting Company	Energy Saver	EL/mdT BC 9W 2700K	210880	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.53	9	4/24/09
Philips Lighting Company	Energy Saver	EL/mdt DIM 15W 6/1	407379, 406926	Bare-Mini-Spiral	E26/24 (medium)	CFL	Dimmable	900	15.0	N/A	10000	2700	0.67	9	12/16/11
Philips Lighting Company	Energy Saver	EL/mdT DIM 20W	405845	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1150	20	N/A	10000	2700	0.68	9	10/30/09
Philips Lighting Company	Energy Saver	EL/O 14W PRISMA 6/1Â	407783	Covered-post	E26/24 (medium)	CFL		840	14.0	N/A	10000	2700	0.57	9	12/16/11
Philips Lighting Company	Energy Saver	EL/O 18W	135780	Covered-post	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.58	9	2/22/10
Philips Lighting Company	Energy Saver	EL/O 18W PRISMA	405803	Covered-post	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700	0.55	7	3/2/10
Philips Lighting Company	Energy Saver	ES 11-23-34W 2700K	406397	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	11/23/34	10000	2700		9	6/24/09
Philips Lighting Company	Energy Saver	ES 13W 2700K	233700, 234039, 242677, 247239, 247221	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/15/09
Philips Lighting Company	Energy Saver	ES 13W 5000K	233775; 234062; 242693	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000	0.63	9	9/14/09
Philips Lighting Company	Energy Saver	ES 13W 6500K	233841, 234096, 242701	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500		9	7/15/09
Philips Lighting Company	Energy Saver	ES 14W A19 2700K	235192, 234716, 247288	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/15/09
Philips Lighting Company	Energy Saver	ES 14W G25 2700K	235598; 235630	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/11/09
Philips Lighting Company	Energy Saver	ES 14W OUTDOOR 2700K	235507	Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/14/09
Philips Lighting Company	Energy Saver	ES 14W R20 2700K	235705	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		7	8/13/09
Philips Lighting Company	Energy Saver	ES 16W R30 2700K	233957; 235416; 247262	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	8/13/09
Philips Lighting Company	Energy Saver	ES 16W R30 DIM 2700K	408583	Covered reflector	E26/24 (Medium)	CFL	Dimmable	630	16	N/A	8000	2700	0.73	7	1/22/10
Philips Lighting Company	Energy Saver	ES 20W PAR38 DIM 2700K	408609	Covered reflector	E26/24 (Medium)	CFL	Dimmable	850	20	N/A	8000	2700	0.68	7	1/22/10
Philips Lighting Company	Energy Saver	ES 20W R40 DIM 2700K	408591	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	8000	2700	0.67	7	1/22/10
Philips Lighting Company	Energy Saver	ES 23W 2700K	234203, 2333742	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/15/09
Philips Lighting Company	Energy Saver	ES 23W 5000K	233791; 234211	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.62	9	9/29/09
Philips Lighting Company	Energy Saver	ES 23W PAR38 FL 2700K	406413	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		9	6/24/09
Philips Lighting Company	Energy Saver	ES 23W R40 2700K	235671	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	9/14/09
Philips Lighting Company	Energy Saver	ES 42W 2700K	406439	Bare-spiral	E26/24 (Medium)	CFL		2600	42	N/A	12000	2700		7	6/24/09
Philips Lighting Company	Energy Saver	ES 5W 2700K	406470	Bare-Mini-Spiral	E26/24 (Medium)	CFL		315	5	N/A	10000	2700		9	6/24/09
Philips Lighting Company	Energy Saver	ES 5W A15 FAN	235697	Covered A-line	E26/24 (Medium)	CFL		250	5	N/A	8000	2700	0.53	7	9/14/09
Philips Lighting Company	Energy Saver	ES 5W Candle Can 2700K	406462, 147918; EL/A mCan 5W	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700		7	9/14/09
Philips Lighting Company	Energy Saver	ES 5W Candle Can 2700K	406462, 147918; EL/A mCan 5W	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700		7	9/14/09
Philips Lighting Company	Energy Saver	ES 5W CANDLE MED 2700K	406454	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700		7	6/24/09
Philips Lighting Company	Energy Saver	ES 5W CANDLE MED 2700K	406454	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700		7	6/24/09
Philips Lighting Company	Energy Saver	ES 9W 2700K	233692	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	7/15/09
Philips Lighting Company	Energy Saver	ES 9W 5000K	233759	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.6	9	9/14/09
Philips Lighting Company	Energy Saver	ES 9W 6500K	233809	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.6	9	8/7/09
Philips Lighting Company	Energy Saver	ES 9W A15 FAN 2700K	235713	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.53	7	8/18/09
Philips Lighting Company	Energy Saver	ES 9W A19 2700K	235168	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	8/13/09
Philips Lighting Company	Energy Saver	ES 9W Candle Med 2700K	235788; 235523	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.59	7	9/29/09
Philips Lighting Company	Energy Saver	ES 9W G16.5 2700K	235804	Covered-Candle	E26/24 (Medium)	CFL		380	9	N/A	8000	2700	0.56	7	9/29/09
Philips Lighting Company	Energy Saver	ES 9W G25 2700K	233866, 234674	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	7/15/09
Philips Lighting Company	Philips	EL/A FAN 5w	152934 (3-pack), 152926, 227579, BC-EL/A FAN 5w, 212514, 212522, 156983	Covered A-line	E26/24 (Medium)	CFL		250	5	N/A	8000	2700		7	2/16/07
Philips Lighting Company	Philips	EL/A FAN 9W	152900, 152918, 212480, 212506, 227595, BC-EL/A FAN 9w	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	7/20/06
Philips Lighting Company	Philips	EL/A G25 9W	152819, 152827, 157180, 227520, 212241, 212324, BC-EL/ A G25 9w, EL/A 9W G25, 226662, 231159, EL/A 9W G25 2700K	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	7/20/06
Philips Lighting Company	Philips	EL/A PAR38 23W	BC-EL/A PAR38 23W, 229831, 152850, 228007, 212407	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	2/15/08
Philips Lighting Company	Philips	EL/A R30 16W	BC-EL/A R30 16W, 227934, 152785, 212209, 152793, 210500, 227967, 227942; EL/A 16W R30, 226670, 231209, EL/A 16W R30 2700K 6/2	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	1/23/08
Philips Lighting Company	Philips	EL/A R40 23W	152801, 228049, 212233, 229823, 157024	Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700		7	7/20/06
Philips Lighting Company	Philips	EL/A SWP 14W	157008, 227629, BC-EL/A SWP 14w, 212092, 212084, 231175, EL/A 14W SWP 2700K	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/23/08
Philips Lighting Company	Philips	EL/Can 5w	227488, BC-EL/Can 5w, 147900	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700	0.59	7	7/25/08
Philips Lighting Company	Philips	EL/dT 42w	139477, 229120, BC-EL/dT 42w, 139485	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	12000	2700		9	7/25/08
Philips Lighting Company	Philips	EL/mdT 19W	209098	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/23/08
Philips Lighting Company	Philips	EL/mdT 23W	205872, 227892, 210955, 217489, 209106, 156975, 148049	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/23/08
Philips Lighting Company	Philips Energy Saver	14w SLS Universal	146910	Bare-Triple Tube	E26/24 (Medium)	CFL		860	14	N/A	12000	2700		10	6/13/08
Philips Lighting Company	Philips Energy Saver	EL/A G18 9W	212373, 212381, 227504, 235564, 157172	Covered globe	E26/24 (Medium)	CFL		380	9	N/A	8000	2700		7	7/11/08
Philips Lighting Company	Philips Energy Saver	EL/A G25 14W	221150; 221143; BC-EL/A G25 14W; 227561	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/17/08
Philips Lighting Company	Philips Energy Saver	EL/A PAR38 23W 2PC	157164, 227918, 406413; 408922	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		5	2/1/10
Philips Lighting Company	Philips Energy Saver	EL/A R20 14w	152769, 152777, 157016, 212191, 216580, 212159, 227744, 227751, BC-EL/A R20 14w, 413245	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		11	6/16/08
Philips Lighting Company	Philips Energy Saver	EL/A SWP 9w	212076, 221119, 227611, BC-EL/ A SWP 9W, 152728, 156991	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	6/17/08
Philips Lighting Company	Philips Energy Saver	EL/Can 9w	BC-EL/Can 9w, 212449, 212456, 227454, 202804	Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700	0.58	5	7/18/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 13w	210914, 209072, 202440, 156380, 210575, 222729, 219295, BC-EL/mdT 13W, 148031, 154954, 214346, 233056, 413310	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	6/17/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 13W GU24	222851, 235044	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	10/3/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 13w LL	227827, 227660, BC-EL/mdT 13w	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	7/25/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 14w	227843	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/17/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 18W GU24	222869, 235069	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	10/3/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 18w LL	BC-EL/A mdT 18w, 227678, 227850	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.53	11	7/29/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 18W LL	202861, 413690	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.54	11	12/9/08
Philips Lighting Company	Philips Energy Saver	EL/mdT 23W GU24	222877, 235119	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.57	2	10/3/08
Philips Lighting Company	Philips Energy Saver	EL/O 14W	227637, 152892, 212464, 202853	Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.55	7	7/24/08
Philips Lighting Company	Philips Energy Saver	EL/TW 34-26-18W	140426, 144162	Bare-Triple Tube	E26/24 (Medium)	CFL	Three Way	2025	N/A	18/26/34	10000	2700	0.6	5	7/11/08
Philips Lighting Company	Philips Energy Saver	ES 9W G16.5 2700K	235804	Covered globe	E26/24 (Medium)	CFL		380	9	N/A	8000	2700		7	10/14/09
Philips Lighting Company	Philips Energy Saver	Helix Twist EL/3W 11-23-34w	211938, 214866, 228056	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	11/23/34	10000	2700		9	6/13/08
Philips Lighting Company	Philips Marathon	EL/mdT 11W	138040, 139915 (blister), 135715 (Canada), 138040	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		6	1/1/04
Philips Lighting Company	Philips Marathon	EL/mdT 27W	137158, 139469 (blister) 160176 (Canada), 137158, 413666	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		6	1/1/04
Philips Lighting Company	Philips Marathon	EL/mdT 32W	156398, 229138, 156398	Bare-spiral	E26/24 (Medium)	CFL		2400	32	N/A	12000	2700	0.56	11	9/5/07
Plusrite International Corp.	PLUSRITE	CF11PAR20/SW	4241	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700	0.6	2	2/1/10
Plusrite International Corp.	PLUSRITE	CF13/ET2/SP/27K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/1/11
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/835	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.58	2	9/2/10
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/841	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	9/2/10
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	9/2/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Plusrite International Corp.	PLUSRITE	CF13ET3/SP/841		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100		2	7/18/11
Plusrite International Corp.	PLUSRITE	CF13ET3/SP/SW	4276	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	7/6/11
Plusrite International Corp.	PLUSRITE	CF15ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	2/5/08
Plusrite International Corp.	PLUSRITE	CF15PAR30/SW	4244	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.57	2	2/1/10
Plusrite International Corp.	PLUSRITE	CF15R30DIM/SW		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	6000	2700		2	5/5/08
Plusrite International Corp.	PLUSRITE	CF15R30/SW	4215	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	4/25/08
Plusrite International Corp.	PLUSRITE	CF18ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.59	2	9/2/10
Plusrite International Corp.	PLUSRITE	CF18ET3/SP/841		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	8/18/10
Plusrite International Corp.	PLUSRITE	CF18ET3/SP/SW		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	8/18/10
Plusrite International Corp.	PLUSRITE	CF20ET2/SP/SW	4325	Bare-spiral	E26/24 (Medium)	CFL		1100	20	N/A	12000	2700	0.54	2	12/3/09
Plusrite International Corp.	PLUSRITE	CF20ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.53	2	12/19/07
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/850		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.52	2	12/14/11
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	9/2/10
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/SW	4235	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.59	2	12/3/09
Plusrite International Corp.	PLUSRITE	CF23ET3/SP/SW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.52	2	10/11/11
Plusrite International Corp.	PLUSRITE	CF23PAR38/SW	4213	Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700	0.56	2	4/25/08
Plusrite International Corp.	PLUSRITE	CF26ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	2/5/08
Plusrite International Corp.	PLUSRITE	CF9ET2/SP/SW	4223	Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.55	2	12/3/09
Plusrite International Corp.	PLUSRITE	CF9G25/SW		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	11/6/08
P.Q.L., Inc.	Superior Life	70069	70069	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	12/6/06
P.Q.L., Inc.	Superior Life	71648		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	2	6/27/08
P.Q.L., Inc.	Superior Life	71700		Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	10/6/09
P.Q.L., Inc.	Superior Life	80304		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700	0.58	2	9/24/10
P.Q.L., Inc.	Superior Life	80307		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.55	2	9/24/10
P.Q.L., Inc.	Superior Life	80310		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	9/24/10
P.Q.L., Inc.	Superior Life	80328	80328	Bare-Mini-Spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	12/21/06
P.Q.L., Inc.	Superior Life	80329	80329	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	12/21/06
P.Q.L., Inc.	Superior Life	80330	80330	Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		2	12/21/06
P.Q.L., Inc.	Superior Life	80346		Bare-spiral	E26/24 (Medium)	CFL		1810	26	N/A	10000	2700	0.57	2	9/24/10
P.Q.L., Inc.	Superior Life	81633		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	15000	2700	0.56	2	9/28/10
P.Q.L., Inc.	Superior Life	81673		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700	0.55	2	9/27/10
P.Q.L., Inc.	Superior Life	81675		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.55	2	9/27/10
P.Q.L., Inc.	Superior Life	81691		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	12/8/10
P.Q.L., Inc.	Superior Life	91673		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	3000	0.56	2	9/27/10
P.Q.L., Inc.	Superior Life	91675		Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	10000	3000	0.56	2	9/27/10
Purely Enterprises, LLC	Heathy CFL, Pet CFL	PA15	PA15	Bare-spiral	E26/E24 (Medium)	CFL		900	13.62	N/A	10000	3500	0.55	3	10/13/11
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/827		Covered reflector	E26/24 (Medium)	CFL		575	11	N/A	8000	2700	0.53	2	1/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/830		Covered reflector	E26/24 (Medium)	CFL		560	11	N/A	8000	3000	0.52	2	8/26/09
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/841		Covered reflector	E26/24 (Medium)	CFL		560	11	N/A	8000	4100	0.53	2	1/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/850		Covered reflector	E26/24 (Medium)	CFL		525	11	N/A	8000	5000	0.53	2	8/26/09
Raywa Lighting and Electrical Corporation	Raywa	CF11W/R20/830		Covered reflector	E26/24 (Medium)	CFL		450	11	N/A	8000	3000	0.52	2	5/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF11W/S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.58	2	4/24/09
Raywa Lighting and Electrical Corporation	Raywa	CF13W/A19/827		Covered A-line	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.55	2	9/29/09
Raywa Lighting and Electrical Corporation	Raywa	CF13W/S/827		Bare-spiral	E26/24 (Medium)	CFL		950	13	N/A	10000	2700	0.54	2	4/14/09
Raywa Lighting and Electrical Corporation	Raywa	CF13W/S/GU24	N/A	Bare-spiral	GU24	CFL		985	13.9	N/A	12000	2700	0.54	2	2/17/09
Raywa Lighting and Electrical Corporation	Raywa	CF13W/S/HPF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		910	13	N/A	8000	3000	0.74	2	12/12/08
Raywa Lighting and Electrical Corporation	Raywa	CF15W/G25/830		Covered reflector	E26/24 (Medium)	CFL		870	15	N/A	8000	3000	0.56	2	5/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/835		Covered reflector	E26/24 (Medium)	CFL		760	15	N/A	8000	3500	0.54	2	10/9/09
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/841		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	4100	0.53	2	12/22/09
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/850		Covered reflector	E26/24 (Medium)	CFL		745	15	N/A	8000	5000	0.54	2	9/29/09
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/830		Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	3000	0.53	2	8/26/09
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/841		Covered reflector	E26/24 (Medium)	CFL		760	15	N/A	8000	4100	0.54	2	1/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/850		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	5000	0.54	2	1/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF15W/R30/827		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.54	2	11/3/09
Raywa Lighting and Electrical Corporation	Raywa	CF15W/s		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	2700		5	9/26/08
Raywa Lighting and Electrical Corporation	Raywa	CF18W/S/GU24	N/A	Bare-spiral	GU24	CFL		1372	19.1	N/A	12000	2700	0.57	2	2/17/09
Raywa Lighting and Electrical Corporation	Raywa	CF20W/S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700	0.55	2	4/24/09
Raywa Lighting and Electrical Corporation	Raywa	CF20W/T19/827		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	2700	0.55	2	7/7/09
Raywa Lighting and Electrical Corporation	Raywa	CF20W/T19/841		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	4100	0.55	2	7/7/09
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/841		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100	0.56	2	2/11/09
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/AL/830		Covered reflector	E26/24 (Medium)	CFL		1245	23	N/A	8000	3000	0.57	2	12/22/09
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/AL/841		Covered reflector	E26/24 (Medium)	CFL		1255	23	N/A	8000	4100	0.58	2	3/11/10
Raywa Lighting and Electrical Corporation	Raywa	CF23W/R40/827		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.56	2	12/29/09
Raywa Lighting and Electrical Corporation	Raywa	CF23W/S/827		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	4/14/09
Raywa Lighting and Electrical Corporation	Raywa	CF26W/S/827		Bare-spiral	E26/24 (Medium)	CFL		1900	26	N/A	10000	2700	0.57	2	12/29/09
Raywa Lighting and Electrical Corporation	Raywa	CF26W/S/GU24	N/A	Bare-spiral	GU24	CFL		1825	25.3	N/A	12000	2700	0.58	2	2/17/09
Raywa Lighting and Electrical Corporation	Raywa	CF32W/S/827		Bare-spiral	E26/24 (Medium)	CFL		2165	32	N/A	10000	2700	0.59	2	12/29/09
Raywa Lighting and Electrical Corporation	Raywa	CF7W/PAR20/850		Covered reflector	E26/24 (Medium)	CFL		270	7	N/A	8000	5000	0.55	2	9/21/09
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/827		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700	0.56	2	12/22/08
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/830		Covered reflector	E26/24 (Medium)	CFL		305	9	N/A	8000	3000	0.56	2	1/29/10
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/841		Covered reflector	E26/24 (Medium)	CFL		310	9	N/A	8000	4100	0.56	2	1/28/10
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/850		Covered reflector	E26/24 (Medium)	CFL		280	9	N/A	8000	5000	0.57	2	9/3/10
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/AL/830		Covered reflector	E26/24 (Medium)	CFL		340	9	N/A	8000	3000	0.57	2	12/22/09
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/AL/850		Covered reflector	E26/24 (Medium)	CFL		340	9	N/A	8000	5000	0.57	2	1/27/10
Raywa Lighting and Electrical Corporation	Raywa	CF9W/R20/827		Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	10000	2700	0.56	2	12/21/10
Raywa Lighting and Electrical Corporation	Raywa	PAR38/23/30K		Covered reflector	E26/24 (Medium)	CFL		1220	23	N/A	8000	3000	0.56	2	1/5/11
Raywa Lighting and Electrical Corporation	Raywa	PAR38/23/35K		Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	3500	0.58	2	1/5/11
Rhythm Green Limited	DynamicLux	GP318D/120	GP318D/120	Covered reflector	E26/E24 (Medium)	CFL	Dimmable	715	18.0	N/A	20000	2700	0.9	3	12/1/11
Rhythm Green Limited	DynamicLux	SA413D/120	SA413D/120	Bare-spiral	E26/E24 (Medium)	CFL	Dimmable	780	13.0	N/A	25000	2700	0.9	2	1/5/12
Rite Aid Corporation	Rite Aid	FLE13HT3/2/SW	37093 (SACPT32CFL13W), 37096 (SACPT31CFL13W)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	11/21/08
Rite Aid Corporation	Rite Aid	FLE20HT3/2/SW	37094 (SACPT31CFL20W)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	11/21/08
Rite Aid Corporation	Rite Aid	FLE26HT3/2/SW	37095 (SACPT31CFL26W), 37097 (SACPT32CFL26W)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		2	11/21/08
RONA Inc.	RONA	2004240		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		5	7/12/11
Safeway Inc.	BRIGHT GREEN	BPESL13T/2/SAFE/BG		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	7/15/09
Safeway Inc.	BRIGHT GREEN	BPESL18TM/2/SAFE/BG	ESL18TM/4/SAFE	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.55	2	7/15/09
Safeway Inc.	BRIGHT GREEN	BPESL23TM/2/SAFE/BG		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	2	7/15/09
Safeway Inc.	BRIGHT GREEN	ESL13T/4/SAFE(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/22/10
Safeway Inc.	BRIGHT GREEN	ESL13T/D/4/SAFE(N)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	12/22/10
Safeway Inc.	BRIGHT GREEN	ESL18TM/D/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	10/18/10
Safeway Inc.	BRIGHT GREEN	ESL23TM/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/18/10
Safeway Inc.	BRIGHT GREEN	ESL23TM/D/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	10/18/10
Safeway Inc.	Safeway Inc.	BPESL13T/2/SAFE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/29/06
Samsung LED Co., Ltd.	Samsung	SI-M8V061AB0US	SLA0-MR16/5.3-35-END-830-25RE	MR - Multifaceted reflector	GU5.3	LED		380	5.8	N/A	25000	3000	0.71	5	9/6/11
Samsung LED Co., Ltd.	Samsung	SI-P8V071AB0US	SLA0-PAR20-50-AYD-830-25RE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	397	6.46	N/A	25000	3000	0.82	5	11/11/11
Samsung LED Co., Ltd.	Samsung	SI-P8V151BB0US	SLA0-PAR30-75-AYD-830-25RE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	931	14.25	N/A	25000	3000	0.98	5	10/24/11
Samsung LED Co., Ltd.	Samsung	SI-P8V181DB0US	SLA0-PAR38-75-AYD-830-25RE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1167	17.38	N/A	25000	3000	0.99	5	10/24/11
Samsung LED Co., Ltd.	Samsung	STIMLW8300601AB	SLA0-MR16/5.3-35-END-830-25DE	MR - Multifaceted reflector	GU5.3	LED		380	5.8	N/A	25000	3000	0.71	5	9/6/11
Samsung LED Co., Ltd.	Samsung	STIPLW8300711AB	SLA0-PAR20-50-AYD-830-25DE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	397	6.46	N/A	25000	3000	0.82	5	11/11/11
Samsung LED Co., Ltd.	Samsung	STIPLW8301511BB	SLA0-PAR30-75-AYD-830-25DE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	931	14.25	N/A	25000	3000	0.98	5	10/24/11
Samsung LED Co., Ltd.	Samsung	STIPLW8301811DB	SLA0-PAR38-75-AYD-830-25DE	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1167	17.38	N/A	25000	3000	0.99	5	10/24/11
SATCO/NUVO	American Light	MS/0927		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	8/7/08
SATCO/NUVO	American Light	MS/0950		Bare-Mini-Spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/09
SATCO/NUVO	American Light	MS/1327		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.58	2	8/7/08
SATCO/NUVO	American Light	MS/1350		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	7/22/09
SATCO/NUVO	American Light	MS/13504P		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	7/22/09
SATCO/NUVO	American Light	MS/1527		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	8/7/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
SATCO/NUVO	American Light	MS/1827	MS/18273P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700		2	12/17/07
SATCO/NUVO	American Light	MS/2327	MS/23273P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	9/1/09
SATCO/NUVO	American Light	MS/2350		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/21/09
SATCO/NUVO	American Light	MS/23503P		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/21/09
SATCO/NUVO	Satco	S5301	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	3/8/10
SATCO/NUVO	Satco	S5302	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	3/8/10
SATCO/NUVO	Satco	S5401		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700		2	7/19/10
SATCO/NUVO	Satco	S5529		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/21/10
SATCO/NUVO	Satco	S5554	S7254	Covered reflector	E26/24 (Medium)	CFL		350	11	N/A	10000	2700	0.58	2	1/24/12
SATCO/NUVO	Satco	S6238		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	3500		2	3/21/11
SATCO/NUVO	Satco	S6275		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		2	7/19/10
SATCO/NUVO	Satco	S6284		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3500		2	3/21/11
SATCO/NUVO	Satco	S7201	S7279	Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700		2	12/20/07
SATCO/NUVO	Satco	S7202		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	1/18/11
SATCO/NUVO	Satco	S7204		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/21/09
SATCO/NUVO	Satco	S7205		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	1/18/11
SATCO/NUVO	Satco	S7211	S5504	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	12/17/07
SATCO/NUVO	Satco	S7212		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	4/4/08
SATCO/NUVO	Satco	S7213	S5506	Bare-Mini-Spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/09
SATCO/NUVO	Satco	S7214	S5507	Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700		2	2/7/11
SATCO/NUVO	Satco	S7217	S5516; S5547; S6235; S6277	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	12/17/07
SATCO/NUVO	Satco	S7218	S6236	Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	12/17/07
SATCO/NUVO	Satco	S7219	S6237; S5518; S5549	Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000	0.58	2	7/22/09
SATCO/NUVO	Satco	S7221	S5519	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	12/17/07
SATCO/NUVO	Satco	S7222		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	4100		2	12/16/10
SATCO/NUVO	Satco	S7224	S5523; S5541; S6271; S6278	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700		2	12/17/07
SATCO/NUVO	Satco	S7225	S6272	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	6/30/09
SATCO/NUVO	Satco	S7226	S6273; S5525; S5543	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	9/21/09
SATCO/NUVO	Satco	S7227	S5526; S5544; S6274; S6279	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/17/07
SATCO/NUVO	Satco	S7228		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		2	6/12/09
SATCO/NUVO	Satco	S7229	S6276; S5528; S5546	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	7/21/09
SATCO/NUVO	Satco	S7231		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/21/10
SATCO/NUVO	Satco	S7232		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100		2	2/7/11
SATCO/NUVO	Satco	S7234		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700		2	7/19/10
SATCO/NUVO	Satco	S7241		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	12/20/07
SATCO/NUVO	Satco	S7247	S5557; S7278	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	12/20/07
SATCO/NUVO	Satco	S7248		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	1/18/11
SATCO/NUVO	Satco	S7251		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	4/4/08
SATCO/NUVO	Satco	S7261	S5501	Bare-spiral	E26/24 (Medium)	CFL		280	5	N/A	10000	2700		2	10/28/10
SATCO/NUVO	Satco	S7264		Bare-spiral	E12 (Candelabra)	CFL		280	5	N/A	10000	2700		2	10/28/10
SATCO/NUVO	Satco	S7275		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	4100		2	1/18/11
SATCO/NUVO	Satco	S7281	S5564	Covered A-line	E26/24 (Medium)	CFL		410	7	N/A	12000	2700		2	4/4/08
SATCO/NUVO	Satco	S7282		Covered A-line	E26/24 (Medium)	CFL		400	7	N/A	10000	4100		2	9/21/09
SATCO/NUVO	Satco	S7284	S5568	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	6000	2700		2	5/20/08
SATCO/NUVO	Satco	S7287	S5572	Covered A-line	E26/24 (Medium)	CFL		540	11	N/A	10000	2700		2	12/21/07
SATCO/NUVO	Satco	S7291	S5575	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	7/24/09
SATCO/NUVO	Satco	S7292		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	7/21/09
SATCO/NUVO	Satco	S7301		Covered globe	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	12/21/07
SATCO/NUVO	Satco	S7304		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	12/21/07
SATCO/NUVO	Satco	S7331		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700		2	12/17/07
SATCO/NUVO	Satco	S7334		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	5/20/08
SATCO/NUVO	Satco	S7341	S5592	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	12/17/07
SATCO/NUVO	Satco	S7351		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/4/08
SATCO/NUVO	Satco	S7352		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/4/08
SATCO/NUVO	Satco	S7361		Bare-Mini-Spiral	E12 (Candelabra)	CFL		550	9	N/A	12000	2700		2	2/27/09
SATCO/NUVO	Satco	S7362		Bare-Mini-Spiral	E12 (Candelabra)	CFL		550	9	N/A	12000	4100		2	2/27/09
SATCO/NUVO	Satco	S7363		Bare-Mini-Spiral	E12 (Candelabra)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/09
SATCO/NUVO	Satco	S7364		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700		2	2/27/09
SATCO/NUVO	Satco	S7365		Bare-Mini-Spiral	E12 (Candelabra)	CFL		880	13	N/A	12000	4100		2	2/27/09
SATCO/NUVO	Satco	S7366		Bare-Mini-Spiral	E12 (Candelabra)	CFL		880	13	N/A	12000	5000	0.58	2	7/22/09
SATCO/NUVO	Satco	S7401		Covered reflector	E26/24 (Medium)	CFL		430	13	N/A	10000	2700		2	1/18/11
SATCO/NUVO	Satco	S8203	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	6/23/08
SATCO/NUVO	Satco	S8205	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	6/23/08
SATCO/NUVO	Satco	S8206	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/20/08
SATCO/NUVO	Satco	S8207	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	12/11/08
SATCO/NUVO	Satco	S8208	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	6/12/09
SATCO/NUVO	Satco	S8221	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	11/3/08
SATCO/NUVO	Satco	S8224	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	6/12/09
SATCO/NUVO	Satco	S8225	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/11/11
SATCO/NUVO	Satco	S8226	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.58	2	2/18/10
SATCO/NUVO	Satco	S8227	N/A	Bare-spiral	GU24	CFL		898	12.85	N/A	10000	2700	0.59	2	4/1/10
SATCO/NUVO	Satco	S8228	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.59	2	4/1/10
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	3W 28W	3W 28W	Bare-spiral	E26/24 (medium)	CFL	Three WayDimmable		N/A	27.8/0.0/0.0	10000	2700	0.57	2	11/17/11
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	3W DIM 30W	3W DIM 30W	Bare-spiral	E26/24 (medium)	CFL	Three WayDimmable		N/A	29.0/0.0/0.0	10000	3000	0.58	2	11/17/11
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	BR30TR15W 3000K		Covered reflector	E26/24 (Medium)	CFL	Dimmable	638	15	N/A	8000	3000	0.87	7	11/13/08
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	BR40 23W		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	2700	0.55	2	10/20/09
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	PAR38 23W		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/20/09
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	SMA13 (3000K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	11/8/05
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS13W 2700K	MS13W 2700K	Bare-spiral	E26/E24 (Medium)	CFL		850	12.33	N/A	10000	2700	0.56	3	10/20/11
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS15W 2700K	MS15W 2700K	Bare-Mini-Spiral	E26/E24 (Medium)	CFL		939	13.76	N/A	10000	2700	0.55	3	8/19/11
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS15W 3500K	MS15W 3500K	Bare-spiral	E26/E24 (Medium)	CFL		900	15.0	N/A	10000	3500	0.55	3	9/8/11
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MHSG13W	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	5/19/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MHSG 18W	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	7/20/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MHSG 26W	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	7/20/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG13W	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.55	2	5/19/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG 18W	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	7/20/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG26 6500K	N/A	Bare-spiral	GU24	CFL		1712	24.2	N/A	10000	6500	0.53	2	12/7/09
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG 26W	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	7/20/09
Sharp Electronics Corporation	Sharp	DLL12P3030A	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	689	11.27	N/A	25000	3000	0.92	3	9/2/11
Sharp Electronics Corporation	Sharp	DLL12P3040A	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	632	11.22	N/A	25000	4100	0.92	3	9/2/11
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6B	MS-PAR30-6B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	2/15/12
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10B	MS-PAR38-10B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	14.0	N/A	25000	3000	0.98	5	2/15/12
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ECA-15W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	919	14.3	N/A	10000	2700	0.95	2	1/5/10
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ECD-15W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	909	14.4	N/A	10000	2700	0.94	2	1/5/10
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ECR-15W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	547	13.3	N/A	10000	2700	0.94	2	1/5/10
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	EMA-15W		Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700	0.95	2	7/7/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	EMD-15W		Covered bullet	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700	0.95	2	7/7/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	EMR-15W		Covered A-line	E26/24 (Medium)	CFL	Dimmable	490	13	N/A	10000	2700	0.93	2	2/26/10
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ERD-15W		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	10000	2700	0.95	2	8/14/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ERD-23W		Covered reflector	E26/24 (Medium)	CFL	Dimmable	920	23	N/A	10000	2700	0.93	9	9/2/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ESD-15W		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	10000	2700	0.98	9	8/10/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ESD-23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700	0.93	9	8/10/09
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ESP-15W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	1072	14.8	N/A	10000	2700	0.93	2	1/5/10
Shenzhen Sea Lighting Tech Co., Ltd	Sealighting	ESP-23W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	1559	22.06	N/A	10000	2700	0.93	2	1/5/10
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/13-T2S		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.59	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/13-T3S		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.59	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/18-T2S		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.58	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/18-T3S		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.59	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/23-T2S		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.55	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/23-T3S		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.57	2	8/4/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/9-T2S		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.57	2	8/4/09
Sichuan Topluck Lighting Co., Ltd	Topluck	DJ120/9-T3S		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.57	2	8/4/09
Silk Ventures Group (Hong Kong) Limited	Porchlight	CH201410OB-01		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	3/3/10
Silk Ventures Group (Hong Kong) Limited	Porchlight	FE-IISB-14W/27		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	2/3/10
Silk Ventures Group (Hong Kong) Limited	Porchlight	HLSCT2-14W		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		2	2/2/10
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1100/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1100/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1100/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	12/12/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1250/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1269	21.42	N/A	25000	3000	0.9	3	12/15/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1250/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1269	21.42	N/A	25000	3000	0.9	3	12/15/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/21W/1250/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1269	21.42	N/A	25000	3000	0.9	3	12/15/11
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/12
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/12
Solterra	Solterra	YK507 23W R40 2700K	10130; 10131; 10132; 10133	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	4/30/10
Solterra	Solterra	YK508 32-T 2700K	10100; 10101; 10102; 10103	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		2	6/23/10
Solterra	Solterra	YK511 13W 2700K	10001; 10002; 10003; 10004	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	4/30/10
Solterra	Solterra	YK511 13W 3500K	10010; 10011; 10012; 10013	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.59	2	4/30/10
Solterra	Solterra	YK512 19W 2700K	10040; 10041; 10042; 10043	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.54	2	4/30/10
Solterra	Solterra	YK512 19W 3500K	10050; 10051; 10052; 10053	Bare-spiral	E26/24 (Medium)	CFL		1400	19	N/A	8000	3500	0.55	2	4/30/10
Solterra	Solterra	YK512 23W 2700K	10070; 10071; 10072; 10073	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	4/30/10
Solterra	Solterra	YK512 23W 3500K	10080; 10081; 10082; 10083	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.57	2	4/30/10
Solterra	Solterra	YK512 23W 4100K	10090; 10091; 10092; 10093	Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	4100	0.56	2	4/30/10
Standard Products, Inc.	E-Lume	14141	CF13/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/24/08
Standard Products, Inc.	E-Lume	14143	CF15/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	4/21/10
Standard Products, Inc.	E-Lume	14148	CF20/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	12/21/10
Standard Products, Inc.	E-Lume	14154	CF23/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/21/10
Standard Products, Inc.	E-Lume	58642	CF13/30K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.58	2	12/21/10
Standard Products, Inc.	E-Lume	58643	CF13/27K/SPIRAL/E26/ELUME 4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/16/10
Standard Products, Inc.	E-Lume	58644	CF13/30K/SPIRAL/E26/ELUME 4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.58	2	12/21/10
Standard Products, Inc.	E-Lume	58711	CF13/50K/SPIRAL/E26/ELUME 4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		860	13	N/A	10000	5000	0.58	2	12/21/10
Standard Products, Inc.	E-Lume	58876		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.5	2	9/1/10
Standard Products, Inc.	E-Lume	58877		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.5	2	9/1/10
Standard Products, Inc.	E-Lume	61020	CF9/T2/27K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/1/11
Standard Products, Inc.	E-Lume	61021	CF13/T2/27K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/5/11
Standard Products, Inc.	E-Lume	61022	CF13/T2/27K/SPIRAL/E26/ ELUME 4P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/5/11
Standard Products, Inc.	E-Lume	61023	CF13/T2/27K/SPIRAL/E26/ ELUME 12P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/7/11
Standard Products, Inc.	E-Lume	61026	CF13/T2/35K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	7/1/11
Standard Products, Inc.	E-Lume	61027	CF13/T2/41K/SPIRAL/E26/ ELUME 4P	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		2	7/5/11
Standard Products, Inc.	E-Lume	61028	CF13/T2/50K/SPIRAL/E26/ ELUME 4P	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		2	7/1/11
Standard Products, Inc.	E-Lume	61029	CF15/T2/27K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		1010	15	N/A	10000	2700		2	7/1/11
Standard Products, Inc.	E-Lume	61031	CF20/T2/27K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	2700		2	7/1/11
Standard Products, Inc.	E-Lume	61032	CF23/T2/27K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/1/11
Standard Products, Inc.	E-Lume	61034	CF23/T2/41K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	7/1/11
Standard Products, Inc.	E-Lume	61035	CF23/T2/50K/SPIRAL/E26/ ELUME	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/1/11
Standard Products, Inc.	Standard	14013	CF23/41K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		2	2/24/09
Standard Products, Inc.	Standard	14014	CF23/50K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	5000		2	2/24/09
Standard Products, Inc.	Standard	14015	CF15/30K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000		2	10/21/09
Standard Products, Inc.	Standard	14026	CF15/35K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500		2	10/21/09
Standard Products, Inc.	Standard	14027	CF15/41K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	4100	0.53	2	2/16/10
Standard Products, Inc.	Standard	14028	CF15/50K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	5000		2	10/21/09
Standard Products, Inc.	Standard	14100	CF9/27K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		280	9	N/A	8000	2700		2	2/24/09
Standard Products, Inc.	Standard	14101	CF9/30K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	3000	0.56	2	2/17/10
Standard Products, Inc.	Standard	14103	CF9/41K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	4100	0.56	2	2/17/10
Standard Products, Inc.	Standard	14104	CF9/50K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	5000		2	9/3/10
Standard Products, Inc.	Standard	14139	CF11/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	3/5/10
Standard Products, Inc.	Standard	14140	CF13/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/5/09
Standard Products, Inc.	Standard	14142	CF15/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	2700		2	8/25/09
Standard Products, Inc.	Standard	14147	CF20/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700		2	11/7/05
Standard Products, Inc.	Standard	14153	CF23/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/11/08
Standard Products, Inc.	Standard	14164	CF23/27K/BR40/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/25/09
Standard Products, Inc.	Standard	56270		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	2700		2	7/20/09
Standard Products, Inc.	Standard	57861	CF15/HPF/27K/SPIRAL/E26/ STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	8/11/08
Standard Products, Inc.	Standard	58392	CF9/27K/CANDLE/E12/STD	Covered-Candle	E12 (Candelabra)	CFL		450	9	N/A	8000	2700		2	3/9/10
Standard Products, Inc.	Standard	58394	CF14/27K/A19/E26/STD	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/27/08
Standard Products, Inc.	Standard	58394	CF14/27K/A19/E26/STD	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	3/9/10
Standard Products, Inc.	Standard	58397	CF14/27K/R20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		2	8/11/08
Standard Products, Inc.	Standard	58401		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	4100		2	7/20/09
Standard Products, Inc.	Standard	58404	CF20/HPF/27K/SPIRAL/E26/ STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	8/11/08
Standard Products, Inc.	Standard	58423	CF4/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		2	8/11/08
Standard Products, Inc.	Standard	58434	CF9/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	3/9/10
Standard Products, Inc.	Standard	58439	CF9/27K/G25/E26/STD	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		2	3/8/10
Standard Products, Inc.	Standard	58440	CF14/27K/G25/E26/STD	Covered globe	E26/24 (Medium)	CFL		850	14	N/A	8000	2700		2	5/18/10
Standard Products, Inc.	Standard	58441	CF19/27K/G30/E26/STD	Covered globe	E26/24 (Medium)	CFL		900	19	N/A	8000	2700		2	8/11/08
Standard Products, Inc.	Standard	58442	CF27/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	2700		2	5/7/10
Standard Products, Inc.	Standard	58632	CF32/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	8/11/08
Standard Products, Inc.	Standard	58646	CF13/T2/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		2	7/14/08
Standard Products, Inc.	Standard	58934	CF16/D/27K/R30/E26/STD	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	3/5/09
Standard Products, Inc.	Standard	58935	CF14/D/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	3/5/09
Standard Products, Inc.	Standard	58959	CF13/20/25/27K/SPIRAL/E26/ STD	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	4/7/09
Standard Products, Inc.	Standard	59611	CF23/D/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	12/21/10
Standard Products, Inc.	Standard	59618		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/29/10
Standard Products, Inc.	Standard	59619	CF23/T2/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	3/9/10
Standard Products, Inc.	Standard	59629		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	4/29/10
Standard Products, Inc.	Standard	59677	CF13/27K/SPIRAL/E26/ELUME 12P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	4/15/10
Standard Products, Inc.	Standard	59841	CF5/T2/27K/CANDLE/E12/STD	Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700		2	12/23/10
Standard Products, Inc.	Standard	59842	CF5/T2/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	8000	2700		2	12/23/10
Standard Products, Inc.	Standard	59844	CF9/T2/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	10000	2700		2	12/23/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Standard Products, Inc.	Standard	60096	CF15/27K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	2/15/11
Standard Products, Inc.	Standard	60097	CF23/30K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		2	2/16/11
Standard Products, Inc.	Standard	60098	CF23/35K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500		2	2/16/11
Standard Products, Inc.	Standard	60911	60911	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.73	3	6/28/11
Standard Products, Inc.	Standard	60912	60912	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.79	3	6/28/11
Standard Products, Inc.	Standard	60914	60914	MR - Multifaceted reflector	GU5.3	LED		192	3.31	N/A	40000	3000	0.62	3	11/11/11
Standard Products, Inc.	Standard	60930	CF5/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	6/17/11
Standard Products, Inc.	Standard	60931	CF5/27K/SPIRAL/E12/STD	Bare-spiral	E12 (Candelabra)	CFL		270	5	N/A	10000	2700		2	6/17/11
Standard Products, Inc.	Standard	60932	CF32/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700		2	6/17/11
Standard Products, Inc.	Standard	60947	60947	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	297	5.09	N/A	40000	3000	0.71	3	11/11/11
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.56	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.56	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.56	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.59	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	11/8/10
Standard Products, Inc.	Standard Products, Inc.	CF13/27K/SPIRAL/GU24/STD	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	6/9/10
Standard Products, Inc.	Standard Products, Inc.	CF13/D/27K/SPIRAL/GU24/STD	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.7	2	6/15/11
Standard Products, Inc.	Standard Products, Inc.	CF18/27K/SPIRAL/GU24/STD	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	6/9/10
Standard Products, Inc.	Standard Products, Inc.	CF23/27K/SPIRAL/GU24/STD	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.57	2	6/9/10
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-13AF	N/A	Bare-spiral	GU24	CFL		876	11.9	N/A	10000	2700	0.56	2	12/20/10
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-18AF	N/A	Bare-spiral	GU24	CFL		1199	16.4	N/A	10000	2700	0.58	2	12/20/10
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-23AF	N/A	Bare-spiral	GU24	CFL		1641	22.1	N/A	10000	2700	0.6	2	12/20/10
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-13W		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700	0.6	9	7/13/10
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-19W		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.59	9	7/13/10
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.61	9	7/13/10
Sunpark Electronics Corporation	Sunpark	GU13W2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.58	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU13W5000K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.58	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU15W2700K	N/A	Bare-spiral	GU24	CFL		981	14.027	N/A	10000	2700	0.59	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU15W5000K	N/A	Bare-spiral	GU24	CFL		911	13.999	N/A	10000	5000	0.59	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU18W2700K	N/A	Bare-spiral	GU24	CFL		1345	18.0	N/A	10000	2700	0.57	2	7/20/09
Sunpark Electronics Corporation	Sunpark	GU18W5000K	N/A	Bare-spiral	GU24	CFL		1245	18.1	N/A	10000	5000	0.58	2	7/20/09
Sunpark Electronics Corporation	Sunpark	GU20W2700K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.58	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU20W5000K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.58	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU23W2700K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.56	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU23W5000K	N/A	Bare-spiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.56	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU26W2700K	N/A	Bare-spiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.57	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU26W5000K	N/A	Bare-spiral	GU24	CFL		1634	23.167	N/A	10000	5000	0.57	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU9W2700K	N/A	Bare-spiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	5/13/09
Sunpark Electronics Corporation	Sunpark	GU9W5000K	N/A	Bare-spiral	GU24	CFL		648	9.77	N/A	10000	5000	0.55	2	5/13/09
Sunpark Electronics Corporation	Sunpark	SP13S MINI LS27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		750	13	N/A	8000	2700		2	11/30/04
Sunpark Electronics Corporation	Sunpark	SP13W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP13W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP13W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP-14A-27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	9/3/10
Sunpark Electronics Corporation	Sunpark	SP14W LS27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/11/09
Sunpark Electronics Corporation	Sunpark	SP15R30 LS27		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	1/21/05
Sunpark Electronics Corporation	Sunpark	SP15S MINI LS27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	11/15/04
Sunpark Electronics Corporation	Sunpark	SP15W-27	4288	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	9/8/08
Sunpark Electronics Corporation	Sunpark	SP20R38 LS27		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700	0.5	2	12/31/04
Sunpark Electronics Corporation	Sunpark	SP20R38 LS41		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	12/31/04
Sunpark Electronics Corporation	Sunpark	SP20R40 LS41		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	12/31/04
Sunpark Electronics Corporation	Sunpark	SP20W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP20W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP20W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP23W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP23W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP23W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP26 3WAY LS34		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500		2	6/29/09
Sunpark Electronics Corporation	Sunpark	SP26W-27	4295	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.59	2	9/8/08
Sunpark Electronics Corporation	Sunpark	SP9W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/28/08
Sunpark Electronics Corporation	Sunpark	SP9W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP9W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	7/29/08
Sunpark Electronics Corporation	Sunpark	SP-R20-11W-27		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700		2	9/3/10
Sunpark Electronics Corporation	Sunpark	SP-R30-14W-27		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	9/3/10
Sunpark Electronics Corporation	Sunpark	SP-R30-14W-41		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100		2	9/3/10
Sunpark Electronics Corporation	Sunpark	SP-R40-23W-27		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	9/3/10
Sunpark Electronics Corporation	Sunpark	SP-R40-23W-41		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	9/3/10
Sunpark Electronics Corporation	Sunpark	T2-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.57	2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	4100	0.57	2	4/1/10
Sunpark Electronics Corporation	Sunpark	T2-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	5000	0.57	2	4/1/10
Sunrise Lighting	Sunrise	DE-28		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1670	25	N/A	10000	2700	0.53	2	12/18/09
Sunrise Lighting	Sunrise	DES-18/R		Covered reflector	E26/24 (Medium)	CFL	Dimmable	940	18	N/A	8000	2700	0.55	2	7/7/09
Sunrise Lighting	Sunrise	DES-25	DES-25	Covered reflector	E26/24 (medium)	CFL		1283	25.0	N/A	10000	2700	0.56	2	1/13/12
Sunrise Lighting	Sunrise	DES-26		Covered reflector	E26/24 (Medium)	CFL		1283	26	N/A	10000	2700		2	11/12/10
Sunrise Lighting	Sunrise	SGF-13		Covered A-line	E26/24 (Medium)	CFL	Dimmable	855	13	N/A	10000	2700	0.56	2	12/22/09
Sunrise Lighting	Sunrise	SGF-14		Covered A-line	E26/24 (Medium)	CFL	Dimmable	855	14	N/A	10000	2700	0.56	2	12/22/09
Sunrise Lighting	Sunrise	SGF-20		Covered A-line	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700	0.57	2	1/19/11
Sunrise Lighting	Sunrise	SSE-13/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		782	13	N/A	10000	2700	0.58	7	7/20/09
Sunrise Lighting	Sunrise	SSE-15/T-2	SSE-15/T-2	Bare-Mini-Spiral	E26/24 (medium)	CFL		1124	14.88	N/A	10000	2700	0.53	1	12/21/12
Sunrise Lighting	Sunrise	SSE-15/T2		Bare-spiral	E26/24 (Medium)	CFL		935	15.0	N/A	10000	2700		2	1/23/08
Sunrise Lighting	Sunrise	SSE-20		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1410	20.0	N/A	10000	2700	0.54	2	10/26/09
Sunrise Lighting	Sunrise	SSE-20/T-2	SSE-20/T-2	Bare-Mini-Spiral	E26/24 (medium)	CFL		1410	19.6	N/A	10000	2700	0.54	1	12/21/12
Sunrise Lighting	Sunrise	SSE-23		Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	2700		2	2/15/06
Sunrise Lighting	Sunrise	SSE-24/T2		Bare-spiral	E26/24 (Medium)	CFL		1674	24	N/A	12000	2700	0.56	2	7/7/09
Sunrise Lighting	Sunrise	STG-11		Covered globe	E26/24 (Medium)	CFL		635	11	N/A	8000	2700	0.54	7	4/22/09
Sunrise Lighting	SUNRISE	SSE-11/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		680	11	N/A	10000	2700	0.57	7	7/24/09
Sunrise Lighting	SUNRISE	SSE-20/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1450	20	N/A	10000	2700		2	1/25/08
Sunrise Lighting	SUNRISE	SSE-23/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1678	23	N/A	10000	2700		2	1/25/08
Sunshine Lighting	RJN	SM20/E/41K	90-352-120	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/3/09
Sunshine Lighting	RJN	SM23/E/41K	90-352-130	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/3/09
Sunshine Lighting	RJN	SM9/E/41K	90-352-100	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	4/3/09
Sunshine Lighting	Sunlite	00650-SU	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.59	2	4/29/08
Sunshine Lighting	Sunlite	00655-SU	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.6	2	4/29/08
Sunshine Lighting	Sunlite	00660-SU	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.56	2	4/29/08
Sunshine Lighting	Sunlite	00665-SU	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.57	2	4/29/08
Sunshine Lighting	Sunlite	SD15R30E/27K DIMMABLE	05521-SU	Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	12/4/08
Sunshine Lighting	Sunlite	SL11R20/E/27K	00830-SU	Covered reflector	E26/24 (Medium)	CFL		340	11	N/A	10000	2700		1	1/14/11
Sunshine Lighting	Sunlite	SL13/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		821	13.0	N/A	10000	2700	0.56	2	7/30/10
Sunshine Lighting	Sunlite	SL13/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.58	2	7/30/10
Sunshine Lighting	Sunlite	SL14R20/E/27K	65765-SU	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	12/22/10
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/30K		Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	3000		1	1/11/11
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/41K	00861-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		1	1/11/11
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/50K	00862-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	5000		1	1/11/11
Sunshine Lighting	Sunlite	SL15PAR30L/E/41K	05361-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		2	3/11/10
Sunshine Lighting	Sunlite	SL15PAR30L/E/50K	05364-SU	Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	5000		2	3/11/10
Sunshine Lighting	Sunlite	SL15R30/E/41K	00841-SU	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		1	1/14/11
Sunshine Lighting	Sunlite	SL18/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		1243	18.64	N/A	10000	2700	0.58	2	7/30/10
Sunshine Lighting	Sunlite	SL18/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.58	2	7/30/10
Sunshine Lighting	Sunlite	SL23/E/27K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/3/09
Sunshine Lighting	Sunlite	SL23/E/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/3/09
Sunshine Lighting	Sunlite	SL23/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		1508	21.9	N/A	10000	2700	0.61	2	7/30/10
Sunshine Lighting	Sunlite	SL23/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1625	21.348	N/A	10000	4100	0.57	2	7/30/10
Sunshine Lighting	Sunlite	SL23PAR38/AL/E/30K	00870-SU	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		1	1/11/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Sunshine Lighting	Sunlite	SL23PAR38/AL/E/41K	00871-SU	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		1	1/11/11
Sunshine Lighting	Sunlite	SL23PAR38/E/41K	05331-SU	Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	4100		2	3/11/10
Sunshine Lighting	Sunlite	SL23R40/E/27K	05386-SU	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	4/6/09
Sunshine Lighting	Sunlite	SL25/E/3W/27K	05379-SU, SL25/E/3W/27/CD1	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	10/16/08
Sunshine Lighting	Sunlite	SL26/E/27K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/3/09
Sunshine Lighting	Sunlite	SL26/E/3W/34K	05378-SU	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500	0.56	2	6/29/09
Sunshine Lighting	Sunlite	SL26/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		1710	25.393	N/A	10000	2700	0.58	2	7/30/10
Sunshine Lighting	Sunlite	SL26/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.58	2	7/30/10
Sunshine Lighting	Sunlite	SL32/E/27K	05545-SU	Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700		1	7/21/11
Sunshine Lighting	Sunlite	SL42/E/27K	05596-SU	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	12000	2700		2	4/10/08
Sunshine Lighting	Sunlite	SL9PAR20/AL/E/30K	00850-SU	Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	3000		1	1/11/11
Sunshine Lighting	Sunlite	SL9PAR20/AL/E/50K	00851-SU	Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	5000		1	1/11/11
Sunshine Lighting	Sunlite	SL814/E/27K	05307-SU	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/27/08
Sunshine Lighting	Sunlite	SLG14/E/27K	05349-SU	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/6/09
Sunshine Lighting	Sunlite	SLG9/E/27K	05348-SU	Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/6/09
Sunshine Lighting	Sunlite	SM13/E/27K	05421-SU, 05425-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/23/09
Sunshine Lighting	Sunlite	SM15/E/27K	05203-SU	Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	12/22/10
Sunshine Lighting	Sunlite	SM15/E/27K	05204-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.5	2	12/22/09
Sunshine Lighting	Sunlite	SM23/E/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/3/09
Sunshine Lighting	Sunlite	SMS10E/27K	00605-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		640	10	N/A	10000	2700		2	1/24/07
Sunshine Lighting	Sunlite	SMS11/E/27K	00712-SU	Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700	0.56	2	9/12/11
Sunshine Lighting	Sunlite	SMS13/E/27K	00609-SU, 00706-SU, 00607-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	6/30/08
Sunshine Lighting	Sunlite	SMS13/E/41K	00702-SU, 00707-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		9	7/1/08
Sunshine Lighting	Sunlite	SMS13J/E/35K	00801-SU	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		1	1/12/11
Sunshine Lighting	Sunlite	SMS13J/E/41K	00802-SU	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		1	1/12/11
Sunshine Lighting	Sunlite	SMS13J/E/50K	00803-SU	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		1	1/12/11
Sunshine Lighting	Sunlite	SMS13J/E/65K	00804-SU	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500		1	1/12/11
Sunshine Lighting	Sunlite	SMS15E/27K	00615-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	1/24/07
Sunshine Lighting	Sunlite	SMS18/E/27K	00647-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	3/12/09
Sunshine Lighting	Sunlite	SMS18/E/41K	00648-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	3/12/09
Sunshine Lighting	Sunlite	SMS18J/E/27K	00810-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		1	1/12/11
Sunshine Lighting	Sunlite	SMS18J/E/35K	00811-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		1	1/12/11
Sunshine Lighting	Sunlite	SMS18J/E/41K	00812-SU	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100		1	1/12/11
Sunshine Lighting	Sunlite	SMS18J/E/50K	00813-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		1	1/12/11
Sunshine Lighting	Sunlite	SMS18J/E/65K	00814-SU	Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	10000	6500		1	1/13/11
Sunshine Lighting	Sunlite	SMS20/E/27K	00626-SU, 00654-SU, 00625-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	2/11/09
Sunshine Lighting	Sunlite	SMS20/E/41K	00628-SU, 00659-SU, 00638-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		9	1/15/09
Sunshine Lighting	Sunlite	SMS23/E/27K	00669-SU, 00635-SU; 00695-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/11/09
Sunshine Lighting	Sunlite	SMS23F/E/41K	00709-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	12/21/10
Sunshine Lighting	Sunlite	SMS23J/E/27K	00820-SU; 00827-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/13/11
Sunshine Lighting	Sunlite	SMS23J/E/35K	00821-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	1/13/11
Sunshine Lighting	Sunlite	SMS23J/E/41K	00822-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		1	1/13/11
Sunshine Lighting	Sunlite	SMS23J/E/50K	00823-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		1	1/13/11
Sunshine Lighting	Sunlite	SMS23J/E/65K	00824-SU; 00825-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	1/13/11
Sunshine Lighting	Sunlite	SMS9/E/27K	00606-SU, 00638-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	6/30/08
Sunshine Lighting	Sunlite	SMS9/E/41K	00604-SU, 00639-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		9	7/1/08
Sunshine Lighting	Sunlite	SMSF13/E/27K	00679-SU; 00701-SU SMS13F/E/27K/4PK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700	0.5	2	9/8/09
Sunshine Lighting	Sunlite	SMSF13/E/30K	00699-SU	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	1/7/10
Sunshine Lighting	Sunlite	SMSF13/E/41K	00693-SU; 00694-SU	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	1/7/10
Sunshine Lighting	Sunlite	SMSF13/E/50K	00681-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	5000		2	9/8/09
Sunshine Lighting	Sunlite	SMSF18/E/27K	00696-SU	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		2	1/7/10
Sunshine Lighting	Sunlite	SMSF23/E/27K	00687-SU; 00691-SU; SMSF23/E/27K/CD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/8/09
Sunshine Lighting	Sunlite	SMSF23/E/65K	00690-SU; 00692-SU; SMSF23/E/65K/CD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.58	2	9/8/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-11W/27K	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.59	2	8/20/08
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU13/27K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.58	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU13/50K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.58	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-13W/27K	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.59	2	8/20/08
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU18/27K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.58	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU18/50K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.58	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-18W/27K	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.56	2	8/20/08
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU23/27K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.56	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU23/50K	N/A	Bare-spiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.56	2	1/26/09
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-23W/27K	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.57	2	8/20/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-10W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		2	6/9/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-13-27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	9/24/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL13/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	2/3/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL13/T2-CW		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.6	7	12/4/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-13W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	6/9/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/A		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		7	3/26/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/A-CW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.59	7	12/4/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/R30		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.59	7	3/31/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14W/R30-CW		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100	0.59	7	12/9/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-15W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	3/26/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL19/A		Covered A-line	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.56	2	1/4/10
Sun & Stars Lighting, Inc.	Sun & Stars	SSL19/G		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700	0.58	2	1/4/10
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/R40		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	7	3/31/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/R40-CW		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.59	7	12/9/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23/SL	single-pack	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/13/07
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/3/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T2-CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.57	7	12/4/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/3/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W	SSL-23	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	7/20/07
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700		2	6/9/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W/SL	4-pack	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/13/07
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-R40-23W		Covered reflector	E26/24 (Medium)	CFL		930	23	N/A	6000	2700		2	4/28/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	5/7/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/23/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	1/22/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	1/22/09
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	6/23/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/13/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/13/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/13/08
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T4/40W		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	3/31/11
SUPERVALU, Inc.	Homelife	44752		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/6/09
SUPERVALU, Inc.	Homelife	44753		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/8/09
SUPERVALU, Inc.	Homelife	45648	45648	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/9/09
SUPERVALU, Inc.	Homelife	46241		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/8/09
SUPERVALU, Inc.	Homelife	46243		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/6/09
Suzhou Daming Electric Co., Ltd.	Daming	BDM-15		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700	0.56	2	9/30/09
Suzhou Daming Electric Co., Ltd.	Daming	BDS-19		Bare-spiral	E26/24 (Medium)	CFL		1500	19	N/A	10000	2700	0.55	2	9/30/09
Suzhou Daming Electric Co., Ltd.	Daming	BDS-26		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700	0.55	2	9/30/09
Suzhou Daming Electric Co., Ltd.	Daming	BDTS-14		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.57	2	12/31/10
Suzhou Daming Electric Co., Ltd.	Daming	BDTS-23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.54	2	9/30/09
Symban Lighting Corp.	Symban	SL11/O/ES/827		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	12/2/10
Symban Lighting Corp.	Symban	SL11/O/ES/841		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	4100		2	12/2/10
Symban Lighting Corp.	Symban	SL13/O/ES/827		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/1/10
Symban Lighting Corp.	Symban	SL13/O/ES/841		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/1/10
Symban Lighting Corp.	Symban	SL13/O/ES/850		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	10000	5000		2	6/10/10
Symban Lighting Corp.	Symban	SL14/O/A19/ES/827		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/27/08
Symban Lighting Corp.	Symban	SL14/O/G25/ES/827		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		2	6/9/10
Symban Lighting Corp.	Symban	SL15/O/ES/827		Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	6/9/10
Symban Lighting Corp.	Symban	SL20/O/ES/841		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100		2	6/9/10
Symban Lighting Corp.	Symban	SL20/O/ES/850		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	5000		2	6/9/10
Symban Lighting Corp.	Symban	SL23/O/ES/827		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/7/10
Symban Lighting Corp.	Symban	SL23/O/PAR38/ES/830		Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	8000	3000		2	6/9/10
Symban Lighting Corp.	Symban	SL27/O/ES/827		Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700		2	6/9/10
Symban Lighting Corp.	Symban	SL5/O/B10/CS/827		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700		2	12/1/10
Symban Lighting Corp.	Symban	SL9/O/B13/ES/827		Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700		2	12/2/10
Symban Lighting Corp.	Symban	SL9/O/G25/ES/827		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	6/10/10
TAG Industries, Inc.	Clear-Lite	AB-CAM09BW-1N		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM09BW-2N		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM09SW-1N		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM09SW-2N		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM14BW-1N		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	7/28/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
TAG Industries, Inc.	Clear-Lite	AB-CAM14BW-2N		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM14SW-1N		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CAM14SW-2N	ABCAM14SW2NF	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	7/28/09
TAG Industries, Inc.	Clear-Lite	AB-CR30M14BW-1N		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100		2	10/16/09
TAG Industries, Inc.	Clear-Lite	AB-CR30M14SW-1N		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	10/16/09
TAG Industries, Inc.	Clear-Lite	CSM09BW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	7/10/08
TAG Industries, Inc.	Clear-Lite	CSM09SW-N	CSM09SW-1N, CSM09SW-2N, CUS2009-2N, CSM09SW-8NS, CSM09SW-24NM, CUS2009-8NS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/10/08
TAG Industries, Inc.	Clear-Lite	CSM09UB-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	7/10/08
TAG Industries, Inc.	Clear-Lite	CSM13BW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM13SW-N	CSM13SW-1N, CSM13SW-2N, CSM13SW-3N, CUS2313-2N, CUS2313-8NS, CSM13SW-9NS, CSM13SW-24NM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/10/08
TAG Industries, Inc.	Clear-Lite	CSM13UB-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM15BW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	8/5/08
TAG Industries, Inc.	Clear-Lite	CSM15SW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	8/5/08
TAG Industries, Inc.	Clear-Lite	CSM15UB-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000		2	8/5/08
TAG Industries, Inc.	Clear-Lite	CSM20BW-N	CSM20BW-1N, CSM20BW-6NS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM20UB-N	CSM20UB-1N, CSM20UB-2N, CUS2009-2N, CUS2009-8NS, CSM20UB-8NS, CSM20UB-24NM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM23BW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM23SW-N	CSM23SW-1N, CSM23SW-2N, CSM23SW-8NS, CSM23SW-24NM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM23UB-N	SM23UB-1N, CSM23UB-2N, CUS2313-2N, CUS2313-8NS, CSM23UB-8NS, CSM23UB-24NM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/11/08
TAG Industries, Inc.	Clear-Lite	CSM26BW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100		2	8/5/08
TAG Industries, Inc.	Clear-Lite	CSM26SW-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700		2	8/5/08
TAG Industries, Inc.	Clear-Lite	CSM26UB-N		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	5000		2	8/5/08
Technical Consumer Products, Inc.	DuraBright	11BD689143		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/8/11
Technical Consumer Products, Inc.	DuraBright	68909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.59	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9.0	N/A	10000	2700		7	6/15/03
Technical Consumer Products, Inc.	DuraBright	68914		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68914		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700	0.58	6	5/25/03
Technical Consumer Products, Inc.	DuraBright	689142		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	12/16/03
Technical Consumer Products, Inc.	DuraBright	689142		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	9/12/08
Technical Consumer Products, Inc.	DuraBright	689143		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68914B10		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	9/22/10
Technical Consumer Products, Inc.	DuraBright	68914B2		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	4/8/09
Technical Consumer Products, Inc.	DuraBright	68914B6		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	4/8/09
Technical Consumer Products, Inc.	DuraBright	68914DL		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/7/08
Technical Consumer Products, Inc.	DuraBright	68914DL3		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/7/08
Technical Consumer Products, Inc.	DuraBright	68914DLB		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	4/8/09
Technical Consumer Products, Inc.	DuraBright	68919		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.6	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68919		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		6	6/15/03
Technical Consumer Products, Inc.	DuraBright	689192		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700	0.6	9	6/15/03
Technical Consumer Products, Inc.	DuraBright	68919DL	68919DL2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000	0.6	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	8/13/08
Technical Consumer Products, Inc.	DuraBright	68923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/16/03
Technical Consumer Products, Inc.	DuraBright	689232		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	8/13/08
Technical Consumer Products, Inc.	DuraBright	68923B10		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/23/11
Technical Consumer Products, Inc.	DuraBright	68923B2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/7/09
Technical Consumer Products, Inc.	DuraBright	68923B4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/7/09
Technical Consumer Products, Inc.	DuraBright	68923DIM		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700		9	8/12/08
Technical Consumer Products, Inc.	DuraBright	68923DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.62	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68923DL2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.62	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	68923DLB		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/7/09
Technical Consumer Products, Inc.	DuraBright	68932		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	10/7/08
Technical Consumer Products, Inc.	DuraBright	68942		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	10/7/08
Technical Consumer Products, Inc.	DuraBright	68942		Bare-spiral	E26/24 (Medium)	CFL		2800	42.0	N/A	10000	2700		6	6/15/03
Technical Consumer Products, Inc.	DuraBright	689T2132		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/8/11
Technical Consumer Products, Inc.	DuraBright	69014		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.63	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	690143		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.63	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	690192		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500	0.59	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	69023		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500	0.6	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	690232		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500	0.6	9	8/20/08
Technical Consumer Products, Inc.	DuraBright	69032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/20/32	10000	2700		9	4/24/09
Technical Consumer Products, Inc.	DuraBright	69032B		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700		9	7/31/09
Technical Consumer Products, Inc.	DuraBright	69114		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/15/03
Technical Consumer Products, Inc.	DuraBright	691142		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/15/03
Technical Consumer Products, Inc.	DuraBright	691143		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	2/23/11
Technical Consumer Products, Inc.	DuraBright	69114BW2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		7	10/7/08
Technical Consumer Products, Inc.	DuraBright	694092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	10/7/08
Technical Consumer Products, Inc.	DuraBright	69409B2		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/7/09
Technical Consumer Products, Inc.	DuraBright	69414		Covered A-line	E26/24 (Medium)	CFL		700	14.0	N/A	8000	2700		7	4/4/07
Technical Consumer Products, Inc.	DuraBright	69414		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	10/7/08
Technical Consumer Products, Inc.	DuraBright	694142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	10/7/08
Technical Consumer Products, Inc.	DuraBright	694143		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	2/23/11
Technical Consumer Products, Inc.	DuraBright	69414B2		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/7/09
Technical Consumer Products, Inc.	DuraBright	6R3014		Covered reflector	E26/24 (Medium)	CFL		650	14.0	N/A	8000	2700		7	1/13/06
Technical Consumer Products, Inc.	DuraBright	6R30142		Covered reflector	E26/24 (Medium)	CFL		650	14.0	N/A	8000	2700		7	1/13/06
Technical Consumer Products, Inc.	DuraBright	6R3014B2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.6	7	1/8/10
Technical Consumer Products, Inc.	DuraBright	6R3014B4		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	9/9/10
Technical Consumer Products, Inc.	DuraBright	6T213B2		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	6/9/09
Technical Consumer Products, Inc.	DuraBright	6T223B2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/9/09
Technical Consumer Products, Inc.	DuraBright	76023	760232	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		1	6/15/03
Technical Consumer Products, Inc.	DuraBright	760232	760232	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		1	6/15/03
Technical Consumer Products, Inc.	DuraBright	760232		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		9	12/20/04
Technical Consumer Products, Inc.	DuraBright	7P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	12/1/06
Technical Consumer Products, Inc.	DuraBright	7P3823B2		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	6/11/09
Technical Consumer Products, Inc.	DuraBright	7R2014		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700	0.59	6	6/15/03
Technical Consumer Products, Inc.	DuraBright	7R20142		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700		6	6/15/03
Technical Consumer Products, Inc.	DuraBright	7R4019		Covered reflector	E26/24 (Medium)	CFL		950	19.0	N/A	8000	2700		6	6/15/03
Technical Consumer Products, Inc.	Ecosave	1ES13260	1ES13260	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.63	2	12/20/11
Technical Consumer Products, Inc.	Ecosave	1ES20	1ES20	Bare-spiral	E26/24 (medium)	CFL		1200	20.0	N/A	10000	2700	0.59	2	2/8/12
Technical Consumer Products, Inc.	Ecosave	1ES23	1ES23	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.61	2	1/24/12
Technical Consumer Products, Inc.	Ecosave	1ES23236	1ES23236	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.61	2	12/20/11
Technical Consumer Products, Inc.	Ecosmart	780-758 (ES5R4232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	8/7/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Technical Consumer Products, Inc.	Ecosmart	ES5G814250K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		7	3/24/11
Technical Consumer Products, Inc.	Ecovations	11309PERM		Covered A-line	E26/24 (Medium)	CFL		475	9	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	11316PERM		Covered A-line	E26/24 (Medium)	CFL		770	16	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	1G3014PERM		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	1G3019PERM		Covered globe	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	1P3823PERM		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	1R2014PERM		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Ecovations	2R3016PERM		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		1	9/17/07
Technical Consumer Products, Inc.	Fresh2	689142F2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	9	1/25/12
Technical Consumer Products, Inc.	Fresh2	68914F2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	9	10/12/11
Technical Consumer Products, Inc.	Fresh2	68923F2	689232F2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	10/5/11
Technical Consumer Products, Inc.	OUC	801019OUC		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.59	2	6/8/10
Technical Consumer Products, Inc.	Ribbon Nutrition	RH10027	RH10027, RH10027S	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/17/07
Technical Consumer Products, Inc.	Ribbon Nutrition	RH7527	RH7527	Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	8/17/07
Technical Consumer Products, Inc.	Spring Light	801009		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/7/08
Technical Consumer Products, Inc.	Spring Light	8010093		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		9	11/5/07
Technical Consumer Products, Inc.	Spring Light	801009353		Bare-Mini-Spiral	E26/24 (Medium)	CFL		440	9	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80100941		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.6	1	1/15/10
Technical Consumer Products, Inc.	Spring Light	80100950		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	5000	0.6	9	3/9/09
Technical Consumer Products, Inc.	Spring Light	801009503		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	5000	0.6	9	3/9/09
Technical Consumer Products, Inc.	Spring Light	801014	8010143, 80143	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	11/25/08
Technical Consumer Products, Inc.	Spring Light	8010143		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	11/5/07
Technical Consumer Products, Inc.	Spring Light	80101435		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	11/5/07
Technical Consumer Products, Inc.	Spring Light	80101441		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100		9	6/12/08
Technical Consumer Products, Inc.	Spring Light	801014413		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100		9	2/23/11
Technical Consumer Products, Inc.	Spring Light	80101450		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		9	10/3/08
Technical Consumer Products, Inc.	Spring Light	801014503		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/3/08
Technical Consumer Products, Inc.	Spring Light	801014GP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/23/09
Technical Consumer Products, Inc.	Spring Light	801019		Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	2700		9	1/7/08
Technical Consumer Products, Inc.	Spring Light	8010193		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	11/27/07
Technical Consumer Products, Inc.	Spring Light	80101935		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500		9	3/6/09
Technical Consumer Products, Inc.	Spring Light	801019353		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	3500		1	3/6/09
Technical Consumer Products, Inc.	Spring Light	80101941		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	4100	0.59	2	1/15/10
Technical Consumer Products, Inc.	Spring Light	801019413		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	4100	0.59	2	1/15/10
Technical Consumer Products, Inc.	Spring Light	80101950	801019503	Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	5000		9	9/23/08
Technical Consumer Products, Inc.	Spring Light	801023		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/08
Technical Consumer Products, Inc.	Spring Light	8010232FE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/15/09
Technical Consumer Products, Inc.	Spring Light	8010233		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	11/5/07
Technical Consumer Products, Inc.	Spring Light	80102335		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	11/25/08
Technical Consumer Products, Inc.	Spring Light	801023353		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		1	11/25/08
Technical Consumer Products, Inc.	Spring Light	80102341		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.6	1	12/21/09
Technical Consumer Products, Inc.	Spring Light	801023413		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.6	1	12/21/09
Technical Consumer Products, Inc.	Spring Light	80102350		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000		9	10/3/08
Technical Consumer Products, Inc.	Spring Light	801023503		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000		9	10/3/08
Technical Consumer Products, Inc.	Spring Light	801027	801027, 8010273	Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/11/08
Technical Consumer Products, Inc.	Spring Light	801027		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/23/08
Technical Consumer Products, Inc.	Spring Light	80102712		Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	2700	0.61	2	2/16/10
Technical Consumer Products, Inc.	Spring Light	8010273		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/23/08
Technical Consumer Products, Inc.	Spring Light	80102735K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	3500		2	1/15/10
Technical Consumer Products, Inc.	Spring Light	80102750		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.59	9	3/9/09
Technical Consumer Products, Inc.	Spring Light	801027503		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.59	9	3/9/09
Technical Consumer Products, Inc.	Spring Light	8011412		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.63	2	2/16/10
Technical Consumer Products, Inc.	Spring Light	8012312		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.63	2	2/16/10
Technical Consumer Products, Inc.	Spring Light	8014353		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	8014353PGE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	8014353SCE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80143PGE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80143SCE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80143SMUD		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	801832		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1950	N/A	14/19/32	10000	2700		9	5/13/09
Technical Consumer Products, Inc.	Spring Light	80193		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80193PGE		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80193SCE		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	80193SMUD		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	802014		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	8020142		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	80233	80233PGE; 80233SMUD; 80233SCE	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/26/08
Technical Consumer Products, Inc.	Spring Light	8023353		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	8023353PGE		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	8023353SCE		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	8023353SMUD		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	Spring Light	803014	8030142	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	8030142	8030142	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	80301435		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500	0.63	9	11/25/08
Technical Consumer Products, Inc.	Spring Light	804023		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700		7	3/17/10
Technical Consumer Products, Inc.	Spring Light	804023		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	805023		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	8050232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	8060092		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700	0.54	7	6/18/08
Technical Consumer Products, Inc.	Spring Light	806009352		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3500	0.6	7	5/7/09
Technical Consumer Products, Inc.	Spring Light	8060142		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	11/6/07
Technical Consumer Products, Inc.	Spring Light	806142		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	806142PGE		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	806142SCE		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	806142SMUD		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	8070092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/10/08
Technical Consumer Products, Inc.	Spring Light	8070092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/23/08
Technical Consumer Products, Inc.	Spring Light	8070142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	807142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	807142PGE		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Technical Consumer Products, Inc.	Spring Light	807142SCE		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	Spring Light	807142SMUD		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/08
Technical Consumer Products, Inc.	TCP	10704		Covered-post	E26/24 (Medium)	CFL		195	4	N/A	8000	2700	0.6	1	12/3/10
Technical Consumer Products, Inc.	TCP	10704C		Covered-post	E12 (Candelabra)	CFL		195	4	N/A	8000	2700	0.6	1	8/24/10
Technical Consumer Products, Inc.	TCP	10704C		Covered-post	E26/24 (Medium)	CFL		195	4	N/A	8000	2700	0.6	1	8/24/10
Technical Consumer Products, Inc.	TCP	10709		Covered-post	E26/24 (Medium)	CFL		425	9	N/A	8000	2700	0.6	1	12/22/10
Technical Consumer Products, Inc.	TCP	10709C	10709C	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	2700	0.61	7	7/5/11
Technical Consumer Products, Inc.	TCP	11309		Covered A-line	E26/24 (Medium)	CFL		475	9.0	N/A	8000	2700		1	7/24/02
Technical Consumer Products, Inc.	TCP	11316		Covered A-line	E26/24 (Medium)	CFL		900	16.0	N/A	8000	2700	0.62	1	3/6/09
Technical Consumer Products, Inc.	TCP	1131631K		Covered A-line	E26/24 (Medium)	CFL		900	16	N/A	8000	3000	0.62	1	7/7/09
Technical Consumer Products, Inc.	TCP	11319		Covered A-line	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.61	7	7/17/08
Technical Consumer Products, Inc.	TCP	1131931K		Covered A-line	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.6	1	7/7/09
Technical Consumer Products, Inc.	TCP	18220		Bare-spiral	E26/24 (Medium)	CFL		1100	20.0	N/A	10000	2700		1	7/13/01
Technical Consumer Products, Inc.	TCP	18911	98911	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11.0	N/A	10000	2700	0.6	1	6/20/01
Technical Consumer Products, Inc.	TCP	18919		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		2	6/12/02
Technical Consumer Products, Inc.	TCP	19032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700	0.57	1	1/19/08
Technical Consumer Products, Inc.	TCP	1903235K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2500	N/A	14/19/32	10000	3500	0.57	2	9/22/10
Technical Consumer Products, Inc.	TCP	1ES13	1ES131P	Bare-spiral	E26/24 (medium)	CFL		800	13.23	N/A	10000	2700	0.63	9	3/1/11
Technical Consumer Products, Inc.	TCP	1ES133	1ES133	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.63	2	4/27/11
Technical Consumer Products, Inc.	TCP	1ES13360	1ES13360	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.63	2	6/20/11
Technical Consumer Products, Inc.	TCP	1ES233	1ES233	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.61	2	6/17/11
Technical Consumer Products, Inc.	TCP	1ES23336	1ES23336	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.61	2	6/17/11
Technical Consumer Products, Inc.	TCP	1G2504		Bare-spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700	0.61	1	6/25/09
Technical Consumer Products, Inc.	TCP	1G2509		Covered globe	E26/24 (Medium)	CFL		520	9.0	N/A	8000	2700		1	6/13/02
Technical Consumer Products, Inc.	TCP	1G250931K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3000	0.61	1	3/9/09
Technical Consumer Products, Inc.	TCP	1G250935K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3500	0.6	1	5/7/09
Technical Consumer Products, Inc.	TCP	1G250941K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	4100	0.6	1	9/9/10
Technical Consumer Products, Inc.	TCP	1G250951K		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.6	7	6/25/09
Technical Consumer Products, Inc.	TCP	1G300935K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3500	0.61	7	9/23/10
Technical Consumer Products, Inc.	TCP	1G300941K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	4100	0.61	1	1/21/10
Technical Consumer Products, Inc.	TCP	1G3014		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700	0.61	1	7/24/02
Technical Consumer Products, Inc.	TCP	1G301431K	1G301431K	Covered globe	E26/24 (medium)	CFL		800	14.74	N/A	8000	3000	0.61	1	3/1/11
Technical Consumer Products, Inc.	TCP	1G301431K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.61	1	12/8/10
Technical Consumer Products, Inc.	TCP	1G301451K	1G301451K	Covered globe	E26/24 (medium)	CFL		800	14.85	N/A	8000	5000	0.62	1	3/1/11
Technical Consumer Products, Inc.	TCP	1G301451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.64	1	12/15/10
Technical Consumer Products, Inc.	TCP	1G3019		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.6	2	11/25/08
Technical Consumer Products, Inc.	TCP	1G301931K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.6	1	12/21/09
Technical Consumer Products, Inc.	TCP	1G301941K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	4100	0.61	1	12/2/10
Technical Consumer Products, Inc.	TCP	1G301951K	1G301951K	Covered globe	E26/24 (medium)	CFL		1000	19.32	N/A	8000	5000	0.61	1	3/21/11
Technical Consumer Products, Inc.	TCP	1G301951K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	5000		1	12/16/10
Technical Consumer Products, Inc.	TCP	1G302341K	1G302341K	Covered globe	E26/24 (medium)	CFL		1300	23.0	N/A	8000	4100	0.62	1	3/21/11
Technical Consumer Products, Inc.	TCP	1G401431K		Covered globe	E26/24 (Medium)	CFL		875	14	N/A	8000	3000	0.62	1	1/21/10
Technical Consumer Products, Inc.	TCP	1G401435K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.61	1	10/6/10
Technical Consumer Products, Inc.	TCP	1G401441K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.62	1	10/6/10
Technical Consumer Products, Inc.	TCP	1G401451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		1	10/1/10
Technical Consumer Products, Inc.	TCP	1G4019		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.61	1	12/21/09
Technical Consumer Products, Inc.	TCP	1G401931K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.61	1	1/25/10
Technical Consumer Products, Inc.	TCP	1G401935K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3500	0.61	1	12/21/09
Technical Consumer Products, Inc.	TCP	1G401941K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	4100	0.61	1	11/22/10
Technical Consumer Products, Inc.	TCP	1G401951K	1G401951K	Covered globe	E26/24 (medium)	CFL		1000	19.32	N/A	8000	5000	0.61	1	3/1/11
Technical Consumer Products, Inc.	TCP	1G402341K	1G402341K	Covered globe	E26/24 (medium)	CFL		1400	23.0	N/A	8000	4100	0.62	1	3/1/11
Technical Consumer Products, Inc.	TCP	1P3016		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700	0.55	1	12/3/10
Technical Consumer Products, Inc.	TCP	1P301651K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	5000	0.61	1	12/3/10
Technical Consumer Products, Inc.	TCP	1P3816		Covered reflector	E26/24 (Medium)	CFL		850	16.0	N/A	8000	2700	0.62	1	11/25/08
Technical Consumer Products, Inc.	TCP	1P381631K		Covered reflector	E26/24 (Medium)	CFL		850	16	N/A	8000	3000	0.55	1	10/22/09
Technical Consumer Products, Inc.	TCP	1P381641K		Covered reflector	E26/24 (Medium)	CFL		850	16	N/A	8000	4100	0.61	1	11/2/09
Technical Consumer Products, Inc.	TCP	1P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.61	1	10/11/04
Technical Consumer Products, Inc.	TCP	1P382335K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500	0.56	1	10/25/10
Technical Consumer Products, Inc.	TCP	1R2009		Covered reflector	E26/24 (Medium)	CFL		400	9	N/A	8000	2700		1	8/1/05
Technical Consumer Products, Inc.	TCP	1R200931K		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	3000	0.59	1	12/22/10
Technical Consumer Products, Inc.	TCP	1R2014		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700	0.59	1	7/24/02
Technical Consumer Products, Inc.	TCP	1R201431K		Covered reflector	E26/24 (Medium)	CFL		450	14	N/A	8000	3000	0.59	1	12/2/10
Technical Consumer Products, Inc.	TCP	1R201441K		Covered reflector	E26/24 (Medium)	CFL		400	14	N/A	8000	4100	0.59	1	5/13/09
Technical Consumer Products, Inc.	TCP	1R4016	6R4016	Covered reflector	E26/24 (Medium)	CFL		750	16.0	N/A	8000	2700	0.56	1	11/24/08
Technical Consumer Products, Inc.	TCP	1R4019		Covered reflector	E26/24 (Medium)	CFL		950	19.0	N/A	8000	2700		1	6/13/02
Technical Consumer Products, Inc.	TCP	1R401935K		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	3500	0.61	1	2/16/10
Technical Consumer Products, Inc.	TCP	1R4023		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700	0.62	1	10/11/04
Technical Consumer Products, Inc.	TCP	1T2004		Covered-post	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		1	9/1/04
Technical Consumer Products, Inc.	TCP	1T200451K		Covered-post	E26/24 (Medium)	CFL		250	4	N/A	8000	5000	0.58	1	1/15/10
Technical Consumer Products, Inc.	TCP	1T2009		Covered-post	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.62	1	7/23/09
Technical Consumer Products, Inc.	TCP	1T200941K		Covered-post	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.6	1	1/8/10
Technical Consumer Products, Inc.	TCP	1T200951K		Covered-post	E26/24 (Medium)	CFL		500	9	N/A	8000	5000	0.61	1	12/2/10
Technical Consumer Products, Inc.	TCP	1T2014		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.55	7	6/11/08
Technical Consumer Products, Inc.	TCP	1T201441K		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.61	1	11/22/10
Technical Consumer Products, Inc.	TCP	1T201451K		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.61	1	12/2/10
Technical Consumer Products, Inc.	TCP	1T2409		Covered-post	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.61	7	5/23/08
Technical Consumer Products, Inc.	TCP	1T2414		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	8000	2700	0.61	1	3/9/09
Technical Consumer Products, Inc.	TCP	1T241431K		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	8000	3000	0.6	1	12/1/10
Technical Consumer Products, Inc.	TCP	1T241441K		Covered-post	E26/24 (Medium)	CFL		850	14	N/A	8000	4100	0.61	1	10/15/10
Technical Consumer Products, Inc.	TCP	1T2419		Covered-post	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.59	1	8/24/10
Technical Consumer Products, Inc.	TCP	1T241931K	1T241931K	Covered-post	E26/24 (medium)	CFL		1000	19.0	N/A	8000	3000	0.6	1	3/1/11
Technical Consumer Products, Inc.	TCP	1T241935K		Covered-post	E26/24 (Medium)	CFL		1100	19	N/A	8000	3500	0.6	1	1/15/10
Technical Consumer Products, Inc.	TCP	1T241941K	1T241941K 1.6MG HG	Covered-post	E26/24 (medium)	CFL		1000	19.7	N/A	8000	4100	0.6	1	3/1/11
Technical Consumer Products, Inc.	TCP	21314		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		1	10/18/06
Technical Consumer Products, Inc.	TCP	2131431K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.61	2	9/21/09
Technical Consumer Products, Inc.	TCP	2131435K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.61	2	12/15/08
Technical Consumer Products, Inc.	TCP	2131441K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.6	1	3/9/09
Technical Consumer Products, Inc.	TCP	2131465K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	6500	0.61	1	10/22/09
Technical Consumer Products, Inc.	TCP	21314PERM		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.6	1	9/17/07
Technical Consumer Products, Inc.	TCP	28904		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		1	12/1/04

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Technical Consumer Products, Inc.	TCP	28904T		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700	0.61	1	12/20/04
Technical Consumer Products, Inc.	TCP	28909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	9/28/05
Technical Consumer Products, Inc.	TCP	2890951K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	12000	5000		9	3/17/10
Technical Consumer Products, Inc.	TCP	28913		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.6	1	11/25/08
Technical Consumer Products, Inc.	TCP	28914F2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	2700		1	8/7/09
Technical Consumer Products, Inc.	TCP	28918		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		1	2/11/09
Technical Consumer Products, Inc.	TCP	2891835K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	12000	3500	0.59	1	5/13/09
Technical Consumer Products, Inc.	TCP	2891835K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	3500		1	9/23/08
Technical Consumer Products, Inc.	TCP	2891850K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	5000		1	9/23/08
Technical Consumer Products, Inc.	TCP	2891851K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	12000	5000	0.59	1	4/15/09
Technical Consumer Products, Inc.	TCP	28923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	11/22/03
Technical Consumer Products, Inc.	TCP	2892335K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	12000	3500	0.61	1	9/23/08
Technical Consumer Products, Inc.	TCP	2892341K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	12000	4100	0.6	1	4/9/09
Technical Consumer Products, Inc.	TCP	28923F2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	7/31/09
Technical Consumer Products, Inc.	TCP	28927M		Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	2700		2	12/28/04
Technical Consumer Products, Inc.	TCP	28927M31K		Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	12000	3000	0.57	1	4/9/09
Technical Consumer Products, Inc.	TCP	28927M35K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1850	27	N/A	12000	3500	0.57	1	1/13/10
Technical Consumer Products, Inc.	TCP	28930M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.59	1	5/14/09
Technical Consumer Products, Inc.	TCP	28942		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	10000	2700	0.59	2	6/18/08
Technical Consumer Products, Inc.	TCP	28942M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700	0.6	1	10/29/09
Technical Consumer Products, Inc.	TCP	28968		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.61	1	6/25/09
Technical Consumer Products, Inc.	TCP	28968RP		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.6	9	1/5/12
Technical Consumer Products, Inc.	TCP	2G2514		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	10/18/06
Technical Consumer Products, Inc.	TCP	2G251431K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.61	1	7/2/10
Technical Consumer Products, Inc.	TCP	2G251435K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.61	1	9/19/08
Technical Consumer Products, Inc.	TCP	2G251451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.61	1	8/17/10
Technical Consumer Products, Inc.	TCP	2G2514PERM		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.61	7	12/2/11
Technical Consumer Products, Inc.	TCP	2P3819		Covered reflector	E26/24 (Medium)	CFL		1000	19.0	N/A	8000	2700	0.61	2	1/21/10
Technical Consumer Products, Inc.	TCP	2P381935K		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	3500		1	9/8/10
Technical Consumer Products, Inc.	TCP	2P381941K		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	4100	0.59	1	12/21/09
Technical Consumer Products, Inc.	TCP	2R3014		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	1	1/4/12
Technical Consumer Products, Inc.	TCP	2R301435K		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	3500	0.63	7	11/25/08
Technical Consumer Products, Inc.	TCP	2R3014 BULK 48		Covered reflector	E26/24 (Medium)	CFL		650	14.0	N/A	8000	2700		1	7/8/05
Technical Consumer Products, Inc.	TCP	2R3016		Covered reflector	E26/24 (Medium)	CFL		750	16.0	N/A	8000	2700	0.55	1	12/30/05
Technical Consumer Products, Inc.	TCP	2R301631K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000	0.61	1	2/16/10
Technical Consumer Products, Inc.	TCP	2R301635K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3500	0.61	1	1/21/10
Technical Consumer Products, Inc.	TCP	2R301641K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	4100	0.62	1	2/16/10
Technical Consumer Products, Inc.	TCP	2R301651K	2R301651K	Covered reflector	E26/24 (medium)	CFL		700	16.0	N/A	8000	5000	0.54	1	3/1/11
Technical Consumer Products, Inc.	TCP	2R3016DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700	0.96	1	6/28/10
Technical Consumer Products, Inc.	TCP	2R3016DIM35K	2R3016DIM35K	Covered reflector	E26/24 (medium)	CFL	Dimmable	600	16.0	N/A	8000	3500	0.96	7	9/8/11
Technical Consumer Products, Inc.	TCP	2R3016DIM35K	2R3016DIM35K	Covered reflector	E26/24 (medium)	CFL	Dimmable	600	16.0	N/A	8000	3500	0.96	7	7/28/11
Technical Consumer Products, Inc.	TCP	33109SP	N/A	Bare-spiral	GU24	CFL		619	9.06	N/A	10000	2700	0.6	2	12/18/09
Technical Consumer Products, Inc.	TCP	33109SP30K	N/A	Bare-spiral	GU24	CFL		577	8.9	N/A	10000	3000	0.61	2	2/13/09
Technical Consumer Products, Inc.	TCP	33109SP35K	N/A	Bare-spiral	GU24	CFL		618	9.2	N/A	10000	3500	0.55	2	1/26/09
Technical Consumer Products, Inc.	TCP	33109SP41K	N/A	Bare-spiral	GU24	CFL		613	9.12	N/A	10000	4100	0.6	2	8/13/09
Technical Consumer Products, Inc.	TCP	33113SP	N/A	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.58	2	6/20/08
Technical Consumer Products, Inc.	TCP	33113SP30K	N/A	Bare-spiral	GU24	CFL		873	12.93	N/A	10000	3000	0.64	2	7/31/08
Technical Consumer Products, Inc.	TCP	33113SP35K	33113SP35K	Bare-spiral	GU24	CFL		750	13.0	N/A	10000	3500	0.6	3	11/30/11
Technical Consumer Products, Inc.	TCP	33113SP41K	N/A	Bare-spiral	GU24	CFL		841	12.4	N/A	10000	4100	0.63	2	1/26/09
Technical Consumer Products, Inc.	TCP	33113SP50K	N/A	Bare-spiral	GU24	CFL		800	12.17	N/A	10000	5000	0.64	2	10/21/08
Technical Consumer Products, Inc.	TCP	33113SP50K	N/A	Bare-spiral	GU24	CFL		809	11.9	N/A	10000	5000	0.63	2	2/13/09
Technical Consumer Products, Inc.	TCP	33114A19	N/A	Covered	GU24	CFL		872	14.75	N/A	8000	2700	0.63	2	8/13/09
Technical Consumer Products, Inc.	TCP	33114G25	N/A	Covered	GU24	CFL		804	13.8	N/A	8000	2700	0.63	2	1/26/09
Technical Consumer Products, Inc.	TCP	33116R30	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	1/26/09
Technical Consumer Products, Inc.	TCP	33118SP	N/A	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	6/20/08
Technical Consumer Products, Inc.	TCP	33118SP	N/A	Bare-spiral	GU24	CFL		1167	17.2	N/A	10000	2700	0.6	2	2/13/09
Technical Consumer Products, Inc.	TCP	33118SP30K	N/A	Bare-spiral	GU24	CFL		1225	17.8	N/A	10000	3000	0.53	2	12/29/08
Technical Consumer Products, Inc.	TCP	33118SP35K	N/A	Bare-spiral	GU24	CFL		1297	17.87	N/A	10000	3500	0.61	2	1/15/09
Technical Consumer Products, Inc.	TCP	33118SP41K	N/A	Bare-spiral	GU24	CFL		1263	17.9	N/A	10000	4100	0.6	2	1/26/09
Technical Consumer Products, Inc.	TCP	33123SP	N/A	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.57	2	6/20/08
Technical Consumer Products, Inc.	TCP	33123SP30K	N/A	Bare-spiral	GU24	CFL		1485	21.74	N/A	10000	3000	0.54	2	6/9/10
Technical Consumer Products, Inc.	TCP	33123SP35K	N/A	Bare-spiral	GU24	CFL		1421	22.21	N/A	10000	3500	0.61	2	6/20/08
Technical Consumer Products, Inc.	TCP	33123SP41K	N/A	Bare-spiral	GU24	CFL		1632	22.16	N/A	10000	4100	0.61	2	2/10/09
Technical Consumer Products, Inc.	TCP	33123SP50K	N/A	Bare-spiral	GU24	CFL		1367	21.61	N/A	10000	5000	0.57	2	8/21/08
Technical Consumer Products, Inc.	TCP	33127SP	N/A	Bare-spiral	GU24	CFL		1930	25.91	N/A	10000	2700	0.55	2	6/20/08
Technical Consumer Products, Inc.	TCP	33127SP30K	N/A	Bare-spiral	GU24	CFL		1614	25.94	N/A	10000	3000	0.59	2	7/31/08
Technical Consumer Products, Inc.	TCP	33127SP35K	N/A	Bare-spiral	GU24	CFL		1701	26.33	N/A	10000	3500	0.59	2	6/20/08
Technical Consumer Products, Inc.	TCP	33127SP41K	N/A	Bare-spiral	GU24	CFL		1768	25.5	N/A	10000	4100	0.53	2	8/3/09
Technical Consumer Products, Inc.	TCP	33132SP	N/A	Bare-spiral	GU24	CFL		2188	30.49	N/A	10000	2700	0.59	2	1/15/09
Technical Consumer Products, Inc.	TCP	33132SP35K	N/A	Bare-spiral	GU24	CFL		2415	31.8	N/A	10000	3500	0.61	2	8/3/09
Technical Consumer Products, Inc.	TCP	33132SP41K	N/A	Bare-spiral	GU24	CFL		2347	32.0	N/A	10000	4100	0.61	2	8/12/11
Technical Consumer Products, Inc.	TCP	33213SSP	N/A	Bare-spiral	GU24	CFL		925	13.5	N/A	10000	2700	0.63	2	6/12/09
Technical Consumer Products, Inc.	TCP	40114	40114	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	2700	0.93	1	3/21/11
Technical Consumer Products, Inc.	TCP	4011435K	4011435k	Bare- spiral	E26/24 (medium)	CFL	Dimmable	850	14.2	N/A	12000	3500	0.94	2	3/1/11
Technical Consumer Products, Inc.	TCP	4012335k	4012335k	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1400	23.29	N/A	10000	3500	0.96	2	3/21/11
Technical Consumer Products, Inc.	TCP	4012341K	4012341K	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1400	23.41	N/A	10000	4100	0.96	2	3/1/11
Technical Consumer Products, Inc.	TCP	48905		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	12000	2700	0.62	2	12/1/10
Technical Consumer Products, Inc.	TCP	48905C	48905C	Bare-spiral	E26/24 (medium)	CFL		300	5.24	N/A	12000	2700	0.62	2	3/1/11
Technical Consumer Products, Inc.	TCP	4890935k	4890935k	Bare-spiral	E26/24 (medium)	CFL		600	9.0	N/A	12000	3500	0.6	2	3/21/11
Technical Consumer Products, Inc.	TCP	48909C	48909C	Bare-spiral	E26/24 (medium)	CFL		600	9.0	N/A	12000	2700	0.61	2	3/21/11
Technical Consumer Products, Inc.	TCP	4891850K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	5000	0.6	2	8/17/10
Technical Consumer Products, Inc.	TCP	4892335K	4892335K	Bare-spiral	E26/24 (medium)	CFL		1650	23.5	N/A	12000	3500	0.62	2	3/1/11
Technical Consumer Products, Inc.	TCP	4892341K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	4100	0.61	2	8/17/10
Technical Consumer Products, Inc.	TCP	4892350K	4892350K	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	5000	0.59	2	3/1/11
Technical Consumer Products, Inc.	TCP	4G2514		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.64	1	7/7/09
Technical Consumer Products, Inc.	TCP	4G2514A35K	4G2514A35K	Covered-Globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	3500	0.64	7	7/6/11
Technical Consumer Products, Inc.	TCP	4R3014		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		1	7/7/09
Technical Consumer Products, Inc.	TCP	4R3014A30K	4R3014A30K	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	3000	0.59	7	9/8/11
Technical Consumer Products, Inc.	TCP	4T213		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		1	7/31/09
Technical Consumer Products, Inc.	TCP	4T21335K	4T21335K	Bare-spiral	E26/24 (medium)	CFL		750	13.0	N/A	12000	3500	0.62	2	3/21/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Technical Consumer Products, Inc.	TCP	4T213C35K	4T213C35K	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	12000	3500	0.63	2	4/14/11
Technical Consumer Products, Inc.	TCP	4T223		Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	12000	2700		1	7/31/09
Technical Consumer Products, Inc.	TCP	5A8092		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.61	2	12/5/08
Technical Consumer Products, Inc.	TCP	5G814235K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	2	12/15/08
Technical Consumer Products, Inc.	TCP	5M819		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.6	2	12/15/08
Technical Consumer Products, Inc.	TCP	5M82750K		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.58	2	12/15/08
Technical Consumer Products, Inc.	TCP	689092		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	2/13/12
Technical Consumer Products, Inc.	TCP	689093		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.59	9	8/20/08
Technical Consumer Products, Inc.	TCP	689094		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	8/30/11
Technical Consumer Products, Inc.	TCP	689144		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	12/5/11
Technical Consumer Products, Inc.	TCP	68914B24		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	8/16/11
Technical Consumer Products, Inc.	TCP	68914DL2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	12/5/11
Technical Consumer Products, Inc.	TCP	68914DLB10		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	4/8/11
Technical Consumer Products, Inc.	TCP	68914KOMEN		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	12/2/11
Technical Consumer Products, Inc.	TCP	689233		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	12/15/11
Technical Consumer Products, Inc.	TCP	689234		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	12/2/11
Technical Consumer Products, Inc.	TCP	68923B24		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	9/7/11
Technical Consumer Products, Inc.	TCP	68923CWB4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.6	9	9/14/11
Technical Consumer Products, Inc.	TCP	68923DLB10		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	3/24/11
Technical Consumer Products, Inc.	TCP	68923DLB4	68923DLB6	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.62	9	10/13/11
Technical Consumer Products, Inc.	TCP	689S09	689S09	Bare-spiral	E26/24 (medium)	CFL	Dimmable	550	9.0	N/A	12000	2700	0.6	11	9/8/11
Technical Consumer Products, Inc.	TCP	689S09DL	689S09DL	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	12000	5000	0.61	9	9/8/11
Technical Consumer Products, Inc.	TCP	689S14DL	689S14DL	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	12000	5000	0.64	11	9/8/11
Technical Consumer Products, Inc.	TCP	689S19	689S19	Bare-spiral	E26/24 (medium)	CFL		1300	19.0	N/A	12000	2700	0.61	11	9/8/11
Technical Consumer Products, Inc.	TCP	689S19DL	689S19DL	Bare-spiral	E26/24 (medium)	CFL		1200	19.0	N/A	12000	5000	0.6	9	9/8/11
Technical Consumer Products, Inc.	TCP	689S23	689S23	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	7/28/11
Technical Consumer Products, Inc.	TCP	689S23	689S23, 689S234, 689S232	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	9/8/11
Technical Consumer Products, Inc.	TCP	689S23	689S23,689S234, 689S232	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	9/8/11
Technical Consumer Products, Inc.	TCP	689S234	689S234	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	7/28/11
Technical Consumer Products, Inc.	TCP	689S23DL	689S23DL	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	5000	0.62	11	9/8/11
Technical Consumer Products, Inc.	TCP	690093	690093	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	10000	2700	0.59	9	9/8/11
Technical Consumer Products, Inc.	TCP	69019		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500	0.59	9	8/20/08
Technical Consumer Products, Inc.	TCP	69114		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.61	7	9/20/11
Technical Consumer Products, Inc.	TCP	69114IB	69114IB2	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/28/11
Technical Consumer Products, Inc.	TCP	694092	694092	Covered A-line	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	9/8/11
Technical Consumer Products, Inc.	TCP	69414IB	69414IB, 69414IB2, 69414IBB2	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.64	7	9/8/11
Technical Consumer Products, Inc.	TCP	6A14IB2LAFL	6A14IB2LAFL	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.64	7	9/8/11
Technical Consumer Products, Inc.	TCP	6P3816		Covered reflector	E26/24 (Medium)	CFL		590	16.0	N/A	10000	2700		1	6/30/01
Technical Consumer Products, Inc.	TCP	6PT213	6PT213	Bare-spiral	E26/24 (medium)	CFL		825	13.0	N/A	10000	2700	0.63	9	8/5/11
Technical Consumer Products, Inc.	TCP	6PT213		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/11/11
Technical Consumer Products, Inc.	TCP	6PT2134TMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		9	3/17/10
Technical Consumer Products, Inc.	TCP	6PT2134UTMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/17/10
Technical Consumer Products, Inc.	TCP	6PT223	6PT223	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.61	9	8/5/11
Technical Consumer Products, Inc.	TCP	6PT223	6PT223	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.61	9	9/8/11
Technical Consumer Products, Inc.	TCP	6PT223CD		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/30/09
Technical Consumer Products, Inc.	TCP	6PT3144TMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/17/10
Technical Consumer Products, Inc.	TCP	6PT3234TMO		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/17/10
Technical Consumer Products, Inc.	TCP	6R3014	6R3014	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014	6R3014, 6R3014B6	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014ZLAFL		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	3/11/10
Technical Consumer Products, Inc.	TCP	6R3014BW	6R3014BW	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	3500	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014DLB	6R3014DLB, 6R3014DL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014IB	6R3014IB, 6R3014IB2LAFL, 6R3014IB2, 6R3014IBB2	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014IBBW	6R3014IBBW	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	3500	0.59	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3014IBDL	6R3014IBDL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	6R3016DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700		2	4/29/11
Technical Consumer Products, Inc.	TCP	6R3016DIMB		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700	0.96	7	11/1/11
Technical Consumer Products, Inc.	TCP	6R4019		Covered reflector	E26/24 (Medium)	CFL		875	19.0	N/A	8000	2700		1	6/13/02
Technical Consumer Products, Inc.	TCP	78909DL	78909DL, 78909DL3	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.6	3	1/10/12
Technical Consumer Products, Inc.	TCP	7P3819	7P3819	Covered reflector	E26/24 (medium)	CFL		1000	19.0	N/A	8000	2700	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	7P38232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	7/22/11
Technical Consumer Products, Inc.	TCP	7R2014IBDL	7R2014IBDL	Covered reflector	E26/24 (medium)	CFL		410	14.0	N/A	8000	5000	0.63	7	9/8/11
Technical Consumer Products, Inc.	TCP	7R4023	7R40234	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	12/1/06
Technical Consumer Products, Inc.	TCP	7TS0133		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	10/3/08
Technical Consumer Products, Inc.	TCP	80101435	80101435	Bare-spiral	E26/24 (medium)	CFL		900	14.0	N/A	10000	3500	0.6	9	9/8/11
Technical Consumer Products, Inc.	TCP	801014SPRITE		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/10
Technical Consumer Products, Inc.	TCP	801014SPRITE2		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/10
Technical Consumer Products, Inc.	TCP	80102741	80102741	Bare-spiral	E26/24 (medium)	CFL		1750	27.0	N/A	10000	4100	0.58	2	3/1/11
Technical Consumer Products, Inc.	TCP	8011412V		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	5/9/11
Technical Consumer Products, Inc.	TCP	8CP1412		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/9/09
Technical Consumer Products, Inc.	TCP	8CP141250K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	1/21/10
Technical Consumer Products, Inc.	TCP	8CP191235K		Bare-spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	3500		2	1/21/10
Technical Consumer Products, Inc.	TCP	8CP2312		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/9/09
Technical Consumer Products, Inc.	TCP	8CPP8196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.61	1	1/21/10
Technical Consumer Products, Inc.	TCP	8CPR30146		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	6/9/09
Technical Consumer Products, Inc.	TCP	8CPR40196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		2	1/21/10
Technical Consumer Products, Inc.	TCP	8THDED14SP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/21/10
Technical Consumer Products, Inc.	TCP	8THDEDR3014		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	1/21/10
Technical Consumer Products, Inc.	TCP	ES5M144RS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	3/17/10
Technical Consumer Products, Inc.	TCP	ES5M81410		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.64	9	7/24/08
Technical Consumer Products, Inc.	TCP	ES5M814DIM250K	ES5M814DIM250K	Bare-spiral	E26/24 (medium)	CFL		800	14.0	N/A	10000	5000	0.94	9	9/8/11
Technical Consumer Products, Inc.	TCP	ES5M814RS35K	ES5M814RS35K	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	3500	0.64	9	9/8/11
Technical Consumer Products, Inc.	TCP	ES5M8232RS35K	ES5M8232RS35K	Bare-spiral	E26/24 (medium)	CFL		850	23.0	N/A	10000	3500	0.64	9	9/8/11
Technical Consumer Products, Inc.	TCP	LED14E26P3027KFL	LED14E26P3027KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.88	3	2/8/12
Technical Consumer Products, Inc.	TCP	LED14E26P3027KNFL	LED14E26P3027KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.88	3	2/7/12
Technical Consumer Products, Inc.	TCP	LED14E26P3030KFL	LED14E26P3030KFL	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	25000	3000	0.88	3	10/10/11
Technical Consumer Products, Inc.	TCP	LED14E26P3030KNFL	LED14E26P3030KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	25000	3000	0.88	3	10/10/11
Technical Consumer Products, Inc.	TCP	LED17E26P3830KFL	LED17E26P3830KFL	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	25000	3000	0.9	3	11/4/11
Technical Consumer Products, Inc.	TCP	LED17E26P3830KNFL	LED17E26P3830KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	25000	3000	0.89	3	11/4/11
Technical Consumer Products, Inc.	TCP	LED8E26A1930K	LED8E26A1930K	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	470	8.0	N/A	25000	3000	0.94	3	2/7/12

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Technical Consumer Products, Inc.	TCP	LED9E26P2027KFL	LED9E26P2027KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.94	3	2/7/12
Technical Consumer Products, Inc.	TCP	LED9E26P2027KNFL	LED9E26P2027KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.93	3	2/7/12
Technical Consumer Products, Inc.	TCP	LED9E26P2030KFL	LED9E26P2030KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	25000	3000	0.93	3	2/7/12
Technical Consumer Products, Inc.	TCP	LED9E26P2030KNFL	LED9E26P2030KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	25000	3000	0.93	3	2/7/12
Technical Consumer Products, Inc.	TCP	PF301631K	PF301631K	Other	E26/24 (medium)	CFL		700	16.0	N/A	8000	3000	0.61	1	3/1/11
Technical Consumer Products, Inc.	TCP	PF301635K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	8000	3500	0.62	1	12/21/09
Technical Consumer Products, Inc.	TCP	PF301641K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	8000	4100	0.62	1	10/30/09
Technical Consumer Products, Inc.	TCP	PR3016		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		1	12/8/10
Technical Consumer Products, Inc.	TCP	RL8A30K	RLA8A30K, RLA8A30K2	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	470	8.0	N/A	25000	3000	0.94	3	2/7/12
Technical Consumer Products, Inc.	TCP	RLP209W30K	RLP209W30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	25000	3000	0.93	3	2/7/12
Technical Consumer Products, Inc.	TCP	RLP3014W30K	RLP3014W30K	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	25000	3000	0.88	3	10/10/11
Technical Consumer Products, Inc.	TCP	RLP3817W30K	RLP3817W30K	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	25000	3000	0.9	3	11/4/11
Technical Consumer Products, Inc.	TCP	TCPA14IB		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/3/10
Technical Consumer Products, Inc.	TCP	TCPA14IB2BC		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	3/11/10
Technical Consumer Products, Inc.	TCP	TCPA14IBB2		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/15/10
Technical Consumer Products, Inc.	TCP	TCPG2514IB		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/3/10
Technical Consumer Products, Inc.	TCP	TCPG2514IB2TP		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/1/10
Technical Consumer Products, Inc.	TCP	TCPG2514IBB2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/21/10
Technical Consumer Products, Inc.	TCP	TCPR3014IB		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		2	5/3/10
Technical Consumer Products, Inc.	TCP	TCPR3014IB2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	5/4/10
Technical Consumer Products, Inc.	TCP	TCPR3014IB2BC		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	9/22/10
Technical Consumer Products, Inc.	TCP	TCPR3014IB2TP		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	6/1/10
Technical Consumer Products, Inc.	TCP	TCPR3014IBB2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		2	1/21/10
Technical Consumer Products, Inc.	TCP	TCPR3016DIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700		7	9/23/10
Technical Consumer Products, Inc.	TCP	TCPS09		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.61	9	12/30/10
Technical Consumer Products, Inc.	TCP	TCPS09BW	TCPS09BW	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	10000	3500	0.61	9	3/1/11
Technical Consumer Products, Inc.	TCP	TCPS09DL	TCPS09DL	Bare-spiral	E26/24 (medium)	CFL		550	9.07	N/A	10000	5000	0.61	2	3/1/11
Technical Consumer Products, Inc.	TCP	TCPS14		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.63	9	9/22/10
Technical Consumer Products, Inc.	TCP	TCPS14BC		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		7	3/11/10
Technical Consumer Products, Inc.	TCP	TCPS14DL		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000	0.64	9	12/1/10
Technical Consumer Products, Inc.	TCP	TCPS23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/8/10
Technical Consumer Products, Inc.	TCP	TCPS232		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/4/10
Technical Consumer Products, Inc.	TCP	TCPS23BC		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/17/10
Technical Consumer Products, Inc.	TCP	TCPS23BW	TCPS23BW	Bare-spiral	E26/24 (medium)	CFL		1600	23.6	N/A	10000	3500	0.62	9	3/1/11
Technical Consumer Products, Inc.	TCP	TCPT2134BC		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		7	3/11/10
Technical Consumer Products, Inc.	TCP	TCPT2234BC		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	3/11/10
Technical Consumer Products, Inc.	TCP	UB14 BULK 48		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		1	4/1/04
Technical Consumer Products, Inc.	TCP DuraBright	11BD691143		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/23/11
Technical Consumer Products, Inc.	TCP DuraBright	11BD694143		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/23/11
Technical Consumer Products, Inc.	TCP DuraBright	11BD6R30143		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	7/28/11
Technical Consumer Products, Inc.	TCP DuraBright	11BD6R3016DIM2		Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	3/8/11
Technical Consumer Products, Inc.	TCP INC	1G4014		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.61	2	4/18/08
Technical Consumer Products, Inc.	TCP Lightstyles	69114IBB2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.64	7	12/16/11
Technical Consumer Products, Inc.	TCP Lightstyles	TCPS23DIM2BC		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.96	9	12/15/11
Technical Consumer Products, Inc.	TCP - Powerlume	6PT213CD		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		9	7/31/09
Technical Consumer Products, Inc.	TCP - Pro	2R4019DIM30K		Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	19	N/A	8000	3000	0.95	1	12/22/10
Technical Consumer Products, Inc.	TCP - Pro	40114		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		1	6/1/10
Technical Consumer Products, Inc.	TCP - Pro	4011430K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	10000	3000	0.93	1	12/22/10
Technical Consumer Products, Inc.	TCP - Pro	4011441K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		1	12/21/10
Technical Consumer Products, Inc.	TCP - Pro	4011450K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	10000	5000	0.94	1	12/22/10
Technical Consumer Products, Inc.	TCP - Pro	40123		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.96	1	6/1/10
Technical Consumer Products, Inc.	TCP - Pro	41314		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.64	1	1/21/10
Technical Consumer Products, Inc.	TCP - Pro	4890530K		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	12000	3000	0.62	2	12/16/10
Technical Consumer Products, Inc.	TCP - Pro	48909		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	12000	2700	0.6	2	8/31/10
Technical Consumer Products, Inc.	TCP - Pro	4890941K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	12000	4100	0.6	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4890965K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	6500	0.6	2	12/16/10
Technical Consumer Products, Inc.	TCP - Pro	48913		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	2700	0.63	2	2/16/10
Technical Consumer Products, Inc.	TCP - Pro	4891330K		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	3000	0.63	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891335K		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	3500	0.63	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891341K		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	4100	0.63	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891350K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	5000	0.63	2	12/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891365K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	6500	0.58	2	8/17/10
Technical Consumer Products, Inc.	TCP - Pro	48913C		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	2700	0.63	2	2/16/10
Technical Consumer Products, Inc.	TCP - Pro	48918		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	4100	0.61	1	2/16/10
Technical Consumer Products, Inc.	TCP - Pro	4891830K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	3000	0.6	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891835K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	3500	0.58	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	4891841K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	4100	0.6	2	7/1/10
Technical Consumer Products, Inc.	TCP - Pro	48923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.62	2	1/21/10
Technical Consumer Products, Inc.	TCP - Pro	4T213GP		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	7/29/11
Technical Consumer Products, Inc.	TCP Set the Mood	6T3232DIMSTM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.96	9	12/15/11
Technical Consumer Products, Inc.	TCP Springlight	80100912		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	2/18/11
Technical Consumer Products, Inc.	TCP Springlight	80100935		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500		9	2/28/08
Technical Consumer Products, Inc.	TCP Springlight	801014AMO		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/24/11
Technical Consumer Products, Inc.	TCP Springlight	801014PERM		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	5/9/11
Technical Consumer Products, Inc.	TCP Springlight	801019PERM		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	3/14/11
Technical Consumer Products, Inc.	TCP Springlight	801023AMO		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/24/11
Technical Consumer Products, Inc.	TCP Springlight	801023PERM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/14/11
Technical Consumer Products, Inc.	TCP Springlight	8011912		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	2/18/11
Technical Consumer Products, Inc.	Technical Consumer Products	5G8092		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.61	2	12/5/08
Technical Consumer Products, Inc.	Technical Consumer Products	5M81435K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	2	12/5/08
Technical Consumer Products, Inc.	Technical Consumer Products	5M81935K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.54	2	12/5/08
Technical Consumer Products, Inc.	Technical Consumer Products	68914DLB6		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.63	9	10/25/11
The Home Depot	Commercial Electric	114-016		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	6000	2700	0.58	5	1/20/03
The Home Depot	Commercial Electric	207-810		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	2/17/06
The Home Depot	Commercial Electric	230-565		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		6	7/8/05
The Home Depot	Commercial Electric	280-235	2-pack	Covered globe	E26/24 (Medium)	CFL		495	9.0	N/A	6000	2700		5	7/24/02
The Home Depot	Commercial Electric	292-460 (5M8146)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		7	4/1/04
The Home Depot	Commercial Electric	334-552		Covered A-line	E26/24 (Medium)	CFL		450	9.0	N/A	6000	2700		5	10/1/02
The Home Depot	Commercial Electric	368-875		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	2700		5	5/8/03
The Home Depot	Commercial Electric	558-255		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	10/10/05
The Home Depot	Commercial Electric	569-480		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		6	7/8/05
The Home Depot	Commercial Electric	738-704		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	8/6/03
The Home Depot	Commercial Electric	771-428		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/12/02
The Home Depot	Commercial Electric	772-720		Bare-spiral	E26/24 (Medium)	CFL		2997	42.0	N/A	10000	2700		1	6/12/02

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
The Home Depot	Commercial Electric	772-739		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		6	6/12/02
The Home Depot	Commercial Electric	772-879		Bare-spiral	E26/24 (Medium)	CFL		540	9.0	N/A	10000	2700		7	6/12/02
The Home Depot	Commercial Electric	774-702		Covered globe	E26/24 (Medium)	CFL		477	9.0	N/A	8000	2700		6	6/13/02
The Home Depot	Commercial Electric	774-707		Covered bullet	E26/24 (Medium)	CFL		700	14.0	N/A	8000	2700		6	6/13/02
The Home Depot	Commercial Electric	784-374	784-374/3 (3-pack)	Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/13/02
The Home Depot	Commercial Electric	835-427		Covered A-line	E26/24 (Medium)	CFL		700	16.0	N/A	6000	2700	0.62	1	2/10/02
The Home Depot	ecosmart	148-030 (ES5M81935K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.55	2	12/15/08
The Home Depot	ecosmart	148-164 (ES5M81450K)		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	1/30/09
The Home Depot	ecosmart	148-545 (ES5M094RS)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.61	2	5/7/10
The Home Depot	ecosmart	148-545 (ES5M8094)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	149-508	ES5M823850K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	7/28/11
The Home Depot	ecosmart	150-062 (ES5M8192)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	150-127 (ES8M81435K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	1/30/09
The Home Depot	ecosmart	158-653 (ES5R3142)		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	158-653 (ES8R314IB2)		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	6/1/10
The Home Depot	ecosmart	159-979 (ES5P8232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	160-374 (ES5R31435K)		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		7	1/30/09
The Home Depot	ecosmart	160-588	ES59032	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700		9	8/4/10
The Home Depot	ecosmart	160-678 (ES5M814435K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	1/30/09
The Home Depot	ecosmart	160-740 (ES5M823235K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	1/30/09
The Home Depot	ecosmart	161-167 (ES5M814450K)		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	1/30/09
The Home Depot	ecosmart	161-301		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/08
The Home Depot	ecosmart	161-301 (ES5M8232)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	190-729	ES5M819235K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		9	9/15/10
The Home Depot	ecosmart	191-055 (ES5M819250K)		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		9	12/21/09
The Home Depot	ecosmart	195-981	ES5P38B6	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/25/10
The Home Depot	ecosmart	207-798 (ES5R314)		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	238-743	ES5M814C235K	Bare-spiral	E12 (Candelabra)	CFL		850	14	N/A	10000	3500	0.63	9	8/17/10
The Home Depot	ecosmart	238-743	ES5M814C235K	Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	3500	0.63	9	8/17/10
The Home Depot	ecosmart	238-809	ES5M814C250K	Bare-spiral	E12 (Candelabra)	CFL		900	14	N/A	10000	5000	0.63	9	9/2/10
The Home Depot	ecosmart	238-809	ES5M814C250K	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	5000	0.63	9	9/2/10
The Home Depot	ecosmart	238-875	ES5M814DIM2	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		9	8/25/10
The Home Depot	ecosmart	239-073	ES5R4192	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/24/10
The Home Depot	ecosmart	257-073	ES5R419B6	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/25/10
The Home Depot	ecosmart	288-506	ES5M823DIM2	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	8/16/11
The Home Depot	ecosmart	322-539		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/10
The Home Depot	ecosmart	324-981	ES5M8144RS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/17/10
The Home Depot	ecosmart	325-278	ES5R314IB2	Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	2/16/10
The Home Depot	ecosmart	362-283	ES5M10123	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700		9	7/31/08
The Home Depot	ecosmart	362-283	ES5M823D	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	9/8/10
The Home Depot	ecosmart	375-720		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	13/22/30	10000	3000		2	12/30/09
The Home Depot	ecosmart	405-101	ES5M194RS	Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		9	11/15/10
The Home Depot	ecosmart	405-101	ES5M8194	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	4/24/09
The Home Depot	ecosmart	423-599 (ES5M8144)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	423-599 (ES8M144RS)		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.63	2	6/7/10
The Home Depot	ecosmart	428-106	BPESL11R20/DM/ESM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700		2	6/30/09
The Home Depot	ecosmart	475-110	ES5M234RS; ES5M8234	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.61	9	4/24/09
The Home Depot	ecosmart	530-236	ES5R315DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	9/23/10
The Home Depot	ecosmart	530-565 (5R214)		Covered reflector	E26/24 (Medium)	CFL		465	14	N/A	8000	2700		2	12/15/08
The Home Depot	ecosmart	565-172	ES5R314235K	Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		9	4/24/09
The Home Depot	ecosmart	567-365	ES523B12	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/25/10
The Home Depot	ecosmart	599-163 (ES5A814235K)	ES5A814235K	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		7	2/11/09
The Home Depot	ecosmart	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		2	12/15/08
The Home Depot	ecosmart	599-526 (ES5M827250K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.58	9	12/15/08
The Home Depot	ecosmart	668-792	ES5M8144CAN	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/16/10
The Home Depot	ecosmart	681-136	ES5M81412C	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	12/3/10
The Home Depot	ecosmart	681-137	ES5R314IB6C	Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	12/15/10
The Home Depot	ecosmart	738-704		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/08
The Home Depot	ecosmart	738-704 (ES5M823)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	772-429 (ES5M81950K)		Bare-spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	5000		9	1/30/09
The Home Depot	ecosmart	772-720	ES5M842	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	772-739 (ES5M819)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	772-869 (ES5M814)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	772-879 (ES5M809)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/30/09
The Home Depot	ecosmart	785-800 (ES5M81412)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/9/09
The Home Depot	ecosmart	786-240 (ES5M81410)	ES5M81410	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.64	9	7/31/08
The Home Depot	ecosmart	791-552 (ES5R3146)		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	4/9/09
The Home Depot	ecosmart	963-699 (ES5A8092)		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	964-196	ES5GB142IB	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	12/15/08
The Home Depot	ecosmart	964-790 (ES5G8092)		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	967-034 (ES5A8142)	ES5A8142IB	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/30/09
The Home Depot	ecosmart	ECS 16 WW FL	866-920	MR - Multifaceted reflector	GU5.3	LED	Dimmable	272	5.9	N/A	25000	3000	1	3	1/6/11
The Home Depot	ecosmart	ECS 25 WW	866-788	G - Globe	E26/24 (Medium)	LED	Dimmable	405	7.83	N/A	15000	3000	0.94	5	1/13/11
The Home Depot	ecosmart	ECS 30 WW FL	866-392	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	719	15.37	N/A	25000	3000	0.78	5	1/6/11
The Home Depot	ecosmart	ECS 38 WW FL	866-194	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	883	18.71	N/A	25000	3000	0.75	5	1/6/11
The Home Depot	ecosmart	ES5GB14650K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		7	5/9/11
The Home Depot	ecosmart	ES5M809235K (250-321)		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500		9	4/24/09
The Home Depot	ecosmart	ES5M8141250K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	2/18/11
The Home Depot	ecosmart	ES5M814235KFREE		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		2	2/18/11
The Home Depot	ecosmart	ES5M814G		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/23/11
The Home Depot	ecosmart	ES5R2142 (598-633)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		2	12/15/08
The Home Depot	ecosmart	ES5R315DIM2 (460-929)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	2/23/11
The Home Depot	ecosmart	ES5R315DIM4	238 380	Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	3/10/11
The Home Depot	EcoSmart	150-127	150-127	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	3500	0.64	9	9/8/11
The Home Depot	EcoSmart	160-740	160-740	Bare-spiral	E26/24 (medium)	CFL		850	23.0	N/A	10000	3500	0.64	9	9/8/11
The Home Depot	EcoSmart	161-167 (ES5M8144RS50K)		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.64	9	9/7/11
The Home Depot	EcoSmart	252-763	ES5M809250K	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.6	9	5/5/11
The Home Depot	EcoSmart	278887	148545	Bare-Mini-Spiral	E26/24 (medium)	CFL		607	9.22	N/A	10000	2700	0.55	11	7/22/11
The Home Depot	EcoSmart	278895	150127	Bare-Mini-Spiral	E26/24 (medium)	CFL		1002	14.1	N/A	10000	3500	0.59	11	7/22/11
The Home Depot	EcoSmart	278929	160678	Bare-Mini-Spiral	E26/24 (medium)	CFL		1002	14.1	N/A	10000	3500	0.59	11	7/22/11
The Home Depot	EcoSmart	278937	160740	Bare-Mini-Spiral	E26/24 (medium)	CFL		1695	22.3	N/A	10000	3500	0.56	11	7/22/11
The Home Depot	EcoSmart	278986	250321	Bare-Mini-Spiral	E26/24 (medium)	CFL		668	9.63	N/A	10000	3500	0.54	11	7/22/11
The Home Depot	EcoSmart	279018	405101	Bare-Mini-Spiral	E26/24 (medium)	CFL		1318	19.0	N/A	10000	2700	0.58	11	7/22/11
The Home Depot	EcoSmart	279034	423599	Bare-Mini-Spiral	E26/24 (medium)	CFL		902	12.42	N/A	10000	2700	0.58	11	7/22/11
The Home Depot	EcoSmart	279075	475110	Bare-Mini-Spiral	E26/24 (medium)	CFL		1638	22.0	N/A	10000	2700	0.55	11	7/22/11
The Home Depot	EcoSmart	279083	481411	Covered-Candle	E26/24 (medium)	CFL		486	9.88	N/A	8000	2700	0.6	7	7/26/11
The Home Depot	EcoSmart	279190	567365	Bare-Mini-Spiral	E26/24 (medium)	CFL		1638	22.0	N/A	10000	2700	0.55	11	7/22/11
The Home Depot	EcoSmart	279364	772720	Bare-spiral	E26/24 (medium)	CFL		2916	39.91	N/A	12000	2700	0.55	11	7/26/11
The Home Depot	EcoSmart	279380	785800	Bare-Mini-Spiral	E26/24 (medium)	CFL		902	12.75	N/A	10000	2700	0.58	11	7/22/11
The Home Depot	EcoSmart	279430	964196	Covered Globe	E26/24 (medium)	CFL		909	14.8	N/A	8000	2700	0.58	7	8/4/11
The Home Depot	EcoSmart	279448	964790	Covered Globe	E26/24 (medium)	CFL		586	9.8	N/A	8000	2700	0.58	7	8/4/11
The Home Depot	EcoSmart	279455	967034	Covered A-line	E26/24 (medium)	CFL		849	14.6	N/A	8000	2700	0.58	7	8/4/11
The Home Depot	EcoSmart	279463	190729	Bare-Mini-Spiral	E26/24 (medium)	CFL		1311	17.19	N/A	10000	3500	0.57	11	7/22/11
The Home Depot	EcoSmart	384-314	384-314	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	5000	0.62	9	9/8/11
The Home Depot	EcoSmart	481-411	481-411	Covered-Candle	E12 (Candelabra)	CFL		350	7.0	N/A	8000	2700	0.64	7	9/8/11
The Home Depot	EcoSmart	598-635	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	11/2/10
The Home Depot	EcoSmart	EA1509	963699	Covered A-line	E26/24 (medium)	CFL		569	9.61	N/A	8000	2700	0.57	7	11/15/11
The Home Depot	EcoSmart	ECOT09 5K	252763	Bare-Mini-Spiral	E26/24 (medium)	CFL		532	8.7	N/A	10000	5000	0.56	9	10/21/11
The Home Depot	EcoSmart	ECOT14 5K	148164, 161167	Bare-Mini-Spiral	E26/24 (medium)	CFL		936	13.83	N/A	10000	5000	0.55	9	10/21/11
The Home Depot	EcoSmart	ECOT19 5K	191055	Bare-Mini-Spiral	E26/24 (medium)	CFL		1294	18.68	N/A	10000	5000	0.58	9	10/21/11
The Home Depot	EcoSmart	ECOT23 5K	159979	Bare-Mini-Spiral	E26/24 (medium)	CFL		1687	24.09	N/A	10000	5000	0.57	9	10/21/11
The Home Depot	EcoSmart	ECS 19 WW 120	7434000001	Non - Standard	E26/24 (Medium)	LED	Dimmable	385	7.7	N/A	50000	3000	0.94	5	7/7/11
The Home Depot	EcoSmart	ECS 25 WW	866-788	G - Globe	E26/24 (Medium)	LED	Dimmable	405	7.83	N/A	35000	3000	0.93	5	3/31/11
The Home Depot	EcoSmart	ECS A19 V2 WW	400 674	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	822	13.031	N/A	25000	3000	0.99	5	1/17/12
The Home Depot	EcoSmart	EP3823	159979, 195981	Covered Reflector	E26/24 (medium)	CFL		1396	22.79	N/A	8000	2700	0.57	7	11/15/11
The Home Depot	EcoSmart	ER3015	158653, 791552	Covered Reflector	E26/24 (medium)	CFL		821	15.11	N/A	8000	2700	0.57	7	11/15/11
The Home Depot	EcoSmart	ER4023	780758	Covered Reflector	E26/24 (medium)	CFL		1315	23.8	N/A	8000	2700	0.55	7	11/15/11
The Home Depot	EcoSmart	ES53116R30	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	11/22/10
The Home Depot	EcoSmart	ES5M234RS		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.62	9	12/2/11
The Home Depot	EcoSmart	ES5M814RS50K (148-164)		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000	0.63	9	10/18/11
The Home Depot	EcoSmart	ES5M868 (599-031)		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.61	9	1/5/12
The Home Depot	EcoSmart	ES9A8092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.61	7	12/13/11
The Home Depot	EcoSmart	ES9A814235K (599-163)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/13/11
The Home Depot	EcoSmart	ES9G8092		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700	0.61	9	12/14/11
The Home Depot	EcoSmart	ES9G814235K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/14/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
The Home Depot	EcoSmart	ES9G8142IB		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/13/12
The Home Depot	EcoSmart	ES9M1412		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.64	9	12/15/11
The Home Depot	EcoSmart	ES9M144RS		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.63	9	12/13/11
The Home Depot	EcoSmart	ES9M2312 (567-365)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	12/13/11
The Home Depot	EcoSmart	ES9M809235K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500	0.53	9	12/13/11
The Home Depot	EcoSmart	ES9M8094 (148-545)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.53	9	1/5/12
The Home Depot	EcoSmart	ES9M81435K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	9	12/12/11
The Home Depot	EcoSmart	ES9M814435K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	9	12/12/11
The Home Depot	EcoSmart	ES9M814450K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	1/5/12
The Home Depot	EcoSmart	ES9M81450K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	12/5/11
The Home Depot	EcoSmart	ES9M814C235K (238-743)		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	3500	0.63	9	1/25/12
The Home Depot	EcoSmart	ES9M814C250K		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	5000		9	2/13/12
The Home Depot	EcoSmart	ES9M814DIM2		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700	0.93	9	12/5/11
The Home Depot	EcoSmart	ES9M819235K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.54	9	12/12/11
The Home Depot	EcoSmart	ES9M819250K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000	0.6	9	12/12/11
The Home Depot	EcoSmart	ES9M8194		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.6	9	12/13/11
The Home Depot	EcoSmart	ES9M823235K (160-740)		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/14/12
The Home Depot	EcoSmart	ES9M8234		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	12/13/11
The Home Depot	EcoSmart	ES9M827250K (599-526)		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.58	9	12/13/11
The Home Depot	EcoSmart	ES9M842		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	2/13/12
The Home Depot	EcoSmart	ES9P8232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.61	7	12/9/11
The Home Depot	EcoSmart	ES9R2142 (598-833)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700	0.59	7	12/13/11
The Home Depot	EcoSmart	ES9R30146		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	12/13/11
The Home Depot	EcoSmart	ES9R314235K (565-172)		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500	0.63	7	1/4/12
The Home Depot	EcoSmart	ES9R314IB2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	12/9/11
The Home Depot	EcoSmart	ES9R40196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.55	7	12/13/11
The Home Depot	EcoSmart	ES9R4192		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.55	7	12/13/11
The Home Depot	EcoSmart	ES9R4232 (780-758)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	12/13/11
The Home Depot	n.vision	148-305		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	148-545		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	150-062		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	150-127	5M81435K; 5M814VAR	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3500		9	10/18/06
The Home Depot	n.vision	152-521		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	158-653 (5R3142)		Covered reflector	E26/24 (Medium)	CFL		640	14.0	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	159-979 (5P8232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	160-374 (5R31435K)	5R31435K	Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		7	12/31/06
The Home Depot	n.vision	160-678	5M814435K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3500		9	10/18/06
The Home Depot	n.vision	160-740 (5M823235K)	5M823235K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	11/2/06
The Home Depot	n.vision	161-235 (5M80935K)	5M80935K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500		9	12/31/06
The Home Depot	n.vision	161-301		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	161-340 (5M82335K)	5M82335K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	11/2/06
The Home Depot	n.vision	166-785 (5R3144)		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	207-798 (5R314)		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	207-810 (5R423)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	230-565		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	292-460 (5M8146)	292-460	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	10/18/06
The Home Depot	n.vision	362-283 / 5M10123		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700	0.96	9	5/16/08
The Home Depot	n.vision	423-599 (5M8144)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	530-565 (5R214)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	2/28/09
The Home Depot	n.vision	558-255		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	591-830 (5M8234)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	5/10/06
The Home Depot	n.vision	598-833 (5R2142)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	2/28/09
The Home Depot	n.vision	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/15/08
The Home Depot	n.vision	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		2	12/15/08
The Home Depot	n.vision	5M8234	591-830	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		9	10/18/06
The Home Depot	n.vision	5P8234	590-472	Covered reflector	E26/24 (Medium)	CFL		1200	23.0	N/A	8000	2700		7	10/18/06
The Home Depot	n.vision	738-704 (5M823)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	5/10/06
The Home Depot	n.vision	771-428		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	772-739		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	772-869 (5M814)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	772-897		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9.0	N/A	10000	2700		9	5/10/06
The Home Depot	n.vision	774-332		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	5/10/06
The Home Depot	n.vision	963-699		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/3/07
The Home Depot	n.vision	964-196		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/07
The Home Depot	n.vision	964-790	5G8092	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		2	4/3/07
The Home Depot	n.vision	967-034		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/07
TIBA International INC	AirpureLite	AP4227		Bare-spiral	E26/24 (Medium)	CFL		2850	42	N/A	10000	2700	0.59	2	1/18/12
Topaz Lighting	CXL TOPAZ	CF12-26/S/3W/27-46		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	5/19/08
Topaz Lighting	CXL TOPAZ	CF13A19/27-33		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	9/14/09
Topaz Lighting	CXL TOPAZ	CF13/A19/50-33		Covered A-line	E26/24 (Medium)	CFL		760	14	N/A	8000	5000		2	8/20/10
Topaz Lighting	CXL TOPAZ	CF13/MS/27-33		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.5	2	12/4/09
Topaz Lighting	CXL TOPAZ	CF13/MS/27-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.55	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF13/MS/27-46		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	10/21/09
Topaz Lighting	CXL TOPAZ	CF13/MS/41-33		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	12/6/10
Topaz Lighting	CXL TOPAZ	CF13/MS/41-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.59	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF13/MS/41-46		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100	0.5	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF13/MS/50-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.59	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF13/SMS/27-33		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700		2	8/20/10
Topaz Lighting	CXL TOPAZ	CF13/SMS/27-43		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.59	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF13/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	2700	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF13/SMS/27/E12-46		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/10/09
Topaz Lighting	CXL TOPAZ	CF13/SMS/41-46		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF13/SMS/41-46		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF13/SMS/50-46		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF15-40/S/3W/27-46		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/26/40	10000	2700		2	7/10/09
Topaz Lighting	CXL TOPAZ	CF15/A21/27-46		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	5/19/08
Topaz Lighting	CXL TOPAZ	CF15/A21/41-46		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF15/G30/27-46		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	1/19/10
Topaz Lighting	CXL TOPAZ	CF15/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	2700	0.5	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF15/MS/27/ES	CF15/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	11/21/07
Topaz Lighting	CXL TOPAZ	CF15/PAR30/27-46		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	11/29/10
Topaz Lighting	CXL TOPAZ	CF15/PAR30/41-46		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	11/29/10
Topaz Lighting	CXL TOPAZ	CF15/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1010	15	N/A	12000	2700	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/41-43		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.59	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/41-46		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/50-46		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	5000	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF18/SMS/65-46		Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	10000	6500		2	11/29/10
Topaz Lighting	CXL TOPAZ	CF20/MS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.54	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF20/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.5	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF20/MS/27/ES	CF20/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	11/6/07
Topaz Lighting	CXL TOPAZ	CF20/MS/41-43		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.58	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF23/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/22/09
Topaz Lighting	CXL TOPAZ	CF23/MS/27/ES	CF23/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	11/6/07
Topaz Lighting	CXL TOPAZ	CF23/MS/41-43		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.57	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF23/PAR38/27-46		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF23/R40/27-33		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.55	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF23/R40/27-46		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-33		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/20/10
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	2	7/30/09
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/21/09
Topaz Lighting	CXL TOPAZ	CF23/SMS/41-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF23/SMS/50-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.58	2	12/31/09
Topaz Lighting	CXL TOPAZ	CF23/SMS/65-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	11/29/10
Topaz Lighting	CXL TOPAZ	CF27/MS/27/ES	CF27/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1825	27	N/A	10000	2700		2	11/21/07
Topaz Lighting	CXL TOPAZ	CF32/MS/27-33		Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700		2	8/20/10
Topaz Lighting	CXL TOPAZ	CF5/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	11/30/10
Topaz Lighting	CXL TOPAZ	CF7/CTW/27-46		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	10000	2700		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF9/ETW/27-33		Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700		2	8/3/09
Topaz Lighting	CXL TOPAZ	CF9/MS/27-46		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	2/17/10
Topaz Lighting	CXL TOPAZ	CF9/SMS/27-33		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/20/10
Topaz Lighting	CXL TOPAZ	CF9/SMS/27/E12-46		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	7/10/09
Topaz Lighting	TOPAZ-CXL	CF15/MS/27-43		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.55	2	8/7/09
Topaz Lighting	TOPAZ-CXL	CF15/R30/27-43		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.55	2	8/7/09
Topaz Lighting	TOPAZ-CXL	CF9/SMS/41-43		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.57	2	8/7/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Topaz Lighting	Topaz Lighting	CF13/SMS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	2/18/10
Topaz Lighting	Topaz Lighting	CF18/MS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	2/18/10
Topaz Lighting	Topaz Lighting	CF26/MS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	2/18/10
Topco Associates, LLC	Electrix	04384/1K	X19771	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/20/33	8000	2700		7	6/24/11
Topco Associates, LLC	Electrix	04388		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/29/09
Topco Associates, LLC	Electrix	04388/YX	04388/YX	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/24/11
Topco Associates, LLC	Electrix	04389		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	12/1/06
Topco Associates, LLC	Electrix	04390		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	7/1/09
Topco Associates, LLC	Electrix	04392		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/1/09
Topco Associates, LLC	Electrix	04393		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	9/2/09
Topco Associates, LLC	Electrix	06672		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/1/09
Topco Associates, LLC	Electrix	06672/YX	06672	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/1/09
Topco Associates, LLC	Electrix	07944	07850	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	6/25/09
Topco Associates, LLC	Electrix	07945		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	12/1/06
Topco Associates, LLC	Electrix	07945 (2M)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/12/10
Topco Associates, LLC	Electrix	07945 (2H)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/12/10
Topco Associates, LLC	Electrix	07945 (2J)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/18/10
Topstar International	Topstar	CFLT3MSB-26W	CFLT3MSB-26W	Bare-spiral	E26/24 (Medium)	CFL		1600	26.0	N/A	10000	2700	0.55	2	7/21/11
Toshiba International Corporation	Toshiba	LDAB0827WE6USD	8A19/27F-UP, 8A19/27F-URB	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	490	8.17	N/A	25000	2700	0.76	5	2/3/12
Toshiba International Corporation	Toshiba	LDAB0840WE6USD	8A19/40F-UP	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	530	8.14	N/A	25000	4000	0.76	5	2/3/12
Toshiba International Corporation	Toshiba	LDRA0727MU5USD	7MR16/827NFL25	MR - Multifaceted reflector	GU5.3	LED	Dimmable	280	6.7	N/A	40000	2700	0.75	5	1/21/12
Toshiba International Corporation	Toshiba	LDRA0727NU5USD	6MR16/827SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	274	6.2	N/A	25000	2700	0.74	5	11/18/11
Toshiba International Corporation	Toshiba	LDRA0730MU5USD	7MR16/830NFL25	MR - Multifaceted reflector	GU5.3	LED	Dimmable	302	6.7	N/A	25000	3000	0.74	5	11/18/11
Toshiba International Corporation	Toshiba	LDRA0730NU5USD	6MR16/830SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	276	6.2	N/A	25000	3000	0.72	5	11/29/11
Toshiba International Corporation	Toshiba	LDRA0730WU5USD	7MR16/830FL35	MR - Multifaceted reflector	GU5.3	LED	Dimmable	304	6.7	N/A	25000	3000	0.73	5	11/18/11
Toshiba International Corporation	Toshiba	LDRA0740NU5USD	6MR16/840SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	286	6.2	N/A	25000	4000	0.73	5	11/29/11
Toshiba International Corporation	Toshiba	LDRB0927ME6USD	9P20/827NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	367	9.0	N/A	40000	2700	0.82	5	1/5/12
Toshiba International Corporation	Toshiba	LDRB0927NE6USD	9P20/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	394	8.6	N/A	40000	2700	0.8	5	11/29/11
Toshiba International Corporation	Toshiba	LDRB0930ME6USD	9P20/830NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	385	9.0	N/A	40000	3000	0.81	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB0930NE6USD	9P20/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	382	8.6	N/A	40000	3000	0.8	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1627ME6USD	16P30S/827NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	755	16.1819	N/A	40000	2700	0.76	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1627NE6USD	16P30S/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	668	15.6	N/A	40000	2700	0.77	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB1627NE6USDL	16P30L/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	660	15.6	N/A	40000	2700	0.77	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB1627WE6USD	16P30S/827FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	760	16.3	N/A	25000	2700	0.76	5	8/30/11
Toshiba International Corporation	Toshiba	LDRB1630ME6USD	16P30S/830NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	757	16.3	N/A	40000	3000	0.77	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1630ME6USDL	16P30L/830NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	777	16.3	N/A	40000	3000	0.76	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1630NE6USD	16P30S/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	691	15.6	N/A	40000	3000	0.77	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB1630NE6USDL	16P30L/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	681	15.6	N/A	40000	3000	0.78	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1630WE6USD	16P30S/830FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	781	16.3	N/A	40000	3000	0.77	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1630WE6USDL	16P30L/830FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	766	16.3	N/A	40000	3000	0.76	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1640ME6USDL	16P30L/840NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	788	16.3	N/A	25000	4000	0.78	5	12/15/11
Toshiba International Corporation	Toshiba	LDRB1640NE6USD	16P30S/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	717	15.6	N/A	40000	4000	0.77	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB1640NE6USDL	16P30L/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	712	15.6	N/A	40000	4000	0.77	5	11/21/11
Toshiba International Corporation	Toshiba	LDRB1640WE6USD	16P30S/840FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	798	16.3	N/A	25000	4000	0.78	5	12/15/11
Toshiba International Corporation	Toshiba	LDRB2027ME6USD	20P38/827NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	949	20.3	N/A	40000	2700	0.74	5	1/5/12
Toshiba International Corporation	Toshiba	LDRB2027NE6USD	19P38/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	717	19.2	N/A	40000	2700	0.75	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2027WE6USD	20P38/827FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	965	20.3	N/A	40000	2700	0.74	5	1/5/12
Toshiba International Corporation	Toshiba	LDRB2030ME6USD	20P38/830NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	931	20.3	N/A	40000	3000	0.75	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2030NE6USD	19P38/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	880	19.2	N/A	40000	3000	0.76	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2030WE6USD	20P38/830FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	945	20.3	N/A	40000	3000	0.75	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2035ME6USD	20P38/835NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	987	20.3	N/A	40000	3500	0.76	5	1/11/12
Toshiba International Corporation	Toshiba	LDRB2035NE6USD	19P38/835SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	893	19.2	N/A	40000	3500	0.76	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2035WE6USD	20P38/835FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1013	20.3	N/A	40000	3500	0.76	5	1/11/12
Toshiba International Corporation	Toshiba	LDRB2040ME6USD	20P38/840NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	985	20.3	N/A	40000	4000	0.76	5	1/11/12
Toshiba International Corporation	Toshiba	LDRB2040NE6USD	19P38/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	876	19.2	N/A	40000	4000	0.76	5	11/18/11
Toshiba International Corporation	Toshiba	LDRB2040WE6USD	20P38/840FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1027	20.3	N/A	40000	4000	0.76	5	1/11/12
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/MINISPIRAL/BL/2/BUYERS	29131	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		6	7/10/07
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/MINISPIRAL/BL/BC/ZJ (290	29088	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/28/10
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/827/RP6 (29404)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/1/09
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHO	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	6/29/09
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHO	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/6/10
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHO	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/7/11
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHO	29404	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/16/10
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHO	29404	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	2700		7	7/7/11
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHO	29404	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	1/26/10
Transport & Distribution, Inc.	Buyer's Choice	CF16EL/BR30/RP/BUYERSCHOICE	29678	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/15/11
Transport & Distribution, Inc.	Buyer's Choice	CF16EL/BR30/RP/BUYERSCHOICE	29955	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/15/11
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/MINISPIRAL/BC/2700K/BL/	29607	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/2/07
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/SPIRAL/RP3/BUYERSCHO	29570	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		9	8/10/09
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/SPIRAL/RP4/BUYERSCHO	29403	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		5	6/25/09
Transport & Distribution, Inc.	Buyer's Choice	CF33EL/3WAY/RP/BUYERSCHOICE	29915	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	3/31/10
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/3PK/BUYERSCHOIC	29679	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	10/22/09
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/BUYERSCHOICE (2	29960	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	10/22/09
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/BUYERSCHOICE/Z,	29960	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	7/30/10
Transport & Distribution, Inc.	Premier Value	CF13EL/MINISPIRAL/827/PREMIER	09263	Bare-spiral	E26/24 (Medium)	CFL		875	13	N/A	8000	2700		7	8/26/10
True Value Company	Westpointe	784247		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	10/11/07
True Value Company	Westpointe	784274		Covered reflector	E26/24 (Medium)	CFL		610	15	N/A	10000	2700		5	10/11/07
True Value Company	Westpointe	784282		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		9	10/12/07
True Value Company	Westpointe	784296		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784304		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784373		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		9	10/12/07
True Value Company	Westpointe	784387		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		9	10/12/07
True Value Company	Westpointe	784415		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	10/2/07
True Value Company	Westpointe	784423		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/08
True Value Company	Westpointe	784456		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		9	10/12/07
True Value Company	Westpointe	784486		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784494		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		5	10/11/07
True Value Company	Westpointe	784506		Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		9	10/12/07
True Value Company	Westpointe	784514		Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		9	10/12/07
True Value Company	Westpointe	784522		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784536		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784544		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784555		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		9	10/12/07
True Value Company	Westpointe	784563	784627, 784415, 784563	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	9/27/07
True Value Company	Westpointe	784577		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/08
True Value Company	Westpointe	784593		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/08
True Value Company	Westpointe	784605		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784613		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784627	784627, 784415, 784563	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	9/27/07
True Value Company	Westpointe	784643	784643, 784676, 784522, 784486	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	9/27/07
True Value Company	Westpointe	784654		Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		9	10/12/07
True Value Company	Westpointe	784662		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		9	10/15/07
True Value Company	Westpointe	784676		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	784684		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/07
True Value Company	Westpointe	WP13MSLT2	784643; 784296	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	8/4/09
True Value Company	Westpointe	WP13MSLT2-41	117430; 117435	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		11	4/5/10
True Value Company	Westpointe	WP14MRL/S	784353	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		9	12/31/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
True Value Company	Westpointe	WP14SDIM	117441	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		7	3/2/10
True Value Company	Westpointe	WP15FP3/S	117437	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000		7	12/30/10
True Value Company	Westpointe	WP16SR3DIM	784274	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		7	3/5/10
True Value Company	Westpointe	WP18MSLT2	784316, 784613	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		11	12/22/09
True Value Company	Westpointe	WP19SFP3DIM	117445	Covered reflector	E26/24 (Medium)	CFL	Dimmable	780	19	N/A	8000	2700		7	3/5/10
True Value Company	Westpointe	WP20SFP38DIM	117446	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700		7	3/5/10
True Value Company	Westpointe	WP23FP38/S	117438	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000		7	12/30/10
True Value Company	Westpointe	WP23MPL/S	784437	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		7	3/8/10
True Value Company	Westpointe	WP23MSLT2	784304, 784605	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/8/09
True Value Company	Westpointe	WP23MSLT2-65	784635; 784464	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	4/5/10
True Value Company	Westpointe	WP24SDIM	784254	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1490	24	N/A	8000	2700		7	3/5/10
True Value Company	Westpointe	WP42MSL	784365	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	12/8/09
True Value Company	Westpointe	WP9MGL/S		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	12/22/09
Turolight Inc.	EDGE	TL-EDGE11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		1	12/5/08
Turolight Inc.	Genesis	GEOM15		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	10000	2700		1	9/28/05
Turolight Inc.	Genesis	GEOM20		Bare-spiral	E26/24 (Medium)	CFL		1230	20	N/A	10000	2700		1	9/28/05
Turolight Inc.	Turolight	TL-EDGE14-2700K		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE14-3000K		Bare-spiral	E26/24 (Medium)	CFL		875	14	N/A	10000	3000		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE14-3500K		Bare-spiral	E26/24 (Medium)	CFL		885	14	N/A	10000	3500		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE14-4100K		Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE14-5000K		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE23-2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE23-3000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE23-3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE23-4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		1	9/1/10
Turolight Inc.	Turolight	TL-EDGE23-5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		1	9/1/10
U Lighting America	ULA	SDF-23W	SDF23W1P-R40DIM; SDF23W2P-R40DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1080	23	N/A	8000	2700	0.97	2	1/24/11
U Lighting America	ULA	SDR-15W	SDR15W2P-R30DIM; SDR15W1P-R30DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	9/26/07
U Lighting America	ULA	SDR-20W	SDR20W2P-R30DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	970	20	N/A	8000	2700	0.97	2	1/24/11
U Lighting America	ULA	SDR-23W	SDR23W2P-R30DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1150	23	N/A	8000	2700		2	9/26/07
U Lighting America	ULA	SDS-13W	SDS13W-2P	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	13	N/A	8000	2700	0.97	2	12/31/10
U Lighting America	ULA	SFU23W-4P		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/8/10
U Lighting America	ULA	SPS-15W	SPS-15W2P	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.97	2	12/3/09
U Lighting America	ULA	STS-15W	STS15W-1P, STS15W-4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	8000	2700		5	5/18/07
U Lighting America	ULA	STS-23W2P		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	7/24/09
U Lighting America	U Lighting	SDS-23W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	3/10/06
U Lighting Group Co., Ltd	ULA	SUA-15W	SUA15W2P-A19; SUA15W4P-A19; SUA15W3P-A19	Covered A-line	E26/24 (Medium)	CFL		807	15	N/A	8000	2700	0.97	2	4/8/10
Uninex	K-LITE	KL1610		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	8000	2700		7	5/17/05
Uninex	K-LITE	KL1615		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	5/17/05
Uninex	K-LITE	KL1909	KL19092	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	12/21/07
Uninex	K-LITE	KL1913		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/9/09
Uninex	K-LITE	KL19142	KL8834; KL1993, KL8834B	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		5	1/13/10
Uninex	K-LITE	KL19142-41	KL8834-41	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		5	3/31/11
Uninex	K-LITE	KL1915		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	19	N/A	10000	2700		5	10/30/06
Uninex	K-LITE	KL1919	KL1992, KL8833, KL8838B, KL8833B	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.53	2	12/31/07
Uninex	K-LITE	KL1920		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	1/9/09
Uninex	K-LITE	KL1923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		5	10/30/06
Uninex	K-LITE	KL19232-35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/7/09
Uninex	K-LITE	KL19232-50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	10/7/09
Uninex	K-LITE	KL1923T2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/9/09
Uninex	K-LITE	KL1991-27	KL1991-27	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	9/22/11
Uninex	K-LITE	KL1991-50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	7/5/11
Uninex	K-LITE	KL1991B	KL1991B	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	9/22/11
Uninex	K-LITE	KL8800	KL8800B; KL88003; KL88002	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500	0.56	5	6/29/09
Uninex	K-LITE	KL8802		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700		5	10/25/10
Uninex	K-LITE	KL8806		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700		2	1/27/09
Uninex	K-LITE	KL8807		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	1/27/09
Uninex	K-LITE	KL8811		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	1/27/09
Uninex	K-LITE	KL8820	KL8832; KL8833, KL8834, KL8834-41, KL8835, KL8835B, KL8834B	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	10/8/09
Uninex	K-LITE	KL8829		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1650	23	N/A	10000	2700		2	10/7/09
Uninex	K-LITE	KL8830		Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	15	N/A	8000	2700		2	10/7/09
Uninex	K-LITE	KL8831		Covered reflector	E26/24 (Medium)	CFL		1000	20	N/A	8000	2700		2	10/8/09
Uninex	K-LITE	KL8832		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		7	5/25/11
Uninex	K-LITE	KL8832-50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		7	7/6/11
Uninex	K-LITE	KL8836B	KL8838B	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	2/17/12
Ushio America Inc.	Ushio	CF13CLT/2700/E26		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/4/09
Ushio America Inc.	Ushio	CF13CLT/2700/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	6/16/09
Ushio America Inc.	Ushio	CF13CLT/4100/E26		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	6/4/09
Ushio America Inc.	Ushio	CF13CLT/4100/E26		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	6/4/09
Ushio America Inc.	Ushio	CF13CLT/4100/GU24	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	6/16/09
Ushio America Inc.	Ushio	CF15R30/2700/E26		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	5/28/09
Ushio America Inc.	Ushio	CF15R30/4100/E26		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100	0.58	2	11/16/10
Ushio America Inc.	Ushio	CF18CLT/2700/E26		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	6/4/09
Ushio America Inc.	Ushio	CF18CLT/2700/GU24	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	6/16/09
Ushio America Inc.	Ushio	CF18CLT/4100/E26		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	4100		2	9/22/09
Ushio America Inc.	Ushio	CF23CLT/2700/E26		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/4/09
Ushio America Inc.	Ushio	CF23CLT/2700/GU24	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	6/16/09
Ushio America Inc.	Ushio	CF23CLT/4100/E26		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/4/09
Ushio America Inc.	Ushio	CF23PAR38/2700/E26		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700		2	9/22/09
Ushio America Inc.	Ushio	CF23PAR38/4100/E26		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	9/24/10
Ushio America Inc.	Ushio	CF26CLT/2700/E26		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	9/30/10
Ushio America Inc.	Ushio	CF26CLT/2700/GU24	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	6/16/09
Uspar Enterprises	Eco Saver	PL-13SP/WW	PL-13SP/WW/4P/BX	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/2/09
Uspar Enterprises	Eco Saver	PL-15EG/WW		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	4/1/10
Uspar Enterprises	Eco Saver	PL-20ESP/CW	PL-20ESP/CW/4P/BX	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	4/2/09
Uspar Enterprises	Eco Saver	PL-20ESP/WW	PL-20ESP/WW/4P/BX	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	4/2/09
Uspar Enterprises	Eco Saver	PL-23PAR/BX/WW		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.55	2	3/25/10
Uspar Enterprises	Eco Saver	PL-23SP/CW	PL-23SP/CW; PL-23SP/CW/4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/2/09
Uspar Enterprises	Eco Saver	PL-7EB/WW		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	3/25/10
Uspar Enterprises	Eco Saver	PL-9SP/CW		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	4/5/10
Uspar Enterprises	Liberty Lights	PL-15EB/WW		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	3/25/10
Uspar Enterprises	Liberty Lights	PL-15R30DIM/WW	15R30DIM/WW	Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	1/3/08
Uspar Enterprises	Liberty Lights	PL-23SP/WW	PL-23SP/WW/4P/BX	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/2/09
Uspar Enterprises	Liberty Lights	PL-403W/WW	403W/WW	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/26/40	10000	2700		2	1/3/08
Uspar Enterprises	Liberty Lights	PL-9SP/WW		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	3/25/10
Uspar Enterprises	Liberty Lights Ecosaver	PL-13ESGU/CW	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-13ESGU/CW	N/A	Bare-spiral	GU24	CFL		967	13.74	N/A	10000	4100	0.59	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-13ESGU/WW	N/A	Bare-spiral	GU24	CFL		828	12.52	N/A	10000	2700	0.55	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-13ESGU/WW	N/A	Bare-spiral	GU24	CFL		901	12.94	N/A	10000	2700	0.57	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-18ESGU/CW	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-18ESGU/CW	N/A	Bare-spiral	GU24	CFL		1431	19.19	N/A	10000	4100	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-18ESGU/WW	N/A	Bare-spiral	GU24	CFL		1243	18.64	N/A	10000	2700	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-18ESGU/WW	N/A	Bare-spiral	GU24	CFL		1369	19.33	N/A	10000	2700	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-23ESGU/CW	N/A	Bare-spiral	GU24	CFL		1625	21.348	N/A	10000	4100	0.57	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-23ESGU/CW	N/A	Bare-spiral	GU24	CFL		1721	23.036	N/A	10000	4100	0.57	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-23ESGU/WW	N/A	Bare-spiral	GU24	CFL		1508	21.9	N/A	10000	2700	0.61	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-23ESGU/WW	N/A	Bare-spiral	GU24	CFL		1704	23.59	N/A	10000	2700	0.63	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-26ESGU/CW	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-26ESGU/CW	N/A	Bare-spiral	GU24	CFL		1705	25.715	N/A	10000	4100	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-26ESGU/WW	N/A	Bare-spiral	GU24	CFL		1710	25.393	N/A	10000	2700	0.58	2	3/30/09
Uspar Enterprises	Liberty Lights Ecosaver	PL-26ESGU/WW	N/A	Bare-spiral	GU24	CFL		1722	26.086	N/A	10000	2700	0.57	2	3/30/09
Valu Merchandisers/Best Choice	Best Choice	BPESL18TM/2/BC		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700		2	7/28/09
Valu Merchandisers/Best Choice	Best Choice	BPESL23TM/2/BC		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	3/3/08
Valu Merchandisers/Best Choice	Best Choice	FLE13HT3/2/SW	61749	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		2	6/8/10
Valu Merchandisers/Best Choice	Best Choice	FLE20HT3/2/SW	61750	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700		2	6/8/10
Valu Merchandisers/Best Choice	Best Choice	FLE26HT3/2/SW	61751	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		2	6/8/10
VChoice Inc.	VChoice	VC-R30-15-27-1		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		5	9/17/10
VChoice Inc.	VChoice	VC-R40-23-27-1		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		5	9/17/10
VChoice Inc.	VChoice	VC-SP-09-27-1		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		7	9/9/10
VChoice Inc.	VChoice	VC-SP-11/20/26-27-1		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	11/20/26	10000	2700		7	9/13/10
VChoice Inc.	VChoice	VC-SP-13-27-1	VC-SP-13-27-4	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		8	9/9/10
VChoice Inc.	VChoice	VC-SP-13-50-1		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		7	9/9/10
VChoice Inc.	VChoice	VC-SP-14-27-1	VC-SP-14-27-4	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		8	9/9/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
VChoice Inc.	VChoice	VC-SP-14-50-1		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		7	9/9/10
VChoice Inc.	VChoice	VC-SP-18-27-1		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		8	9/9/10
VChoice Inc.	VChoice	VC-SP-18-50-1		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		7	9/9/10
VChoice Inc.	VChoice	VC-SP-19-27-1		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700		8	9/9/10
VChoice Inc.	VChoice	VC-SP-19-50-1		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		7	9/9/10
VChoice Inc.	VChoice	VC-SP-23-27-6		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/9/10
VChoice Inc.	VChoice	VC-SP-23-50-1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		7	9/9/10
VChoice Inc.	VChoice	VC-SP-42-27-1		Bare-spiral	E26/24 (Medium)	CFL		2600	42	N/A	10000	2700		7	9/9/10
Verbatim Americas	Verbatim	M16ES-L330-C30-B25	97842	MR - Multifaceted reflector	GU5.3	LED		321	6.0	N/A	25000	3000	0.7	3	1/12/12
Verbatim Americas	Verbatim	P20ES-L500-C30-B25	97844	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	5	12/12/11
Verbatim Americas	Verbatim	P30ES-LN-L740-C27-B25	97845	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	14.0	N/A	25000	2700	0.8	5	12/19/11
Verbatim Americas	Verbatim	P30ES-LN-L800-C30-B25	97846	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	5	12/12/11
Verbatim Americas	Verbatim	P38ES-L1000-C30-B25	97848	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	5	12/12/11
Verbatim Americas	Verbatim	P38ES-L920-C27-B25	97847	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	928	17.0	N/A	25000	2700	0.8	5	12/19/11
Verilux, Inc.	Verilux	CFS13VLX		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.52	2	5/28/10
Verilux, Inc.	Verilux	CFS18VLX		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500	0.52	2	5/28/10
Verilux, Inc.	Verilux	CFS23VLX		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.52	2	5/28/10
VIVA GREENLIGHTING CO LTD.	VIVA	4SD SB23		Bare-spiral	E26/24 (Medium)	CFL		1686	23	N/A	12000	2700	0.57	2	7/24/09
VIVA GREENLIGHTING CO LTD.	VIVA	4SD SBG16		Covered globe	E26/24 (Medium)	CFL		860	16	N/A	10000	2700	0.56	2	8/31/10
VIVA GREENLIGHTING CO LTD.	VIVA	A19S-9W		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	3000		2	6/19/06
VIVA GREENLIGHTING CO LTD.	VIVA	JR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	10000	2700	0.6	2	2/11/08
VIVA GREENLIGHTING CO LTD.	VIVA	JR19		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.55	2	7/14/08
VIVA GREENLIGHTING CO LTD.	VIVA	JR23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.58	2	7/14/08
VIVA GREENLIGHTING CO LTD.	VIVA	JR32		Bare-spiral	E26/24 (Medium)	CFL		1900	32	N/A	12000	3000	0.55	2	7/14/08
VIVA GREENLIGHTING CO LTD.	VIVA	JR32-2700K		Bare-spiral	E26/24 (Medium)	CFL		2400	32	N/A	10000	2700	0.56	2	9/7/10
VIVA GREENLIGHTING CO LTD.	VIVA	JR9		Bare-spiral	E26/24 (Medium)	CFL		640	9	N/A	12000	2700	0.56	2	7/14/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP13 2700K	N/A	Bare-spiral	GU24	CFL		846	12.9	N/A	10000	2700	0.59	2	5/21/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP13 3000K	N/A	Bare-spiral	GU24	CFL		846	12.9	N/A	10000	3000	0.59	2	2/12/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP18 2700K	N/A	Bare-spiral	GU24	CFL		1253	18.8	N/A	10000	2700	0.55	2	5/21/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP18 3000K	N/A	Bare-spiral	GU24	CFL		1253	18.8	N/A	10000	3000	0.55	2	2/12/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP23 2700K	N/A	Bare-spiral	GU24	CFL		1540	22.6	N/A	10000	2700	0.57	2	5/21/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP23 3000K	N/A	Bare-spiral	GU24	CFL		1540	22.6	N/A	10000	3000	0.57	2	2/12/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP9 2700K	N/A	Bare-spiral	GU24	CFL		590	9.3	N/A	10000	2700	0.56	2	5/21/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRP9 3000K	N/A	Bare-spiral	GU24	CFL		599	9.3	N/A	10000	3000	0.56	2	1/30/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRS23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.58	2	4/24/09
VIVA GREENLIGHTING CO LTD.	VIVA	JRT32		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2400	N/A	12/21/32	12000	2700	0.56	2	12/29/08
VIVA GREENLIGHTING CO LTD.	VIVA	JRT32-3500K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2280	N/A	12/21/32	10000	3500	0.57	2	8/31/10
VIVA GREENLIGHTING CO LTD.	VIVA	JRT32-6500K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2120	N/A	12/21/32	10000	6500	0.56	2	9/7/10
VIVA GREENLIGHTING CO LTD.	VIVA	MA14W		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	3000		2	1/20/04
VIVA GREENLIGHTING CO LTD.	VIVA	MA14W/830		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	3000		2	8/17/05
VIVA GREENLIGHTING CO LTD.	VIVA	MG11-3500K		Covered globe	E26/24 (Medium)	CFL		450	11	N/A	8000	3500		2	1/21/05
VIVA GREENLIGHTING CO LTD.	VIVA	MS23-3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	5/14/04
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA11 2700K	N/A	Bare-spiral	GU24	CFL		620	10.6	N/A	10000	2700	0.59	2	6/5/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 2700K	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	2700	0.55	2	9/4/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 3000K	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	3000	0.55	2	6/6/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 4100K	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	4100	0.55	2	9/4/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS11.50, PBCFS1150 3000K	N/A	Bare-spiral	GU24	CFL		620	9.6	N/A	10000	3000	0.6	2	5/21/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 2700K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	2700	0.53	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 3000K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	3000	0.53	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 3500K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	3500	0.53	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 4100K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	4100	0.53	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS18XX 2700K	N/A	Bare-spiral	GU24	CFL		1355	20.2	N/A	10000	2700	0.55	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS18XX 3000K	N/A	Bare-spiral	GU24	CFL		1355	20.2	N/A	10000	3000	0.55	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS26XX 2700K	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	2700	0.52	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS26XX 3000K	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	3000	0.52	2	6/10/08
VIVA GREENLIGHTING CO LTD.	VIVA	PG15/830		Covered globe	E26/24 (Medium)	CFL		780	15	N/A	10000	3000		2	6/19/06
VIVA GREENLIGHTING CO LTD.	VIVA	R30S-15		Covered reflector	E26/24 (Medium)	CFL		813	15	N/A	10000	2700	0.57	2	3/10/09
VIVA GREENLIGHTING CO LTD.	VIVA	R30S-16		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	12000	3000	0.55	2	3/28/08
VIVA GREENLIGHTING CO LTD.	VIVA	SA11		Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	10/2/07
VIVA GREENLIGHTING CO LTD.	VIVA	SA14		Covered A-line	E26/24 (Medium)	CFL		850	14	N/A	10000	2700	0.55	2	3/3/09
VIVA GREENLIGHTING CO LTD.	VIVA	SA15		Covered A-line	E26/24 (Medium)	CFL		850	15	N/A	10000	2700	0.56	2	2/25/09
VIVA GREENLIGHTING CO LTD.	VIVA	SA9		Covered A-line	E26/24 (Medium)	CFL		550	9	N/A	10000	3000	0.57	2	8/19/08
VIVA GREENLIGHTING CO LTD.	VIVA	SA9/827		Covered A-line	E26/24 (Medium)	CFL		510	9	N/A	10000	2700	0.55	2	5/8/09
VIVA GREENLIGHTING CO LTD.	VIVA	SB20		Covered-post	E26/24 (Medium)	CFL		1180	20	N/A	10000	2700	0.56	2	2/25/09
VIVA GREENLIGHTING CO LTD.	VIVA	SBA16D		Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	10000	3000	0.5	2	2/11/08
VIVA GREENLIGHTING CO LTD.	VIVA	SBR16D		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	12000	3000	0.55	2	5/1/08
VIVA GREENLIGHTING CO LTD.	VIVA	SBS1350-3000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.61	2	8/21/07
VIVA GREENLIGHTING CO LTD.	VIVA	SBS18D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	18	N/A	10000	2700	0.62	2	2/11/08
VIVA GREENLIGHTING CO LTD.	VIVA	SG14		Covered globe	E26/24 (Medium)	CFL		890	14	N/A	10000	3000	0.57	2	8/19/08
VIVA GREENLIGHTING CO LTD.	VIVA	SG14/827		Covered globe	E26/24 (Medium)	CFL		870	14	N/A	10000	2700	0.56	2	3/6/09
VIVA GREENLIGHTING CO LTD.	VIVA	SG15		Covered globe	E26/24 (Medium)	CFL		870	15	N/A	10000	2700	0.56	2	2/25/09
VIVA GREENLIGHTING CO LTD.	VIVA	SG9		Covered globe	E26/24 (Medium)	CFL		590	9	N/A	10000	3000	0.57	2	8/19/08
VIVA GREENLIGHTING CO LTD.	VIVA	SG9/827		Covered globe	E26/24 (Medium)	CFL		590	9	N/A	10000	2700	0.55	2	5/8/09
VIVA GREENLIGHTING CO LTD.	VIVA	SP11/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		680	11	N/A	10000	2700		2	3/15/05
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	1/26/05
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		892	13	N/A	10000	2700	0.59	2	8/7/09
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/835		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		2	1/26/07
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/835		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	10/2/07
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000		2	3/7/05
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S/830		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000		2	6/19/06
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S/835		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		2	2/23/05
VIVA GREENLIGHTING CO LTD.	VIVA	SP23S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.58	2	1/25/10
VIVA GREENLIGHTING CO LTD.	VIVA	SP23S/835		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	6/22/05
VIVA GREENLIGHTING CO LTD.	VIVA	SP9S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	3000		2	2/7/07
Wakefern/Food Corp/ShopRite	ShopRite	26469 (CF13EL/SPIRAL/827/SHOPF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	3/11/09
Wakefern/Food Corp/ShopRite	ShopRite	26470 (CF19EL/SPIRAL/827/SHOPF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	3/11/09
Wakefern/Food Corp/ShopRite	ShopRite	26471 (CF23EL/SPIRAL/827/SHOPF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/11/09
Wal-Mart Stores, Inc.	Energy Value	00320		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	2/15/08
Wal-Mart Stores, Inc.	Great Value	76201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/8/08
Wal-Mart Stores, Inc.	Great Value	76202		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/8/08
Wal-Mart Stores, Inc.	Great Value	76203		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/8/08
Wal-Mart Stores, Inc.	Great Value	76211		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	9/8/08
Wal-Mart Stores, Inc.	Great Value	76211		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	9/8/08
Wal-Mart Stores, Inc.	Great Value	76212		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/8/08
Wal-Mart Stores, Inc.	Great Value	CACFL138		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/23/09
Wal-Mart Stores, Inc.	Great Value	CACFL2341k	CACFL23541K, CACFL23841K, CACFL231241K, CACFL23241K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	8000	4100	0.61	5	3/11/08
Wal-Mart Stores, Inc.	Great Value	CACFLA0941K	CACFLA09241K	Covered A-line	E26/24 (Medium)	CFL		350	9	N/A	8000	4100	0.6	5	3/11/08

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Wal-Mart Stores, Inc.	Great Value	CACFLA14241K		Covered A-line	E26/24 (Medium)	CFL		700	14	N/A	6000	4100	0.62	5	3/11/08
Wal-Mart Stores, Inc.	Great Value	CACFLA1441K		Covered A-line	E26/24 (Medium)	CFL		700	14	N/A	6000	4100	0.62	5	3/11/08
Wal-Mart Stores, Inc.	Great Value	CFL234ROHS	CENCFL232	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/13/07
Wal-Mart Stores, Inc.	Great Value	FLE10HT3/2/SW/10K	11186	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		2	9/20/10
Wal-Mart Stores, Inc.	Great Value	FLE13HT3/2/SW	09210, 11185	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		2	9/20/10
Wal-Mart Stores, Inc.	Great Value	FLE13HT3/2/SW/10K	11263	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	9/20/10
Wal-Mart Stores, Inc.	Great Value	FLE20HT3/2/SW/10K	11259	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/20/10
Wal-Mart Stores, Inc.	Great Value	FLE26HT3/2/SW/10K	11255	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	9/20/10
Wegmans Food Markets, Inc	Wegmans	WGS0132	WGS0134	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/24/09
Wegmans Food Markets, Inc	Wegmans	WGS0232	WGS0234	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/24/09
Western Family Foods, Inc.	Western Family	12733-A-FEIT/BPESL30/100T/WF		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	6/17/08
Western Family Foods, Inc.	Western Family	12734-A-FEIT/BPESL15R30TMM/WI		Covered reflector	E26/24 (Medium)	CFL		630	15	N/A	8000	2700		2	6/17/08
Western Family Foods, Inc.	Western Family	12734-B-FEIT	ESL15BR30T	Covered reflector	E26/E24 (Medium)	CFL		750	15.0	N/A	8000	2700	0.53	2	4/14/11
Western Family Foods, Inc.	Western Family	12735-A-FEIT/BPESL13T/D/WF		Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	6/17/08
Western Family Foods, Inc.	Western Family	12735-A-FEIT/BPESL13T/D/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/17/08
Western Family Foods, Inc.	Western Family	12737-A-FEIT/ESL13T/4/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	6/17/08
Western Family Foods, Inc.	Western Family	12738-A-FEIT/ESL23TM/4/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	6/17/08
Western Family Foods, Inc.	Western Family	BPESL13T/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	3/12/04
Western Family Foods, Inc.	Western Family	BPESL23TM/D/WF		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	10/2/07
Western Family Foods, Inc.	Western Family	BPESL23TM/WF		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	3/12/04
Westinghouse Lighting Corporation	Westinghouse	07219		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	4100		2	7/9/08
Westinghouse Lighting Corporation	Westinghouse	07258	9Household/27/CD	Covered A-line	E26/24 (Medium)	CFL		360	9.0	N/A	6000	2700		1	8/1/03
Westinghouse Lighting Corporation	Westinghouse	2CUW2	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	12/3/09
Westinghouse Lighting Corporation	Westinghouse	36308	N/A	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	3/30/09
Westinghouse Lighting Corporation	Westinghouse	36310	N/A	Bare-spiral	GU24	CFL		1930	25.91	N/A	10000	2700	0.55	2	3/30/09
Westinghouse Lighting Corporation	Westinghouse	36609	26/MINITWIST/27	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700	0.52	2	10/10/05
Westinghouse Lighting Corporation	Westinghouse	36653		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		7	11/22/05
Westinghouse Lighting Corporation	Westinghouse	36660	36660	Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	7/1/11
Westinghouse Lighting Corporation	Westinghouse	36670		Bare-Mini-Spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	6/9/09
Westinghouse Lighting Corporation	Westinghouse	36677	14MINITWIST/50	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	2/23/09
Westinghouse Lighting Corporation	Westinghouse	36692		Covered reflector	E26/24 (Medium)	CFL		335	9	N/A	8000	5000	0.5	2	4/22/10
Westinghouse Lighting Corporation	Westinghouse	36694		Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		2	12/22/10
Westinghouse Lighting Corporation	Westinghouse	36695		Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	5000		2	12/22/10
Westinghouse Lighting Corporation	Westinghouse	36697		Covered reflector	E26/24 (Medium)	CFL		1165	23	N/A	8000	4100	0.5	2	4/22/10
Westinghouse Lighting Corporation	Westinghouse	36714		Covered reflector	E26/24 (Medium)	CFL		500	11	N/A	8000	3000		2	3/11/10
Westinghouse Lighting Corporation	Westinghouse	36715		Covered reflector	E26/24 (Medium)	CFL		485	11	N/A	8000	4100		2	3/11/10
Westinghouse Lighting Corporation	Westinghouse	36716		Covered reflector	E26/24 (Medium)	CFL		460	11	N/A	8000	5000		2	3/11/10
Westinghouse Lighting Corporation	Westinghouse	37714		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	37715		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	37716		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	37724		Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	5000		2	3/11/10
Westinghouse Lighting Corporation	Westinghouse	37900		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.57	2	6/22/11
Westinghouse Lighting Corporation	Westinghouse	37901		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/30/09
Westinghouse Lighting Corporation	Westinghouse	37902		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		7	9/30/09
Westinghouse Lighting Corporation	Westinghouse	37917		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	9/10/09
Westinghouse Lighting Corporation	Westinghouse	37918		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	7/23/09
Westinghouse Lighting Corporation	Westinghouse	37934		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37937		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37940		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	3/1/10
Westinghouse Lighting Corporation	Westinghouse	37941		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	9/23/10
Westinghouse Lighting Corporation	Westinghouse	37942		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	9/23/10
Westinghouse Lighting Corporation	Westinghouse	37943		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.58	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37944		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.52	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37945		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37946		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/17/09
Westinghouse Lighting Corporation	Westinghouse	37947		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37948		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37949		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	7/17/09
Westinghouse Lighting Corporation	Westinghouse	37950		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	8/3/09
Westinghouse Lighting Corporation	Westinghouse	37951		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		2	11/22/10
Westinghouse Lighting Corporation	Westinghouse	37952		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		2	11/22/10
Westinghouse Lighting Corporation	Westinghouse	37953		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500		2	6/7/10
Westinghouse Lighting Corporation	Westinghouse	37954		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500		2	6/7/10
Westinghouse Lighting Corporation	Westinghouse	37955		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/5/09
Westinghouse Lighting Corporation	Westinghouse	37956		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	7/30/09
Westinghouse Lighting Corporation	Westinghouse	37957		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/5/09
Westinghouse Lighting Corporation	Westinghouse	37958		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/6/10
Westinghouse Lighting Corporation	Westinghouse	37959		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/6/10
Westinghouse Lighting Corporation	Westinghouse	37960		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.57	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37961		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.57	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37962		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	2700		2	8/4/09
Westinghouse Lighting Corporation	Westinghouse	37968		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	2/23/11
Westinghouse Lighting Corporation	Westinghouse	37970		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	2700		2	7/24/09
Westinghouse Lighting Corporation	Westinghouse	37971		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	9/10/09
Westinghouse Lighting Corporation	Westinghouse	37979		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		2	9/10/09
Westinghouse Lighting Corporation	Westinghouse	37985		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000	0.54	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37986		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000	0.57	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37987		Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	3000	0.57	2	2/18/10
Westinghouse Lighting Corporation	Westinghouse	37988		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	37989		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	37990	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.57	2	6/30/10
Westinghouse Lighting Corporation	Westinghouse	37994	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.59	2	6/9/10
Westinghouse Lighting Corporation	Westinghouse	38001		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	2/16/11
Westinghouse Lighting Corporation	Westinghouse	38002		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	9/10/09
Westinghouse Lighting Corporation	Westinghouse	38003		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	8000	3500		2	9/15/09
Westinghouse Lighting Corporation	Westinghouse	38007	38008	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	6/3/11
Xiamen Dekkon Technology Co., Ltd.	DEK	DS09W/10/11-T2SA	DS09W/10/11-T2SA	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	8000	2700	0.53	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/14/15-T2SA	DS13/14/15-T2SA	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	8000	2700	0.54	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T2SB	DS18/20-T2SB	Bare-spiral	E26/24 (medium)	CFL		1100	18.0	N/A	8000	2700	0.56	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-13W	T3-SP-13W	Bare-spiral	E26/24 (medium)	CFL		900	13.0	N/A	8000	2700	0.55	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-20W	T3-SP-20W	Bare-spiral	E26/24 (medium)	CFL		1300	20.0	N/A	8000	2700	0.54	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-23W	T3-SP-23W	Bare-spiral	E26/24 (medium)	CFL		1500	23.0	N/A	8000	2700	0.57	2	9/29/11
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-9W	T3-SP-9W	Bare-spiral	E26/24 (medium)	CFL		500	9.0	N/A	8000	2700	0.52	2	9/29/11
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLPED-15W(3500K)GU24	N/A	Covered	GU24	CFL		831	15.0	N/A	10000	3500	0.6	2	12/8/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-13W(4100K)GU24	N/A	Bare-spiral	GU24	CFL		926	12.5	N/A	10000	4100	0.59	2	12/8/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-13W(6500K)GU24	N/A	Bare-spiral	GU24	CFL		877	13.0	N/A	10000	6500	0.59	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-13W(GU24)	N/A	Bare-spiral	GU24	CFL		786	12.3	N/A	10000	6500	0.57	2	9/30/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-13W-M(6500K)GU24	N/A	Bare-spiral	GU24	CFL		864	13.3	N/A	10000	6500	0.59	2	12/8/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-13W-M(GU24)	N/A	Bare-spiral	GU24	CFL		966	12.8	N/A	10000	2700	0.58	2	12/18/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W(3000K)GU24	N/A	Bare-spiral	GU24	CFL		1254	17.2	N/A	10000	3000	0.58	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W 3500K	HLSCT3-18W 3500K	Bare-spiral	E26/24 (medium)	CFL		1250	18.0	N/A	10000	3500	0.55	2	11/4/11
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W(3500K)GU24	N/A	Bare-spiral	GU24	CFL		1330	18.6	N/A	10000	3500	0.59	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W(4100K)GU24	N/A	Bare-spiral	GU24	CFL		1244	17.2	N/A	10000	4100	0.58	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W(6500K)GU24	N/A	Bare-spiral	GU24	CFL		1239	18.4	N/A	10000	6500	0.56	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-18W(GU24)	N/A	Bare-spiral	GU24	CFL		1235	17.18	N/A	10000	2700	0.53	2	9/30/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-23(4100K)GU24	N/A	Bare-spiral	GU24	CFL		1603	21.9	N/A	10000	4100	0.56	2	12/11/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-23W(GU24)	N/A	Bare-spiral	GU24	CFL		1677	22.89	N/A	10000	2700	0.56	2	9/30/09
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLSCT3-9 (mini)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		590	9	N/A	8000	2700		2	7/29/05
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light			Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	6000	2700		5	3/17/06
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-G25A-9W		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700	0.56	2	3/12/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-14W/27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.57	2	1/19/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-18W		Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700	0.59	2	1/12/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-7W/27		Covered A-line	E26/24 (Medium)	CFL		380	7	N/A	8000	2700	0.58	2	1/26/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-9W/50		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	5000	0.57	2	1/20/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-13W	FE-IIS-13W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	12000	2700		2	7/31/05
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-13W/50		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.55	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-15W	FE-IIS-15W/WT	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15.0	N/A	12000	2700		2	7/31/05
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.54	2	3/6/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-18W/50		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	5000	0.55	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W	FE-IIS-23W/WT, FE-IIS-23W/WS, FE-IIS-23W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700		2	7/31/05
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.56	2	12/29/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W/50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.56	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-26W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	12000	2700	0.55	2	1/12/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-30W		Bare-spiral	E26/24 (Medium)	CFL		2100	30	N/A	10000	2700	0.55	2	10/20/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.58	2	3/6/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-11W	FE-IISB-11W/WV, FE-IISB-11W/WS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	4/18/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-13W	FE-IISB-13W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	15000	2700	0.56	2	11/4/08
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-13W/30		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	10000	3000	0.58	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/27		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.59	2	1/6/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		875	14	N/A	12000	3000	0.6	2	10/15/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		885	14	N/A	12000	3500	0.59	2	10/15/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100	0.59	2	3/12/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/18/08
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/65		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	6500	0.6	2	1/19/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-18W/30		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3000	0.57	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	15000	2700	0.53	2	10/5/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/30		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/30		Bare-spiral	E26/24 (Medium)	CFL		1275	19	N/A	12000	3000	0.56	2	10/15/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/35		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/41		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	4100	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/50		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.54	2	1/4/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/27K	FE-IISB-23W/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	9/9/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/30		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3000	0.56	2	10/15/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/41		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/65		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500	0.57	2	1/19/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-26W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	15000	2700		2	10/5/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-26W/41		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100	0.5	2	7/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W	FE-IISB-9W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	2/6/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/30		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	12000	3000	0.58	2	10/23/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	9	N/A	10000	3500	0.58	2	10/26/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100	0.58	2	3/12/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	5000		2	6/18/08
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/65		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	6500	0.57	2	1/20/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-13W/27	N/A	Bare-spiral	GU24	CFL		929	13.54	N/A	10000	2700	0.55	2	9/29/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-14W	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.56	2	2/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-14W/30	N/A	Bare-spiral	GU24	CFL		878	13.77	N/A	12000	3000	0.6	2	11/29/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-14W/41	N/A	Bare-spiral	GU24	CFL		835	13.84	N/A	10000	4100	0.6	2	9/29/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-14W/50	N/A	Bare-spiral	GU24	CFL		897	14.1	N/A	10000	5000	0.59	2	9/29/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-19W	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	2/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-19W/41	N/A	Bare-spiral	GU24	CFL		1344	18.6	N/A	10000	4100	0.55	2	9/28/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-23W	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.51	2	2/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-23W/41	N/A	Bare-spiral	GU24	CFL		1654	22.5	N/A	10000	4100	0.56	2	9/28/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-23W/50	N/A	Bare-spiral	GU24	CFL		1629	24.6	N/A	10000	5000	0.54	2	9/28/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-26W/27	N/A	Bare-spiral	GU24	CFL		1728	24.7	N/A	12000	2700	0.52	2	9/28/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-26W/41	N/A	Bare-spiral	GU24	CFL		1712	23.8	N/A	10000	4100	0.53	2	9/28/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-9W	N/A	Bare-spiral	GU24	CFL		570	9.15	N/A	10000	2700	0.59	2	2/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-9W/41	N/A	Bare-spiral	GU24	CFL		474	8.1	N/A	10000	4100	0.57	2	9/29/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISD-15W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700	0.55	2	6/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISD-20W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	20	N/A	10000	2700	0.54	2	6/9/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISL-42W/27		Bare-spiral	E26/24 (Medium)	CFL		2650	42	N/A	12000	2700	0.56	2	1/13/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISM-26W/27		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700	0.56	2	10/20/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISM-26W/35		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500	0.56	2	6/29/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISM-30W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/30	10000	2700	0.52	2	10/26/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R30-15W/27		Covered reflector	E26/24 (Medium)	CFL		700	15.0	N/A	8000	2700	0.54	2	1/11/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R30-15W/27K		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.54	2	1/20/11
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W		Covered reflector	E26/24 (Medium)	CFL		960	20	N/A	8000	2700	0.54	2	1/11/10
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W/27		Covered reflector	E26/24 (Medium)	CFL		900	20.0	N/A	8000	2700	0.5	2	4/20/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W/41		Covered reflector	E26/24 (Medium)	CFL		900	20.0	N/A	8000	4100		2	6/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.54	2	10/20/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R40-20W/41		Covered reflector	E26/24 (Medium)	CFL		900	20.0	N/A	8000	4100	0.54	2	6/8/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R40-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.53	2	10/20/09
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-US-13W	FE-US-13W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		940	13	N/A	10000	2700		2	3/20/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-US-15WA		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	3/20/07
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-US-20W	FE-US-20W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/31/07
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLAQ09-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	6500	0.58	2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA3U15B		Bare-Triple Tube	E26/24 (Medium)	CFL		850	15.0	N/A	8000	2700	0.51	2	3/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA3U20B		Bare-Triple Tube	E26/24 (Medium)	CFL		1240	20	N/A	8000	2700	0.56	2	6/11/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA4U27		Bare-quadruple tube	E26/24 (Medium)	CFL		1705	27	N/A	8000	2700		2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA05-T3Q		Covered A-line	E26/24 (Medium)	CFL		215	5	N/A	10000	2700	0.55	2	1/21/10

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA09-T2Q		Covered globe	E26/24 (Medium)	CFL		450	9	N/A	10000	2700	0.56	2	1/19/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2Q		Covered A-line	E26/24 (Medium)	CFL		505	11	N/A	10000	2700		2	1/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2Q 6500K		Covered A-line	E26/24 (Medium)	CFL		460	10	N/A	10000	6500	0.57	2	4/13/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2Q 6500K E12		Covered A-line	E12 (Candelabra)	CFL		460	10	N/A	10000	6500	0.57	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2Q E12		Covered A-line	E26/24 (Medium)	CFL		505	10	N/A	10000	2700	0.57	2	1/21/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA11-T3Q		Covered A-line	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	3/19/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA13-T2Q		Covered A-line	E26/24 (Medium)	CFL		600	13	N/A	10000	2700	0.55	9	9/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA15B1-T3Q		Covered A-line	E26/24 (Medium)	CFL		810	15.0	N/A	10000	2700	0.52	2	3/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA15B-T3Q		Covered A-line	E26/24 (Medium)	CFL		880	15	N/A	8000	2700	0.58	2	1/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA15C-T3Q		Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	10000	2700		2	10/18/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA20-T3Q		Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/16/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA09-T3P		Covered-Candle	E26/24 (Medium)	CFL		400	9	N/A	8000	2700	0.55	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA09-T3P E12		Covered-Candle	E12 (Candelabra)	CFL		400	9	N/A	8000	2700	0.55	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05B		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700	0.55	2	1/28/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05B E12		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700	0.55	2	4/9/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05-E12		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	6000	2700	0.53	2	1/19/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05-E26		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	6000	2700		2	6/16/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U07-E12		Covered-Candle	E12 (Candelabra)	CFL		370	7	N/A	6000	2700	0.57	2	1/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U07-E26		Covered-Candle	E26/24 (Medium)	CFL		370	7.0	N/A	6000	2700		2	8/26/03
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09B		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700	0.55	2	6/10/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09B E12		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700	0.55	2	6/10/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09-E12		Covered-Candle	E12 (Candelabra)	CFL		430	9	N/A	6000	2700	0.55	2	12/11/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09-E12		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	6000	2700	0.55	2	12/11/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09-E26		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	6000	2700		2	6/16/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA10-T2Q		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700	0.56	2	9/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA10-T2Q 6500K		Covered globe	E26/24 (Medium)	CFL		450	10	N/A	10000	6500	0.56	2	1/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA11-T3Q		Covered globe	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	3/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA15B-T3Q		Covered globe	E26/24 (Medium)	CFL		740	15	N/A	10000	2700	0.52	2	3/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA15C-T3Q		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	10/17/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLGA20-T3Q		Covered globe	E26/24 (Medium)	CFL		1050	20	N/A	6000	2700	0.57	2	1/19/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLHA10-T2Q		Covered bullet	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	10/17/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLHA20B-T3Q		Covered bullet	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/18/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLHA20-T3Q		Covered bullet	E26/24 (Medium)	CFL		1050	20	N/A	6000	2700		2	6/16/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLHA26-T3Q		Covered bullet	E26/24 (Medium)	CFL		1350	26	N/A	10000	2700		2	10/18/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLHA3U11-POST		Covered-post	E26/24 (Medium)	CFL		500	11	N/A	6000	2700	0.59	2	12/22/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLJA3U11-R20		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	8000	2700		2	12/29/04
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA08-T2		Bare-spiral	E26/24 (Medium)	CFL		450	8	N/A	12000	2700	0.56	2	1/19/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA08-T2 4000K		Bare-spiral	E26/24 (Medium)	CFL		450	8	N/A	12000	4100	0.57	2	1/14/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA08-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		430	8	N/A	12000	6500	0.56	2	1/18/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3		Bare-spiral	E26/24 (Medium)	CFL		550	10.0	N/A	8000	2700		2	5/1/02
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.56	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	3500	0.59	2	10/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	3500		2	10/2/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.58	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 4000K 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.5	2	10/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	8000	6500		2	12/12/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 6500K 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	6500	0.56	2	10/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 A		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.58	2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500	0.59	2	6/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA09-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.6	2	5/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10B-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	2700		5	1/3/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	4100		5	1/14/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10B-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	6500		5	1/14/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10C-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	10	N/A	12000	2700		2	3/17/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10D-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		530	10	N/A	8000	2700	0.55	2	10/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10D-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		530	10	N/A	8000	4100		5	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10D-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		500	10	N/A	8000	6500		5	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3		Bare-spiral	E26/24 (Medium)	CFL		530	10	N/A	12000	2700	0.56	2	9/4/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		530	10	N/A	12000	4100	0.57	2	7/24/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		500	10	N/A	12000	6500	0.55	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	2700		2	9/4/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T2 4100K		Bare-spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	4100	0.56	11	9/4/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.56	2	7/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T3		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	2700	0.58	2	10/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	4100	0.57	2	10/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.57	2	10/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11B-R20		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700	0.57	2	1/21/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11B-R20 6500K		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	6500	0.56	2	1/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11-R20		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700		2	4/16/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P		Bare-spiral	E26/24 (Medium)	CFL		750	12	N/A	12000	2700	0.61	2	1/13/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P 4000K		Bare-spiral	E26/24 (Medium)	CFL		700	12	N/A	12000	4100	0.61	2	1/19/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P 6500K		Bare-spiral	E26/24 (Medium)	CFL		700	12	N/A	12000	6500	0.6	2	1/19/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700		5	1/3/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 2700K E12		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	8000	2700	0.6	2	6/10/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	4100		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	6500		5	1/10/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 E12		Bare-Mini-Spiral	E12 (Candelabra)	CFL		870	13	N/A	8000	2700		2	7/13/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700	0.58	2	10/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		790	13	N/A	12000	4100	0.58	2	10/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	12000	6500	0.58	2	10/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700	0.5	5	10/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	4100		2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3 5000K		Bare-spiral	E26/24 (Medium)	CFL		855	13	N/A	8000	5000	0.6	5	9/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		855	13	N/A	8000	6500		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.6	2	10/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13E-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.6	2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13E-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		855	13	N/A	12000	6500	0.61	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	12000	2700		2	10/17/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	4100	0.58	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.55	2	7/24/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3		Bare-spiral	E26/24 (Medium)	CFL		825	13.0	N/A	8000	2700	0.58	2	4/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.56	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500	0.59	2	10/23/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		2	10/2/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.59	7	9/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.57	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		750	13	N/A	8000	6500		2	8/18/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 6500K 10K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	10000	6500	0.56	2	8/17/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.58	2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.59	2	6/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.59	2	5/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	10000	6500	0.58	2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-POST		Covered-post	E26/24 (Medium)	CFL		750	14	N/A	10000	2700		2	9/5/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2P		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	12000	2700	0.58	2	1/14/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2P 4000K		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	12000	4100	0.58	2	1/18/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2P 6500K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	12000	6500	0.58	2	1/14/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-R30		Covered reflector	E26/24 (Medium)	CFL		750	15.0	N/A	10000	2700		2	2/6/05
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-R30 6500K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	10000	6500	0.53	2	1/19/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700		5	1/7/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	4100		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C1-T3		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	2700	0.58	2	10/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C1-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	4100	0.59	2	10/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C1-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		855	15	N/A	12000	6500	0.58	2	10/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	2700		2	3/17/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	12000	4100	0.5	2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	6500	0.52	2	9/23/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3.A		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	15000	2700	0.52	2	1/14/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15D-T3		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	8000	2700	0.57	2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15D-T3 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	8000	4100	0.57	2	7/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15D-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	6500	0.57	2	7/28/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15E-T3		Bare-spiral	E26/24 (Medium)	CFL		920	15	N/A	8000	2700	0.57	2	1/28/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-POST		Covered-post	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.56	2	9/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-R30		Covered reflector	E26/24 (Medium)	CFL		720	15.0	N/A	8000	2700		4	1/29/04
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-R30 3500K		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500	0.56	2	9/30/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-R30 6500K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500	0.57	2	9/30/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T2		Bare-spiral	E26/24 (Medium)	CFL		935	14	N/A	12000	2700		2	3/25/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T2 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	4100	0.53	2	5/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	8000	2700	0.57	2	4/15/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.56	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	8000	4100	0.56	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.56	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	6500		2	9/30/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 6500K 10K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	6500	0.57	2	9/30/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 A		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	10000	2700	0.57	2	5/26/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	10000	4100	0.57	2	5/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	6500	0.57	2	5/24/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20B-T2		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.57	2	7/29/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20B-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	6500	0.56	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C1-T3		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700	0.56	2	10/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C1-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	4100	0.56	2	10/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C1-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500	0.56	2	10/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.54	2	3/3/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500	0.55	2	3/3/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3/6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		2	6/28/05
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.54	2	1/14/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20D-T3		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.55	2	7/17/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	4100	0.55	11	9/4/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20D-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	12000	6500	0.55	2	9/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	2700		2	3/11/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	4100	0.56	2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3 5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	5000		2	5/24/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	6500		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20F-T3		Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	8000	2700	0.56	2	1/28/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T2		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.55	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	4100	0.55	2	10/27/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	12000	6500	0.52	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3		Bare-spiral	E26/24 (Medium)	CFL		1300	20.0	N/A	8000	2700		2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.56	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500	0.59	2	10/23/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500		2	10/2/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	4100	0.55	2	8/17/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100	0.56	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	6500	0.55	2	8/17/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 6500K 10k		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500	0.56	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.55	2	5/24/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.57	2	6/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100	0.55	2	5/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500	0.55	2	5/24/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C1-T3		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	3/3/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C-T3	BLQA23C-T3	Bare-spiral	E26/24 (Medium)	CFL		1620	23.0	N/A	10000	2700	0.57	2	10/3/11
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23D-T3		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.56	2	9/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	4100	0.56	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23-PAR38		Covered reflector	E26/24 (Medium)	CFL		1140	24	N/A	10000	2700		2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-PAR38		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		2	12/31/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-PAR38 3500K		Covered reflector	E26/24 (Medium)	CFL		1250	26	N/A	10000	3500	0.56	2	6/11/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-PAR38 6500K		Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	10000	6500	0.57	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-R40		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		2	12/29/04
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-T2		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.6	2	7/29/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500	0.6	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C1-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700		2	3/17/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C2-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700	0.6	2	10/21/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C2-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1690	26	N/A	12000	4100	0.6	2	12/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C2-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	12000	6500	0.6	2	12/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700	0.57	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	4100	0.58	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1660	26	N/A	12000	6500	0.58	2	9/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		5	11/16/07
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	4100	0.58	2	9/9/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1660	26	N/A	8000	6500		5	1/15/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26F-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700	0.57	2	3/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-PAR38		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700		2	2/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T2		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.58	2	9/23/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1625	26	N/A	12000	6500	0.58	2	9/22/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3		Bare-spiral	E26/24 (Medium)	CFL		1750	26.0	N/A	8000	2700		2	12/29/04
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	7/1/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500	0.58	2	10/23/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500		2	10/2/08
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	4100	0.58	2	8/17/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.57	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	6500		2	8/1/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 6500K 10K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	6500	0.58	2	8/18/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.58	2	5/24/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	3500	0.58	2	6/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.58	2	5/20/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500	0.58	2	5/24/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	8000	2700		2	3/12/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32C		Bare-spiral	E26/24 (Medium)	CFL		2200	32	N/A	12000	2700	0.56	2	3/1/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32-T3		Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	12000	2700	0.57	2	9/21/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		2140	32	N/A	12000	6500	0.55	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	2700	0.55	2	3/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42 4000K		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	4100	0.54	11	9/2/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42 6500K		Bare-spiral	E26/24 (Medium)	CFL		2550	42	N/A	12000	6500	0.53	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA45-T5		Bare-spiral	E26/24 (Medium)	CFL		3020	45	N/A	8000	2700	0.58	2	6/15/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA52-T5		Bare-spiral	E26/24 (Medium)	CFL		3550	52	N/A	8000	2700	0.59	2	7/16/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA55-T5		Bare-spiral	E26/24 (Medium)	CFL		3860	55	N/A	8000	2700	0.6	2	5/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA10-GU24	N/A	Bare-spiral	GU24	CFL		569	9.533	N/A	10000	2700	0.56	2	11/12/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA15B-GU24	N/A	Bare-spiral	GU24	CFL		1024	14.06	N/A	10000	2700	0.56	2	11/12/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA15-GU24	N/A	Bare-spiral	GU24	CFL		1007	14.2	N/A	10000	2700	0.53	2	11/12/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA20-GU24	N/A	Bare-spiral	GU24	CFL		1296	18.72	N/A	10000	2700	0.58	2	11/12/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA26-GU24	N/A	Bare-spiral	GU24	CFL		1801	25	N/A	10000	2700	0.59	2	11/12/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA15B-R30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	8000	2700		2	9/24/04
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA15-T3		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	12000	2700		2	10/16/05
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA15-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	4100	0.68	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-T3		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	12000	2700		2	10/16/06
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	10000	4100	0.65	2	5/7/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLWA26-T3Q		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1750	N/A	13/19/26	10000	2700	0.5	2	8/14/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLWA32		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/29	10000	2700		2	5/5/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLWA32B-T3Q		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2165	N/A	16/25/32	10000	2700	0.51	2	8/3/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLWA32-T3Q		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700	0.55	2	3/4/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLWA32-T3Q 4000K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	4100	0.55	2	10/8/10
Xiamen Topstar Lighting Co., Ltd.	Topstar	GLSA09-T2Q		Covered A-line	E26/24 (Medium)	CFL		475	9	N/A	8000	2700		2	3/3/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	GLSA20-T3Q		Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700		2	4/24/09
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL89D101-20 3000K 25Â°	TSL89D101-20 3000K 25Â°	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1129	19.3	N/A	25000	3000	0.99	3	1/12/12
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL89D101-20 3000K 40Â°	TSL89D101-20 3000K 40Â°	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1093	19.3	N/A	25000	3000	0.99	3	1/12/12
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 19S 2700K	N/A	Bare-spiral	GU24	CFL		1297	18.5	N/A	10000	2700	0.54	2	2/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 19S 4100K	N/A	Bare-spiral	GU24	CFL		1265	18.1	N/A	10000	4100	0.54	2	2/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 23S 2700K	N/A	Bare-spiral	GU24	CFL		1580	21.4	N/A	10000	2700	0.56	2	1/8/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE153B-GU24 13S	N/A	Bare-spiral	GU24	CFL		939	13.2	N/A	10000	2700	0.59	2	6/22/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE172-GU24 13S	N/A	Bare-spiral	GU24	CFL		899	12.3	N/A	10000	4100	0.55	2	7/26/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YK505 13W	N/A	Bare-spiral	GU24	CFL		818	12.4	N/A	10000	2700	0.53	2	2/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YK505 20W	N/A	Bare-spiral	GU24	CFL		1150	18.0	N/A	10000	2700	0.53	2	2/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YK505 23W	N/A	Bare-spiral	GU24	CFL		1627	23.2	N/A	10000	2700	0.57	2	2/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKLCE03A-Clear	YKLCE03A-Clear	C - Candle	E12 (Candelabra)	LED		120	2.65	N/A	40000	3000	0.55	3	9/28/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKLGE03A-Frost	YKLGE03A-Frost	G - Globe	E12 (Candelabra)	LED		119	2.74	N/A	40000	3000	0.55	3	9/27/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKMR16C1-4W	YKMR16C1-4W	MR - Multifaceted reflector	GU5.3	LED		169	3.78	N/A	40000	3000	1	3	12/15/11

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W	YKPAR38B1-17W	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED		775	15.78	N/A	40000	3000	0.89	3	12/1/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W(40D)	PAR38B1-17W(40D)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.74	3	1/10/12
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W-D	YKPAR38B1-17W-D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	745	16.21	N/A	40000	3000	0.73	3	12/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W-D(40D)	PAR38B1-17W-D(40D)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.9	3	1/10/12
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR20B1-6W-D	YKR20B1-6W-D	R - Reflector	E26/E24 (Medium)	LED	Dimmable	250	5.13	N/A	40000	3000	0.7	3	10/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W	YKR30B2-10W	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.89	3	12/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W(35D)	YKR30B2-10W(35D)	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.89	3	12/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W-D	YKR30B2-10W-D	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.72	3	12/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W-D(35D)	YKR30B2-10W-D(35D)	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.72	3	12/20/11
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE117 10W 2700K		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700	0.57	2	1/6/11
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE117 15W		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.58	2	12/22/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE151-S-27W 2700K		Bare-spiral	E26/24 (Medium)	CFL		2000	27	N/A	10000	2700	0.59	2	10/14/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE231 11S 2700K		Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.54	2	9/30/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE242 3823 2700K		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.56	2	9/16/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE275 13S 2700K		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.55	2	9/30/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 2700K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	2700	0.54	2	12/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 3000K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	3000		2	12/10/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 3500K		Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	3500	0.53	2	11/23/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.62	2	12/21/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.55	2	10/22/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 3000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3000	0.55	2	10/22/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3500	0.55	2	10/22/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.6	2	10/22/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 7W 2700K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.59	2	12/21/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 7W 3000K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	3000	0.58	2	12/10/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501 10W		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700	0.58	2	12/31/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501 13W		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.6	2	12/31/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501A 10W		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	15000	2700	0.58	2	3/16/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501A 13W		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	15000	2700	0.6	2	4/1/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502 20W		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	15000	2700	0.57	2	1/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502 23W		Bare-spiral	E26/24 (Medium)	CFL		1620	23	N/A	10000	2700	0.58	2	1/15/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502A 20W		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	15000	2700	0.57	2	5/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502A 23W		Bare-spiral	E26/24 (Medium)	CFL		1620	23	N/A	15000	2700	0.58	2	5/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK506 15W		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.58	2	9/16/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK506 16W		Bare-spiral	E26/24 (Medium)	CFL		820	16	N/A	10000	2700	0.58	2	2/13/12
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK507 23W		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	9/16/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK508 32W-T		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700	0.56	2	5/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK509 13W-D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700	0.67	2	5/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK509 23W-D		Bare-spiral	E26/24 (Medium)	CFL		1605	23	N/A	12000	2700	0.72	2	4/1/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK510 11W		Covered A-line	E12 (Candelabra)	CFL		600	11	N/A	10000	2700	0.54	2	9/30/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK510 13W		Covered A-line	E12 (Candelabra)	CFL		800	13	N/A	10000	2700	0.55	2	9/30/09
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK511 13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.61	2	9/20/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK511 13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.61	2	12/13/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.55	2	6/29/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	5000	0.55	2	11/23/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1210	19	N/A	10000	6500	0.55	2	11/23/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	6/29/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.57	2	1/6/11
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.57	2	11/23/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 27W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1800	27	N/A	10000	2700	0.59	2	9/7/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK515 23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	2	11/23/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK521 10W		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700	0.58	2	9/1/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK521 13W		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.6	2	9/2/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK522 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.56	2	9/2/10
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK522 23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.58	2	9/7/10
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	EAS05-20		Bare-spiral	E26/24 (Medium)	CFL		1148	20	N/A	10000	2700	0.58	2	12/5/08
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	EAS06-23		Bare-spiral	E26/24 (Medium)	CFL		1335	23	N/A	10000	2700	0.58	2	12/5/08
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	ESS06-13		Bare-spiral	E26/24 (Medium)	CFL		829	13	N/A	10000	2700	0.58	2	12/5/08
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	ESS07-23		Bare-spiral	E26/24 (Medium)	CFL		1496	23	N/A	10000	2700	0.59	2	12/5/08
Yantai Haolibest Lighting Co., Ltd.	RED100	A21	A21	Covered A-line	E26/E24 (Medium)	CFL		1200	19.28	N/A	10000	2700	0.56	2	10/24/11
Yantai Haolibest Lighting Co., Ltd.	RED100	G30	G30	Covered globe	E26/E24 (Medium)	CFL		1200	19.99	N/A	10000	2700	0.56	2	10/24/11
Yantai Haolibest Lighting Co., Ltd.	RED100	R40	R40	Covered reflector	E26/E24 (Medium)	CFL		1200	23.0	N/A	10000	2700	0.57	2	10/18/11
Yantai Haolibest Lighting Co., Ltd.	RED100	Twist	Twist	Bare-spiral	E26/E24 (Medium)	CFL		1600	21.77	N/A	10000	2700	0.59	2	10/24/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-13	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.55	2	1/4/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-18	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	1/4/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-26	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	1/4/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H13	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	1/4/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H18	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	1/4/11
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H26	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	1/4/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS13W	JY004-SPS13W; 052-5120-0	Bare-Mini-Spiral	E12 (Candelabra)	CFL		850	13.0	N/A	10000	2700	0.6	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS13W	N/A	Bare-spiral	Medium E26	CFL		850	13.0	N/A	10000	2700	0.6	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS23W	JY005-SPS23W;052-5121-8	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1500	23.0	N/A	10000	2700	0.56	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS23W	N/A	Bare-spiral	Medium E26	CFL		1500	23.0	N/A	10000	2700	0.56	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS9W	JY003-SPS9W;052-5128-4	Bare-Mini-Spiral	E12 (Candelabra)	CFL		600	9.0	N/A	10000	2700	0.56	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS9W	N/A	Bare-spiral	Medium E26	CFL		600	9.0	N/A	10000	2700	0.56	1	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-23W (E26)	JY001-SP23W	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1600	23.0	N/A	10000	2700	0.56	2	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-23W (E26)	N/A	Bare-spiral	Medium E26	CFL		1600	23.0	N/A	10000	2700	0.55	2	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-26W (E26)	JY002-SP26W	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1650	26.0	N/A	10000	2700	0.59	2	7/25/11
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-26W (E26)	N/A	Bare-spiral	Medium E26	CFL		1650	26.0	N/A	10000	2700	0.58	2	7/25/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-5W 2700K		Bare-spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-5W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.56	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-5W 2700K		Bare-spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-5W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.56	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESE-13W		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.6	2	11/19/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESE-23W		Bare-spiral	E26/24 (Medium)	CFL		1612	23	N/A	10000	2700	0.56	2	11/22/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.58	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.59	2	1/15/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.59	2	1/15/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.59	2	1/15/09

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.57	2	9/17/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.57	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.57	2	2/4/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	7/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	10/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		592	9	N/A	10000	2700		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		571	9	N/A	10000	4100		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		556	9	N/A	10000	5000		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.5	2	8/5/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	3/21/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		902	13	N/A	10000	3500	0.59	2	12/21/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	11/2/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.55	2	3/21/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000	0.55	2	3/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.59	2	12/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000		2	10/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	2700	0.58	2	10/22/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	3500	0.57	2	12/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	6500	0.56	2	12/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1218	20	N/A	10000	2700		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.54	2	3/26/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.54	2	3/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	11/2/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.58	2	3/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/2/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	3/31/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	2	12/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	11/2/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	5/27/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/2/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	5/27/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1550	23	N/A	10000	6500	0.56	2	12/22/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700		2	11/9/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100		2	11/9/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	5000		2	11/10/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	5000	0.5	2	8/4/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	3/13/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 3500K		Bare-spiral	E26/24 (Medium)	CFL		567	9	N/A	10000	3500	0.54	2	12/21/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.57	2	3/13/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	11/1/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.56	2	2/25/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.55	2	12/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.57	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		810	13	N/A	10000	6500	0.57	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700	0.56	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.58	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.58	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.57	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.58	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	6500	0.57	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700	0.57	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	9	8/12/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1520	23	N/A	10000	6500	0.56	2	9/9/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-26W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		9	7/13/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	7/13/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500	0.54	9	7/13/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.55	9	7/13/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W/2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.58	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W 4100K	N/A	Bare-spiral	GU24	CFL		959	14.0	N/A	10000	4100	0.59	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W/5000K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.58	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W/2700K	N/A	Bare-spiral	GU24	CFL		981	14.027	N/A	10000	2700	0.59	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W 4100K	N/A	Bare-spiral	GU24	CFL		984	14.2	N/A	10000	4100	0.59	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W/5000K	N/A	Bare-spiral	GU24	CFL		911	13.999	N/A	10000	5000	0.59	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W-2700K	N/A	Bare-spiral	GU24	CFL		1345	18.0	N/A	10000	2700	0.57	2	7/20/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W 4100K	N/A	Bare-spiral	GU24	CFL		1246	19.1	N/A	10000	4100	0.58	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W-5000K	N/A	Bare-spiral	GU24	CFL		1245	18.1	N/A	10000	5000	0.58	2	7/20/09
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W/2700K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.58	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W 4100K	N/A	Bare-spiral	GU24	CFL		1246	19.1	N/A	10000	4100	0.58	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W/5000K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.58	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W/2700K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.56	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W 4100K	N/A	Bare-spiral	GU24	CFL		1668	23.3	N/A	10000	4100	0.56	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W/5000K	N/A	Bare-spiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.56	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W/2700K	N/A	Bare-spiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.57	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W 4100K	N/A	Bare-spiral	GU24	CFL		1742	25.5	N/A	10000	4100	0.57	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W/5000K	N/A	Bare-spiral	GU24	CFL		1634	23.167	N/A	10000	5000	0.57	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/2700K	N/A	Bare-spiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/4100K	N/A	Bare-spiral	GU24	CFL		638	10.2	N/A	10000	4100	0.55	2	1/4/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/5000K	N/A	Bare-spiral	GU24	CFL		648	9.77	N/A	10000	5000	0.55	2	10/1/08
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	9/10/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.58	2	7/20/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.56	2	8/18/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.56	2	1/12/11
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.56	2	8/27/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.56	2	8/27/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-18W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.57	2	8/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-18W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000	0.57	2	8/27/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	3500	0.57	2	7/21/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.57	2	8/18/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.57	2	8/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	2	8/25/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	8/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		578	9	N/A	10000	2700	0.55	2	7/21/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		556	9	N/A	10000	4100	0.55	2	8/26/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		567	9	N/A	10000	5000	0.55	2	7/21/10
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.55	2	7/20/10
Zhejiang Yankon Group Co., Ltd	Yankon	FE151A 19S 5000K		Bare-spiral	E26/24 (Medium)	CFL		1150	19	N/A	12000	5000	0.54	11	1/10/11
Zhejiang Yankon Group Co., Ltd	Yankon	FE151A 23S 6500K		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	12000	6500	0.56	11	1/10/11
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-19		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000		2	12/30/04
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-19 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	8000	3500		2	9/15/05
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		2	12/21/04
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-23 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500		2	9/15/05
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-27		Bare-spiral	E26/24 (Medium)	CFL		1900	23	N/A	10000	3000		2	12/30/04
Zhejiang Yankon Group Co., Ltd	Yankon	FE153-13S	E153-13SW-VB10	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/15/05
Zhejiang Yankon Group Co., Ltd	Yankon	FE153-13S 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		5	9/15/05

ENERGY STAR Partner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three Way Wattage (watts)	Bulb Life (hours)	Color Temperature (kelvin)	Power Factor	Warranty (years)	Date Qualified
Zhejiang Yankon Group Co., Ltd	Yankon	FE162 40S		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	8000	2700		5	6/12/06
Zhejiang Yankon Group Co., Ltd	Yankon	FE172 13S 3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		5	6/9/06
Zhejiang Yankon Group Co., Ltd	Yankon	FE172A 7S 2700K		Bare-spiral	E26/24 (Medium)	CFL		375	7	N/A	12000	2700	0.54	11	1/11/11
Zhejiang Yankon Group Co., Ltd	Yankon	FE213 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		700	13	N/A	12000	6500	0.54	11	1/10/11
Zhejiang Yankon Group Co., Ltd	Yankon	FE84-S 13W		Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		7	9/28/01
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 2700K		Bare-spiral	E26/24 (Medium)	CFL		800	11	N/A	12000	2700	0.52	7	7/2/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 3000K		Bare-spiral	E26/24 (Medium)	CFL		769	11	N/A	10000	3000		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 3500K		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	3500	0.52	7	9/3/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 4100K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	4100	0.52	7	8/24/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 5000K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	5000	0.52	7	9/2/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 6500K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	6500	0.52	7	8/24/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 15S 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE127 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.52	7	9/2/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000	0.53	7	12/17/07
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.54	7	7/2/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 4100K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	4100	0.54	7	8/24/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 6500K		Bare-spiral	E26/24 (Medium)	CFL		1240	19	N/A	12000	6500		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 23S 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	7	7/2/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 23S 4100K		Bare-spiral	E26/24 (Medium)	CFL		1497	23	N/A	10000	4100	0.56	7	9/3/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 13S 3000K		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3000		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 7S 2700K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 7S 3000K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	3000		7	7/15/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 3000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3000	0.54	7	7/31/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13s 4100k		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.55	7	8/20/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 5000K		Bare-spiral	E26/24 (Medium)	CFL		818	13	N/A	10000	5000	0.55	7	9/3/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	6500	0.54	7	7/31/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE212 23S		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000	0.55	7	12/12/07
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE213 13S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		7	6/25/08
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE213 13W 3000K		Bare-spiral	E26/24 (Medium)	CFL		750	13	N/A	10000	3000		7	9/3/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1180	19	N/A	10000	2700	0.53	9	10/5/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 19W 3000K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000	0.54	7	8/24/09
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 23S 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	9	10/5/09
Zhongshan Okes Lighting Appliance Co., Ltd	OKES	NK4A-18W		Bare-spiral	E26/24 (Medium)	CFL		1190	18	N/A	10000	2700	0.53	3	7/1/08
Zhongshan Okes Lighting Appliance Co., Ltd	OKES	NK4A-23W		Bare-spiral	E26/24 (Medium)	CFL		1380	23	N/A	10000	2700	0.55	3	7/1/08
Zhongshan Okes Lighting Appliance Co., Ltd	OKES	NK4C-14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100		4	7/29/08
Zhongshan Okes Lighting Appliance Co., Ltd	OKES	NK4C-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		680	9	N/A	8000	4100	0.56	3	7/1/08

Definitions for Column Headers

Performance Characteristic	Definitions
Brand and Model Number	How a particular lamp is identified. Retailers identify products they stock using the brand and model number. Some products may also be identified with a name or SKU, which is different from the brand or model number. Model numbers often contain wildcard characters, such as *, #, and X, that are placeholders for non-energy attributes, such as color.
Retail Product Number	In addition to model numbers manufacturers and retailers often use a retail number to identify products or packaging configurations. It is commonly a five (5) or six (6) digit number located on the front of the packaging or near the UPC code. This information provides the item number used by specific retailers or provides additional product numbers of multi-packs of the original qualified product (e.g. - AM09 (4-pack)).
Bulb Type	The lamp shape: bare-spiral, globe, bulged reflector (BR), elliptical reflector (ER), etc.
Base Type	Base type of the lamp: Screw base (E26, E17, etc.), bayonet bases, multiple pin bases (GU24, GU10).
Technology	The technology of the lamp: compact fluorescent light bulbs (CFL) and light emitting diode (LED).
Special Features	Most fixtures are designed to operate on an on/off switch. However, some fixtures have been designed with features to perform in specialized applications, such as with dimmers, three-way, or photo cell controls. Special features and compatibility with controls should be clearly marked on the product packaging, cut sheet or web site for the product.
Light Output (lumens)	A lumen is a unit of measure of the luminous flux or quantity of light emitted by a source or light bulb.
Wattage/Three-way wattage	The electric power a light bulb needs to operate is designated by watts (W).
Bulb Life	Bulb life is a rating of the estimated time (shown here in hours) a light bulb will last based on continuous testing at a laboratory. For example, to gain a 10,000-hour rating, 50% of the test samples must continue to operate to 10,000 hours or more.

Performance Characteristic	Definitions
Color Temperature (kelvin)	A description of the "color" of a light source measured by the Kelvin (K) scale. CFLs are available in a range of color temperatures. Lower Kelvin temperatures (2700-3000K) mean the light has a warmer (red-yellow) color, while higher Kelvin temperatures (4100-6500K) mean the light has a cooler (bluer) color.
Color Rendering Index (CRI)	Measure of the degree of color shift objects undergo when illuminated by the light source as compared with the color of those same objects when illuminated by a reference source of comparable color temperature.
Power Factor	The ratio of real power that flows to the lamp versus the amount of power actually consumed. A lamp with a lower power factor will draw more current than a lamp with a higher power factor for the same amount of useful power transferred.
Warranty	The number of years the lamp is covered under the warranty.
Date Qualified	The date the fixture was qualified as ENERGY STAR.

Key Efficiency Criteria

Performance Characteristic	Specification CFLs	Specification Integrated LED Lamps
Efficacy **(Total lumen output divided by input wattage)**	Bare lamp: Lamp power < 10W: 50 lm/watt 10W ≤ Lamp power < 15: 55 lm/watt Lamp power ≥ 15W: 65 lm/watt	Bare lamp: Lamp power < 10: 50 lm/watt 10 ≤ Lamp power : 55 lm/watt Decorative lamp: 50 lm/watt Directional: 40 lm/watt-45 lm/watt
Minimum Rated Life	Medium screw-base Covered, Globe and Outdoor reflector CFLs: ≥ 6,000 hours Bare medium screw-base CFLs and GU24-base covered, dimmable, and reflector Lamps: ≥ 8,000 hours GU24 Bare Lamps: ≥ 10,000 hours	Decorative: ≥70% Lumen Maintenance at 15,000 hours All others: ≥70% Lumen Maintenance at 25,000 hours
Correlated Color Temperature	Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, 4100K, 5000K, or 6500K.	Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, or 4000K.
Warranty	Warranty or limited warranty statement must cover at least a minimum of 24 months, or 2 years, from date of purchase based on no less than 3 hours per day of use.	A warranty must be provided for lamps, covering material repair or replacement for a minimum of three (3) years from the date of purchase.
Power Factor	≥ 0.5	For lamp power ≤ 5W and for low voltage lamps, no minimum power factor is required. For lamp power >5W, power factor must be ≥0.70 Note: Power factor must be measured at rated voltage.
CRI	An Average of the 10 samples tested must be greater than 80, and no more than 3 individual samples can have a CRI less than 77.	Minimum CRI (Ra) of 80.