ENERGY STAR Qualified Light Fixtures Product List

List Posted on January 14, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Access Lighting	Access Lighting	20724XXXOPLEN1213BS	20724XXXOPLEN1213BS	C50134BSFSTEN1213BS,C50134BSFSTEN1213BS,; C50135BSFSTEN1213BS,C50135BSFSTEN1213BS,; C50956BSWHTEN1213BS,C50956BSWHTEN1213BS,; C50957BSWHTEN1213BS,C50957BSWHTEN1213BS,	Residential	Fluorescent	Ceiling Mount	1600	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	28XXX-2C-XXX/YYY	28XXX-2C-XXX/YYY	C23951BSOPLEN1118BS,C23951BSOPLEN1118BS,; C23952BSOPLEN1118BS,C23952BSOPLEN1118BS,; C50944BSOPLEN1118BS,C50944BSOPLEN1118BS,; C50958BSWHTEN1118BS,C50958BSWHTEN1118BS,	Residential	Fluorescent	Decorative Pendant	1258	18	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C20291XXXFSTEN1113BS	C20291XXXFSTEN1113BS	C20297XXXOPLEN1113BS,C20297XXXOPLEN1113BS,; C20449XXXOPLEN1113BS,C20449XXXOPLEN1113BS,; C20450OPLEN1113BS,C20450OPLEN1113BS,	Residential	Fluorescent	Porch (wall mounted)	800	12	N/A	N/A	0.5	2700K		10000	Non-Dimmable
Access Lighting	Access Lighting	C20330XXXFSTEN1126BS	C20330XXXFSTEN1126BS	C20362XXXOPLEN1126BS,C20362XXXOPLEN1126BS,; C20370XXXFSTEN1126BS,C20370XXXFSTEN1126BS,	Residential	Fluorescent	Porch (wall mounted)	1708	24	N/A	N/A	0.5	2700K		10000	Non-Dimmable
Access Lighting	Access Lighting	C20330XXXFSTEN1213BS	C20330XXXFSTEN1213BS	C20389XXXCLREN1213BS,C20389XXXCLREN1213BS,; C20389XXXCLREN1213BS,C20389XXXCLREN1213BS,	Residential	Fluorescent	Porch (wall mounted)	1600	26	N/A	N/A	0.5	2700K		10000	Non-Dimmable
Access Lighting	Access Lighting	C20330XXXFSTEN1218BS	C20330XXXFSTEN1218BS	C20362XXXOPLEN1218BS,C20362XXXOPLEN1218BS,; C20370XXXFSTEN1218BS,C20370XXXFSTEN1218BS,	Residential	Fluorescent	Porch (wall mounted)	2516	36	N/A	N/A	0.5	2700K		10000	Non-Dimmable
Access Lighting	Access Lighting	C20656WHOPLEN1113BS	C20656WHOPLEN1113BS	C50135BSFSTEN1113BS,C50135BSFSTEN1113BS,; C50134BSFSTEN1113BS,C50134BSFSTEN1113BS,; C50135BSFSTEN1113BS,C50135BSFSTEN1113BS,; C50956BSWHTEN1113BS,C50956BSWHTEN1113BS,	Residential	Fluorescent	Ceiling Mount	800	12	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C20656WHOPLEN1118BS	C20656WHOPLEN1118BS	C50134BSFSTEN1118BS,C50134BSFSTEN1118BS,; C50135BSFSTEN1118BS,C50135BSFSTEN1118BS,; C50956BSWHTEN1118BS,C50956BSWHTEN1118BS,; C50957BSWHTEN1118BS,C50957BSWHTEN1118BS,	Residential	Fluorescent	Ceiling Mount	1258	18	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C20725XXXOPLEN1126BS	C20725XXXOPLEN1126BS	C50134BSFSTEN1126BS,C50134BSFSTEN1126BS,; C50135BSFSTEN1126BS,C50135BSFSTEN1126BS,; C50957BSWHTEN1126BS,C50957BSWHTEN1126BS,	Residential	Fluorescent	Ceiling Mount	1708	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23024BSTEXEN1318BS	C23024BSTEXEN1318BS	C50957BSWHTEN1318BS,C50957BSWHTEN1318BS,	Residential	Fluorescent	Ceiling Mount	3774	54	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23121YYYEN11113BS	C23121YYYEN11113BS	C62215BSOPLEN1113BS,C62215BSOPLEN1113BS,; C62232BSLFREN1113BS,C62232BSLFREN1113BS,; C62233BSLFREN1113BS,C62233BSLFREN1113BS,; C62234BSLFREN1113BS,C62234BSLFREN1113BS,	Residential	Fluorescent	Wall Sconces	800	12	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23636BSEN1113BS	C23636BSEN1113BS	C23951BSOPLEN1113BS,C23951BSOPLEN1113BS,; C23952BSOPLEN1113BS,C23952BSOPLEN1113BS,; C50944BSOPLEN1113BS,C50944BSOPLEN1113BS,; C50958BSWHTEN1113BS,C50958BSWHTEN1113BS,	Residential	Fluorescent	Decorative Pendant	800	12	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23901XXXOPLEN1118BS	C23901XXXOPLEN1118BS	C62215BSOPLEN1118BS,C62215BSOPLEN1118BS,; C62214BSOPLEN1118BS,C62214BSOPLEN1118BS,; C62218BSOPLEN1118BS,C62218BSOPLEN1118BS,; C62234BSLFREN1118BS,C62234BSLFREN1118BS,	Residential	Fluorescent	Wall Sconces	1258	18	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23904XXXOPLEN1413BS	C23904XXXOPLEN1413BS		Residential	Fluorescent	Wall Sconces	3200	48	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C23904XXXOPLEN1418BS	C23904XXXOPLEN1418BS		Residential	Fluorescent	Wall Sconces	5032	72	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50049BSFSTEN1226BS	C50049BSFSTEN1226BS	C50095BSFSTEN1226BS,C50095BSFSTEN1226BS,; C50121BSOPLEN1226BS,C50121BSOPLEN1226BS,; C50135BSFSTEN1226BS,C50135BSFSTEN1226BS,; C50957BSWHTEN1226BS,C50957BSWHTEN1226BS,	Residential	Fluorescent	Ceiling Mount	3416	48	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50049XXXFSTEN313BS	C50049XXXFSTEN313BS	C50097BSFSTEN1313BS,C50097BSFSTEN1313BS,; C50093BSFSTEN1313BS,C50093BSFSTEN1313BS,; C50135BSFSTEN1313BS,C50135BSFSTEN1313BS,; C50957BSWHTEN1313BS,C50957BSWHTEN1313BS,	Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50957BSWHTEN1413BS	C50957BSWHTEN1413BS	C20458BSWHTEN1413BS,C20458BSWHTEN1413BS,; C20458BSWHTEN1413BS,C20458BSWHTEN1413BS,	Residential	Fluorescent	Ceiling Mount	3200	52	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50958BSWHTEN1213BS	C50958BSWHTEN1213BS	C50959BSWHTEN1213BS,C50959BSWHTEN1213BS,	Residential	Fluorescent	Decorative Pendant	1600	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50958BSWHTEN1218BS	C50958BSWHTEN1218BS	C50959BSWHTEN1218BS,C50959BSWHTEN1218BS,	Residential	Fluorescent	Decorative Pendant	2516	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50959BSWHTEN1313BS	C50959BSWHTEN1313BS		Residential	Fluorescent	Decorative Pendant	2400	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	7/1/2012	1/11/2013	United States, Canada	724XXXOPEEN1213BS_01092013175043_6756708
	7/1/2012	1/11/2013	United States, Canada	ES_1001000_2B XXX-2C-XXX/YYY_01092013182728_8110620
	7/1/2012	1/11/2013	United States, Canada	0294XXXOPEEN1113BS_01102013091326_3598291
	7/1/2012	1/11/2013	United States, Canada	0390XXXOPEEN1126BS_01102013092253_9396631
	7/1/2012	1/3/2013	United States, Canada	0390XXXOPEEN1213BS_12132012152223_9979211
	7/1/2012	1/11/2013	United States, Canada	0390XXXOPEEN1218BS_01102013092009_467492
	7/1/2012	1/11/2013	United States, Canada	0390WHOPEEN1113BS_01092013174749_2066156
	7/1/2012	1/11/2013	United States, Canada	0390WHOPEEN1118BS_01092013175855_1610528
	7/1/2012	1/11/2013	United States, Canada	0725XXXOPEEN1126BS_01092013180528_7445184
	7/1/2012	1/11/2013	United States, Canada	0324BSTEXENT318BS_01092013180220_9554407
	7/1/2012	1/11/2013	United States, Canada	0121TTTTENTT13BS_01092013184021_1074029
	7/1/2012	1/11/2013	United States, Canada	ES_1001000_02 3636BSEN1113BS_01092013181254_2368890
	7/1/2012	1/11/2013	United States, Canada	0304XXXOPEEN1118BS_01092013185434_1085626
	7/1/2012	1/11/2013	United States, Canada	0304XXXOPEEN1413BS_01092013185114_8707086
	7/1/2012	1/11/2013	United States, Canada	0304XXXOPEEN1418BS_01092013190442_268213
	7/1/2012	1/11/2013	United States, Canada	0049BSPTENT226BS_01092013180926_4804345
	7/1/2012	1/11/2013	United States, Canada	0049XXXPTEN313BS_01092013175349_3113672
	6/27/2012	1/3/2013	United States, Canada	0397BSWHTEN1413BS_12132012113753_5976068
	7/1/2012	1/11/2013	United States, Canada	0398BSWHTEN1213BS_01092013181723_1433374
	7/1/2012	1/11/2013	United States, Canada	0398BSWHTEN1218BS_01092013183046_6796075
	7/1/2012	1/11/2013	United States, Canada	0398BSWHTEN1313BS_01092013182032_3761255

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Access Lighting	Access Lighting	C50959BSWHTEN1318BS	C50959BSWHTEN1318BS		Residential	Fluorescent	Decorative Pendant	3774	54	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50959BSWHTEN1413BS	C50959BSWHTEN1413BS		Residential	Fluorescent	Decorative Pendant	3200	48	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C50959BSWHTEN1418BS	C50959BSWHTEN1418BS		Residential	Fluorescent	Decorative Pendant	5032	72	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C62104BSOPLEN1126BS	C62104BSOPLEN1126BS	C62212BSOPLEN1126BS,C62212BSOPLEN1126BS,; C62213BSOPLEN1126BS,C62213BSOPLEN1126BS,; C62214BSOPLEN1126BS,C62214BSOPLEN1126BS,; C62218BSOPLEN1126BS,C62218BSOPLEN1126BS,	Residential	Fluorescent	Wall Sconces	1708	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C62104BSOPLEN1213BS	C62104BSOPLEN1213BS	C62232BSLFREN1213BS,C62232BSLFREN1213BS,; C62233BSLFREN1213BS,C62233BSLFREN1213BS,; C62234BSLFREN1213BS,C62234BSLFREN1213BS,; C62242XXXOPLEN1213BS,C62242XXXOPLEN1213BS,	Residential	Fluorescent	Wall Sconces	1600	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C62104BSOPLEN1218BS	C62104BSOPLEN1218BS	C62212BSOPLEN1218BS,C62212BSOPLEN1218BS,; C62213BSOPLEN1218BS,C62213BSOPLEN1218BS,; C62214BSOPLEN1218BS,C62214BSOPLEN1218BS,; C62218BSOPLEN1218BS,C62218BSOPLEN1218BS,; C62234BSLFREN1218BS,C62234BSLFREN1218BS,	Residential	Fluorescent	Wall Sconces	2516	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C62213BSOPLEN1313BS	C62213BSOPLEN1313BS	C23903XXXOPLEN1313BS,C23903XXXOPLEN1313BS, ; C62214BSOPLEN1313BS,C62214BSOPLEN1313BS,	Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Access Lighting	Access Lighting	C62213BSOPLEN1318BS	C62213BSOPLEN1318BS	C23903XXXOPLEN1318BS,C23903XXXOPLEN1318BS, ; C62214BSOPLEN1318BS,C62214BSOPLEN1318BS,	Residential	Fluorescent	Wall Sconces	3774	54	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX	BOLV413SNSCT	BOLV413SNSCT		Residential	Fluorescent	Bath Vanity	3600	56	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX	SYV313SNSCT	SYV313SNSCT		Residential	Fluorescent	Bath Vanity	2700	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	323911/ IDSR118SNSCT	323911/ IDSR118SNSCT		Residential	Fluorescent	Wall Sconces	1200	18	N/A	N/A	0.6	3500K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	323913/ IDS118SNSCT	323913/ IDS118SNSCT		Residential	Fluorescent	Wall Sconces	1200	18	N/A	N/A	0.6	3500K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	323915/ IDSS118SNSCT	323915/ IDSS118SNSCT		Residential	Fluorescent	Wall Sconces	1200	18	N/A	N/A	0.6	3500K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	357062	357062		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	CEV117PC/ PNR8	CEV117PC/ PNR8		Residential	Fluorescent	Bath Vanity	1239	18	N/A	N/A	0.51	2700K	84	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	CEV125PC/ PNR8	CEV125PC/ PNR8		Residential	Fluorescent	Bath Vanity	1976	30	N/A	N/A	0.54	2700K	84	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	CEV217PC/ PNR8	CEV217PC/ PNR8		Residential	Fluorescent	Bath Vanity	2018	26	N/A	N/A	0.54	2700K	84	10000	Non-Dimmable
AFX Lighting Inc.	AFX lighting,Inc.	CEV225PC/ PNR8	CEV225PC/ PNR8		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	2700K	84	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent	357062	357062		Residential	Fluorescent	Wall Sconces	900	13.8	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent	SWC313SCT	SWC313SCT		Residential	Fluorescent	Chandelier	2700	41.4	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent	SWF213SCT	SWF213SCT		Residential	Fluorescent	Close to Ceiling Mount	1800	27.6	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent	SWP113SCT	SWP113SCT		Residential	Fluorescent	Decorative Pendant	900	13.8	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent Co	SW232SNR8	SW232SNR8		Residential	Fluorescent	Ceiling Mount	3854	59	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
AFX Lighting Inc.	American Fluorescent Co	TW232R8	TW232R8		Residential	Fluorescent	Ceiling Mount	3854	59	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	7/1/2012	1/11/2013	United States, Canada	0999BSWHTEN 1318BS_010920 13183409_6185 113
	7/1/2012	1/11/2013	United States, Canada	0999BSWHTEN 1413BS_010920 13182419_7696 191
	7/1/2012	1/11/2013	United States, Canada	0999BSWHTEN 1418BS_010920 13183709_1374 627
	7/1/2012	1/11/2013	United States, Canada	2104BSOPLENT 126BS_0109201 3190928_78013 24
	7/1/2012	1/11/2013	United States, Canada	2104BSOPLENT 213BS_0109201 3184418_59156 43
	7/1/2012	1/11/2013	United States, Canada	2104BSOPLENT 218BS_0109201 3185755_83248 53
	7/1/2012	1/11/2013	United States, Canada	2215BSOPLENT 313BS_0109201 3184815_19944 39
	7/1/2012	1/11/2013	United States, Canada	2215BSOPLENT 318BS_0109201 3190122_10641 11
	6/1/2012	1/11/2013	United States, Canada	ES_20475_BOL V413SNSCT_01 092013191326_ 5817376
	6/1/2012	1/11/2013	United States, Canada	ES_20475_STV 313SNSCT_010 92013191700_6 340295
	1/10/2012	7/24/2012	United States, Canada	325917 IDSR118SNSCT _120620122022 45_5365276
	1/10/2012	7/24/2012	United States, Canada	325917 IDSS118SNSCT _120620122022 50_5370184
	7/23/2012	7/31/2012	United States, Canada	INC (753779) | 357062_120620 12202306_5386 298
	9/1/2012	9/11/2012	United States, Canada	CLEVITH C/ PNR8_1206201 2202448_54889 75
	9/1/2012	9/11/2012	United States, Canada	CLEV120FC/ PNR8_1206201 2202450_54909 81
	9/1/2012	9/11/2012	United States, Canada	CLEV217FC/ PNR8_1206201 2202453_54930 44
	9/1/2012	9/11/2012	United States, Canada	CLEV225FC/ PNR8_1206201 2202455_54950 48
	8/29/2011	1/10/2013	United States	ES_20475_3570 62_0107201314 4213_1992914
	8/24/2012	1/11/2013	United States	ES_20475_SWC 313SCT_010820 13135216_1318 933
	10/1/2011	1/11/2013	United States	ES_20475_SWI 213SCT_010820 13135649_7766 839
	10/1/2011	1/11/2013	United States	ES_20475_SWI 113SCT_010820 13155815_3563 348
	4/1/2012	4/25/2012	United States, Canada	(753880) | SW232SNR8_12 062012201626_ 4986449
	4/1/2012	4/25/2012	United States, Canada	(753880) | TW232R8_1206 2012201622_49 82385

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
AFX Lighting Inc.	American Fluorescent Co	TW232R8-CA	TW232R8-CA		Residential	Fluorescent	Ceiling Mount	3854	59	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	
AFX Lighting Inc.	Ascent	4 Light LED Fixed Track	CARF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
AFX Lighting Inc.	Ascent	4 Light LED Fixed Track	CRRF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	83	35000	Continuous Dimming	
AFX Lighting Inc.	Ascent	4 Light LED Fixed Track	MTRF4200LED RB3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	82	35000	Continuous Dimming	
AFX Lighting Inc.	Ascent	4 Light LED Fixed Track	MTRF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
AFX Lighting Inc.	Ascent	4 Light LED Fixed Track	TRRF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
AFX Lighting Inc.	Hampton Bay	4 Light LED Fixed Track	VERF4200LEDR B3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	82	35000	Continuous Dimming	
AFX Lighting Inc.	Innova Lighting	4 Light LED Fixed Track	INFT9101SN	4 Light LED Fixed Track,19551,; 4 Light LED Fixed Track,INFT9101SNC,	Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.95	3000K	83	35000	Continuous Dimming	
AFX Lighting Inc.	Patriot	4 Light LED Fixed Track	APRF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	83	35000	Continuous Dimming	
AFX Lighting Inc.	Patriot	4 Light LED Fixed Track	BERF4200LEDS N3K		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
AFX Lighting Inc.	PORTFOLIO	4 Light LED Fixed Track	ALRF4200LEDS N3K (397865)		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.99	3000K	84	35000	Continuous Dimming	
Allied Moulded Products, Inc.	Allied Moulded	Keyless Compact Fluorescent Luminaire	LH-CFL1		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Allied Moulded Products, Inc.	Allied Moulded	Pull-Chain Compact Fluorescent Luminaire	LH-CFL2		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Altair Lighting	Altair	AL-2149	AL-2149		Residential	LED	Porch (wall mounted)	880	13	N/A	N/A	0.99	4000/4100K	85	60000	Non-Dimmable	
American Lighting Inc.	American Lighting Inc.	LD6-E26-30-WH	LD6-E26-30-WH		Residential	LED	Downlight Solid State Retrofit	656	12	N/A	N/A	0.91	3000K	82	35000	Non-Dimmable	
Amerlux Global Lighting Solutions	Amerlux	C3RTLX-X-26-LED-E-XX-120-XX-XX-XXXX	C3RTLX-X-26-LED-E-XX-120-XX-XX-XXXX		Commercial	LED	Accent Light Line-voltage	972	24	N/A	N/A	0.97	2700K	81	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	C3R-X-26-LED-E-XX-120-XX-XX-XXXX	C3R-X-26-LED-E-XX-120-XX-XX-XXXX		Commercial	LED	Accent Light Line-voltage	972	24	N/A	N/A	0.97	2700K	81	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	C3SR-X-26-LED-E-XX-120-XX-XX-XXXX	C3SR-X-26-LED-E-XX-120-XX-XX-XXXX		Commercial	LED	Accent Light Line-voltage	972	24	N/A	N/A	0.97	2700K	81	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	C3TV-30-LED-E-XX-XXX-120-XX-XXXX	C3TV-30-LED-E-XX-XXX-120-XX-XXXX		Commercial	LED	Accent Light Line-voltage	1173	29	N/A	N/A	0.97	2700K	81	36000	Non-Dimmable	
Amerlux Global Lighting Solutions	Amerlux	CONTOUR	CNTRV22-12-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	435	11	N/A	N/A	0.97	2700K	83	35000	Continuous Dimming	Incla 3500 mod lens
Amerlux Global Lighting Solutions	Amerlux	CONTOUR	CNTRV25-18-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	653	16	N/A	N/A	0.97	2700K	83	35000	Continuous Dimming	Incla 3500 mod lens
Amerlux Global Lighting Solutions	Amerlux	CONTOUR	CNTRV35-24-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	968	24	N/A	N/A	0.99	2700K	83	35000	Continuous Dimming	Incla 3500 mod lens
Amerlux Global Lighting Solutions	Amerlux	CONTOUR	CNTRV54-32-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	1309	32	N/A	N/A	0.98	2700K	83	35000	Non-Dimmable	Incla 3500 mod lens
Amerlux Global Lighting Solutions	Amerlux	CONTOUR	CNTRV44-40-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	1734	42	N/A	N/A	0.98	2700K	83	35000	Non-Dimmable	Incla 3500 mod lens

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	4/25/2012	United States, Canada	(795885) | TW232R8-CA_12062012201624_4984442
	8/15/2012	8/9/2012	United States	LS_20479_CAR_F4200LEDSN3K_12142012110431_5760233
	8/15/2012	8/9/2012	United States	LS_20479_CAR_F4200LEDSN3K_12142012110439_2426855
	8/15/2012	8/9/2012	United States	LS_20479_WHR_F4200LEDRB3K_12142012110459_8332050
	8/15/2012	8/9/2012	United States	LS_20479_WHR_F4200LEDSN3K_12142012110511_4425117
	8/15/2012	8/9/2012	United States	LS_20479_TRR_F4200LEDSN3K_12142012110446_2900085
	8/15/2012	8/9/2012	United States	LS_20479_VER_F4200LEDRB3K_12142012110522_6842981
	11/10/2012	10/30/2012	United States, Canada	LS_20479_INF_9101SN_11132012150951_2267444
	8/15/2012	8/9/2012	United States	LS_20479_APR_F4200LEDSN3K_12142012110403_9345505
	8/15/2012	8/9/2012	United States	LS_20479_BER_F4200LEDSN3K_12142012110418_1305285
	8/15/2012	8/9/2012	United States	F4200LEDSN3K (397865)_10032012142029_6268135
	6/28/2010	4/3/2012	United States, Canada	(207200) | LH-CFL1_12062012201313_4793430
	1/10/2011	4/3/2012	United States, Canada	(207200) | LH-CFL2_12062012201315_4795407
	12/21/2012	1/2/2013	United States	(795885) | AL-2149_01022013211205_1125496
	5/16/2012	5/22/2012	United States, Canada	(64500) | LED-E26-30-WH_12062012214530_0330677
	1/1/2012	3/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-XXXX_12062012214009_0009641
	8/1/2011	3/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-120-XX-XX-XXXX_12062012214005_0005525
	8/1/2011	3/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-XXXX_12062012214007_0007618
	8/1/2011	7/5/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XXXX_12062012214609_0369106
des 3000K, K, 4000K els and all variations	6/1/2009	12/14/2011	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012213857_9937791
des 3000K, K, 4000K els and all variations	6/1/2009	11/15/2011	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012213818_9898670
des 3000K, K, 4000K els and all variations	6/1/2009	11/15/2011	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012213820_9900411
des 3000K, K, 4000K els and all variations	6/1/2009	10/25/2011	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012213807_9887930
des 3000K, K, 4000K els and all variations	6/1/2009	10/25/2011	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012213809_9889647

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Amerlux Global Lighting Solutions	Amerlux	E2.9RD-12-LED-E-120-XX-XXXX	E2.9RD-12-LED-E-120-XX-XXXX		Commercial	LED	Downlight Recessed	478	11	N/A	N/A	0.97	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	E2.9RLW-12-LED-E-120-WW-XXXX	E2.9RLW-12-LED-E-120-WW-XXXX		Commercial	LED	Downlight Recessed	478	11	N/A	N/A	0.97	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	E2.9XA-G2-12-LED-120-XX-XX-XXXX / E2.9XA-G2-XXXX	E2.9XA-G2-12-LED-120-XX-XX-XXXX / E2.9XA-G2-XXXX		Commercial	LED	Downlight Recessed	548	12	N/A	N/A	0.96	3000K	82	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	TL-12-LED-120-XX-XXXX / E2.9XA-G2-TL-XXX	TL-12-LED-120-XX-XXXX / E2.9XA-G2-TL-XXX		Commercial	LED	Downlight Recessed	548	12	N/A	N/A	0.96	3000K	82	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	E2.9XD-G2-12-LED-120-XX / E2.9XD-G2-XXX-XX-XXXX	E2.9XD-G2-12-LED-120-XX / E2.9XD-G2-XXX-XX-XXXX		Commercial	LED	Downlight Recessed	552	12	N/A	N/A	0.97	3000K	82	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	E2.9XD-G2-TL-12-LED-120 / E2.9XD-G2-TL-XXX-XX-XXXX	E2.9XD-G2-TL-12-LED-120 / E2.9XD-G2-TL-XXX-XX-XXXX		Commercial	LED	Downlight Recessed	552	12	N/A	N/A	0.97	3000K	82	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	LED-120-XX-XXXX / E4.75XA-G2-XXX	LED-120-XX-XXXX / E4.75XA-G2-XXX		Commercial	LED	Downlight Recessed	545	12	N/A	N/A	0.98	3000K	81	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-1S-LED-E-XX-XXXX-120-XXX-XXXX	HORNET-1S-LED-E-XX-XXXX-120-XXX-XXXX		Commercial	LED	Accent Light Line-voltage	765	15	N/A	N/A	0.98	3000K	82	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-R-1-12-LED-E-XX-WT-XXX-XXXX	HORNET-R-1-12-LED-E-XX-WT-XXX-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-R-2-12-LED-E-XX-120-XX-XX-WT-XXXX	HORNET-R-2-12-LED-E-XX-120-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-R-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX	HORNET-R-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX	HORNET-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-RTLX-1-12-LED-E-XX-WT-XXXX	HORNET-RTLX-1-12-LED-E-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-RTLX-2-12-LED-E-XX-120-XX-XX-WT-XXXX	HORNET-RTLX-2-12-LED-E-XX-120-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	RTLX-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX	RTLX-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	RTLX-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX	RTLX-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-SR-1-12-LED-E-XX-WT-XXXX	HORNET-SR-1-12-LED-E-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-SR-2-12-LED-E-XX-120-XX-XX-WT-XXXX	HORNET-SR-2-12-LED-E-XX-120-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	HORNET-SR-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX	HORNET-SR-3-12-LED-E-XX-120-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amerlux Global Lighting Solutions	Amerlux	SR-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX	SR-4-12-LED-E-XX-120-XX-XX-XX-XX-WT-XXXX		Commercial	LED	Downlight Recessed	679	11	N/A	N/A	0.96	3000K	83	36000	Continuous Dimming	
Amlite Lighting	Amlite Lighting	Ceiling Mount	FM376/12BN-ES		Residential	Fluorescent	Ceiling Mount	900	26	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
Arcadia Collection Co., Ltd.	Target	AF37827ES	AF37827ES		Commercial	LED	Portable Desk Task Light	245	4.9	N/A	N/A	0.84	3000K	84	35000	Non-Dimmable	other appe AF37 AF38
ATG Electronics Corp.	ATG Electronics	LED Downlight	HDL-T018W-01900D-H1		Residential,Commercial	LED	Downlight Solid State Retrofit	1100	18	N/A	N/A	0.99	3000K	82	40000	Continuous Dimming	
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	157127	157127		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2011	5/8/2012	Australia, New Zealand, Switzerland, Europe, Canada	E-120-XX-XXXX_12062012214215_0135865
	1/1/2011	5/8/2012	Australia, New Zealand, Switzerland, Europe, Canada	LED-E-120-WW-XXXX_12062012214213_0133977
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	G2-XXXX_12062012214056_0056977
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XXXX-E2.9XA-G2-TL-XXX_12062012214058_0058906
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XXX-XX-XXXX_12062012214053_0053313
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XXX-XX-XXXX_12062012214055_0055141
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-E4.75XA-G2-XXX_12062012214100_0060708
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XXXX-120-XXX-XXXX_12062012214103_0063371
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-WW-XXX-XXXX_12062012214105_0065208
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	WW-XXXX_12062012214107_0067030
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-WW-XXXX_12062012214108_0068873
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-WW-XXXX_12062012214110_0070809
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	E-XX-WW-XXXX_12062012214112_0072706
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-WW-XXXX_12062012214114_0074569
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-WW-XXXX_12062012214116_0076536
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-XX-WW-XXXX_12062012214118_0078385
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-WW-XXXX_12062012214120_0080289
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	WW-XXXX_12062012214122_0082939
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-WW-XXXX_12062012214124_0084731
	10/1/2011	4/12/2012	Australia, New Zealand, Switzerland, Europe, Canada	XX-XX-WW-XXXX_12062012214126_0086562
	10/1/2012	10/4/2012	United States, Canada	ES_1058017_PM376/12BN-ES_12102012190621_9949891
ent arance: '358ES, 602	4/20/2012	1/7/2013	United States, Canada	ES_1121040_AF37827ES_0102201316370077144 8
	8/15/2012	8/13/2012	United States	DL-T018W-01900D-H1_10032012142029_4087046
	5/1/2011	12/12/2012	United States, Canada	(1492270) P157127_12122012193718_1038242

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-60007	CB-60007		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-PL10003 BN	CB-PL10003 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-PL10004 BN	CB-PL10004 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-PL10005 BN	CB-PL10005 BN		Residential	Fluorescent	Chandelier	900	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-PL10007 BN	CB-PL10007 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	CB-PL10008 BN	CB-PL10008 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	PL-2511 BN	PL-2511 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	PL-2512 BN	PL-2512 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	PL-2513 BN	PL-2513 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	PL-2514BN	PL-2514BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Bel-Air Lighting	WL9364	WL9364		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	157127	157127		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	CB-60007	CB-60007		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	CB-PL10003 BN	CB-PL10003 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	PL-2511 BN	PL-2511 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	PL-2512 BN	PL-2512 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	PL-2513 BN	PL-2513 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	PL-2514BN	PL-2514BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	PORTFOLIO	WL9364	WL9364		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	CB-60007	CB-60007		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	CB-PL10003 BN	CB-PL10003 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-10004 BN	PL-10004 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-10005 BN	PL-10005 BN		Residential	Fluorescent	Chandelier	900	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-10007 BN	PL-10007 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-60007_12052012200211_7731050
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-PL10003BN_12052012195937_7577752
	5/1/2011	12/12/2012	United States, Canada	(1492270) | CB-PL10004BN_12122012152300_5780866
	5/1/2011	12/12/2012	United States, Canada	(1492270) | CB-PL10005BN_12122012152723_6043620
	5/1/2011	12/12/2012	United States, Canada	(1492270) | CB-PL10007BN_12122012152841_6121811
	5/1/2011	12/12/2012	United States, Canada	(1492270) | CB-PL10008BN_12122012152555_5955356
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2511BN_12052012192307_5387267
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2512BN_12052012190604_4364242
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2513BN_12052012185946_3986852
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2514BN_12052012185719_3839222
	5/1/2011	12/12/2012	United States, Canada	(1492270) | WL9364_12122012193752_1072489
	5/1/2011	12/12/2012	United States, Canada	(1492270) | 157127_12122012193642_1002732
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-60007_12052012200127_7687089
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-PL10003BN_12052012195906_7546657
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2511BN_12052012192236_5356791
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2512BN_12052012190424_4264877
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2513BN_12052012185906_3946575
	5/1/2011	11/30/2012	United States, Canada	(1492270) | PL-2514BN_12052012185642_3802340
	5/1/2011	12/12/2012	United States, Canada	(1492270) | WL9364_12122012194021_1221311
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-60007_12052012200104_7664143
	5/1/2011	11/30/2012	United States, Canada	(1492270) | CB-PL10003BN_12052012195837_7517584
	5/1/2011	12/12/2012	United States, Canada	(1492270) | PL-10004BN_12122012152441_5881705
	5/1/2011	12/12/2012	United States, Canada	(1492270) | PL-10005BN_12122012152804_6084851
	5/1/2011	12/12/2012	United States, Canada	(1492270) | PL-10007BN_12122012152940_6180594

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-10008 BN	PL-10008 BN		Residential	Fluorescent	Chandelier	900	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-2511 BN	PL-2511 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-2512 BN	PL-2512 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-2513 BN	PL-2513 BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bel Air Lighting, Trans Globe Lighting	Trans Globe Lighting	PL-2514BN	PL-2514BN		Residential	Fluorescent	Bath Vanity	900	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Bevolo Gas & Electric Lights	Bevolo French Quarter Original Bracket	FQ-OB	FQ-OB		Residential	Fluorescent	Porch (wall mounted)	800	12	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Bright Yin Huey	Bright Yin Huey Company Limited	D0099RA	D0099RA		Residential	LED	Downlight Recessed	345	7.5	N/A	N/A	0.83	3000K	82	35000	Continuous Dimming, Type IC Airtight
Bright Yin Huey	Bright Yin Huey Company Limited	D0100RA	D0100RA		Residential	LED	Downlight Solid State Retrofit	400	9.0	N/A	N/A	0.83	3000K	82	35000	Continuous Dimming, Type IC Airtight
Brownlee Lighting	Brownlee Lighting	1005	1005-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1005	1005-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1022	1022-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1022	1022-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/1/2011	12/12/2012	United States, Canada	(149275) | PL-10008 BN_12122012152650_6010540
	5/1/2011	11/30/2012	United States, Canada	(149275) | PL-2511 BN_12052012190827_4507145
	5/1/2011	11/30/2012	United States, Canada	(149275) | PL-2512 BN_12052012190319_4199889
	5/1/2011	11/30/2012	United States, Canada	(149275) | PL-2513 BN_12052012185813_3893804
	5/1/2011	11/30/2012	United States, Canada	(149275) | PL-2514BN_12052012185607_3767643
	10/1/2011	1/13/2013	United States, Canada	LIGHTS INC (710039) | FQ-OB_01132013200804_7684749
	9/30/2011	9/30/2011	United States, Canada	ES_1030003_DC099RA_11132012090015_9129553
	9/30/2011	9/30/2011	United States, Canada	ES_1030003_DC100RA_11212012095123_7660504
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-13G-ES3_12062012192945_2185754
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-13Q-ESX_12062012194810_3290108
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-18G-ES3_12062012193547_2547535
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-18Q-ESX_12062012195417_3657769
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-213Q-ESX_12062012195022_3422732
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-218Q-ESX_12062012195631_3791853
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-23G-ES3_12062012194059_2859975
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1005-26Q-ESX_12062012195930_3970339
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1022-XX-13G-ES3_12062012192947_2187703
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1022-XX-18G-ES3_12062012193549_2549450
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-13G-ES3_12062012192949_2189669
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-13Q-ESX_12062012194812_3292160
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-18G-ES3_12062012193551_2551393
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-18Q-ESX_12062012195419_3659644
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-213G-ES3_12062012193204_2324241
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(15271) | 1042-213Q-ESX_12062012195024_3424688

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1042	1042-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1042	1042-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1080	1080-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1080	1080-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1080	1080-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1086	1086-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1086	1086-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1140	1140-XX-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1140	1140-XX-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1215	1215-XX-XXX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1042-23G-ES3_12062012194102_2862077
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1042-26Q-ESX_12062012195932_3972388
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-13G-XXX-ES3_12062012192951_2191793
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-18G-XXX-ES3_12062012193553_2553291
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-23G-XXX-ES3_12062012194104_2864023
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-XX-13Q-ESX_12062012194807_3287965
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-XX-26Q-ESX_12062012195934_3974463
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-XX-XXX-ES3_12062012192953_2193923
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1080-XX-XXX-ES3_12062012193555_2555270
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-13G-ES3_12062012192955_2195957
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-13Q-ESX_12062012194814_3294310
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-18G-ES3_12062012193557_2557217
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-18Q-ESX_12062012195421_3661534
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-213G-ES3_12062012193206_2326222
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-213Q-ESX_12062012195026_3426697
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-218Q-ESX_12062012195633_3793760
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-226Q-ESX_12062012200159_4119357
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-23G-ES3_12062012194105_2865995
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-26G-ES3_12062012194446_3086924
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1210-XX-XXX-26Q-ESX_12062012195936_3976497
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1250-XX-13G-ES3_12062012192957_2197908
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1250-XX-13Q-ESX_12062012194816_3296393
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1250-XX-18G-ES3_12062012193559_2559154
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1250-XX-18Q-ESX_12062012195423_3663464

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1230	1230-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1281	1281-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1283	1283-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1280-XX-213Q-ESX_120620121 95028_3428694
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1280-XX-26Q-ESX_120620121 95938_3978548
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-13G-ES3_120620121 92959_2199862
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-13Q-ESX_120620121 94818_3298369
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-18G-ES3_120620121 93601_2561150
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-18Q-ESX_120620121 95425_3665439
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-213G-ES3_120620121 93208_2328130
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-213Q-ESX_120620121 95030_3430690
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-218Q-ESX_120620121 95635_3795650
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-226Q-ESX_120620122 00201_4121426
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-23G-ES3_120620121 94108_2868082
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-26G-ES3_120620121 94448_3088999
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1281-XX-26Q-ESX_120620121 95940_3980590
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-13G-ES3_120620121 93001_2201989
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-13Q-ESX_120620121 94820_3300298
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-18G-ES3_120620121 93603_2563114
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-18Q-ESX_120620121 95427_3667509
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-213G-ES3_120620121 93209_2329966
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-213Q-ESX_120620121 95032_3432708
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-218Q-ESX_120620121 95637_3797629
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-226Q-ESX_120620122 00203_4123828
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-23G-ES3_120620121 94110_2870093
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-26G-ES3_120620121 94450_3090988
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1283-XX-26Q-ESX_120620121 95942_3982661

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1330	1330-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1330	1330-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1330	1330-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1330	1330-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1330	1330-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1350	1350-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1362	1362-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-213G-ES3_120620121 93211_2331850
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-213Q-ESX_120620121 95034_3434707
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-218G-ES3_120620121 93812_2692813
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-218Q-ESX_120620121 95639_3799555
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-226Q-ESX_120620122 00205_4125949
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-213G-ES3_120620121 93213_2333708
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-213Q-ESX_120620121 95036_3436700
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-218G-ES3_120620121 93814_2694705
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-218Q-ESX_120620121 95641_3801459
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-223G-ES3_120620121 94259_2979113
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-226G-ES3_120620121 94641_3201093
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1550-XX-226Q-ESX_120620122 00208_4128065
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-13G-ES3_120620121 93004_2204021
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-13Q-ESX_120620121 94822_3302340
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-18G-ES3_120620121 93605_2565035
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-18Q-ESX_120620121 95429_3669489
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-213G-ES3_120620121 93215_2335525
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-213Q-ESX_120620121 95038_3438653
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-218G-ES3_120620121 93816_2696683
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-218Q-ESX_120620121 95643_3803518
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-226Q-ESX_120620122 00210_4130220
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-23G-ES3_120620121 94112_2872119
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-26G-ES3_120620121 94453_3093094
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1)	1502-XX-26Q-ESX_120620121 95944_3984742

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1375	1375-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1380	1380-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-13Q-ESX_12062012194824_3304274
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-18Q-ESX_12062012195431_3671485
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-213Q-ESX_12062012195040_3440589
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-218Q-ESX_12062012195645_3805471
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-226Q-ESX_12062012200212_4132287
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-26Q-ESX_12062012195946_3986735
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-13G-ES3_12062012193006_2206043
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-13Q-ESX_12062012194826_3306237
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-18G-ES3_12062012193606_2566999
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-18Q-ESX_12062012195433_3673545
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-213G-ES3_12062012193217_2337471
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-213Q-ESX_12062012195042_3442564
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-218Q-ESX_12062012195647_3807567
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-226Q-ESX_12062012200214_4134360
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-23G-ES3_12062012194114_2874104
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-26G-ES3_12062012194455_3095150
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-26Q-ESX_12062012195948_3988744
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-13G-ES3_12062012193008_2208006
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-13Q-ESX_12062012194828_3308207
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-18G-ES3_12062012193608_2568886
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-18Q-ESX_12062012195435_3675594
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-213G-ES3_12062012193219_2339402
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-213Q-ESX_12062012195044_3444660
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y32F1) | 1575-XX-218Q-ESX_12062012195649_3809643

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1385	1385-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1390	1390-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-226Q-ESX_12062012200217_4137256
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-23G-ES3_12062012194116_2876106
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-26G-ES3_12062012194457_3097324
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-26Q-ESX_12062012195951_3991486
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-13G-ES3_12062012193010_2210112
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-13Q-ESX_12062012194830_3310225
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-18G-ES3_12062012193610_2570832
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-18Q-ESX_12062012195437_3677607
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-213G-ES3_12062012193221_2341374
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-213Q-ESX_12062012195046_3446785
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-218Q-ESX_12062012195651_3811732
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-226Q-ESX_12062012200219_4139162
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-23G-ES3_12062012194118_2878166
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-26G-ES3_12062012194459_3099407
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1590-XX-26Q-ESX_12062012195953_3993396
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-13G-ES3_12062012193012_2212229
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-13Q-ESX_12062012194832_3312274
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-18G-ES3_12062012193612_2572776
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-18Q-ESX_12062012195439_3679515
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-213G-ES3_12062012193223_2343323
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-213Q-ESX_12062012195048_3448924
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-218Q-ESX_12062012195653_3813762
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-226Q-ESX_12062012200221_4141049
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1400-XX-23G-ES3_12062012194120_2880163

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1405	1405-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1410	1410-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1403-XX-26G-ES3_120620121 94501_3101584
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1403-XX-26Q-ESX_120620121 95955_3995288
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-13G-ES3_120620121 93014_2214409
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-13Q-ESX_120620121 94834_3314366
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-18G-ES3_120620121 93614_2574714
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-18Q-ESX_120620121 95441_3681465
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-213G-ES3_120620121 93225_2345269
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-213Q-ESX_120620121 95051_3451037
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-218Q-ESX_120620121 95655_3815771
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-226Q-ESX_120620122 00222_4142940
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-23G-ES3_120620121 94122_2882223
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-26G-ES3_120620121 94503_3103735
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1410-XX-26Q-ESX_120620121 95957_3997244
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-13G-ES3_120620121 93016_2216557
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-13Q-ESX_120620121 94836_3316448
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-18G-ES3_120620121 93616_2576729
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-18Q-ESX_120620121 95443_3683425
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-213G-ES3_120620121 93227_2347177
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-213Q-ESX_120620121 95053_3453084
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-218G-ES3_120620121 93818_2698610
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-218Q-ESX_120620121 95657_3817858
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-223G-ES3_120620121 94301_2981019
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-226G-ES3_120620121 94643_3203017
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(T32F1)[1430-XX-226Q-ESX_120620122 00224_4144844

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1450	1450-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1468	1468-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1470	1470-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1470	1470-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1470	1470-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1470	1470-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1472	1472-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1472	1472-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1472	1472-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1472	1472-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1474	1474-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1450-XX-23G-ES3_12062012194124_2884184
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1450-XX-26G-ES3_12062012194505_3105807
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1450-XX-26Q-ESX_12062012195959_3999220
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-13G-ES3_12062012193018_2218660
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-13Q-ESX_12062012194838_3318649
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-18G-ES3_12062012193618_2578718
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-18Q-ESX_12062012195445_3685368
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-213G-XXX-ES3_12062012193229_2349015
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-213Q-ESX_12062012195055_3455084
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-218G-XXX-ES3_12062012193820_2700520
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-218Q-ESX_12062012195700_3820071
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-226Q-ESX_12062012200226_4146827
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-23G-ES3_12062012194126_2886208
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-26G-ES3_12062012194507_3107870
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1460-XX-26Q-ESX_12062012200001_4001272
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1470-XX-13G-ES3_12062012193020_2220708
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1470-XX-18G-ES3_12062012193620_2580691
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1470-XX-23G-ES3_12062012194128_2888218
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1470-XX-26G-ES3_12062012194509_3109938
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1472-XX-13G-ES3_12062012193022_2222751
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1472-XX-18G-ES3_12062012193622_2582777
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1472-XX-23G-ES3_12062012194130_2890198
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1472-XX-26G-ES3_12062012194512_3112053
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 1474-XX-13G-ES3_12062012193024_2224769

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1474	1474-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1474	1474-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1474	1474-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1476	1476-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1476	1476-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1476	1476-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1476	1476-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1480	1480-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1480	1480-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1480	1480-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1480	1480-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1482	1482-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1482	1482-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1482	1482-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1482	1482-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1484	1484-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1484	1484-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1484	1484-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1484	1484-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1486	1486-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1486	1486-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1486	1486-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1486	1486-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1490	1490-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1474-XX-18G-ES3_120620121 93624_2584878
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1474-XX-23G-ES3_120620121 94132_2892222
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1474-XX-26G-ES3_120620121 94514_3114071
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1476-XX-213G-ES3_120620121 93230_2350959
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1476-XX-218G-ES3_120620121 93822_2702520
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1476-XX-223G-ES3_120620121 94302_2982992
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1476-XX-226G-ES3_120620121 94644_3204989
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1480-XX-13G-ES3_120620121 93026_2226837
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1480-XX-18G-ES3_120620121 93626_2586983
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1480-XX-23G-ES3_120620121 94134_2894339
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1480-XX-26G-ES3_120620121 94516_3116101
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1482-XX-13G-ES3_120620121 93028_2228856
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1482-XX-18G-ES3_120620121 93629_2589018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1482-XX-23G-ES3_120620121 94136_2896467
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1482-XX-26G-ES3_120620121 94518_3118177
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1484-XX-13G-ES3_120620121 93030_2230879
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1484-XX-18G-ES3_120620121 93631_2591039
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1484-XX-23G-ES3_120620121 94138_2898613
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1484-XX-26G-ES3_120620121 94521_3121074
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1486-XX-213G-ES3_120620121 93232_2352914
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1486-XX-218G-ES3_120620121 93824_2704482
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1486-XX-223G-ES3_120620121 94304_2984964
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1486-XX-226G-ES3_120620121 94646_3206997
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 1490-XX-13G-ES3_120620121 93032_2232994

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1490	1490-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1490	1490-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1490	1490-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1492	1492-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1492	1492-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1492	1492-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1492	1492-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1494	1494-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1494	1494-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1494	1494-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1494	1494-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1496	1496-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1496	1496-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1496	1496-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1496	1496-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1500	1500-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1500	1500-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1500	1500-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1500	1500-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1503	1503-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1503	1503-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1503	1503-XX-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1503	1503-XX-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1506	1506-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-18G-ES3_120620121 93633_2593127
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-23G-ES3_120620121 94140_2900701
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-26G-ES3_120620121 94523_3123120
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1492-XX-13G-ES3_120620121 93034_2234947
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1492-XX-18G-ES3_120620121 93635_2595216
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1492-XX-23G-ES3_120620121 94142_2902786
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1492-XX-26G-ES3_120620121 94525_3125013
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1494-XX-13G-ES3_120620121 93037_2237010
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1494-XX-18G-ES3_120620121 93637_2597232
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1494-XX-23G-ES3_120620121 94145_2905657
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1494-XX-26G-ES3_120620121 94527_3127078
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-213G-ES3_120620121 93234_2354882
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-218G-ES3_120620121 93826_2706430
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-223G-ES3_120620121 94306_2986936
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1490-XX-226G-ES3_120620121 94648_3208953
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-13G-ES3_120620121 93039_2239011
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-18G-ES3_120620121 93639_2599257
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-23G-ES3_120620121 94147_2907568
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-26G-ES3_120620121 94529_3129071
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-13G-XXX-ES3_120620121 93040_2240961
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-18G-XXX-ES3_120620121 93641_2601245
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-23G-XXX-ES3_120620121 94149_2909514
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-26G-XXX-ES3_120620121 94531_3131052
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-13G-ES3_120620121 93042_2242956

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1506	1506-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1506	1506-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1506	1506-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1509	1509-XX-13Q-ES3		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1509	1509-XX-18Q-ES3		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1509	1509-XX-26Q-ES3		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1510	1510-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1510	1510-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1510	1510-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1510	1510-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1511	1511-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1511	1511-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1511	1511-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1511	1511-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1515	1515-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-18G-ES3_120620121 93643_2603338
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-23G-ES3_120620121 94151_2911393
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-26G-ES3_120620121 94533_3133001
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-13Q-ES3_120620121 94840_3320679
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-18Q-ES3_120620121 95447_3687515
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1500-XX-26Q-ES3_120620122 00003_4003479
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-13G-ES3_120620121 93045_2245015
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-18G-ES3_120620121 93645_2605363
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-23G-ES3_120620121 94153_2913274
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-26G-ES3_120620121 94535_3135003
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1511-213G-ES3_120620121 93236_2356908
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1511-218G-ES3_120620121 93828_2708600
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1511-223G-ES3_120620121 94308_2988965
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1511-226G-ES3_120620121 94650_3210868
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-13G-ES3_120620121 93047_2247119
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-13Q-ESX_120620121 94842_3322766
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-18G-ES3_120620121 93647_2607608
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-18Q-ESX_120620121 95449_3689579
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-213G-ES3_120620121 93238_2358938
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-213Q-ESX_120620121 95059_3459596
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-218Q-ESX_120620121 95702_3822429
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-26Q-ESX_120620122 00005_4005495
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-13G-ES3_120620121 93049_2249188
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1510-XX-13Q-ESX_120620121 94844_3324728

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1518	1518-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-13Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1520	1520-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1522	1522-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-18G-ES3_120620121 93649_2609787
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-18Q-ESX_120620121 95451_3691604
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-213G-ES3_120620121 93240_2360905
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-213Q-ESX_120620121 95101_3461854
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-218Q-ESX_120620121 95704_3824618
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1516-XX-26Q-ESX_120620122 00007_4007503
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-13Q-XXX-ESX_120620121 94846_3326735
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-18Q-XXX-ESX_120620121 95453_3693536
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-213Q-XXX-ESX_120620121 95103_3463998
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-218Q-XXX-ESX_120620121 95706_3826720
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-226Q-XXX-ESX_120620122 00228_4148772
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1520-XX-26Q-XXX-ESX_120620122 00009_4009453
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-13Q-ESX_120620121 94848_3328784
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-18Q-ESX_120620121 95455_3695553
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-213Q-ESX_120620121 95106_3466059
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-218Q-ESX_120620121 95708_3828764
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-226Q-ESX_120620122 00230_4150692
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1522-XX-26Q-ESX_120620122 00011_4011573
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-13G-ES3_120620121 93051_2251318
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-13Q-ESX_120620121 94850_3330775
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-18G-ES3_120620121 93652_2612039
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-18Q-ESX_120620121 95457_3697635
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-213G-ES3_120620121 93242_2362862
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1921 1) | 1532-XX-213Q-ESX_120620121 95108_3468200

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1532	1532-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-13Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1535	1535-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1538	1538-13Q-ES3		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1540	1540-13Q-ES3		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1542	1542-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1544	1544-XX-13Q-ES3		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1532-XX-218G-ES3_120620121 93830_2710491
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1532-XX-218Q-ESX_120620121 95710_3830927
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1532-XX-226Q-ESX_120620122 00232_4152589
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1532-XX-26Q-ESX_120620122 00013_4013571
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-13G-XXX-ES3_120620121 93055_2255879
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-13Q-XXX-ESX_120620121 94852_3332928
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-18G-XXX-ES3_120620121 93657_2617349
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-18Q-XXX-ESX_120620121 95459_3699697
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-213G-XXX-ES3_120620121 93244_2364809
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-213Q-XXX-ESX_120620121 95110_3470432
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-218G-XXX-ES3_120620121 93832_2712466
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-218Q-XXX-ESX_120620121 95712_3832957
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-226Q-XXX-ESX_120620122 00234_4154494
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1535-XX-26Q-XXX-ESX_120620122 00015_4015540
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1538-13Q-ES3_120620121 94854_3334956
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1540-13Q-ES3_120620121 94857_3337053
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-13G-ES3_120620121 93053_2253993
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-13Q-ESX_120620121 94859_3339143
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-18G-ES3_120620121 93655_2615190
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-18Q-ESX_120620121 95502_3702555
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-23G-ES3_120620121 94155_2915192
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-26G-ES3_120620121 94541_3141514
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1542-XX-26Q-ESX_120620122 00017_4017657
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 1544-XX-13Q-ES3_120620121 94901_3341173

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1560	1560-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1562	1562-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-13G-ES3_120620121 93057_2257774
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-13Q-ESX_120620121 94903_3343985
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-18G-ES3_120620121 93659_2619338
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-18Q-ESX_120620121 95504_3704490
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-213Q-ESX_120620121 95112_3472489
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-218Q-ESX_120620121 95714_3834980
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-226Q-ESX_120620122 00236_4156443
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-23G-ES3_120620121 94157_2917126
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-26G-ES3_120620121 94543_3143559
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1500-XX-26Q-ESX_120620122 00019_4019739
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-13G-ES3_120620121 93059_2259724
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-13Q-ESX_120620121 94905_3345961
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-18G-ES3_120620121 93701_2621311
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-18Q-ESX_120620121 95506_3706390
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-213Q-ESX_120620121 95114_3474523
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-218Q-ESX_120620121 95716_3836964
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-226Q-ESX_120620122 00238_4158357
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-23G-ES3_120620121 94159_2919130
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-26G-ES3_120620121 94545_3145543
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1502-XX-26Q-ESX_120620122 00021_4021863
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1503-XX-13G-ES3_120620121 93101_2261648
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1503-XX-13Q-ESX_120620121 94908_3348000
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1503-XX-18G-ES3_120620121 93703_2623317
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 1503-XX-18Q-ESX_120620121 95508_3708344

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1565	1565-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	1567	1567-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-213G-ES3_120620121 93246_2366724
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-213Q-ESX_120620121 95116_3476598
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-218G-ES3_120620121 93834_2714393
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-218Q-ESX_120620121 95718_3838956
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-223G-ES3_120620121 94311_2991162
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-226G-ES3_120620121 94652_3212901
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-226Q-ESX_120620122 00240_4160288
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-23G-ES3_120620121 94201_2921051
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-26G-ES3_120620121 94547_3147616
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-26Q-ESX_120620122 00023_4023874
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-13G-ES3_120620121 93103_2263591
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-13Q-ESX_120620121 94910_3350235
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-18G-ES3_120620121 93705_2625304
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-18Q-ESX_120620121 95510_3710284
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-213G-ES3_120620121 93248_2368674
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-213Q-ESX_120620121 95118_3478632
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-218G-ES3_120620121 93836_2716458
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-218Q-ESX_120620121 95720_3840887
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-223G-ES3_120620121 94313_2993096
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-226G-ES3_120620121 94654_3214911
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-226Q-ESX_120620122 00242_4162331
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-23G-ES3_120620121 94203_2923050
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-26G-ES3_120620121 94549_3149650
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(732F1) [illegible] XX-26Q-ESX_120620122 00025_4025969

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2020	2020-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2020	2020-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2035	2035-XX-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-19-WH-413Q-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-13G-ES3_120620121 93105_2265493
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-13Q-ESX_120620121 94912_3352265
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-18G-ES3_120620121 93707_2627310
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-18Q-ESX_120620121 95512_3712309
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-213G-ES3_120620121 93250_2370731
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-213Q-ESX_120620121 95120_3480660
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-218G-ES3_120620121 93838_2718529
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-218Q-ESX_120620121 95722_3842880
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-23G-ES3_120620121 94205_2925024
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-26G-ES3_120620121 94551_3151892
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2020-26Q-ESX_120620122 00028_4028129
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-13Q-ESX_120620121 94914_3354209
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-18Q-ESX_120620121 95514_3714388
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-213Q-ESX_120620121 95122_3482719
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-218Q-ESX_120620121 95724_3844899
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-226Q-ESX_120620122 00244_4164361
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-22C-ES3_120620122 01059_4659197
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-26Q-ESX_120620122 00030_4030231
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-32C-ES3_120620122 01124_4684909
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2030-XX-XX-54C-ES3_120620122 01150_4710981
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2045-19-WH-413Q-ESX_120620121 95350_3630018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-213G-ES3_120620121 93201_2321426
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-218G-ES3_120620121 93810_2690853
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-223G-ES3_120620121 94257_2977226

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-323G-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-413Q-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2045	2045-XX-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-14-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-14-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-313G-ES3_120620121 93417_2457193
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-318G-ES3_120620121 93954_2794233
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-13G-ES3_120620121 93107_2267457
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-13Q-ESX_120620121 94916_3356177
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-18G-ES3_120620121 93709_2629270
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-18Q-ESX_120620121 95516_3716513
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-213G-ES3_120620121 93252_2372797
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-213Q-ESX_120620121 95124_3484756
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-218G-ES3_120620121 93840_2720602
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-218Q-ESX_120620121 95727_3847699
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-223G-ES3_120620121 94315_2995289
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-226Q-ESX_120620122 00246_4166416
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-22C-ES3_120620122 01101_4661194
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-23G-ES3_120620121 94207_2927011
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-26Q-ESX_120620122 00032_4032415
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-313G-ES3_120620121 93419_2459223
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-318G-ES3_120620121 93956_2796243
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-323G-ES3_120620121 94412_3052843
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-32C-ES3_120620122 01126_4686922
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-413G-ES3_120620121 93506_2506719
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-413Q-ESX_120620121 95352_3632809
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2045-XX-XX-54C-ES3_120620122 01153_4713836
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2047-14-XX-32C-ES3_120620122 01122_4682979
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2047-14-XX-54C-ES3_120620122 01148_4708942

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2047	2047-19-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2047	2047-XX-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-13G-XX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-13Q-XX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-18G-XX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-18Q-XX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-213G-XX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-213Q-XX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-218G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2047-13-XX-226Q-ESX_12062012200157_4117387
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-13G-ES3_12062012193109_2269275
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-13Q-ESX_12062012194918_3358109
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-18G-ES3_12062012193711_2631306
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-18Q-ESX_12062012195518_3718541
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-213G-ES3_12062012193255_2375156
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-213Q-ESX_12062012195126_3486911
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-218G-ES3_12062012193842_2722722
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-218Q-ESX_12062012195729_3849613
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-223G-ES3_12062012194317_2997290
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-226Q-ESX_12062012200248_4168491
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-22C-ES3_12062012201103_4663145
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-23G-ES3_12062012194209_2929052
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-26Q-ESX_12062012200034_4034398
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-313G-ES3_12062012193421_2461194
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-32C-ES3_12062012201128_4688932
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2047-XX-XX-54C-ES3_12062012201155_4715962
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2050-XX-XX-13G-XX-ES3_12062012193111_2271194
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2050-XX-XX-13Q-XX-ESX_12062012194920_3360037
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2050-XX-XX-18G-XX-ES3_12062012193713_2633375
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) 2050-XX-XX-18Q-XX-ESX_12062012195520_3720763
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-213G-XX-ES3_12062012193257_2377204
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-213Q-XX-ESX_12062012195128_3488954
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-218G-XX-ES3_12062012193844_2724651

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-218Q-XX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-223G-XX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-226G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-226Q-XX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-22C-XX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-23G-XX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-26G-XX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-26Q-XX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-313G-XX-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-318G-XX-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-323G-XX-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-32C-XX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2050	2050-XX-XX-54C-XX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-223G-XXX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-22C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-218Q-XX-ESX_120620121 95731_3851552
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226C-XX-ES3_120620121 94319_2999397
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226C-XX-ES3_120620121 94657_3217007
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226Q-XX-ESX_120620122 00250_4170431
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-22C-XX-ES3_120620122 01105_4665098
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-23G-XX-ES3_120620121 94211_2931006
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-26G-XX-ES3_120620121 94444_3084941
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-26Q-XX-ESX_120620122 00036_4036384
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-318C-XX-ES3_120620121 93423_2463191
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-318C-XX-ES3_120620121 93958_2798231
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-326C-XX-ES3_120620121 94414_3054940
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-32C-XX-ES3_120620122 01130_4690931
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418C-XX-ES3_120620121 93508_2508787
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418Q-XX-ESX_120620121 95354_3634683
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2030-XX-XX-54C-XX-ES3_120620122 01158_4718023
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-18G-XXX-ES3_120620121 93715_2635439
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-18Q-XXX-ESX_120620121 95522_3722775
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-213G-XXX-ES3_120620121 93259_2379279
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-213Q-XXX-ESX_120620121 95131_3491779
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-218G-XXX-ES3_120620121 93846_2726683
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-218Q-XXX-ESX_120620121 95733_3853450
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-223G-XXX-ES3_120620121 94321_3001417
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-226Q-XXX-ESX_120620122 00252_4172414
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2031-XX-22C-XXX-ES3_120620122 01107_4667173

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-313G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-32C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2051	2051-XX-54C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-13Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-223G-XXX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-226G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-22C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-32C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2057	2057-XX-54C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-23G-XXX-ES3_120620121 94213_2933027
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-26G-XXX-ES3_120620121 94553_3153990
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-26Q-XXX-ESX_120620122 00038_4038315
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-313G-XXX-ES3_120620121 93425_2465236
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-32C-XXX-ES3_120620122 01132_4692981
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-54C-XXX-ES3_120620122 01200_4720139
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-13G-XXX-ES3_120620121 93113_2273114
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-13Q-XXX-ESX_120620121 94921_3361962
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-18G-XXX-ES3_120620121 93717_2637567
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-18Q-XXX-ESX_120620121 95524_3724712
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-213G-XXX-ES3_120620121 93301_2381348
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-213Q-XXX-ESX_120620121 95133_3493668
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-218G-XXX-ES3_120620121 93848_2728695
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-218Q-XXX-ESX_120620121 95735_3855244
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-223G-XXX-ES3_120620121 94323_3003359
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-226G-XXX-ES3_120620121 94659_3219016
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-226Q-XXX-ESX_120620122 00254_4174463
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-22C-XXX-ES3_120620122 01111_4671179
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-23G-XXX-ES3_120620121 94214_2934914
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-26G-XXX-ES3_120620121 94556_3156025
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-26Q-XXX-ESX_120620122 00040_4040251
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-32C-XXX-ES3_120620122 01136_4696988
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-54C-XXX-ES3_120620122 01204_4724288
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2051-XX-213G-XXX-ES3_120620121 93303_2383448

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-223G-XXX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-226G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-22C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-32C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-54C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2058	2058-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-24-XX-426Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-13Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-218G-XXX-ES3_120620121 93850_2730622
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-223G-XXX-ES3_120620121 94325_3005341
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-226G-XXX-ES3_120620121 94701_3221026
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-22C-XXX-ES3_120620122 01113_4673174
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-32C-XXX-ES3_120620122 01138_4698993
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-54C-XXX-ES3_120620122 01206_4726348
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-13G-ES3_120620121 93115_2275178
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-13Q-ESX_120620121 94923_3363918
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-18G-ES3_120620121 93719_2639523
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-18Q-ESX_120620121 95526_3726709
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-213Q-ESX_120620121 95135_3495601
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-218Q-ESX_120620121 95737_3857205
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-226Q-ESX_120620122 00256_4176477
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-23G-ES3_120620121 94216_2936907
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-26G-ES3_120620121 94558_3158138
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2030-XX-XX-26Q-ESX_120620122 00042_4042271
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2030-XX-XX-426Q-XXX-ESX_120620122 00504_4304723
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-13G-XXX-ES3_120620121 93117_2277236
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-13Q-XXX-ESX_120620121 94925_3365993
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-18G-XXX-ES3_120620121 93721_2641475
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-18Q-XXX-ESX_120620121 95528_3728691
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-213G-XXX-ES3_120620121 93305_2385439
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-213Q-XXX-ESX_120620121 95137_3497520
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-218G-XXX-ES3_120620121 93852_2732625

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-223G-XXX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-226G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-22C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-318G-XXX-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-326G-XXX-ES3		Residential	Fluorescent	Bath Vanity	5400	76	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-32C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-413G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-413Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-423G-XXX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-426G-XXX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2059	2059-XX-XX-54C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-223G-XXX-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-226G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-218G-XXX-ESX_120620121 95739_3859058
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-223G-XXX-ES3_120620121 94327_3007322
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226G-XXX-ES3_120620121 94703_3223131
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226G-XXX-ESX_120620122 00258_4178567
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-226G-XXX-ES3_120620122 01115_4675102
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-23G-XXX-ES3_120620121 94218_2938953
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-23G-XXX-ES3_120620121 94600_3160218
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-23G-XXX-ESX_120620122 00044_4044310
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-318G-XXX-ES3_120620121 94000_2800245
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-326G-XXX-ES3_120620121 94738_3258346
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-326-XXX-ES3_120620122 01140_4700955
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418G-XXX-ES3_120620121 93510_2510830
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418G-XXX-ESX_120620121 95356_3636580
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XXX-ES3_120620121 94427_3067035
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XXX-ES3_120620121 94748_3268891
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-34G-XXX-ES3_120620122 01208_4728375
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-18G-XXX-ES3_120620121 93723_2643400
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-18Q-XXX-ESX_120620121 95530_3730676
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-213G-XXX-ES3_120620121 93309_2389618
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-213Q-XXX-ESX_120620121 95139_3499530
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-218G-XXX-ES3_120620121 93854_2734651
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-218Q-XXX-ESX_120620121 95740_3860909
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-223G-XXX-ES3_120620121 94329_3009263
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y327 Y)	2000-XX-226G-XXX-ES3_120620121 94705_3225189

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-226Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-22C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-26Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-313G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-32C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2060	2060-XX-54C-XXX-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2061	2061-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-226Q-XXX-ESX_12062012200300_4180640
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-22C-XXX-ES3_12062012201117_4677193
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-23G-XXX-ES3_12062012194220_2940992
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-26G-XXX-ES3_12062012194602_3162298
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-26Q-XXX-ESX_12062012200046_4046341
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-313G-XXX-ES3_12062012193427_2467239
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-32C-XXX-ES3_12062012201142_4702988
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2000-XX-54C-XXX-ES3_12062012201210_4730476
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-13G-ES3_12062012193119_2279281
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-13Q-ESX_12062012194928_3368084
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-18G-ES3_12062012193725_2645403
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-18Q-ESX_12062012195532_3732673
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-213G-ES3_12062012193311_2391897
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-213Q-ESX_12062012195141_3501515
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-218G-ES3_12062012193856_2736702
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-218Q-ESX_12062012195742_3862834
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-223G-ES3_12062012194331_3011446
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-226Q-ESX_12062012200302_4182762
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-22C-ES3_12062012201119_4679124
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-23G-ES3_12062012194223_2943081
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-26G-ES3_12062012194604_3164419
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-26Q-ESX_12062012200048_4048484
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-32C-ES3_12062012201144_4704987
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2001-XX-54C-ES3_12062012201212_4732555

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2062	2062-24-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-24-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-24-XX-423G-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-24-XX-426G-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062--XX-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062--XX-XX-323G-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-323G-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-326G-ES3		Residential	Fluorescent	Bath Vanity	5400	76	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2002-24-XX-413G-ES3_120620121 93504_2504717
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2002-24-XX-418G-ES3_120620121 94027_2827231
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2002-24-XX-423G-ES3_120620121 94425_3065039
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2002-24-XX-426G-ES3_120620121 94746_3266769
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-13G-ES3_120620121 93121_2281282
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-13Q-ESX_120620121 94930_3370147
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-18G-ES3_120620121 93727_2647421
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-18Q-ESX_120620121 95534_3734637
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-213G-ES3_120620121 93313_2393949
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-213Q-ESX_120620121 95143_3503465
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-218G-ES3_120620121 93858_2738835
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-218Q-ESX_120620121 95744_3864727
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-223G-ES3_120620121 94333_3013426
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-226G-ES3_120620121 94707_3227351
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-226Q-ESX_120620122 00304_4184891
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-22C-ES3_120620122 01121_4681037
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-23G-ES3_120620121 94225_2945118
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-26G-ES3_120620121 94606_3166586
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-26Q-ESX_120620122 00050_4050635
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-318G-ES3_120620121 94002_2802360
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-323G-ES3_120620121 94416_3056931
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-323G-ES3_120620121 94410_3050848
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-326G-ES3_120620121 94736_3256192
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2002-XX-XX-32C-ES3_120620122 01146_4706965

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-413Q-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-418Q-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-423G-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-426G-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-426Q-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2062	2062-XX-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-413G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-413Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-418G-XXX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-418Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-423G-XXX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-426G-XXX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2068	2068-XX-XX-426Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-413G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-413Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-418G-XXX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-418Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-423G-XXX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-426G-XXX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2069	2069-XX-XX-426Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-413G-ES3_120620121 93512_2512895
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-413Q-ESX_120620121 95358_3638505
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-418G-ES3_120620121 94029_2829251
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-418Q-ESX_120620121 95914_3954362
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-423G-ES3_120620121 94428_3068988
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-426G-ES3_120620121 94751_3271782
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-426Q-ESX_120620122 00502_4302545
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2002-XX-XX-54C-ES3_120620122 01215_4735087
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XXX-ES3_120620121 93514_2514919
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413Q-XXX-ESX_120620121 95400_3640453
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418G-XXX-ES3_120620121 94031_2831356
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418Q-XXX-ESX_120620121 95916_3956386
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-423G-XXX-ES3_120620121 94431_3071004
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XXX-ES3_120620121 94753_3273779
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XXX-ESX_120620122 00507_4307040
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XXX-ES3_120620121 93516_2516899
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413Q-XXX-ESX_120620121 95402_3642400
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418G-XXX-ES3_120620121 94034_2834292
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418Q-XXX-ESX_120620121 95918_3958370
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-423G-XXX-ES3_120620121 94433_3073095
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XXX-ES3_120620121 94755_3275859
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XXX-ESX_120620122 00509_4309266
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2072-XX-213G-ES3_120620121 93316_2396661
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(19271) | 2072-XX-213Q-ESX_120620121 95145_3505395

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2072	2072-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2074	2074-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2086	2086-XX-13Q-ES3		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2086	2086-XX-213Q-ES3		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2072-XX-218G-ES3_120620121 93901_2741159
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2072-XX-218Q-ESX_120620121 95746_3866660
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2072-XX-223G-ES3_120620121 94335_3015384
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2072-XX-226G-ES3_120620121 94709_3229307
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2072-XX-226Q-ESX_120620122 00307_4187018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-213G-ES3_120620121 93318_2398513
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-213Q-ESX_120620121 95147_3507431
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-218G-ES3_120620121 93903_2743186
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-218Q-ESX_120620121 95748_3868577
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-223G-ES3_120620121 94337_3017390
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-226G-ES3_120620121 94711_3231293
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2074-XX-226Q-ESX_120620122 00309_4189141
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2080-XX-13Q-ES3_120620121 94932_3372180
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2080-XX-213Q-ES3_120620121 95149_3509456
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-13G-ES3_120620121 93123_2283275
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-13Q-ESX_120620121 94934_3374265
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-18G-ES3_120620121 93729_2649389
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-18Q-ESX_120620121 95536_3736599
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-213G-ES3_120620121 93320_2400358
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-213Q-ESX_120620121 95151_3511495
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-218G-ES3_120620121 93905_2745204
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-218Q-ESX_120620121 95750_3870427
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-223G-ES3_120620121 94339_3019340
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-226G-ES3_120620121 94713_3233345

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2125	2125-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2130	2130-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2135	2135-XX-XX-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2135	2135-XX-XX-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-226Q-ESX_12062012200311_4191257
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-23G-ES3_12062012194227_2947279
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-26G-ES3_12062012194608_3168616
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-26Q-ESX_12062012200052_4052775
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2125-XX-313G-ES3_12062012193429_2469254
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-13G-ES3_12062012193125_2285266
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-13Q-ESX_12062012194936_3376353
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-18G-ES3_12062012193731_2651498
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-18Q-ESX_12062012195538_3738574
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-213G-ES3_12062012193322_2402285
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-213Q-ESX_12062012195153_3513500
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-218G-ES3_12062012193907_2747310
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-218Q-ESX_12062012195752_3872410
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-223G-ES3_12062012194341_3021311
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-226G-ES3_12062012194715_3235412
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-226Q-ESX_12062012200313_4193268
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-23G-ES3_12062012194229_2949269
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-26G-ES3_12062012194610_3170709
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-26Q-ESX_12062012200054_4054889
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-313G-ES3_12062012193431_2471192
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-13G-XXX-ES3_12062012193127_2287308
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2130-XX-XX-13G-XXX-ES3_12062012193733_2653596
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2140-XX-XX-13G-ES3_12062012193129_2289272
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2140-XX-XX-13Q-ESX_12062012194938_3378374

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2140	2140-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2144	2144-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-18G-ES3_120620121 93735_2655611
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-18Q-ESX_120620121 95540_3740648
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-213G-ES3_120620121 93324_2404277
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-213Q-ESX_120620121 95155_3515535
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-218G-ES3_120620121 93909_2749373
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-218Q-ESX_120620121 95754_3874300
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-223G-ES3_120620121 94343_3023250
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-226G-ES3_120620121 94717_3237694
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-226Q-ESX_120620122 00315_4195289
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-23G-ES3_120620121 94231_2951318
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-26G-ES3_120620121 94612_3172818
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-26Q-ESX_120620122 00057_4057008
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2140-XX-XX-313G-ES3_120620121 93433_2473892
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-213G-ES3_120620121 93326_2406312
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-213Q-ESX_120620121 95157_3517524
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-218G-ES3_120620121 93911_2751413
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-218Q-ESX_120620121 95756_3876184
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-223G-ES3_120620121 94345_3025197
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-226G-ES3_120620121 94719_3239791
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-226Q-ESX_120620122 00317_4197355
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2144-XX-313G-ES3_120620121 93435_2475716
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2149-XX-213G-ES3_120620121 93328_2408298
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2149-XX-213Q-ESX_120620121 95159_3519500
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 2149-XX-218G-ES3_120620121 93913_2753439

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2149	2149-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-418G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-418Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-423G-XX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-426G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2154	2154-XX-XX-426Q-XX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-418G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-418Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-423G-XX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-426G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2156	2156-XX-XX-426Q-XX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-418G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-418Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-423G-XX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2149-XX-218Q-ESX_120620121 95758_3878161
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2149-XX-223G-ES3_120620121 94347_3027292
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2149-XX-226G-ES3_120620121 94721_3241818
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2149-XX-226Q-ESX_120620122 00319_4199466
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 2149-XX-313G-ES3_120620121 93437_2477545
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XX-ES3_120620121 93518_2518860
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413Q-XX-ESX_120620121 95404_3644280
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416G-XX-ES3_120620121 94036_2836259
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416Q-XX-ESX_120620121 95920_3960353
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94435_3075036
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94757_3277864
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XX-ESX_120620122 00511_4311483
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XX-ES3_120620121 93520_2520859
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413Q-XX-ESX_120620121 95406_3646211
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416G-XX-ES3_120620121 94038_2838276
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416Q-XX-ESX_120620121 95922_3962346
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94437_3077058
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94759_3279854
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XX-ESX_120620122 00513_4313603
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XX-ES3_120620121 93522_2522811
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416Q-XX-ESX_120620121 95408_3648108
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416G-XX-ES3_120620121 94040_2840215
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-416Q-XX-ESX_120620121 95924_3964317
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94439_3079018

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-426G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2158	2158-XX-XX-426Q-XX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-323G-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-326G-ES3		Residential	Fluorescent	Bath Vanity	5400	76	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-413Q-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-418Q-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-423G-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-426G-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2161	2161-XX-426Q-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-226G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-226Q-XX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-318G-XX-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-323G-XX-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-326G-XX-ES3		Residential	Fluorescent	Bath Vanity	5400	76	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2168	2168-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-413G-XX-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-413Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-418G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_12062012194801_3281895
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XX-ESX_12062012200515_4315765
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-226G-ES3_12062012194723_3243815
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-226Q-ESX_12062012200321_4201487
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-318G-ES3_12062012194006_2806835
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-323G-ES3_12062012194418_3058938
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-326G-ES3_12062012194740_3260402
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-413G-ES3_12062012193524_2524748
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-413Q-ESX_12062012195410_3650053
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-418G-ES3_12062012194042_2842113
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-418Q-ESX_12062012195926_3966258
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-423G-ES3_12062012194441_3081016
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-426G-ES3_12062012194803_3283872
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2101-XX-426Q-ESX_12062012200517_4317808
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-226G-XX-ES3_12062012194725_3245839
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-226Q-XX-ESX_12062012200323_4203488
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-318G-XX-ES3_12062012194008_2808852
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-323G-XX-ES3_12062012194421_3061020
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-326G-XX-ES3_12062012194742_3262489
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-413G-XX-ES3_12062012193526_2526744
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(192.1.1) | 2100-XX-413Q-XX-ESX_12062012195412_3652000
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413G-XX-ES3_12062012193528_2528790
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-413Q-XX-ESX_12062012195413_3653946
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418G-XX-ES3_12062012194044_2844034

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-418Q-XX-ESX		Residential	Fluorescent	Bath Vanity	3987	60	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-423G-XX-ES3		Residential	Fluorescent	Bath Vanity	8800	97	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-426G-XX-ES3		Residential	Fluorescent	Bath Vanity	7200	102	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2169	2169-XX-XX-426Q-XX-ESX		Residential	Fluorescent	Bath Vanity	5880	84	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2172	2172-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2174	2174-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-13G-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-13Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-18G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-18Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-213G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-213Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-418Q-XX-ESX_120620121 95928_3968306
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94442_3082987
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426G-XX-ES3_120620121 94805_3285853
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	XX-XX-426Q-XX-ESX_120620122 00519_4319970
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-213G-ES3_120620121 93330_2410145
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-213Q-ESX_120620121 95201_3521459
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-218G-ES3_120620121 93915_2755408
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-218Q-ESX_120620121 95800_3880115
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-223G-ES3_120620121 94349_3029226
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-226G-ES3_120620121 94727_3247894
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2172-XX-226Q-ESX_120620122 00325_4205573
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-213G-ES3_120620121 93332_2412049
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-213Q-ESX_120620121 95203_3523465
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-218G-ES3_120620121 93917_2757639
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-218Q-ESX_120620121 95802_3882118
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-223G-ES3_120620121 94351_3031238
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-226G-ES3_120620121 94729_3249978
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2174-XX-226Q-ESX_120620122 00328_4208405
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2200-13G-XXX-ES3_120620121 93131_2291237
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2200-13Q-XXX-ESX_120620121 94940_3380386
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2200-18G-XXX-ES3_120620121 93737_2657639
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) 2200-18Q-XXX-ESX_120620121 95542_3742737
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2200-21G-XXX-ES3_120620121 93334_2414015
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2200-21Q-XXX-ESX_120620121 95205_3525424

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2200	2200-218G-XXX-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-218Q-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-23G-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2200	2200-26G-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2245	2245-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2281	2281-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2200-218G-XXX-ES3_12062012193920_2760479
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	2200-218Q-XXX-ESX_12062012195804_3884036
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2200-23G-XXX-ES3_12062012194233_2953506
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2200-26G-XXX-ES3_12062012194614_3174923
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-213G-ES3_12062012193335_2415959
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-213Q-ESX_12062012195207_3527424
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-218G-ES3_12062012193922_2762461
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-218Q-ESX_12062012195805_3885910
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-223G-ES3_12062012194353_3033330
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-226Q-ESX_12062012200330_4210342
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2240-XX-313G-ES3_12062012193439_2479368
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-213G-ES3_12062012193337_2417850
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-213Q-ESX_12062012195209_3529404
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-218G-ES3_12062012193924_2764417
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-218Q-ESX_12062012195807_3887843
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-223G-ES3_12062012194355_3035381
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-226Q-ESX_12062012200332_4212284
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2281-XX-313G-ES3_12062012193441_2481225
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-213G-ES3_12062012193339_2419927
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-213Q-ESX_12062012195211_3531457
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-218G-ES3_12062012193926_2766332
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-218Q-ESX_12062012195809_3889822
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-223G-ES3_12062012194357_3037494
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1)	2285-XX-226Q-ESX_12062012200334_4214280

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2283	2283-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2300	2300-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2310	2310-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-22C-ES3		Residential	Fluorescent	Ceiling Mount	1299	19	N/A	N/A	0.57	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-313G-ES3_120620121 93443_2483110
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-213G-ES3_120620121 93341_2421941
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-213Q-ESX_120620121 95213_3533445
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-218G-ES3_120620121 93928_2768314
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-218Q-ESX_120620121 95811_3891822
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-223G-ES3_120620121 94359_3039476
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-226Q-ESX_120620122 00336_4216194
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2000-XX-XX-313G-ES3_120620121 93444_2484978
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-213G-ES3_120620121 93343_2423913
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-213Q-ESX_120620121 95215_3535387
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-218G-ES3_120620121 93930_2770232
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-218Q-ESX_120620121 95813_3893826
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-223G-ES3_120620121 94401_3041483
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-226Q-ESX_120620122 00338_4218105
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2010-XX-313G-ES3_120620121 93446_2486898
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-213G-ES3_120620121 93345_2425897
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-213Q-ESX_120620121 95217_3537435
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-218G-ES3_120620121 93932_2772336
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-218Q-ESX_120620121 95815_3895915
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-223G-ES3_120620121 94403_3043627
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-226G-ES3_120620121 94639_3199150
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-226Q-ESX_120620122 00340_4220024
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-22C-ES3_120620122 01109_4669144
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(Y527Y) | 2020-XX-XX-23G-ES3_120620121 94235_2955526

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-32C-ES3		Residential	Fluorescent	Ceiling Mount	1971	29	N/A	N/A	0.6	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-413Q-ESX		Residential	Fluorescent	Bath Vanity	3458	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2320	2320-XX-XX-54C-ES3		Residential	Fluorescent	Ceiling Mount	2982	44	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-323G-ES3		Residential	Fluorescent	Bath Vanity	6600	72	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	2510	2510-326G-ES3		Residential	Fluorescent	Bath Vanity	5400	76	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-24-17L-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-24-217L-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-36-225L-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-36-25L-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-48-232L-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5010	5010-48-32L-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-13G-XXX-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-13Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-18G-XXX-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-26G-ES3_12062012194617_3177113
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-26Q-ESX_12062012200059_4059117
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-313G-ES3_12062012193448_2488768
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-318G-ES3_12062012194010_2810888
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-32C-ES3_12062012201134_4694987
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-413G-ES3_12062012193530_2530742
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-413Q-ESX_12062012195415_3655829
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2520-XX-XX-54C-ES3_12062012201202_4722178
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-213Q-ESX_12062012195219_3539503
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-218Q-ESX_12062012195818_3898068
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-226Q-ESX_12062012200341_4221987
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-313G-ES3_12062012193450_2490773
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-318G-ES3_12062012194012_2812931
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-323G-ES3_12062012194423_3063072
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 2510-326G-ES3_12062012194744_3264592
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-24-17L-XXX-ES4_12062012200725_4445999
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-24-21L-XXX-ES4_12062012200800_4480530
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-30-22L-XXX-ES4_12062012200911_4551620
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-30-23L-XXX-ES4_12062012200835_4515328
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-40-23L-XXX-ES4_12062012201024_4624115
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3010-40-32L-XXX-ES4_12062012200946_4586838
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3020-12-13G-XXX-XXX-ES3_12062012193133_2293264
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3020-12-13Q-XXX-XXX-ESX_12062012194942_3382421
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	3020-12-18G-XXX-XXX-ES3_12062012193739_2659583

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5020	5020-12-18Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-213Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-218Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-226Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-23G-XXX-XXX-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-26G-XXX-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-12-26Q-XXX-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-24-17L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-24-217L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-36-225L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-36-25L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-48-232L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5020	5020-48-32L-XXX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-27-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-27-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-39-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-39-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-51-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5027	5027-51-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5028	5028-25-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5028	5028-25-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5028	5028-37-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5028	5028-37-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5028	5028-49-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-210Q-XXX-XXX-ESX_12062012195544_3744852
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-210Q-XXX-XXX-ESX_12062012195221_3541580
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-210Q-XXX-XXX-ESX_12062012195820_3900162
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-220Q-XXX-XXX-ESX_12062012200343_4223964
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-230-XXX-XXX-ES3_12062012194237_2957593
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-230-XXX-XXX-ES3_12062012194619_3179239
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-12-200-XXX-XXX-ESX_12062012200101_4061344
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-24-17L-XXX-XXX-ES4_12062012200727_4447927
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-24-217L-XXX-XXX-ES4_12062012200802_4482537
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-30-225L-XXX-XXX-ES4_12062012200913_4553689
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-30-25L-XXX-XXX-ES4_12062012200837_4517374
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-40-232L-XXX-XXX-ES4_12062012201026_4626130
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5020-40-32L-XXX-XXX-ES4_12062012200948_4588782
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-27-17L-ES4_12062012200729_4449925
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-27-217L-ES4_12062012200804_4484585
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-39-225L-ES4_12062012200915_4555796
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-39-25L-ES4_12062012200839_4519334
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-51-232L-ES4_12062012201028_4628173
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5027-51-32L-ES4_12062012200950_4590715
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-25-17L-ES4_12062012200731_4451935
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-25-217L-ES4_12062012200806_4486563
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-37-225L-ES4_12062012200917_4557860
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-37-25L-ES4_12062012200841_4521383
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-49-232L-ES4_12062012201030_4630168

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5028	5028-49-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-25-17L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-25-217L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-37-125L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-37-225L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-37-25L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-49-132L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-49-232L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5029	5029-49-32L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-25-17L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-25-217L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-37-225L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-37-25L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-49-232L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5038	5038-49-32L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-27-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-27-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-39-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-39-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-51-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5057	5057-51-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5060	5060-24-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5060	5060-36-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5060	5060-48-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5028-49-32L-ES4_12062012200952_4592762
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-20-17L-XX-XXX-ES4_12062012200724_4444064
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-20-217L-XX-XXX-ES4_12062012200758_4478577
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-37-125L-XX-XXX-ES4_12062012200833_4513249
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-37-225L-XX-XXX-ES4_12062012200909_4549513
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-37-25L-XX-XXX-ES4_12062012200843_4523342
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-49-132L-XX-XXX-ES4_12062012200944_4584804
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-49-232L-XX-XXX-ES4_12062012201022_4622074
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5028-49-32L-XX-XXX-ES4_12062012200954_4594820
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-20-17L-XX-XXX-ES4_12062012200733_4453966
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-20-217L-XX-XXX-ES4_12062012200808_4488673
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-37-225L-XX-XXX-ES4_12062012200919_4559976
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-37-25L-XX-XXX-ES4_12062012200845_4525279
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-49-232L-XX-XXX-ES4_12062012201032_4632211
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5030-49-32L-XX-XXX-ES4_12062012200956_4596948
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-27-17L-ES4_12062012200735_4455927
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-27-217L-ES4_12062012200810_4490868
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-39-225L-ES4_12062012200922_4562093
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-39-25L-ES4_12062012200847_4527221
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-51-232L-ES4_12062012201034_4634227
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5057-51-32L-ES4_12062012200959_4599128
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5060-24-217L-ES4_12062012200813_4493018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5060-36-225L-ES4_12062012200924_4564138
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527-1)-1-5060-48-232L-ES4_12062012201036_4636257

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5080	5080-24-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5080	5080-39-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5080	5080-51-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-26-17L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-26-217L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-38-225L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-38-25L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-50-232L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5150	5150-50-32L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-27-17L-XX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-27-217L-XX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-39-225L-XX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-39-25L-XX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-51-232L-XX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5281	5281-51-32L-XX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-26-17L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-26-217L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-38-225L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-38-25L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-50-232L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5283	5283-50-32L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5300	5300-26-17L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5300	5300-26-217L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5300	5300-38-225L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 5080-24-17L-ES4_12062012200737_4457911
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 5080-39-25L-ES4_12062012200849_4529150
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 5080-51-32L-ES4_12062012201001_4601164
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-20-17L-XX-XXX-ES4_12062012200739_4459930
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-20-21L-XX-XXX-ES4_12062012200815_4495050
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-30-22L-XX-XXX-ES4_12062012200926_4566194
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-30-25L-XX-XXX-ES4_12062012200851_4531049
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-30-32L-XX-XXX-ES4_12062012201038_4638330
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5100-30-32L-XX-XXX-ES4_12062012201003_4603212
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-27-17L-XX-ES4_12062012200742_4462075
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-27-21L-XX-ES4_12062012200817_4497164
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-30-22L-XX-ES4_12062012200928_4568215
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-30-25L-XX-ES4_12062012200853_4533029
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-31-32L-XX-ES4_12062012201040_4640370
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5201-31-32L-XX-ES4_12062012201005_4605197
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-20-17L-XX-XXX-ES4_12062012200744_4464178
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-20-21L-XX-XXX-ES4_12062012200819_4499972
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-30-22L-XX-XXX-ES4_12062012200931_4571010
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-30-25L-XX-XXX-ES4_12062012200854_4534948
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-30-32L-XX-XXX-ES4_12062012201043_4643239
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5203-30-32L-XX-XXX-ES4_12062012201007_4607268
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-20-17L-XX-XXX-ES4_12062012200746_4466250
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-20-21L-XX-XXX-ES4_12062012200821_4501830
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-30-22L-XX-XXX-ES4_12062012200932_4572987

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5300	5300-38-25L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5300	5300-50-232L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5300	5300-50-32L-XX-XXX-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-26-XX-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-26-XX-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-38-XX-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-38-XX-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-50-XX-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5450	5450-50-XX-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-24-XX-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-24-XX-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-36-XX-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-36-XX-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-48-XX-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5460	5460-48-XX-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-24-XX-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-24-XX-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-36-XX-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-36-XX-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-48-XX-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5461	5461-48-XX-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5542	5542-26-XX-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5542	5542-26-XX-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5542	5542-38-XX-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-50-25L-XX-XXX-ES4_12062012200856_4536978
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-50-252L-XX-XXX-ES4_12062012201045_4645235
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5300-50-32L-XX-XXX-ES4_12062012201009_4609318
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-20-XX-17L-ES4_12062012200748_4468339
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-20-XX-217L-ES4_12062012200823_4503667
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-225L-ES4_12062012200934_4574965
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-25L-ES4_12062012200858_4538920
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-232L-ES4_12062012201047_4647260
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-32L-ES4_12062012201011_4611391
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-24-XX-17L-ES4_12062012200750_4470397
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-24-XX-217L-ES4_12062012200825_4505563
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-225L-ES4_12062012200936_4576920
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-50-XX-25L-ES4_12062012200900_4540963
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-40-XX-232L-ES4_12062012201049_4649263
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5400-40-XX-32L-ES4_12062012201013_4613479
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-24-XX-17L-ES4_12062012200752_4472514
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-24-XX-217L-ES4_12062012200827_4507457
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-50-XX-225L-ES4_12062012200938_4578868
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-50-XX-25L-ES4_12062012200903_4543073
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-40-XX-232L-ES4_12062012201051_4651275
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5401-40-XX-32L-ES4_12062012201015_4615586
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-20-XX-17L-ES4_12062012200754_4474553
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-20-XX-217L-ES4_12062012200829_4509339
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-50-XX-225L-ES4_12062012200940_4580828

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5542	5542-38-XX-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5542	5542-50-XX-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5542	5542-50-XX-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-24-XX-17L-ES4		Residential	Fluorescent	Bath Vanity	2018	30	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-24-XX-217L-ES4		Residential	Fluorescent	Bath Vanity	1240	18	N/A	N/A	0.51	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-36-XX-225L-ES4		Residential	Fluorescent	Bath Vanity	3223	42	N/A	N/A	0.61	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-36-XX-25L-ES4		Residential	Fluorescent	Bath Vanity	1976	26	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-48-XX-232L-ES4		Residential	Fluorescent	Bath Vanity	4573	52	N/A	N/A	0.58	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5550	5550-50-XX-32L-ES4		Residential	Fluorescent	Bath Vanity	2674	33	N/A	N/A	0.59	3000K	85	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5652	5652-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5652	5652-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5653	5653-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5653	5653-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5654	5654-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5654	5654-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5662	5662-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5662	5662-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5663	5663-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5663	5663-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5664	5664-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5664	5664-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5672	5672-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5672	5672-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5673	5673-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-50-XX-25L-ES4_12062012200905_4545306
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-50-XX-232L-ES4_12062012201053_4653293
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5342-50-XX-32L-ES4_12062012201017_4617816
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-24-XX-17L-ES4_12062012200756_4476590
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-24-XX-217L-ES4_12062012200831_4511223
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-50-XX-225L-ES4_12062012200942_4582795
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-50-XX-25L-ES4_12062012200907_4547417
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-40-XX-232L-ES4_12062012201055_4655203
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	5330-50-XX-32L-ES4_12062012201019_4619999
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5032-XX-213G-ES3_12062012193347_2427948
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5032-XX-218G-ES3_12062012193934_2774392
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5033-XX-313G-ES3_12062012193452_2492882
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5033-XX-318G-ES3_12062012194014_2814963
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5034-XX-413G-ES3_12062012193532_2532759
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5034-XX-418G-ES3_12062012194045_2845943
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5032-XX-213G-ES3_12062012193349_2429898
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5032-XX-218G-ES3_12062012193936_2776401
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5033-XX-313G-ES3_12062012193454_2494839
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5033-XX-318G-ES3_12062012194017_2817044
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5034-XX-413G-ES3_12062012193534_2534739
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5034-XX-418G-ES3_12062012194047_2847864
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5072-XX-213G-ES3_12062012193351_2431968
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5072-XX-218G-ES3_12062012193938_2778427
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) 5073-XX-313G-ES3_12062012193456_2496744

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	5673	5673-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5674	5674-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5674	5674-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5852	5852-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5852	5852-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5853	5853-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5853	5853-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5854	5854-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5854	5854-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5862	5862-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5862	5862-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5863	5863-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5863	5863-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5864	5864-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5864	5864-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5872	5872-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5872	5872-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5873	5873-XX-313G-ES3		Residential	Fluorescent	Bath Vanity	2700	38	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5873	5873-XX-318G-ES3		Residential	Fluorescent	Bath Vanity	5400	54	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5874	5874-XX-413G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	5874	5874-XX-418G-ES3		Residential	Fluorescent	Bath Vanity	7200	73	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7008	7008-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7027	7027-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7028	7028-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-318G-ES3_120620121 94019_2819036
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-413G-ES3_120620121 93536_2536765
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-418G-ES3_120620121 94049_2849817
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-213G-ES3_120620121 93354_2434029
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-218G-ES3_120620121 93940_2780324
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-313G-ES3_120620121 93458_2498658
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-318G-ES3_120620121 94021_2821066
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-413G-ES3_120620121 93538_2538742
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-418G-ES3_120620121 94051_2851881
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-213G-ES3_120620121 93356_2436148
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-218G-ES3_120620121 93942_2782250
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-313G-ES3_120620121 93500_2500656
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-318G-ES3_120620121 94023_2823052
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-413G-ES3_120620121 93540_2540705
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-418G-ES3_120620121 94053_2853889
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-213G-ES3_120620121 93358_2438140
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3072-XX-218G-ES3_120620121 93944_2784248
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-313G-ES3_120620121 93502_2502652
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3073-XX-318G-ES3_120620121 94025_2825113
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-413G-ES3_120620121 93543_2543531
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 3074-XX-418G-ES3_120620121 94055_2855993
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 7008-226Q-ESX_120620122 00345_4225920
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 7027-226Q-ESX_120620122 00347_4227955
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7027 1) | 7028-226Q-ESX_120620122 00349_4229903

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7030	7030-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7032	7032-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7033	7033-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7037	7037-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7050	7050-XX-213Q-XX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7050	7050-XX-26Q-XX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7060	7060-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7060	7060-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7140	7140-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7140	7140-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7140	7140-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7145	7145-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7150	7150-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7155	7155-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7155	7155-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7155	7155-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7155	7155-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7155	7155-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7156	7156-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7156	7156-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7156	7156-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7156	7156-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7156	7156-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7165	7165-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7030-226Q-ESX_12062012200351_4231885
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7032-26Q-ESX_12062012200104_4064366
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7033-226Q-ESX_12062012200353_4233878
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7037-226Q-ESX_12062012200355_4235876
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7060-XX-213Q-XX-ESX_12062012195223_3543651
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7060-XX-26Q-XX-ESX_12062012200106_4066338
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7060-213Q-ESX_12062012195225_3545650
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7060-26Q-ESX_12062012200108_4068416
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7140-13G-ES3_12062012192943_2183782
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7140-18G-ES3_12062012193545_2545441
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7140-23G-ES3_12062012194058_2858015
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7145-226Q-ESX_12062012200357_4237800
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7150-26Q-ESX_12062012200110_4070485
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7155-13Q-ESX_12062012194944_3384407
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7155-18Q-ESX_12062012195546_3746972
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7155-213Q-ESX_12062012195227_3547657
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7155-218Q-ESX_12062012195822_3902182
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7155-26Q-ESX_12062012200112_4072450
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7156-13Q-ESX_12062012194946_3386451
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7156-18Q-ESX_12062012195549_3749065
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7156-213Q-ESX_12062012195229_3549701
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7156-218Q-ESX_12062012195824_3904146
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7156-26Q-ESX_12062012200114_4074461
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7032-1) | 7165-XX-213G-ES3_12062012193400_2440152

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7165	7165-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7165	7165-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7170	7170-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7172	7172-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-13G-XX-XXX-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-13Q-XX-XXX-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-18G-XX-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-18Q-XX-XXX-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-213Q-XX-XXX-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-23G-XX-XXX-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7182	7182-26Q-XX-XXX-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7183	7183-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7193	7193-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7194	7194-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7290	7290-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7293	7293-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7295	7295-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7165-XX-26G-ES3_12062012194621_3181327
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7165-XX-26Q-ESX_12062012200116_4076534
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7170-226Q-ESX_12062012200359_4239769
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7172-226Q-ESX_12062012200401_4241828
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-15G-XX-XXX-ES3_12062012193135_2295311
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-15Q-XX-XXX-ESX_12062012194948_3388604
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-15G-XX-XXX-ES3_12062012193741_2661523
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-15Q-XX-XXX-ESX_12062012195551_3751195
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-215Q-XX-XXX-ESX_12062012195231_3551710
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-20G-XX-XXX-ES3_12062012194239_2959624
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7182-20Q-XX-XXX-ESX_12062012200118_4078551
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7183-226Q-ESX_12062012200403_4243823
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7193-226Q-ESX_12062012200405_4245885
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7194-226Q-ESX_12062012200407_4247978
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7290-226Q-ESX_12062012200410_4250155
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7293-226Q-ESX_12062012200412_4252270
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7295-226Q-ESX_12062012200414_4254302
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-13G-ES3_12062012193137_2297317
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-13Q-ESX_12062012194950_3390620
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-18G-ES3_12062012193743_2663523
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-18Q-ESX_12062012195553_3753557
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-213G-ES3_12062012193402_2442142
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-213Q-ESX_12062012195233_3553671
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7300-218G-ES3_12062012193946_2786169

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7300	7300-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7300	7300-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7305	7305-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7310	7310-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7300-218Q-ESX_12062012195826_3906080
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7300-23G-ES3_12062012194241_2961714
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7300-26G-ES3_12062012194623_3183451
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7300-26Q-ESX_12062012200120_4080548
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-13G-ES3_12062012193139_2299257
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-13Q-ESX_12062012194952_3392708
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-18G-ES3_12062012193745_2665561
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-18Q-ESX_12062012195555_3755730
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-213G-ES3_12062012193404_2444174
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-213Q-ESX_12062012195235_3555675
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-218G-ES3_12062012193948_2788221
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-218Q-ESX_12062012195828_3908073
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-23G-ES3_12062012194243_2963812
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-26G-ES3_12062012194625_3185567
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7305-26Q-ESX_12062012200122_4082656
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-13G-ES3_12062012193141_2301145
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-13Q-ESX_12062012194954_3394723
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-18G-ES3_12062012193749_2669793
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-18Q-ESX_12062012195557_3757951
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-213Q-ESX_12062012195237_3557673
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-218Q-ESX_12062012195830_3910683
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-23G-ES3_12062012194245_2965940
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-26G-ES3_12062012194627_3187616
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	7310-26Q-ESX_12062012200124_4084743

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7315	7315-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7315	7315-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7322	7322-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7322	7322-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7322	7322-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7322	7322-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-13G-ES3_120620121 93143_2303121
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-13Q-ESX_120620121 94956_3396840
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-18G-ES3_120620121 93751_2671845
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-18Q-ESX_120620121 95600_3760128
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-213Q-ESX_120620121 95239_3559696
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-218Q-ESX_120620121 95832_3912685
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-23G-ES3_120620121 94248_2968097
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-26G-ES3_120620121 94629_3189688
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7315-26Q-ESX_120620122 00126_4086806
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7322-13G-ES3_120620121 93145_2305069
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7322-18G-ES3_120620121 93753_2673914
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7322-23G-ES3_120620121 94250_2970143
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7322-26G-ES3_120620121 94631_3191906
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-13G-ES3_120620121 93147_2307188
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-13Q-ESX_120620121 94959_3399007
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-18G-ES3_120620121 93755_2675949
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-18Q-ESX_120620121 95602_3762312
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-213G-ES3_120620121 93406_2446199
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-213Q-ESX_120620121 95242_3562704
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-218G-ES3_120620121 93950_2790236
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-218Q-ESX_120620121 95834_3914694
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-223G-ES3_120620121 94405_3045726
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-226G-ES3_120620121 94732_3252018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7327 1) | 7325-XX-226Q-ESX_120620122 00435_4275244

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7325	7325-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-213G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-218G-ES3		Residential	Fluorescent	Bath Vanity	3600	36	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-223G-ES3		Residential	Fluorescent	Bath Vanity	4400	48	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-226G-ES3		Residential	Fluorescent	Bath Vanity	3600	51	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-23G-ES3		Residential	Fluorescent	Bath Vanity	2200	24	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-26G-ES3		Residential	Fluorescent	Bath Vanity	1800	25	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7326	7326-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7504	7504-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-23G-ES3_12062012194252_2972272
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-26G-ES3_12062012194634_3194143
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-26Q-ESX_12062012200128_4088805
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-13G-ES3_12062012193149_2309245
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-13Q-ESX_12062012195001_3401227
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-18G-ES3_12062012193757_2677926
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-18Q-ESX_12062012195604_3764519
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-213G-ES3_12062012193408_2448201
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-213Q-ESX_12062012195244_3564572
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-218G-ES3_12062012193952_2792261
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-218Q-ESX_12062012195837_3917624
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-223G-ES3_12062012194408_3048808
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-226G-ES3_12062012194734_3254085
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-226Q-ESX_12062012200437_4277348
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-23G-ES3_12062012194254_2974345
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-26G-ES3_12062012194636_3196228
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7520-XX-26Q-ESX_12062012200130_4090846
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-13G-ES3_12062012193151_2311356
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-13Q-ESX_12062012195003_3403305
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-18G-ES3_12062012193759_2679916
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-18Q-ESX_12062012195606_3766833
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-213Q-ESX_12062012195246_3566547
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-218Q-ESX_12062012195839_3919613
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7504-XX-26Q-ESX_12062012200132_4092934

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7562	7562-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7563	7563-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7577	7577-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-13G-ES3		Residential	Fluorescent	Bath Vanity	900	12	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-18G-ES3		Residential	Fluorescent	Bath Vanity	1800	18	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-13G-ES3_120620121 93153_2313411
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-13Q-ESX_120620121 95005_3405332
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-18G-ES3_120620121 93801_2681939
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-18Q-ESX_120620121 95609_3769042
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-213Q-ESX_120620121 95248_3568431
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-218Q-ESX_120620121 95841_3921635
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7502-XX-26Q-ESX_120620122 00135_4095012
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-13G-ES3_120620121 93155_2315500
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-13Q-ESX_120620121 95007_3407345
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-18G-ES3_120620121 93803_2683967
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-18Q-ESX_120620121 95611_3771211
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-213Q-ESX_120620121 95250_3570348
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-218Q-ESX_120620121 95846_3926059
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7503-XX-26Q-ESX_120620122 00137_4097104
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-13G-ES3_120620121 93157_2317472
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-13Q-ESX_120620121 95009_3409419
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-18G-ES3_120620121 93806_2686018
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-18Q-ESX_120620121 95613_3773430
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-213Q-ESX_120620121 95252_3572332
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-218Q-ESX_120620121 95848_3928203
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7577-XX-26Q-ESX_120620122 00139_4099144
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7590-XX-13G-ES3_120620121 93159_2319432
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7590-XX-13Q-ESX_120620121 95011_3411611
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1927 1) | 7590-XX-18G-ES3_120620121 93808_2688904

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7590	7590-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7600	7600-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7602	7602-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7603	7603-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7604	7604-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7605	7605-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7606	7606-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7607	7607-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7608	7608-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7609	7609-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7700	7700-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7700	7700-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7700	7700-X-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7700	7700-X-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7700	7700-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7702	7702-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7702	7702-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7702	7702-X-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7702	7702-X-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7702	7702-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable
Brownlee Lighting	Brownlee Lighting	7704	7704-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7590-XX-18Q-ESX_12062012195616_3776247
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7590-XX-213Q-ESX_12062012195254_3574436
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7590-XX-218Q-ESX_12062012195850_3930284
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7590-XX-26Q-ESX_12062012200141_4101105
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7600-XX-226Q-ESX_12062012200416_4256342
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7602-XX-226Q-ESX_12062012200418_4258360
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7603-XX-226Q-ESX_12062012200420_4260340
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7604-XX-226Q-ESX_12062012200422_4262407
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7605-XX-226Q-ESX_12062012200424_4264531
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7606-XX-226Q-ESX_12062012200426_4266687
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7607-XX-226Q-ESX_12062012200428_4268809
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7608-XX-226Q-ESX_12062012200430_4270887
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7609-XX-226Q-ESX_12062012200433_4273005
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7700-X-XX-18Q-ESX_12062012195618_3778220
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7700-X-XX-213Q-ESX_12062012195256_3576392
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7700-X-XX-218Q-ESX_12062012195852_3932212
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7700-X-XX-226Q-ESX_12062012200440_4280224
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7700-X-XX-26Q-ESX_12062012200143_4103112
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7702-X-XX-18Q-ESX_12062012195620_3780206
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7702-X-XX-213Q-ESX_12062012195258_3578349
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7702-X-XX-218Q-ESX_12062012195854_3934139
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7702-X-XX-226Q-ESX_12062012200442_4282195
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7702-X-XX-26Q-ESX_12062012200145_4105209
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(7527 1) | 7704-X-XX-18Q-ESX_12062012195622_3782177

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Brownlee Lighting	Brownlee Lighting	7704	7704-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7704	7704-X-XX-218Q-ESX		Residential	Fluorescent	Bath Vanity	1993	30	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7704	7704-X-XX-226Q-ESX		Residential	Fluorescent	Bath Vanity	2940	42	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7704	7704-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7710	7710-X-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7710	7710-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7710	7710-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7710	7710-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7712	7712-X-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7712	7712-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7712	7712-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7712	7712-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7714	7714-X-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7714	7714-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7714	7714-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7714	7714-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7716	7716-X-XX-13Q-ESX		Residential	Fluorescent	Bath Vanity	880	13	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7716	7716-X-XX-18Q-ESX		Residential	Fluorescent	Bath Vanity	957	14	N/A	N/A	0.52	2700K	81	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7716	7716-X-XX-213Q-ESX		Residential	Fluorescent	Bath Vanity	1729	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Brownlee Lighting	Brownlee Lighting	7716	7716-X-XX-26Q-ESX		Residential	Fluorescent	Bath Vanity	1637	23	N/A	N/A	0.84	2700K	80	10000	Non-Dimmable	
Canlyte Div. of Philips Electronics Ltd.	Canlyte Div. of Philips Electronics Ltd.	1050LRN09D1N	1050LRN09D1N		Residential,Commercial	LED	Downlight Recessed	823	19	N/A	N/A	0.98	2700K	83	36000	Non-Dimmable	
Canlyte Div. of Philips Electronics Ltd.	Canlyte Div. of Philips Electronics Ltd.	1050LSQ09D1N	1050LSQ09D1N		Residential,Commercial	LED	Downlight Recessed	823	19	N/A	N/A	0.98	2700K	83	36000	Non-Dimmable	
Canlyte Div. of Philips Electronics Ltd.	Canlyte Div. of Philips Electronics Ltd.	500L09AICD1	500L09AICD1		Residential,Commercial	LED	Downlight Recessed	703	13	N/A	N/A	0.98	3000K	85	36000	Continuous Dimming	500L light quali ENE
Canlyte Div. of Philips Electronics Ltd.	Canlyte Div. of Philips Electronics Ltd.	500L09ND1	500L09ND1		Residential,Commercial	LED	Downlight Recessed	703	13	N/A	N/A	0.98	3000K	85	36000	Continuous Dimming	500L light quali ENE

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7764-X-XX-213Q-ESX_120620121 95300_3580441
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7764-X-XX-218Q-ESX_120620121 95856_3936104
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7764-X-XX-226Q-ESX_120620122 00444_4284379
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7764-X-XX-26Q-ESX_120620122 00147_4107244
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7770-X-XX-13Q-ESX_120620121 95013_3413731
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7770-X-XX-18Q-ESX_120620121 95624_3784106
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7770-X-XX-213Q-ESX_120620121 95302_3582453
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7770-X-XX-26Q-ESX_120620122 00149_4109265
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7772-X-XX-13Q-ESX_120620121 95016_3416776
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7772-X-XX-18Q-ESX_120620121 95626_3786006
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7772-X-XX-213Q-ESX_120620121 95304_3584354
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7772-X-XX-26Q-ESX_120620122 00151_4111281
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7774-X-XX-13Q-ESX_120620121 95018_3418745
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7774-X-XX-18Q-ESX_120620121 95627_3787976
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7774-X-XX-213Q-ESX_120620121 95306_3586300
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7774-X-XX-26Q-ESX_120620122 00153_4113388
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7776-X-XX-13Q-ESX_120620121 95020_3420750
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7776-X-XX-18Q-ESX_120620121 95629_3789924
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7776-X-XX-213Q-ESX_120620121 95308_3588299
	4/1/2012	3/14/2012	United States, Europe, Taiwan, Japan, Canada	(1527 1) | 7776-X-XX-26Q-ESX_120620122 00155_4115383
	5/1/2012	2/20/2012	United States, Canada	LTD (000990) | 1050LRN09D1N _120620122139 53_9993161
	5/1/2012	2/20/2012	United States, Canada	LTD (000990) | 1050LSQ09D1N _120620122139 55_9995146
AA0990 engine also fies for RGY STAR.	5/2/2012	3/12/2012	United States, Canada	LTD (000990) | 500L09AICD1_1 2062012214016 _0016776
AA0990 engine also fies for RGY STAR.	5/2/2012	3/12/2012	United States, Canada	LTD (000990) | 500L09ND1_120 62012214013_0 013836

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Canlyte Div. of Philips Electronics Ltd.	Canlyte Div. of Philips Electronics Ltd.	500L09RD1	500L09RD1		Residential,Commercial	LED	Downlight Recessed	703	13	N/A	N/A	0.98	3000K	85	36000	Continuous Dimming	500L light quali ENE
Capital Lighting Fixture Co.	Capital	1 Light Outdoor Fixture Gu24	9874BB-GU	,9053RI-GU,; ,9057RI-GU,; ,9063NB-GU,; ,9067NB-GU,; ,9875BB-GU,; ,9953BB-GU,; ,9954BB-GU,; , 9963BB-GU,; ,9963BK-GU,; ,9966BB-GU,; ,9966BK-GU,	Residential	Fluorescent	Porch (wall mounted)	1600	23.0	N/A	N/A	0.57	2700K		10000	Non-Dimmable; Meets Motion Sensor Requirement	Has Sens
Capital Lighting Fixture Co.	Capital	2 Light Sconce Family	1932-GU	,1741-GU,; ,1742-GU,; ,1743-GU,; ,1744-GU,; ,1941GU-GU,; ,2713MN-GU,; ,2719MN-GU,; ,2739MBZ-GU,; , 2743BB-GU,; ,2749BB-GU,; ,2749CS-GU,; ,3787BB-GU,; ,9961BB-GU,	Residential	Fluorescent	Wall Sconces	1800	26.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Avery Ceiling Fixture	2745BB-GU	,2715BB-GU,; ,2715MN-GU,	Residential	Fluorescent	Ceiling Mount	2700	39.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Chandelier 6 Light	4356BB-252-GU	,4356MN-298-GU,	Residential	Fluorescent	Chandelier	5400	78.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Creek Stone	3150BB-259-GU	,3150MN-254-GU,	Residential	Fluorescent	Decorative Pendant	900	13.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Metro	4359BB-252-GU	,4359MN-298-GU,	Residential	Fluorescent	Chandelier	8100	117.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Metro Chandelier 3 Light	4353BB-252-GU	1163BB-297-GU,; ,1163BB-297-GU,; ,1163MN-117-GU,; ,1163MN-117-GU,; ,4353MN-298-GU,; , 4353MN-298-GU,; ,4354BB-252-GU,; ,4354BB-252-GU,; ,4354MN-298-GU,; ,4354MN-298-GU,	Residential	Fluorescent	Chandelier	2700	39.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Mission Hills Ceiling	9956BB-GU	,9968BB-GU,; ,9968BK-GU,	Residential	Fluorescent	Ceiling Mount	1800	26.0	N/A	N/A	0.62	2700K		10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Pendant 3 Light	2720BB-GU	,2720MN-GU,	Residential	Fluorescent	Decorative Pendant	3750	54.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Pendant 3 Light	2724BB-GU	,2724MN-GU,	Residential	Fluorescent	Decorative Pendant	4800	69.0	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Pendant 4 Light	2728BB-GU	,2728MN-GU,	Residential	Fluorescent	Decorative Pendant	6400	92.0	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Porchlight 1-13W	9830BK-GU	,9051RI-GU,; ,9061NB-GU,; ,9830TS-GU,; ,9872BB-GU,; ,9951BB-GU,; ,9961BB-GU,; ,9961BK-GU,	Residential	Fluorescent	Porch (wall mounted)	900	13.0	N/A	N/A	0.62	2700K		10000	Non-Dimmable; Meets Motion Sensor Requirement	Has Sens
Capital Lighting Fixture Co.	Capital	Porchlight 1-18W	9952BB-GU	,9052RI-GU,; ,9059RI-GU,; ,9062NB-GU,; ,9873BB-GU,; ,9962BB-GU,; ,9962BK-GU,	Residential	Fluorescent	Porch (wall mounted)	1250	18.0	N/A	N/A	0.62	2700K		10000	Non-Dimmable; Meets Motion Sensor Requirement	Has Sens
Capital Lighting Fixture Co.	Capital	Vanity 2 Light	1082BB-130-GU	,1082BB-133-GU,; ,1082MN-132-GU,; ,1082MN-132-GU,; ,1162BB-297-GU,; ,1162BB-297-GU,; , 1162MN-117-GU,; ,1162MN-117-GU,	Residential	Fluorescent	Bath Vanity	1800	26.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Vanity 4 Light	1084BB-130-GU	,1084BB-133-GU,; ,1084MN-132-GU,; ,1084MN-132-GU,	Residential	Fluorescent	Bath Vanity	3600	52.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Capital Lighting Fixture Co.	Capital	Vanity 5 Light	1165BB-297-GU	,1165MN-117-GU,	Residential	Fluorescent	Bath Vanity	4500	65.0	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Chien Luen Industries, Co. Ltd., Inc.	Harbor Breeze	52"Calera Ceiling Fan	0077001	52"Calera Ceiling Fan,0003475,	Residential	Fluorescent	Ceiling Fan Light Kit	1200	18	N/A	N/A	0.54	2700K	83	10000	Non-Dimmable	
Conglom, Inc.	Luminus	LED Downlight	P-PR403		Residential,Commercial	LED	Downlight Solid State Retrofit	650	9	N/A	N/A	0.97	3000K	82	40000	Continuous Dimming	
Conglom, Inc.	Luminus	LED Downlight	P-PR503		Residential,Commercial	LED	Downlight Solid State Retrofit	800	13	N/A	N/A	0.96	3000K	82	40000	Continuous Dimming	
Conglom, Inc.	Luminus	LED Downlight	P-PR603		Residential,Commercial	LED	Downlight Solid State Retrofit	1100	18	N/A	N/A	0.99	3000K	82	50000	Continuous Dimming	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802818LF3	,PTL802818LF3,Adapted for Halo Track; ,LTL802818LF3,Adapted for Lightolier Track; ,NCTL802818LF3,Adapted for Nordic Track; ,PTL802818LF3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	736	16.9	N/A	N/A	0.97	3000K	80	35000	Continuous Dimming	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802818LM3	,PTL802818LM3,Adapted for Halo Track; ,LTL802818LM3,Adapted for Lightolier Track; ,NCTL802818LM3,Adapted for Nordic Track; ,PTL802818LM3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	976	17.4	N/A	N/A	0.97	3000K	80	35000	Continuous Dimming	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802818LS3	,PTL802818LS3,Adapted for Halo Track; ,LTL802818LS3,Adapted for Lightolier Track; ,NCTL802818LS3,Adapted for Nordic Track; ,PTL802818LS3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	892	16.8	N/A	N/A	0.97	3000K	80	35000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
XA0950 engine also fies for RGY STAR.	5/2/2012	3/12/2012	United States, Canada	ETD (0005950)_1 500L09RD1_120 62012214011_0 011753
Photo or	1/1/2008	5/10/2012	United States, Canada	ES_1001590_50 74BB-GU_0511201209 3550_1023495
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_19 32-GU_0522201210 4621_1023498
	1/1/2008	5/22/2012	United States, Canada	ES_1001590_27 45BB-GU_0522201203 1620_1023498
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_45 56BB-252-GU_0516201210 3951_1023498
	1/1/2008	5/8/2012	United States, Canada	ES_1001590_51 50BB-259-GU_0509201212 0331_1023496
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_45 59BB-252-GU_0522201211 1621_1023498
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_45 53BB-252-GU_0515201201 4110_1023496
	1/1/2008	5/22/2012	United States, Canada	ES_1001590_59 56BB-GU_0522201209 4440_1023495
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_27 20BB-GU_0515201204 5110_1023497
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_27 24BB-GU_0516201210 1951_1023497
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_27 28BB-GU_0516201211 0841_1023498
Photo or	1/1/2008	5/10/2012	United States, Canada	ES_1001590_50 30BK-GU_0511201201 3000_1023495
Photo or	1/1/2008	5/10/2012	United States, Canada	ES_1001590_59 52BB-GU_0511201203 3440_1023495
	1/1/2008	5/8/2012	United States, Canada	ES_1001590_10 82BB-130-GU_0515201209 0950_1023496
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_10 84BB-130-GU_0515201204 3000_1023497
	1/1/2008	5/15/2012	United States, Canada	ES_1001590_11 65BB-297-GU_0515201204 5110_1023497
	12/1/2012	11/15/2012	United States	ES_1099400_00 77001_1210201 2190817_47804 22
	11/1/2012	10/30/2012	United States, Canada	ES_98057_1 - PR403_1113201 2150951_95542 65
	11/1/2012	10/30/2012	United States, Canada	ES_98057_1 - PR503_1113201 2150951_63957 51
	9/1/2012	8/20/2012	United States, Canada	ES_98057_1 - PR603_1003201 2142029_80670 94
	3/1/2010	12/10/2012	United States, Canada	ES_1025884_C TL802818LF3__ 1023478
	3/1/2010	12/7/2012	United States, Canada	ES_1025884_C TL802818LM3__ 1023478
	3/1/2010	12/10/2012	United States, Canada	ES_1025884_C TL802818LS3__ 1023478

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802927LF3	,PTL802927LF3,Adapted for Halo Track; ,LTL802927LF3,Adapted for Lightolier Track; ,NCTL802927LF3,Adapted for Nordic Track; ,PTL802927LF3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	962	25.6	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802927LM3	,PTL802927LM3,Adapted for Halo Track; ,LTL802927LM3,Adapted for Lightolier Track; ,NCTL802927LM3,Adapted for Nordic Track; ,PTL802927LM3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	1032	26.6	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Con-Tech Lighting	Con-Tech Lighting	Optica	CTL802927LS3	,PTL802927LS3,Adapted for Halo Track; ,LTL802927LS3,Adapted for Lightolier Track; ,NCTL802927LS3,Adapted for Nordic Track; ,PTL802927LS3,Adapted for Capri Track	Commercial	LED	Accent Light Line-voltage	1177	26.7	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Cooper Lighting a Division of Cooper Industries	Cooper Lighting	180 Degree Doppler PAR Motion Activated Floodlight	MS185D	,MS185D/1,White; ,MS185DW,White; ,MS185DW/1,Bronze	Residential	Halogen	Security		200.0	N/A	N/A				25000	Meets Photosensor Control Requirement	
Cooper Lighting a Division of Cooper Industries	Halo	1200 Series LED Module	ML712 827		Residential,Commercial	LED	Downlight Recessed	1200	25.0	N/A	N/A	0.99	2700K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	1200 Series LED Module	ML712 830		Residential,Commercial	LED	Downlight Recessed	1200	25.0	N/A	N/A	0.99	3000K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	1200 Series LED Module	ML712 835		Residential,Commercial	LED	Downlight Recessed	1200	25.0	N/A	N/A	0.99	3500K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	1200 Series LED Module	ML712 840		Residential,Commercial	LED	Downlight Recessed	1200	25.0	N/A	N/A	0.99	4000/4100K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5606827		Residential,Commercial	LED	Downlight Recessed	575	8.5	N/A	N/A	0.99	2700K	81	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5606830	,ML5606835,3500K; ,ML5606840,4000K	Residential,Commercial	LED	Downlight Recessed	580	8.8	N/A	N/A	0.91	3000K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5606927		Residential,Commercial	LED	Downlight Recessed	581	9.5	N/A	N/A	0.91	2700K	94	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5606930	560 Series 560 Series,ML5606935 ML5606940,3500K CCT 4000K CCT	Residential,Commercial	LED	Downlight Recessed	580	9.8	N/A	N/A	0.99	3000K	95	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5606935	560 Series,ML5606940,4000K CCT	Residential,Commercial	LED	Downlight Recessed	580	9.8	N/A	N/A	0.99	3500K	94	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5609827		Residential,Commercial	LED	Downlight Recessed	594	12.2	N/A	N/A	0.91	2700K	81	50000	Continuous Dimming, Type IC Airtight	Airtig using Trim
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5609830	,ML5609835,3500K; ,ML5609840,4000K	Residential,Commercial	LED	Downlight Recessed	585	13.1	N/A	N/A	0.99	3000K	84	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5609927		Residential,Commercial	LED	Downlight Recessed	588	12.3	N/A	N/A	0.90	2700K	93	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5609930		Residential,Commercial	LED	Downlight Recessed	588	12.7	N/A	N/A	0.99	3000K	96	50000	Continuous Dimming, Type IC Airtight	Cour Corre Tem 3500
Cooper Lighting a Division of Cooper Industries	Halo	560 Series	ML5609935	,ML5609940,4000K	Residential,Commercial	LED	Downlight Recessed	588	12.7	N/A	N/A	0.99	3500K	94	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	600 Series LED Module	ML706 827		Residential,Commercial	LED	Downlight Recessed	600	14.0	N/A	N/A	0.95	2700K	81	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	600 Series LED Module	ML706 830		Residential,Commercial	LED	Downlight Recessed	600	14.0	N/A	N/A	0.95	3000K	81	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	600 Series LED Module	ML706 835		Residential,Commercial	LED	Downlight Recessed	600	14.0	N/A	N/A	0.95	3500K	81	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	600 Series LED Module	ML706 840		Residential,Commercial	LED	Downlight Recessed	600	14.0	N/A	N/A	0.95	4000/4100K	81	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	900 Series LED Module	ML709 827		Residential,Commercial	LED	Downlight Recessed	900	15.0	N/A	N/A	0.96	2700K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	900 Series LED Module	ML709 830		Residential,Commercial	LED	Downlight Recessed	900	15.0	N/A	N/A	0.96	3000K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	3/1/2010	12/10/2012	United States, Canada	ES_1025884_CTL802927LF3__1023478
	3/1/2010	12/7/2012	United States, Canada	ES_1025884_CTL802927LM3__1023478
	3/1/2010	12/10/2012	United States, Canada	ES_1025884_CTL802927LS3__1023478
	10/15/2011	9/26/2011	United States, Canada	ES_1010520_MS185D_10132011102331_1023495
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML712827_02292012024440_1023486
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML712830_02292012024440_1023486
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML712835_02292012024440_1023486
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML712840_02292012024440_1023486
ation act when g IC sings.	7/16/2012	7/13/2012	United States, Canada	ES_1010520_ML5606827_07132012010550_1023494
ation act when g IC sings.	7/16/2012	7/12/2012	United States, Canada	ES_1010520_ML5606830_07132012084950_1023494
ation act when g IC sings.	7/16/2012	7/30/2012	United States, Canada	ES_1010520_ML5606927_07302012041730_1023466
ation act when g IC sings.	7/16/2012	7/30/2012	United States, Canada	ES_1010520_ML5606930_07302012113951_1023466
ation act when g IC sings.	7/16/2012	7/30/2012	United States, Canada	ES_1010520_ML5606935_07302012113951_1023494
ht when g AIR-TITE s.	7/16/2012	7/12/2012	United States, Canada	ES_1010520_ML5609827_07122012124221_1023493
ation act when g IC sings.	7/16/2012	7/13/2012	United States, Canada	ES_1010520_ML5609830_07132012011840_1023494
ation act when g IC sings.	7/16/2012	7/24/2012	United States, Canada	ES_1010520_ML5609927_07242012025730_1023494
CS elated Color perature: K, 4000K.	7/16/2012	7/24/2012	United States, Canada	ES_1010520_ML5609930_07242012031220_1023494
ation act when g IC sings.	7/16/2012	7/24/2012	United States, Canada	ES_1010520_ML5609935_07242012031220_1023494
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML706827_02292012024220_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML706830_02292012024220_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML706835_02292012024220_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML706840_02292012024220_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML709827_02292012103331_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML709830_02292012103331_1023485

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cooper Lighting a Division of Cooper Industries	Halo	900 Series LED Module	ML709 835		Residential,Commercial	LED	Downlight Recessed	900	15.0	N/A	N/A	0.96	3500K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	900 Series LED Module	ML709 840		Residential,Commercial	LED	Downlight Recessed	900	15.0	N/A	N/A	0.96	4000/4100K	82	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Downlight Series	EL405827		Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	2700K	83	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Downlight Series	EL405830		Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	3000K	83	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Downlight Series	EL405835		Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	3500K	83	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Downlight Series	EL405840		Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	4000/4100K	83	50000	Continuous Dimming, Type IC Airtight	Insu Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Gimbal	ELG405830	,ELSG405830,Square Gimbal	Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	3000K	80	50000	Continuous Dimming, Type IC Airtight	Trim Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Gimbal	ELG405835	,ELSG405835,Square Gimbal	Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	3500K	80	50000	Continuous Dimming, Type IC Airtight	Trim Cont using Hous
Cooper Lighting a Division of Cooper Industries	Halo	H4 LED Gimbal	ELG405840	,ELSG405840,Square Gimbal	Residential,Commercial	LED	Downlight Recessed	550	15.0	N/A	N/A	0.92	4000/4100K	80	50000	Continuous Dimming, Type IC Airtight	Trim Cont using Hous
Cooper Lighting a Division of Cooper Industries	Iris	P3LED	P3LED9 FL40 830		Residential,Commercial	LED	Downlight Recessed	947	19.2	N/A	N/A	0.94	3000K	81	50000	Continuous Dimming, Type IC Airtight	Airtig using Trim
Cooper Lighting a Division of Cooper Industries	Iris	P3LED	P3LED9 NFL25 830		Residential,Commercial	LED	Downlight Recessed	920	19.2	N/A	N/A	0.94	3000K	81	50000	Continuous Dimming, Type IC Airtight	Airtig using Trim
Cooper Lighting a Division of Cooper Industries	Iris	P3LED	P3LED9 NSP10 830		Residential,Commercial	LED	Downlight Recessed	969	19.2	N/A	N/A	0.94	3000K	81	50000	Continuous Dimming, Type IC Airtight	Airtig using Trim
Cooper Lighting a Division of Cooper Industries	Iris	P3LED	P3LED9 SP15 830		Residential,Commercial	LED	Downlight Recessed	984	19.2	N/A	N/A	0.94	3000K	81	50000	Continuous Dimming, Type IC Airtight	Airtig using Trim
Cooper Lighting a Division of Cooper Industries	Metalux	2 Ft Nickel Wrap	WP217RNKL	,WP217R,	Residential	Fluorescent	Ceiling Mount	1650	26.0	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable	
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD409 D010 ERM4 827 Li	,LD4CP09 D010 ERM4,; ,LD4R09 D010 ERM4,; ,LD4RCP09 D010 ERM4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD409 D010 ERM4 830 H	,LD4CP09 D010 ERM4,; ,LD4R09 D010 ERM4,; ,LD4RCP09 D010 ERM4,	Residential,Commercial	LED	Downlight Pendant	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD409 D120 ERM4 827 Li	,LD4CP09 D120 ERM4,; ,LD4R09 D120 ERM4,; ,LD4RCP09 D120 ERM4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD409 D120 ERM4 830 H	,LD4CP09 D120 ERM4,; ,LD4R09 D120 ERM4,; ,LD4RCP09 D120 ERM4,	Residential,Commercial	LED	Downlight Pendant	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD413 D010 ERM4 830 Li	,LD4CP13 D010 ERM4,; ,LD4R13 D010 ERM4,; ,LD4RCP13 D010 ERM4,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD418 D010 ERM4 830 H	,LD4CP18 D010 ERM4,; ,LD4R18 D010 ERM4,; ,LD4RCP18 D010 ERM4,	Residential,Commercial	LED	Downlight Recessed	1500	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Medium Beam Recessed Downlight	LD418 D010 ERM4 830 Li	,LD4CP18 D010 ERM4,; ,LD4R18 D010 ERM4,; ,LD4RCP18 D010 ERM4,	Residential,Commercial	LED	Downlight Recessed	1500	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Narrow Beam Recessed Downlight	LD409 D010 ERN4 827 Li	,LD4CP09 D010 ERN4,; ,LD4R09 D010 ERN4,; ,LD4RCP09 D010 ERN4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Narrow Beam Recessed Downlight	LD409 D120 ERN4 827 Li	,LD4CP09 D120 ERN4,; ,LD4R09 D120 ERN4,; ,LD4RCP09 D120 ERN4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Narrow Beam Recessed Downlight	LD413 D010 ERN4 830 Li	,LD4CP13 D010 ERN4,; ,LD4R13 D010 ERN4,; ,LD4RCP13 D010 ERN4,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML709 835_02292012103331_1023485
ation act when g IC sings.	3/31/2012	2/28/2012	United States, Canada	ES_1010520_ML709 840_02292012103331_1023486
ation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LE405827_03192012095950_1023486
ation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LE405830_03192012095950_1023486
ation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LE405835_03192012095950_1023486
ation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LE405840_03192012095950_1023486
s. Insulation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LEG405830_03202012035440_1023486
s. Insulation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LEG405835_03202012035440_1023487
s. Insulation act when g IC sings.	3/31/2012	3/19/2012	United States, Canada	ES_1010520_LEG405840_03202012035440_1023487
ht when g AIR-TITE s.	5/15/2012	5/30/2012	United States, Canada	ES_1010520_PS LED9 FL40 830_05302012090550_1023493
ht when g AIR-TITE s.	5/15/2012	5/30/2012	United States, Canada	ES_1010520_PS LED9 NFL25 830_05302012090550_1023493
ht when g AIR-TITE s.	5/15/2012	5/30/2012	United States, Canada	ES_1010520_PS LED9 NSP10 830_05302012090550_1023493
	3/26/2012	1/20/2012	United States, Canada	ES_1010520_WP217RNKL_01202012032950_1023495
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D010 ERN4 827 Li_05242012040110_1023490
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D010 ERN4 830 H_05242012040110_1023490
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D120 ERN4 827 Li_05242012040110_1023491
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D120 ERN4 830 H_05242012040110_1023491
rs 3500K 4000K s.	3/31/2012	5/24/2012	United States, Canada	415 D010 ERN4 830 Li_05242012024840_1023490
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	415 D010 ERN4 830 H_05242012093840_1023488
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	415 D010 ERN4 830 Li_05242012093840_1023488
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D010 ERN4 827 Li_05242012040110_1023490
rable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	405 D120 ERN4 827 Li_05242012040110_1023490
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	415 D010 ERN4 830 Li_05242012024840_1023490

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Square Beam Recessed Downlight	LDSQ409 D010 ESQ4 827 Li	,LDSQ4CP09 D010 ESQ4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Square Beam Recessed Downlight	LDSQ409 D120 ESQ4 827 Li	,LDSQ4CP09 D120 ESQ4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Square Beam Recessed Downlight	LDSQ413 D010 ESQ4 830 Li	,LDSQ4CP13 D010 ESQ4,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Square Beam Recessed Downlight	LDSQ418 D010 ESQ4 830 H	,LDSQ4CP18 D010 ESQ4,	Residential,Commercial	LED	Downlight Recessed	1500	33.0	N/A	N/A	0.99	3000K	84	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Square Beam Recessed Downlight	LDSQ418 D010 ESQ4 830 Li	,LDSQ4CP18 D010 ESQ4,	Residential,Commercial	LED	Downlight Recessed	1500	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Wide Beam Recessed Downlight	LD409 D010 ERW4 827 Li	,LD4CP09 D010 ERW4,; ,LD4R09 D010 ERW4,; ,LD4RCP09 D010 ERW4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Wide Beam Recessed Downlight	LD409 D120 ERW4 827 Li	,LD4CP09 D120 ERW4,; ,LD4R09 D120 ERW4,; ,LD4RCP09 D120 ERW4,	Residential,Commercial	LED	Downlight Pendant	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Allow Sour 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Wide Beam Recessed Downlight	LD413 D010 ERW4 830 Li	,LD4CP13 D010 ERW4,; ,LD4R13 D010 ERW4,; ,LD4RCP13 D010 ERW4,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Wide Beam Recessed Downlight	LD418 D010 ERW4 830 H	,LD4CP18 D010 ERW4,; ,LD4R18 D010 ERW4,; ,LD4RCP18 D010 ERW4,	Residential,Commercial	LED	Downlight Recessed	1500	33.0	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	4" LED Wide Beam Recessed Downlight	LD418 D010 ERW4 830 Li	,LD4CP18 D010 ERW4,; ,LD4R18 D010 ERW4,; ,LD4RCP18 D010 ERW4,	Residential,Commercial	LED	Downlight Recessed	1500	33.0	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD610 D010 ERM6 827 Li	,LD6CP10 D010 ERM6,; ,LD6R10 D010 ERM6,; ,LD6RCP10 D010 ERM6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD610 D010 ERM6 830 H	,LD6CP10 D010 ERM6,; ,LD6R10 D010 ERM6,; ,LD6RCP10 D010 ERM6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD610 D120 ERM6 827 Li	,LD6CP10 D120 ERM6,; ,LD6R10 D120 ERM6,; ,LD6RCP10 D120 ERM6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD610 D120 ERM6 830 H	,LD6CP10 D120 ERM6,; ,LD6R10 D120 ERM6,; ,LD6RCP10 D120 ERM6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD615 D010 ERM6 830 Li	,LD6CP15 D010 ERM6,; ,LD6R15 D010 ERM6,; ,LD6RCP15 D010 ERM6,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD620 D010 ERM6 830 H	,LD6CP20 D010 ERM6,; ,LD6R20 D010 ERM6,; ,LD6RCP20 D010 ERM6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Medium Beam Recessed Downlight	LD620 D010 ERM6 830 Li	,LD6CP20 D010 ERN6,; ,LD6CP20 D010 ERN6,; ,LD6CP20 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD610 D010 ERN6 827 Li	,LD6CP10 D010 ERN6,; ,LD6R10 D010 ERN6,; ,LD6RCP10 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD610 D010 ERN6 830 H	,LD6CP10 D010 ERN6,; ,LD6R10 D010 ERN6,; ,LD6RCP10 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD610 D120 ERN6 827 Li	,LD6CP10 D120 ERN6,; ,LD6R10 D120 ERN6,; ,LD6RCP10 D120 ERN6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD610 D120 ERN6 830 H	,LD6CP10 D120 ERN6,; ,LD6R10 D120 ERN6,; ,LD6RCP10 D120 ERN6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD615 D010 ERN6 830 Li	,LD6CP15 D010 ERN6,; ,LD6R15 D010 ERN6,; ,LD6RCP15 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD620 D010 ERN6 830 H	,LD6CP20 D010 ERN6,; ,LD6R20 D010 ERN6,; ,LD6RCP20 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Narrow Beam Recessed Downlight	LD620 D010 ERN6 830 Li	,LD6CP20 D010 ERN6,; ,LD6R20 D010 ERN6,; ,LD6RCP20 D010 ERN6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
iable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	SQ409 D010 ESQ4 827 Li_05242012040 110_1023490
iable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	SQ409 D120 ESQ4 827 Li_05242012040 110_1023491
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	SQ410 D010 ESQ4 830 Li_05242012024 840_1023491
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	SQ410 D010 ESQ4 830 H_05242012093 840_1023488
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	SQ410 D010 ESQ4 830 Li_05242012093 840_1023488
iable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	409 D010 ERW4 827 Li_05242012040 110_1023490
iable Light ce CCT's: K, 3500K, K	3/31/2012	5/24/2012	United States, Canada	409 D120 ERW4 827 Li_05242012040 110_1023491
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	410 D010 ERW4 830 Li_05242012024 840_1023490
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	410 D010 ERW4 830 H_05242012093 840_1023488
K and K CCT's red.	3/31/2012	5/22/2012	United States, Canada	410 D010 ERW4 830 Li_05242012093 840_1023488
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 827 Li_05242012044 620_1023492
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 830 H_05242012044 620_1023492
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D120 ERW6 827 Li_05242012044 620_1023492
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D120 ERW6 830 H_05242012044 620_1023493
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 830 Li_05242012024 840_1023491
ers 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	020 D010 ERW6 830 H_05242012100 441_1023489
ers 3500K 4000K s.	3/31/2012	5/22/2012	United States, Canada	020 D010 ERW6 830 Li_05242012100 441_1023489
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 827 Li_05242012044 620_1023491
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 830 H_05242012044 620_1023492
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D120 ERW6 827 Li_05242012044 620_1023492
ciated Color perature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	010 D120 ERW6 830 H_05242012044 620_1023493
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	010 D010 ERW6 830 Li_05242012024 840_1023491
ers 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	020 D010 ERW6 830 H_05242012100 441_1023489
ers 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	020 D010 ERW6 830 Li_05242012100 441_1023488

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ610 D010 ESQ6 827 Li	,LDSQ6CP10 D010 ESQ6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ610 D010 ESQ6 830 H	,LDSQ6CP10 D010 ESQ6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ610 D120 ESQ6 827 Li	,LDSQ6CP10 D120 ESQ6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ610 D120 ESQ6 830 H	,LDSQ6CP10 D120 ESQ6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ615 D010 ESQ6 830 Li	,LDSQ6CP15 D010 ESQ6,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ620 D010 ESQ6 830 H	,LDSQ6CP20 D010 ERSQ6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Square Beam Recessed Downlight	LDSQ620 D010 ESQ6 830 Li	,LDSQ6CP20 D010 ERSQ6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD610 D010 ERW6 827 Li	,LD6CP10 D010 ERW6,; ,LD6R10 D010 ERW6,; ,LD6RCP10 D010 ERW6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD610 D010 ERW6 830 H	,LD6CP10 D010 ERW6,; ,LD6R10 D010 ERW6,; ,LD6RCP10 D010 ERW6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD610 D120 ERW6 827 Li	,LD6CP10 D120 ERW6,; ,LD6R10 D120 ERW6,; ,LD6RCP10 D120 ERW6,	Residential,Commercial	LED	Downlight Recessed	871	17.3	N/A	N/A	0.97	2700K	83	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD610 D120 ERW6 830 H	,LD6CP10 D120 ERW6,; ,LD6R10 D120 ERW6,; ,LD6RCP10 D120 ERW6,	Residential,Commercial	LED	Downlight Recessed	880	17.4	N/A	N/A	0.97	3000K	82	50000	Continuous Dimming, Type Non-IC	Com Tem 3000 4000
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD615 D010 ERW6 830 Li	,LD4CP13 D010 ERN4,; ,LD4R13 D010 ERN4,; ,LD4RCP13 D010 ERN4,	Residential,Commercial	LED	Downlight Recessed	1173	24.0	N/A	N/A	0.99	3000K	83	50000	Continuous Dimming, Type Non-IC	3500 4000 cove
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD620 D010 ERW6 830 H	,LD6CP20 D010 ERW6,; ,LD6R20 D010 ERW6,; ,LD6RCP20 D010 ERW6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	PORTFOLIO	6" LED Wide Beam Recessed Downlight	LD620 D010 ERW6 830 Li	,LD6CP20 D010 ERW6,; ,LD6R20 D010 ERW6,; ,LD6RCP20 D010 ERW6,	Residential,Commercial	LED	Downlight Recessed	1636	33.2	N/A	N/A	0.99	3000K	85	50000	Continuous Dimming, Type Non-IC	Cove and CCT
Cooper Lighting a Division of Cooper Industries	Utilitec	2 Ft Nickel Wrap	WP217RNKLLU	,384285,	Residential	Fluorescent	Ceiling Mount	1650	26.0	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Commercial Electric	CER3E338CLP	CER3E338CLP		Residential	Fluorescent	Downlight Recessed	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Cordelia Lighting Inc.	Commercial Electric	CER3LICR3730-x	CER3LICR3730-x		Residential,Commercial	LED	Downlight Recessed	465	7	N/A	N/A	0.9	3000K	83	51000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER473-X	CER473-X		Residential,Commercial	LED	Downlight Recessed	400	8	N/A	N/A	0.95	3000K	83	36000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER4741-x	CER4741-x		Residential,Commercial	LED	Downlight Recessed	561	11	N/A	N/A	0.9	3000K	83	51000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER4742-x	CER4742-x		Residential,Commercial	LED	Downlight Recessed	600	11	N/A	N/A	0.9	3000K	83	51000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER5741-x	CER5741-x		Residential,Commercial	LED	Downlight Recessed	623	10	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER5742-x	CER5742-x		Residential,Commercial	LED	Downlight Recessed	754	14	N/A	N/A	0.9	3000K	83	44000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER673-X	CER673-X		Residential,Commercial	LED	Downlight Recessed	650	14	N/A	N/A	0.95	3000K	83	36000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	CER6741-x	CER6741-x		Residential,Commercial	LED	Downlight Recessed	695	11	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	SQ610 D010 ESQ6 827 Li_05242012044 620_1023492
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	SQ610 D010 ESQ6 830 H_05242012044 620_1023492
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	SQ610 D120 ESQ6 827 Li_05242012044 620_1023493
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	SQ610 D120 ESQ6 830 H_05242012044 620_1023493
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	SQ610 D010 ESQ6 830 Li_05242012024 840_1023491
ɜrs 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	SQ620 D010 ESQ6 830 H_05242012100 441_1023489
ɜrs 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	SQ620 D010 ESQ6 830 Li_05242012100 441_1023489
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	610 D010 ERW6 827 Li_05242012044 620_1023492
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	610 D010 ERW6 830 H_05242012044 620_1023492
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	610 D120 ERW6 827 Li_05242012044 620_1023492
ɔlated Color ɔerature: K, 3500K, K.	3/31/2012	5/24/2012	United States, Canada	610 D120 ERW6 830 H_05242012044 620_1023493
K and K CCT's red.	3/31/2012	5/24/2012	United States, Canada	610 D010 ERW6 830 Li_05242012024 840_1023491
ɜrs 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	620 D010 ERW6 830 H_05242012100 441_1023489
ɜrs 3500K 4000K s	3/31/2012	5/22/2012	United States, Canada	620 D010 ERW6 830 Li_05242012100 441_1023489
	3/26/2012	1/20/2012	United States, Canada	ES_1010520_W P217RNKLLU_0 1202012032950 _1023495
	5/17/2011	6/6/2012	United States	(75889) CER3E338CLP_ 1206201221453 2_0332559
	6/16/2012	8/6/2012	United States	(75889) CER3LICR3730- x_12062012214 659_0419522
	2/15/2012	4/17/2012	United States	(75889) CER473- X_12062012214 128_0088295
	6/16/2012	8/6/2012	United States	(75889) CER4741- x_12062012214 701_0421371
	6/16/2012	8/6/2012	United States	(75889) CER4742- x_12062012214 703_0423238
	6/16/2012	8/6/2012	United States	(75889) CER5741- x_12062012214 705_0425129
	2/15/2012	8/6/2012	United States	(75889) CER5742- x_12062012214 708_0428883
	2/15/2012	4/17/2012	United States	(75889) CER673- X_12062012214 130_0090035
	6/16/2012	8/6/2012	United States	(75889) CER6741- x_12062012214 707_0427006

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cordelia Lighting Inc.	Commercial Electric	CER6742-x	CER6742-x		Residential,Commercial	LED	Downlight Recessed	761	14	N/A	N/A	0.9	3000K	82	44000	Continuous Dimming	
Cordelia Lighting Inc.	Commercial Electric	WRAPAROUND	CEW101-X Note: "X" means "finish code".		Residential	Fluorescent	Ceiling Mount	1650	34	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable	Note "finis
Cordelia Lighting Inc.	Commercial Electric	WRAPAROUND	CEW102-X Note: "X" means "finish code".		Residential	Fluorescent	Ceiling Mount	4150	64	N/A	N/A	0.57	3000K	85	10000	Non-Dimmable	X me code
Cordelia Lighting Inc.	Commercial Electric	WRAPAROUND	CEW103-X		Residential	Fluorescent	Ceiling Mount	6615	96	N/A	N/A	0.56	3000K	85	10000	Non-Dimmable	Note "finis
Cordelia Lighting Inc.	Commercial Electric	WRAPAROUND	CEW104-X		Residential	Fluorescent	Ceiling Mount	8160	128	N/A	N/A	0.62	3000K	85	10000	Non-Dimmable	Note "finis
Cordelia Lighting Inc.	Cordelia	7101LPP-X	7101LPP-X		Residential	Fluorescent	Wrapped Lens	800	11	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	52001ES-x	52001ES-x		Residential	Fluorescent	Bath Vanity	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	52003ES-x	52003ES-x		Residential	Fluorescent	Bath Vanity	2700	36	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	DC032P	DC032P		Residential	Fluorescent	Ceiling Mount	3958	56	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	HBF1129P-x	HBF1129P-x		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	HBF1208P-x	HBF1208P-x		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	HBF1209P-x	HBF1209P-x		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	HBF1230P-x	HBF1230P-x		Residential	Fluorescent	Ceiling Mount	3958	56	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Cordelia Lighting	HBF1231-x	HBF1231-x		Residential	Fluorescent	Ceiling Mount	5940	75	N/A	N/A	0.98	3000K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Hamopton Bay	DC018P	DC018P		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Hamopton Bay	HBF1331P-x	HBF1331P-x		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Hamopton Bay	HBF1337P-x	HBF1337P-x		Residential	Fluorescent	Ceiling Mount	2982	96	N/A	N/A	0.63	4000/4100K	84	10000	Non-Dimmable	
Cordelia Lighting Inc.	Hampton Bay	HBP1042P-x	HBP1042P-x		Residential	Fluorescent	Torchiere	3200	48	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Cree, Inc.	Commerical Electric	Commercial Electric 4 Inch LED Disk Light	CE-JB4-600L-27K-E26		Residential	LED	Downlight Solid State Retrofit	600	12.5	N/A	N/A	0.97	2700K	82	35000	Continuous Dimming	
Cree, Inc.	Commerical Electric	Commercial Electric 6 Inch LED Disk Light	CE-JB6-650L-27K-E26		Residential	LED	Downlight Solid State Retrofit	650	12.5	N/A	N/A	0.97	2700K	80	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR4-575L Diffuse Downlight	CR4-575L-E26-D		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR4-575L Diffuse Downlight	CR4-575L-GU24-D		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR4-575L Downlight	CR4-575L-E26		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR4-575L Downlight	CR4-575L-E26		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/15/2012	8/6/2012	United States	(75889) | CER6742-x_12062012214710_0430726
: "X" means h code".	10/15/2012	9/25/2012	United States	means "finish code"._12102012180435_5887620
ans finish	10/15/2012	9/25/2012	United States	means "finish code"._12102012180451_7247343
: "X" means h code".	10/15/2012	9/25/2012	United States	means "finish code"._12102012180453_5764030
: "X" means h code".	10/15/2012	9/25/2012	United States	means "finish code"._12102012180455_4454926
	8/15/2012	8/16/2012	United States	(75889) | 7101LPP-X_12062012202308_5388259
	5/17/2011	5/30/2012	United States	(75889) | 52001ES-x_12062012202029_5229103
	5/17/2011	5/30/2012	United States	(75889) | 52003ES-x_12062012202026_5226954
	5/17/2011	6/6/2012	United States	(75889) | DC032P_12062012202120_5280391
	5/17/2011	6/6/2012	United States	(75889) | HBF1129P-x_12062012202105_5265775
	5/17/2011	6/6/2012	United States	(75889) | HBF1208P-x_12062012202107_5267842
	5/17/2011	6/6/2012	United States	(75889) | HBF1209P-x_12062012202109_5269963
	5/17/2011	6/6/2012	United States	(75889) | HBF1230P-x_12062012202118_5278370
	5/17/2011	6/6/2012	United States	(75889) | HBF1231-x_12062012202124_5284388
	5/17/2011	6/6/2012	United States	(75889) | DC018P_12062012202114_5274250
	5/17/2011	6/6/2012	United States	(75889) | HBF1331P-x_12062012202112_5272156
	5/17/2011	6/6/2012	United States	(75889) | HBF1337P-x_12062012202116_5276373
	10/1/2011	1/11/2013	United States, Canada	ES_45889_HBF1042P-x_01072013145059_6040002
	10/1/2012	10/23/2012	United States	E-JB4-600L-27K-E2612202012123134_9999999
	9/1/2012	10/4/2012	United States	E-JB6-650L-27K-E2612202012123424_9999999
	7/1/2012	6/22/2012	United States	ES_10710_CR4-575L-E26-D12202012123435_9999999
	7/1/2012	6/22/2012	United States	ES_10710_CR4-575L-GU24-D12202012123434_9999999
	5/1/2012	4/19/2012	United States	ES_10710_CR4-575L-E2612202012123447_9999999
	7/1/2012	7/25/2012	United States, Canada	ES_10710_CR4-575L-E2612202012123324_9999999

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cree, Inc.	Cree, Inc	CR4-575L Downlight	CR4-575L-GU24		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR4-575L Downlight	CR4-575L-GU24		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR6 Downlight	CR6-800L		Commercial	LED	Downlight Recessed	800	12.0	N/A	N/A	0.91	2700K	93	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR6 Downlight	CR6-800L-GU24		Commercial	LED	Downlight Recessed	800	12.0	N/A	N/A	0.91	2700K	93	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR6Y	CR6-625L		Commercial	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CR6Y	CR6-625L-GU24		Commercial	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CREE CR-6	CR6-575L		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming	
Cree, Inc.	Cree, Inc	CREE CR-6	CR6-575L-GU24		Commercial	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	CR6X	CR6-575L		Commercial	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	CR6X	CR6-575L-GU24		Commercial	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	KXKR613L-11	KR6-13L-27K-120V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	2700K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR613L-12	KR6-13L-27K-277V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	2700K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR613L-31	KR6-13L-30K-120V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	3000K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR613L-32	KR6-13L-30K-277V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	3000K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR613L-51	KR6-13L-35K-120V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	3500K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR613L-52	KR6-13L-35K-277V		Commercial	LED	Downlight Recessed	1040	17	N/A	N/A	0.99	3500K	92	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-11	KR6-9L-27K-120V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	2700K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-12	KR6-9L-27K-277V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	2700K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-31	KR6-9L-30K-120V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	3000K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-32	KR6-9L-30K-277V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	3000K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-51	KR6-9L-35K-120V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	3500K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	KXKR69L-52	KR6-9L-35K-277V		Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.98	3500K	93	36000	Continuous Dimming	the K trims KXKI KXKI
Cree, Inc.	CREE, Inc.	LR4E-15	LR4E-15		Residential,Commercial	LED	Downlight Solid State Retrofit	605	10	N/A	N/A	0.96	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR4E-15C	LR4E-15C		Residential,Commercial	LED	Downlight Solid State Retrofit	635	11	N/A	N/A	0.96	3500K	92	35000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/1/2012	4/19/2012	United States	R4-575L-GU2412202012123438_9999999
	7/1/2012	7/25/2012	United States, Canada	R4-575L-GU2412202012123459_9999999
	3/12/2012	2/1/2012	United States, Canada	R6-800L12202012123446_9999999
	3/12/2012	2/1/2012	United States, Canada	R6-800L-GU2412202012123414_9999999
	10/1/2012	10/4/2012	United States, Canada	R6-625L12202012123425_9999999
	10/1/2012	10/4/2012	United States, Canada	R6-625L-GU2412202012123426_9999999
	11/1/2011	9/19/2011	United States, Canada	R6-575L12202012123437_9999999
	11/1/2011	9/19/2011	United States, Canada	R6-575L-GU2412202012123438_9999999
	6/1/2012	3/28/2012	United States, Canada	R6-575L12202012123435_9999999
	6/1/2012	3/28/2012	United States, Canada	R6-575L-GU2412202012123436_9999999
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/15/2012	United States, Canada	(793597) KR6-13L-27K-120V_12062012214534_0334437
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/21/2012	United States, Canada	(793597) KR6-13L-27K-277V_12062012214540_0340226
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/16/2012	United States, Canada	(793597) KR6-13L-30K-120V_12062012214536_0336322
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/22/2012	United States, Canada	(793597) KR6-13L-30K-277V_12062012214542_0342201
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/17/2012	United States, Canada	(793597) KR6-13L-35K-120V_12062012214538_0338325
ollowing :Â R6TDJF & R6TDJW	5/2/2012	6/23/2012	United States, Canada	(793597) KR6-13L-35K-277V_12062012214544_0344907
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-27K-120V_12062012214730_0450986
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-27K-277V_12062012214736_0456604
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-30K-120V_12062012214732_0452857
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-30K-277V_12062012214738_0458485
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-35K-120V_12062012214734_0454780
ollowing :Â R6TDJF & R6TDJW	5/2/2012	9/13/2012	United States, Canada	(793597) KR6-9L-35K-277V_12062012214740_0460371
	1/1/2008	12/27/2011	United States, Canada	(793597) LR4E-15_12062012213926_9966278
	1/1/2008	12/27/2011	United States, Canada	(793597) LR4E-15C_12062012213924_9964487

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cree, Inc.	CREE, Inc.	LR4E-30	LR4E-30		Residential,Commercial	LED	Downlight Solid State Retrofit	481	11	N/A	N/A	0.96	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR4E-30C	LR4E-30C		Residential,Commercial	LED	Downlight Solid State Retrofit	565	11	N/A	N/A	0.96	3500K	92	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6	LR6		Residential,Commercial	LED	Downlight Solid State Retrofit	658	10	N/A	N/A	0.96	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6-10L-27K-120V-A-DR	LR6-10L-27K-120V-A-DR		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	2700K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-27K-120V-A-DR-US	LR6-10L-27K-120V-A-DR-US		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	2700K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-30K-120V-A-DR	LR6-10L-30K-120V-A-DR		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	3000K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-30K-120V-A-DR-US	LR6-10L-30K-120V-A-DR-US		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	3000K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-35K-120V-A-DR	LR6-10L-35K-120V-A-DR		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	3500K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-35K-120V-A-DR-US	LR6-10L-35K-120V-A-DR-US		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	3500K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-40K-120V-A-DR	LR6-10L-40K-120V-A-DR		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	4000/4100K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-10L-40K-120V-A-DR-US	LR6-10L-40K-120V-A-DR-US		Residential,Commercial	LED	Downlight Solid State Retrofit	1006	10	N/A	N/A	0.97	4000/4100K	93	36000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-277V	LR6-277V		Residential,Commercial	LED	Downlight Solid State Retrofit	656	10	N/A	N/A	0.93	2700K	92	35000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6C	LR6C		Residential,Commercial	LED	Downlight Solid State Retrofit	643	10	N/A	N/A	0.96	3500K	95	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6C-277V	LR6C-277V		Residential,Commercial	LED	Downlight Solid State Retrofit	659	10	N/A	N/A	0.93	3500K	91	35000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6C-DR1000	LR6C-DR1000		Residential,Commercial	LED	Downlight Solid State Retrofit	970	12	N/A	N/A	0.97	3500K	94	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6C-DR1000-277V	LR6C-DR1000-277V		Residential,Commercial	LED	Downlight Solid State Retrofit	967	13	N/A	N/A	0.95	3500K	92	35000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6C-DR650	LR6C-DR650		Residential,Commercial	LED	Downlight Solid State Retrofit	646	11	N/A	N/A	0.96	3500K	91	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6C-GU24	LR6C-GU24		Residential,Commercial	LED	Downlight Solid State Retrofit	643	10	N/A	N/A	0.96	3500K	95	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6-DR1000	LR6-DR1000		Residential,Commercial	LED	Downlight Solid State Retrofit	992	12	N/A	N/A	0.96	2700K	92	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6-DR1000-277V	LR6-DR1000-277V		Residential,Commercial	LED	Downlight Solid State Retrofit	1012	12	N/A	N/A	0.94	2700K	93	35000	Non-Dimmable	
Cree, Inc.	CREE, Inc.	LR6-DR650	LR6-DR650		Residential,Commercial	LED	Downlight Solid State Retrofit	666	10	N/A	N/A	0.96	2700K	92	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	LR6-GU24	LR6-GU24		Residential,Commercial	LED	Downlight Solid State Retrofit	658	10	N/A	N/A	0.96	2700K	93	35000	Continuous Dimming	
Cree, Inc.	CREE, Inc.	SR6E	SR6E-12L-A-30K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1225	15	N/A	N/A	0.99	3000K	93	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-30K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	680	15	N/A	N/A	0.99	3000K	94	36000	Continuous Dimming	The perfo 120V is the

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2008	2/3/2012	United States, Canada	(755397) | LR4E-30_12062012213941_9981369
	1/1/2008	12/27/2011	United States, Canada	(755397) | LR4E-30C_12062012213922_9962591
	1/1/2007	12/27/2011	United States, Canada	KEE INC (755397) | LR6_12062012213913_9953350
	5/16/2012	5/17/2012	United States, Canada	LR6-10E-277K-120V-A-DR_12062012214523_0323073
	5/16/2012	5/17/2012	United States, Canada	LR6-10E-277K-120V-A-DR-US_12062012214524_0324952
	5/16/2012	11/21/2012	United States, Canada	LR6-10E-30K-120V-A-DR_12212012220312_7392549
	5/16/2012	11/21/2012	United States, Canada	LR6-10E-30K-120V-A-DR-US_12212012220336_7416805
	5/16/2012	5/17/2012	United States, Canada	LR6-10E-35K-120V-A-DR_12062012214526_0326880
	5/16/2012	5/17/2012	United States, Canada	LR6-10E-35K-120V-A-DR-US_12062012214528_0328814
	5/16/2012	11/21/2012	United States, Canada	LR6-10E-40K-120V-A-DR_12212012220400_7440478
	5/16/2012	11/21/2012	United States, Canada	LR6-10E-40K-120V-A-DR-US_12212012220113_7273779
	1/1/2008	12/27/2011	United States, Canada	(755397) | LR6-277V_12062012213917_9957165
	1/1/2007	12/27/2011	United States, Canada	(755397) | LR6C_12062012213915_9955381
	1/1/2008	12/27/2011	United States, Canada	(755397) | LR6C-277V_12062012213918_9958944
	1/1/2010	12/27/2011	United States, Canada	LR6C-DR1000_12062012213920_9960750
	1/1/2010	12/27/2011	United States, Canada	LR6C-DR1000-277V_12062012213905_9945381
	1/1/2010	12/27/2011	United States, Canada	LR6C-DR650_12062012213911_9951627
	1/1/2007	12/27/2011	United States, Canada	LR6C-GU24_12062012213931_9971947
	1/1/2010	12/27/2011	United States, Canada	(755397) | LR6-DR1000_12062012213907_9947997
	1/1/2010	12/27/2011	United States, Canada	(755397) | LR6-DR1000-277V_12062012213928_9968078
	1/1/2010	12/27/2011	United States, Canada	(755397) | LR6-DR650_12062012213909_9949790
	1/1/2007	12/27/2011	United States, Canada	(755397) | LR6-GU24_12062012213929_9969992
ohotometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SRGH-A-120V_12062012214635_0395953
ohotometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SGSBR7 / SRGH-A-120V_12062012214637_0397890

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Cree, Inc.	CREE, Inc.	SR6E	SR6E-12L-A-35K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1225	15	N/A	N/A	0.99	3500K	93	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-35K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	680	15	N/A	N/A	0.99	3500K	94	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	SR6E-12L-A-40K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1225	15	N/A	N/A	0.99	4000/4100K	93	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-40K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	680	15	N/A	N/A	0.99	4000/4100K	94	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	SR6E-18L-A-30K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1824	23	N/A	N/A	0.99	3000K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-30K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	1028	23	N/A	N/A	0.99	3000K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	SR6E-18L-A-35K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1824	23	N/A	N/A	0.99	3500K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-35K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	1028	23	N/A	N/A	0.99	3500K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	SR6E-18L-A-40K / SR6T-30-C / SR6H-A-120V		Commercial	LED	Downlight Recessed	1824	23	N/A	N/A	0.99	4000/4100K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	CREE, Inc.	SR6E	A-40K / SR6T-45-SSGBR / SR6H-A-120V		Commercial	LED	Downlight Recessed	1028	23	N/A	N/A	0.99	4000/4100K	95	36000	Continuous Dimming	The perfo 120V is the
Cree, Inc.	e-conolight	ECO20	ECO20-120V-3K-WH		Residential,Commercial	LED	Downlight Solid State Retrofit	691	15	N/A	N/A	0.95	3000K	82	36000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR4 Downlight	ECO4-575L		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.90	2700K	93	25000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR4 Downlight	ECO4-575L-CA		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.90	2700K	93	25000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR4 Downlight	ECO4-575L-GU24		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.90	2700K	93	25000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR4 Downlight	ECO4-575L-GU24-CA		Commercial	LED	Downlight Recessed	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR4 Downlight	ECO4-575L-GU24-CA		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.90	2700K	93	25000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6X	ECO-575L		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6X	ECO-575L-CA		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6X	ECO-575L-GU24		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6X	ECO-575L-GU24-CA		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.83	2700K	93	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6Y	ECO-575L		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6Y	ECO-575L-CA		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6Y	ECO-575L-GU24		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	
Cree, Inc.	EcoSmart	CR6Y	ECO-575L-GU24-CA		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.93	2700K	92	35000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SKGH-A-120V_12062012214639_0399813
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SSGBR / SKGH-A-120V_12062012214641_0401743
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SKGH-A-120V_12062012214643_0403671
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SSGBR / SKGH-A-120V_12062012214645_0405581
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SKGH-A-120V_12062012214647_0407601
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SSGBR / SKGH-A-120V_12062012214649_0409520
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SKGH-A-120V_12062012214652_0412246
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SSGBR / SKGH-A-120V_12062012214654_0414057
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SKGH-A-120V_12062012214655_0415885
otometric rmance for ' and 277V e same	7/27/2012	7/30/2012	United States, Canada	SSGBR / SKGH-A-120V_12062012214657_0417730
	11/5/2012	11/12/2012	United States, Canada	LCO20-120V-SK-WH_12212012220249_7369761
	10/25/2011	1/5/2012	United States, Canada	LS_10710/0_LCO4-575L1220201212343 6_9999999
	10/25/2011	1/5/2012	United States, Canada	LS_10710/0_LCO4-575L-CA1220201212345 6_9999999
	10/25/2011	1/5/2012	United States, Canada	LS_10710/0_LCO4-575L-GU241220201212342 5_9999999
	10/25/2011	1/5/2012	United States, Canada	CO4-575L-GU24-CA12202012123447_9999999
	10/25/2011	1/5/2012	United States, Canada	CO4-575L-GU24-CA12202012123433_9999999
	6/1/2012	3/28/2012	United States, Canada	LS_10710/0_LCO-575L12202012123437_9999999
	6/1/2012	3/28/2012	United States, Canada	LS_10710/0_LCO-575L-CA12272012123439_9999999
	6/1/2012	3/28/2012	United States, Canada	LS_10710/0_LCO-575L-GU2412202012123438_9999999
	6/1/2012	3/28/2012	United States, Canada	LS_10710/0_LCO-575L-GU24-CA12202012123232_9999999
	10/1/2012	10/4/2012	United States, Canada	LS_10710/0_LCO-575L12202012123428_9999999
	10/1/2012	10/4/2012	United States, Canada	LS_10710/0_LCO-575L-CA12202012123413_9999999
	10/1/2012	10/4/2012	United States, Canada	LS_10710/0_LCO-575L-GU2412202012123412_9999999
	10/1/2012	10/4/2012	United States, Canada	LS_10710/0_LCO-575L-GU24-CA12202012123415_9999999

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Cree, Inc.	EcoSmart	CREE CR-6	ECO-575L		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming
Cree, Inc.	EcoSmart	CREE CR-6	ECO-575L-CA		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming
Cree, Inc.	EcoSmart	CREE CR-6	ECO-575L-GU24		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming
Cree, Inc.	EcoSmart	CREE CR-6	ECO-575L-GU24-CA		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.90	2700K	93	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L	ECO4-575L-50K		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.92	5000K	95	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L	ECO4-575L-50K-CA		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.92	5000K	95	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L	ECO4-575L-50K-GU24		Residential	LED	Downlight Recessed	575	9.5	N/A	N/A	0.92	5000K	95	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L Downlight	ECO4-575L		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L Downlight	ECO4-575L-CA		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L Downlight	ECO4-575L-GU24		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO4-575L Downlight	ECO4-575L-GU24-CA		Residential	LED	Downlight Solid State Retrofit	575	9.5	N/A	N/A	0.92	2700K	92	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO-575L	ECO-575L-50K		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.92	3000K	89	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO-575L	ECO-575L-50K-CA		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.92	5000K	89	35000	Continuous Dimming
Cree, Inc.	EcoSmart	ECO-575L	ECO-575L-50K-GU24		Residential	LED	Downlight Solid State Retrofit	625	9.5	N/A	N/A	0.92	5000K	89	35000	Continuous Dimming
Designers Fountain, Inc.	Designers Fountain	ES1257L-x	ES1257L-x		Residential	Fluorescent	Ceiling Mount	1800	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES1257M-x	ES1257M-x		Residential	Fluorescent	Ceiling Mount	1800	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2301-x	ES2301-x		Residential	Fluorescent	Porch (wall mounted)	1380	18	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2370-x	ES2370-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2371-x	ES2371-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2375-x	ES2375-x		Residential	Fluorescent	Ceiling Mount	1297	19	N/A	N/A	0.59	2700K	84	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2381-x	ES2381-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2391-x	ES2391-x		Residential	Fluorescent	Porch (wall mounted)	1380	18	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2394-x	ES2394-x		Residential	Fluorescent	Close to Ceiling Mount	1380	18	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable
Designers Fountain, Inc.	Designers Fountain	ES2861-x	ES2861-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	11/1/2011	9/19/2011	United States, Canada	CO-575L12202012123435_9999999
	11/1/2011	9/19/2011	United States, Canada	CO-575L-CA12202012123439_9999999
	11/1/2011	9/19/2011	United States, Canada	CO-575L-GU2412202012123436_9999999
	11/1/2011	9/19/2011	United States, Canada	CO-575L-GU24-CA12202012123454_9999999
	11/1/2012	11/9/2012	United States, Canada	CO4-575L-50K12202012123449_9999999
	11/1/2012	11/9/2012	United States, Canada	CO4-575L-50K-CA12202012123423_9999999
	11/1/2012	11/9/2012	United States, Canada	CO4-575L-50K-GU2412202012123459_9999999
	7/1/2012	7/25/2012	United States, Canada	CO4-575L1220201212345 8_9999999
	7/1/2012	7/25/2012	United States, Canada	CO4-575L-CA1220201212345 7_9999999
	7/1/2012	7/25/2012	United States, Canada	CO4-575L-GU241220201212345 6_9999999
	7/1/2012	7/25/2012	United States, Canada	GU24-CA12202012123455_9999999
	10/1/2012	10/4/2012	United States, Canada	CO-575L-50K12202012123451_9999999
	10/1/2012	10/4/2012	United States, Canada	CO-575L-50K-CA12202012123423_9999999
	10/1/2012	10/4/2012	United States, Canada	CO-575L-50K-GU2412202012123422_9999999
	5/17/2011	5/30/2012	United States	ES1257L-x_12062012202010_5210768
	5/17/2011	5/30/2012	United States	ES1257M-x_12062012202008_5208576
	5/17/2011	5/30/2012	United States	ES2301-x_12062012202057_5257702
	5/17/2011	5/30/2012	United States	ES2370-x_12062012202055_5255712
	5/17/2011	5/30/2012	United States	ES2371-x_12062012202053_5253771
	5/17/2011	6/6/2012	United States	ES2375-x_12062012202122_5282428
	5/17/2011	5/30/2012	United States	ES2381-x_12062012202051_5251839
	5/17/2011	5/30/2012	United States	ES2391-x_12062012202049_5249819
	5/17/2011	5/30/2012	United States	ES2394-x_12062012202101_5261721
	5/17/2011	5/30/2012	United States	ES2861-x_12062012202041_5241966

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Designers Fountain, Inc.	Designers Fountain	ES30511-x	ES30511-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Designers Fountain, Inc.	Designers Fountain	ES30521-x	ES30521-x		Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Designers Fountain, Inc.	Designers Fountain	ES30534-x	ES30534-x		Residential	Fluorescent	Close to Ceiling Mount	900	13	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Designers Fountain, Inc.	Designers Fountain	RTL47301-X	RTL47301-X		Residential,Commercial	LED	Downlight Recessed	400	8	N/A	N/A	0.95	3000K	83	36000	Continuous Dimming	
Designers Fountain, Inc.	Designers Fountain	RTL67301-X	RTL67301-X		Residential,Commercial	LED	Downlight Recessed	650	14	N/A	N/A	0.95	3000K	83	36000	Continuous Dimming	
Digital Lighting, Inc.	Q-RAY	QDL05-USW-27G24E	QDL05-USW-27G24E	QDL05-USW-30G24E,QDL05-USW-30G24E,; QDL06-USW-27G24E,QDL06-USW-27G24E,; QDL06-USW-30G24E,QDL06-USW-30G24E,	Residential,Commercial	LED	Downlight Solid State Retrofit	571	12	N/A	N/A	0.9	2700K	82	36000	Continuous Dimming	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UC-18B	Fluorescent Light Fixture,UC-18BC,	Residential,Commercial	Fluorescent	Under Cabinet	445	11	N/A	N/A	0.98	4000/4100K	85	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UC-22B		Residential,Commercial	Fluorescent	Under Cabinet	555	14	N/A	N/A	0.99	4000/4100K	83	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UC-34B	Fluorescent Light Fixture,UC-34BC,	Residential,Commercial	Fluorescent	Under Cabinet	830	21	N/A	N/A	0.99	4000/4100K	81	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UC-42S (UEB42)	Fluorescent Light Fixture,UC-42,	Residential	Fluorescent	Under Cabinet	1200	26	N/A	N/A	0.55	4000/4100K	85	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UC-46B	Fluorescent Light Fixture,UC-46BC,	Residential,Commercial	Fluorescent	Under Cabinet	1030	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UD13-120A	Fluorescent Light Fixture,UC-21,; Fluorescent Light Fixture,UC-21S (UEB21),	Residential	Fluorescent	Under Cabinet	355	13	N/A	N/A	0.56	4000/4100K	85	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UD16-120A	Fluorescent Light Fixture,UC-24,; Fluorescent Light Fixture,UC-24S (UEB24),	Residential	Fluorescent	Under Cabinet	500	16	N/A	N/A	0.52	4000/4100K	85	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UD21-120A	Fluorescent Light Fixture,UC-33,; Fluorescent Light Fixture,UC-33S (UEB33),	Residential	Fluorescent	Under Cabinet	570	21	N/A	N/A	0.55	4000/4100K	85	10000	Non-Dimmable	
DJL Electric Device (Shanghai) Co., Ltd.	djllighting	Fluorescent Light Fixture	UD8-120A	Fluorescent Light Fixture,UC-12,; Fluorescent Light Fixture,UC-12S (UEB12),	Residential	Fluorescent	Under Cabinet	270	8	N/A	N/A	0.52	4000/4100K	85	10000	Non-Dimmable	
DMF Lighting	dmfLighting	DH6ICAQ/GU24	DH6ICAQ/GU24		Residential	Fluorescent	Downlight Recessed	1800	27	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
DMF Lighting	dmfLighting	DM10XXX	DM10XXX		Residential,Commercial	LED	Downlight Recessed	941	14	N/A	N/A	0.95	3000K	93	36000	Non-Dimmable	
DMF Lighting	dmfLighting	DM6XXX	DM6XXX		Residential,Commercial	LED	Downlight Recessed	572	10	N/A	N/A	0.95	2700K	91	36000	Non-Dimmable	
DMF Lighting	DMF Lighting	DMC10XXX	DMC10XXX		Residential,Commercial	LED	Downlight Recessed	1000	17	N/A	N/A	0.97	2700K	82	36000	Continuous Dimming	com numl letter 2700
DMF Lighting	DMF Lighting	DMC7XXX	DMC7XXX		Residential,Commercial	LED	Downlight Recessed	700	12	N/A	N/A	0.94	2700K	81	36000	Continuous Dimming	com numl letter 2700
DMF Lighting	DMF Lighting	DME11-X-XX	DME11-X-XX		Residential,Commercial	LED	Downlight Recessed	1000	17	N/A	N/A	0.97	2700K	82	36000	Continuous Dimming	com numl letter 2700
DMF Lighting	DMF Lighting	DME800-X-XX	DME800-X-XX		Residential,Commercial	LED	Downlight Recessed	700	12	N/A	N/A	0.94	2700K	81	36000	Continuous Dimming	com numl letter 2700
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 2961ES-X/ALB	Indoor-Ceiling Mount,JJ 2961ES-SN/ALB,; Indoor-Ceiling Mount,JJ 2961ES-WH/ALB,	Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	80	10000	Non-Dimmable	X ca SN, I
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 2961ES-X/OP	Indoor-Ceiling Mount,JJ 2961ES-BZ/OP,; Indoor-Ceiling Mount,JJ 2961ES-SN/OP,	Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/17/2011	5/30/2012	United States	(79609) | ES30511-x_12062012202047_5247835
	5/17/2011	5/30/2012	United States	(79609) | ES30521-x_12062012202045_5245871
	5/17/2011	5/30/2012	United States	(79609) | ES30534-x_12062012202059_5259704
	2/15/2012	4/17/2012	United States	(79609) | RTL47301-X_12062012214131_0091779
	2/15/2012	4/17/2012	United States	(79609) | RTL67301-X_12062012214133_0093552
	9/1/2012	1/7/2013	United States, Canada	DE55-USW-27G24E_01052013112627_5515863
	6/30/2012	6/13/2012	United States	ES_1045217_UC-18B_12142012112121_5688188
	6/30/2012	6/13/2012	United States	ES_1045217_UC-22B_12142012112056_8231016
	6/30/2012	6/13/2012	United States	ES_1045217_UC-34B_12142012112036_5136212
	6/30/2012	6/13/2012	United States	ES_1045217_UC-42S (UEB42)_12142012112151_7692368
	6/30/2012	6/13/2012	United States	ES_1045217_UC-46B_12142012111955_4139996
	7/10/2012	7/3/2012	United States	ES_1045217_UD13-120A_12142012111039_6111208
	7/10/2012	7/3/2012	United States	ES_1045217_UD16-120A_12142012111020_3450855
	7/10/2012	7/3/2012	United States	ES_1045217_UD21-120A_12142012110949_7978671
	7/10/2012	7/2/2012	United States	ES_1045217_UD8-120A_12142012111053_2564328
	2/1/2012	5/16/2012	United States	DH6ICAQ/GU24_12062012214517_0317408
	2/1/2012	5/16/2012	United States	(109129) | DM10XXX_12062012214521_0321195
	2/1/2012	5/16/2012	United States	(109129) | DM6XXX_12062012214519_0319238
...ification of ...bers and ...s, CCT - ...-4100K	2/1/2012	2/2/2012	United States	(109129) | DMC10XXX_12062012213933_9973875
...ification of ...bers and ...s, CCT - ...-4100K	2/1/2012	2/2/2012	United States	(109129) | DMC7XXX_12062012213937_9977650
...ification of ...bers and ...s, CCT - ...-4100K	2/1/2012	2/2/2012	United States	(109129) | DME11-X-XX_12062012213935_9975822
...ification of ...bers and ...s, CCT - ...-4100K	2/1/2012	2/2/2012	United States	(109129) | DME800-X-XX_12062012213939_9979496
...n be WH, ...BZ.	8/25/2012	8/23/2012	United States, Canada	ES_1022257_U2961ES-X/ALB_12102012184736_4973706
	8/25/2012	8/23/2012	United States, Canada	ES_1022257_U2961ES-X/OP_12102012184738_1362916

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 2962ES-X/ ALB	Indoor-Ceiling Mount,JJ 2962ES-SN/ALB,; Indoor-Ceiling Mount,JJ 2962ES-WH/ALB,	Residential	Fluorescent	Ceiling Mount	900	26	N/A	N/A	0.57	2700K	80	10000	Non-Dimmable	X ca SN, I
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 2962ES-X/OP	Indoor-Ceiling Mount,JJ 2962ES-BZ/OP,; Indoor-Ceiling Mount,JJ 2962ES-SN/OP,	Residential	Fluorescent	Ceiling Mount	900	26	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ763ES-X	Indoor-Ceiling Mount,JJ763ES-09,; Indoor-Ceiling Mount,JJ763ES-78,	Residential	Fluorescent	Ceiling Mount	1600	46	N/A	N/A	0.54	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ765ES-X	Indoor-Ceiling Mount,JJ765ES-09,; Indoor-Ceiling Mount,JJ765ES-78,	Residential	Fluorescent	Ceiling Mount	900	39	N/A	N/A	0.58	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 911ES-MF/X	Indoor-Ceiling Mount,JJ 911ES-MF/30,; Indoor-Ceiling Mount,JJ 911ES-MF/78,	Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.58	2700K	80	10000	Non-Dimmable	
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 913ES-MF/X	Indoor-Ceiling Mount,JJ 913ES-MF/30,; Indoor-Ceiling Mount,JJ 913ES-MF/78,	Residential	Fluorescent	Ceiling Mount	900	26	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Ceiling Mount	JJ 915ES-MF/X	Indoor-Ceiling Mount,JJ 915ES-MF/30,; Indoor-Ceiling Mount,JJ 915ES-MF/78,	Residential	Fluorescent	Ceiling Mount	1600	46	N/A	N/A	0.54	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Decorative Wall Mounted	JJ 770ES-X	Indoor-Decorative Wall Mounted,JJ 770ES-26,; Indoor-Decorative Wall Mounted,JJ 770ES-30,; Indoor-Decorative Wall Mounted,JJ 770ES-78,	Residential	Fluorescent	Other	900	65	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Decorative Wall Sconces	JJ 768ES-X	Indoor-Decorative Wall Mounted,JJ 768ES-26,; Indoor-Decorative Wall Mounted,JJ 768ES-30,; Indoor-Decorative Wall Mounted,JJ 768ES-78,	Residential	Fluorescent	Other	900	26	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Decorative Wall Sconces	JJ 769ES-X	Indoor-Decorative Wall Mounted,JJ 769ES-26,; Indoor-Decorative Wall Mounted,JJ 769ES-30,; Indoor-Decorative Wall Mounted,JJ 769ES-78,	Residential	Fluorescent	Other	900	39	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-pendant	JJ 766ES-X	Indoor-pendant,JJ 766ES-09,; Indoor-pendant,JJ 766ES-78,	Residential	Fluorescent	Other	900	39	N/A	N/A	0.58	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor - Pendant	JJ 4605ES-XX	Indoor - Pendant,JJ 4605ES-14,; Indoor - Pendant,JJ 4605ES-30,	Residential	Fluorescent	Decorative Pendant	10000	39	N/A	N/A	0.52	2700K	80	10000	Non-Dimmable	
Dolan Designs	Design Classics	Indoor-Wall Sconces	JJ 672ES-X	Indoor-Wall Sconces,JJ 672ES-09,; Indoor-Wall Sconces,JJ 672ES-30,	Residential	Fluorescent	Wall Sconces	900	26	N/A	N/A	0.58	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Wall Sconces	JJ 673ES-X	Indoor-Wall Sconces,JJ 673ES-09,; Indoor-Wall Sconces,JJ 673ES-30,	Residential	Fluorescent	Wall Sconces	900	39	N/A	N/A	0.58	2700K	85	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Indoor-Wall Sconces Fluorescent Luminaire	JJ 671ES-X	Non-Directional Residential Indoor-Wall Sconces Fluorescent Luminaire,JJ 671ES-09,; Non-Directional Residential Indoor-Wall Sconces Fluorescent Luminaire,JJ 671ES-30,	Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.58	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Post Lamp	JJ 497ES-1-X/ HG	Outdoor-Post Lamp,JJ 497ES-1-BZ/HG,; Outdoor-Post Lamp,JJ 497ES-1-SS/HG,	Residential	Fluorescent	Other	1600	23	N/A	N/A	0.54	2700K	80	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Post Lamp	JJ 9716ES-2-X	Luminaire,JJ 9716ES-2-09,; Non-Directional Residential Outdoor-Post Fluorescent Luminaire,JJ 9716ES-2-26,; Non-Directional Residential Outdoor-Post Fluorescent Luminaire,JJ 9716ES-2-30,	Residential	Fluorescent	Other	1250	16.9	N/A	N/A	0.55	2700K	81	10000	Non-Dimmable	
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 3045ES-1-X	Outdoor-Wall-Mounted,JJ 3045ES-1-AT,; Outdoor-Wall-Mounted,JJ 3045ES-1-WH,	Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 322ES-1-X	Outdoor-Wall-Mounted,JJ 322ES-1-BZ,; Outdoor-Wall-Mounted,JJ 322ES-1-OBZ,; Outdoor-Wall-Mounted,JJ 322ES-1-SS,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.58	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 493ES-1-X/ HG	Outdoor-Wall-Mounted,JJ 493ES-1-BZ/HG,; Outdoor-Wall-Mounted,JJ 493ES-1-SS/HG,	Residential	Fluorescent	Other	1600	23	N/A	N/A	0.54	2700K	80	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 495ES-1-X/ HG	Outdoor-Wall-Mounted,JJ 495ES-1-BZ/HG,; Outdoor-Wall-Mounted,JJ 495ES-1-SS/HG,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 49856ES-1-X	Outdoor-Wall-Mounted,JJ 49856ES-1-78,; Outdoor-Wall-Mounted,JJ 49856ES-1-BZ,; Outdoor-Wall-Mounted,JJ 49856ES-1-SS,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 501ES-1-X	Outdoor-Wall-Mounted,JJ 501ES-1-BZ,; Outdoor-Wall-Mounted,JJ 501ES-1-OBZ,; Outdoor-Wall-Mounted,JJ 501ES-1-SS,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	repre color fixtur
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 9204ES-1-X	Outdoor-Wall-Mounted,JJ 9204ES-1-AT,; Outdoor-Wall-Mounted,JJ 9204ES-1-WH,	Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.58	2700K	81	10000	Non-Dimmable	repre color fixtur

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
n be WH, BZ.	8/25/2012	8/23/2012	United States, Canada	2962ES-X/ ALB_121020121 84739_5685320
	8/25/2012	8/22/2012	United States, Canada	2962ES-X/ OP_1210201218 4741_7757049
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	763ES- X_12102012184 655_8235085
senting the of the e body.	9/8/2012	9/10/2012	United States, Canada	765ES- X_12102012184 800_4388962
	8/25/2012	8/23/2012	United States, Canada	911ES-MF/ X_12102012184 713_1476113
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	913ES-MF/ X_12102012184 733_4836279
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	915ES-MF/ X_12102012184 735_1990501
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	770ES- X_12102012184 711_7921749
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	768ES- X_12102012184 708_2740974
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	769ES- X_12102012184 710_4086058
senting the of the e body.	9/8/2012	9/10/2012	United States, Canada	766ES- X_12102012184 755_5587584
	11/15/2012	11/15/2012	United States, Canada	4605ES- XX_1219201212 4617_4103709
senting the of the e body.	9/8/2012	9/10/2012	United States, Canada	672ES- X_12102012184 757_5359378
senting the of the e body.	9/8/2012	9/10/2012	United States, Canada	673ES- X_12102012184 756_2385143
senting the of the e body.	9/8/2012	9/10/2012	United States, Canada	671ES- X_12102012184 759_6401432
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	497ES-1-X/ HG_1210201218 4705_2880190
	10/12/2012	10/17/2012	United States, Canada	9716ES-2- X_12102012190 629_7337290
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	3045ES-1- X_12102012184 657_5422109
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	322ES-1- X_12102012184 701_4582812
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	493ES-1-X/ HG_1210201218 4703_7353382
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	495ES-1-X/ HG_1210201218 4704_4663146
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	49856ES-1- X_12102012184 700_6983734
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	501ES-1- X_12102012184 707_6645797
senting the of the e body.	8/25/2012	8/23/2012	United States, Canada	9204ES-1- X_12102012184 658_8746879

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 9711ES-2-X	Outdoor-Wall-Mounted,JJ 9711ES-2-09,; Outdoor-Wall-Mounted,JJ 9711ES-2-26,; Outdoor-Wall-Mounted,JJ 9711ES-2-30,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.57	2700K	81	10000	Non-Dimmable	
Dolan Designs	Design Classics	Outdoor-Wall-Mounted	JJ 9713ES-2-X	Outdoor-Wall-Mounted,JJ 9713ES-2-09,; Outdoor-Wall-Mounted,JJ 9713ES-2-26,; Outdoor-Wall-Mounted,JJ 9713ES-2-30,	Residential	Fluorescent	Other	1250	18	N/A	N/A	0.55	2700K	80	10000	Non-Dimmable	
JiaSheng Lighting Technology Co Ltd.	Hampton Bay	EFG 1011P-3	EFG 1011P-3		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.55	2700K	81	10000	Non-Dimmable	Implie nicke "WH- white
JiaSheng Lighting Technology Co Ltd.	Hampton Bay	EFG1011P-3	EFG1011P-3		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.61	2700K	82	10000	Non-Dimmable	Implie nicke "WH- white
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61676410000	4 Light LED Fixed Track,61683410000,	Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.97	3000K	84	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61676410001		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.95	3000K	83	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61678410000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	82	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61678410001		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.99	3000K	84	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61678411000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61679410000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	83	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61680410000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61681411000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61682410000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	83	35000	Continuous Dimming	
Dongguan Tida Lighting Co., Ltd.	Tida	4 Light LED Fixed Track	61684410000		Residential,Commercial	LED	Accent Light Line-voltage	800	16	N/A	N/A	0.98	3000K	84	35000	Continuous Dimming	
EcoSense Lighting Co Ltd	EcoSense Lighting	04LC-12-xx-120-120	04LC-12-xx-120-120		Residential	LED	Cove Mount	255	4	N/A	N/A	0.9	2700K	83	36000	Continuous Dimming	2700 3500 4000 respe
EcoSense Lighting Co Ltd	EcoSense Lighting	04LC-48-xx-120-120	04LC-48-xx-120-120		Residential	LED	Cove Mount	1033	16	N/A	N/A	0.9	2700K	82	36000	Continuous Dimming	2700 3500 4000 respe
EcoSense Lighting Co Ltd	EcoSense Lighting	05LC-12-xx-120-120	05LC-12-xx-120-120		Residential	LED	Cove Mount	632	12	N/A	N/A	0.88	2700K	82	36000	Continuous Dimming	2700 3500 4000 respe
EEMA Industries Dba Liton Lighting	LITON Lighting	LHALD4250C70 UE-D10/ LRALD4SWF150	LHALD4250C70 UE-D10/ LRALD4SWF150	LRALD6SWF150-T35,LHALD6R25C70UE-D10/ LRALD6SWF150-T35,; LHALD6R25C70UE-D10/ LRALD6SWF150-T40,LHALD6R25C70UE-D10/ LRALD6SWF150-T40,	Commercial	LED	Downlight Recessed	1345	28	N/A	N/A	1	3000K	81	36000	Continuous Dimming	
EEMA Industries Dba Liton Lighting	LITON Lighting	LRELD4X	LRELD4X	LRELD4X-T40,LRELD4X-T40,	Residential,Commercial	LED	Downlight Solid State Retrofit	421	10	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
EEMA Industries Dba Liton Lighting	LITON Lighting	LRELD6X	LRELD6X	LRELD6X-T40,LRELD6X-T40,	Residential,Commercial	LED	Downlight Solid State Retrofit	645	15	N/A	N/A	0.87	3000K	86	36000	Continuous Dimming, Type IC Airtight	
Efficient Lighting	Efficient Lighting	EL-102-113-XX	EL-102-113-XX	XX,EL-156-113-XX,; EL-157-113-XX,EL-156-113-XX,; EL-157-113-XX,EL-157-113-XX,; EL-158-113-XX,EL-158-113-XX,; EL-159-113-XX,EL-159-113-XX,	Residential	Fluorescent	Porch (wall mounted)	900	14	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-102-118-XX	EL-102-118-XX	XX,EL-156-118-XX,; EL-157-118-XX,EL-156-118-XX,; EL-157-118-XX,EL-157-118-XX,; EL-158-118-XX,EL-158-118-XX,; EL-159-118-XX,EL-159-118-XX,	Residential	Fluorescent	Porch (wall mounted)	1250	19	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-102-123-XX	EL-102-123-XX	XX,EL-156-123-XX,; EL-157-123-XX,EL-156-123-XX,; EL-157-123-XX,EL-157-123-XX,; EL-158-123-XX,EL-158-123-XX,; EL-159-123-XX,EL-159-123-XX,	Residential	Fluorescent	Porch (wall mounted)	1600	24	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-200-213-XX	EL-200-213-XX	EL-205G-213-XX,EL-205G-213-XX,; EL-220-02-213-XX,EL-220-02-213-XX,; EL-240-02-213-XX,EL-240-02-213-XX,	Residential	Fluorescent	Bath Vanity	1800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	10/12/2012	10/17/2012	United States, Canada	9711ES-2-X_12102012190632_6670061
	10/12/2012	10/17/2012	United States, Canada	9713ES-2-X_12102012190633_9343205
s brushed el finish and -10" implies finish.	10/9/2010	3/31/2012	United States, Canada	1011P-3_12062012201604_4964570
s brushed el finish and -10" implies finish.	10/9/2010	3/31/2012	United States, Canada	EFG1011P-3_12062012201319_4799421
	6/30/2012	6/26/2012	United States	676410000_12132012172838_2858519
	11/10/2012	10/30/2012	United States	676410001_11132012150951_7923936
	8/15/2012	8/3/2012	United States	678410000_12142012110322_4759716
	8/15/2012	8/3/2012	United States	678410001_10032012142029_9716449
	8/15/2012	8/3/2012	United States	678411000_12142012110335_7460420
	8/15/2012	8/3/2012	United States	679410000_12142012110213_6602108
	8/15/2012	8/3/2012	United States	680410000_12142012110315_2817042
	8/15/2012	8/3/2012	United States	681411000_12142012110226_6161783
	8/15/2012	8/3/2012	United States	682410000_12142012110250_4392259
	8/15/2012	8/3/2012	United States	684410000_12142012110237_4923078
K ,5000K, K and K ectively	6/1/2011	1/7/2013	United States, Canada	xx-120-120_01072013153756_682489
K,5000K, K and K ectively.	1/1/2011	1/7/2013	United States, Canada	xx-120-120_01072013154138_1720086
K,5000K, K and K ectively	6/1/2011	1/7/2013	United States, Canada	xx-120-120_01072013132013_3480188
	7/12/2012	1/7/2013	United States	LRALD4SWF150_01052013104200_467645
	3/1/2012	1/7/2013	United States, Taiwan, Japan, Canada	ELD4X_01042013210547_5771143
	7/8/2011	12/5/2012	United States, Taiwan, Japan, Canada	ELD6X_12052012163119_663873
	8/14/2010	1/11/2013	United States, Canada	-102-113-XX_01102013084439_3089715
	8/14/2010	1/11/2013	United States, Canada	-102-118-XX_01102013084210_9826471
	8/14/2010	1/11/2013	United States, Canada	-102-123-XX_01102013084704_428125
	8/14/2010	1/11/2013	United States, Canada	-200-213-XX_01092013112012_8478509

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Efficient Lighting	Efficient Lighting	EL-200-218-XX	EL-200-218-XX	EL-205G-218-XX,EL-205G-218-XX,; EL-220-02-218-XX,EL-220-02-218-XX,; EL-240-02-218-XX,EL-240-02-218-XX,	Residential	Fluorescent	Bath Vanity	2500	38	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-203-313-XX	EL-203-313-XX	EL-210-03-313-XX,EL-210-03-313-XX,; EL-220-03-313-XX,EL-220-03-313-XX,; EL-230-03-313-XX,EL-230-03-313-XX,; EL-240-03-313-XX,EL-240-03-313-XX,	Residential	Fluorescent	Bath Vanity	2700	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-203-318-XX	EL-203-318-XX	EL-210-03-318-XX,EL-210-03-318-XX,; EL-220-03-318-XX,EL-220-03-318-XX,; EL-230-03-318-XX,EL-230-03-318-XX,; EL-240-03-318-XX,EL-240-03-318-XX,	Residential	Fluorescent	Bath Vanity	3750	56	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-203-323-XX	EL-203-323-XX	EL-210-03-323-XX,EL-210-03-323-XX,; EL-220-03-323-XX,EL-220-03-323-XX,; EL-230-03-323-XX,EL-230-03-323-XX,; EL-240-03-323-XX,EL-240-03-323-XX,	Residential	Fluorescent	Bath Vanity	4800	71	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-230-04-418-XX	EL-230-04-418-XX	EL-210-04-418-XX,EL-210-04-418-XX,; EL-220-04-418-XX,EL-220-04-418-XX,; EL-240-04-418-XX,EL-240-04-418-XX,	Residential	Fluorescent	Bath Vanity	5000	75	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-330-113-XX	EL-330-113-XX	EL-310-12-113-XX,EL-310-12-113-XX,; EL-310-14-113-XX,EL-310-14-113-XX,; EL-320-113-XX,EL-320-113-XX,; EL-325-12-113-XX,EL-325-12-113-XX,; EL-335-113-XX,EL-335-113-XX,	Residential	Fluorescent	Wall Sconces	900	14	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-330-118-XX	EL-330-118-XX	EL-310-12-118-XX,EL-310-12-118-XX,; EL-310-14-118-XX,EL-310-14-118-XX,; EL-320-118-XX,EL-320-118-XX,; EL-325-12-118-XX,EL-325-12-118-XX,; EL-335-118-XX,EL-335-118-XX,	Residential	Fluorescent	Wall Sconces	1250	19	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-330-123-XX	EL-330-123-XX	EL-310-12-123-XX,EL-310-12-123-XX,; EL-310-14-123-XX,EL-310-14-123-XX,; EL-320-123-XX,EL-320-123-XX,; EL-325-12-123-XX,EL-325-12-123-XX,; EL-335-123-XX,EL-335-123-XX,	Residential	Fluorescent	Wall Sconces	1600	23	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-801-213-XX	EL-801-213-XX	EL-805-213-XX,EL-805-213-XX,; EL-810-213-XX,EL-810-213-XX,; EL-830-213-XX,EL-830-213-XX,; EL-835-213-XX,EL-835-213-XX,; EL-845-213-XX,EL-845-213-XX,	Residential	Fluorescent	Ceiling Mount	1800	28	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-801-218-XX	EL-801-218-XX	EL-810-218-XX,EL-810-218-XX,; EL-835-218-XX,EL-835-218-XX,; EL-845-218-XX,EL-845-218-XX,	Residential	Fluorescent	Ceiling Mount	2500	38	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-801-223-XX	EL-801-223-XX	EL-810-223-XX,EL-810-223-XX,; EL-835-223-XX,EL-835-223-XX,; EL-845-223-XX,EL-845-223-XX,	Residential	Fluorescent	Ceiling Mount	3200	48	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-815-113-XX	EL-815-113-XX	EL-800-113-XX,EL-800-113-XX,; EL-805-113-XX,EL-805-113-XX,; EL-820-113-XX,EL-820-113-XX,; EL-825-113-XX,EL-825-113-XX,	Residential	Fluorescent	Ceiling Mount	900	14	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-815-118-XX	EL-815-118-XX	EL-800-118-XX,EL-800-118-XX,; EL-805-118-XX,EL-805-118-XX,; EL-820-118-XX,EL-820-118-XX,; EL-825-118-XX,EL-825-118-XX,	Residential	Fluorescent	Ceiling Mount	1250	19	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Efficient Lighting	Efficient Lighting	EL-815-123-XX	EL-815-123-XX	EL-800-123-XX,EL-800-123-XX,; EL-805-123-XX,EL-805-123-XX,; EL-820-123-XX,EL-820-123-XX,; EL-825-123-XX,EL-825-123-XX,	Residential	Fluorescent	Ceiling Mount	1600	24	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Elec-Tech International Co.,Ltd.	ETI	SSL downlight retrofits	531031XX		Residential,Commercial	LED	Downlight Solid State Retrofit	1300	20	N/A	N/A	0.94	3000K	82	36000	Non-Dimmable	a XX be bl digita 9
ElectraLED, Inc.	ElectraLED, Inc.	Kubeluxx	K9TL-XXXD		Residential,Commercial	LED	Accent Light Line-voltage	1660	32	N/A	N/A	0.98	2700K	83	60000	Continuous Dimming	3000 CCT alter hous
ElectraLED, Inc.	ElectraLED, Inc.	Kubeluxx	K9TL-XXXM		Residential,Commercial	LED	Accent Light Line-voltage	1724	32	N/A	N/A	0.98	2700K	83	60000	Continuous Dimming	3000 CCT alter hous
ElectraLED, Inc.	ElectraLED, Inc.	Kubeluxx	K9TL-XXXR		Residential,Commercial	LED	Accent Light Line-voltage	1735	32	N/A	N/A	0.98	2700K	83	60000	Continuous Dimming	3000 CCT alter hous
ElectraLED, Inc.	ElectraLED, Inc.	Kubeluxx	K9TL-XXXS		Residential,Commercial	LED	Accent Light Line-voltage	1729	32	N/A	N/A	0.98	2700K	83	60000	Continuous Dimming	3000 CCT alter hous
ElectraLED, Inc.	ElectraLED, Inc.	TLC-09	TLC-09-xxxD-36x		Residential,Commercial	LED	Accent Light Line-voltage	1430	30	N/A	N/A	0.98	2700K	81	60000	Continuous Dimming	Dimm Mode alter hous
ElectraLED, Inc.	ElectraLED, Inc.	TLC-09	TLC-09-xxxM-36x		Residential,Commercial	LED	Accent Light Line-voltage	1416	30	N/A	N/A	0.98	2700K	81	60000	Continuous Dimming	Dimm Mode alter hous
ElectraLED, Inc.	ElectraLED, Inc.	TLC-09	TLC-09-xxxR-36x		Residential,Commercial	LED	Accent Light Line-voltage	1483	30	N/A	N/A	0.98	2700K	81	60000	Continuous Dimming	Dimm Mode alter hous
Engineered Products Company	Engineered Products Co	Keyless	16530		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Engineered Products Company	Engineered Products Co	Pullchain	16535		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	8/14/2010	1/11/2013	United States, Canada	-200-218-XX_01092013104625_4379693
	8/14/2010	1/11/2013	United States, Canada	-203-313-XX_01092013111712_3011590
	8/14/2010	1/11/2013	United States, Canada	-203-318-XX_01092013104318_6961633
	8/14/2010	1/11/2013	United States, Canada	-203-323-XX_01092013112323_9154931
	8/14/2010	1/11/2013	United States, Canada	-230-04-418-XX_01092013103927_7708398
	8/14/2010	1/11/2013	United States, Canada	-330-113-XX_01092013131134_8303186
	8/14/2010	1/11/2013	United States, Canada	-330-118-XX_01092013130652_2025110
	8/14/2010	1/11/2013	United States, Canada	-330-123-XX_01092013130225_2803460
	8/14/2010	1/11/2013	United States, Canada	-801-213-XX_01092013110039_3334314
	8/14/2010	1/11/2013	United States, Canada	-801-218-XX_01092013105628_5190393
	8/24/2010	1/11/2013	United States, Canada	-801-223-XX_01092013105314_5601159
	8/14/2010	1/11/2013	United States, Canada	-815-113-XX_01092013111348_985834
	8/14/2010	1/11/2013	United States, Canada	-815-118-XX_01092013110927_8966638
	8/14/2010	1/11/2013	United States, Canada	-815-123-XX_01092013110434_8584100
r may ank or a al from 0 to	8/30/2011	12/4/2012	United States	1031XX_12192012145030_3443063
s.Include nate exterior ing colors.	7/1/2012	10/24/2012	United States, Canada	(279452) | RSTE-XXXD_12062012214829_0509225
s.Include nate exterior ing colors.	7/1/2012	10/24/2012	United States, Canada	(279452) | RSTE-XXXM_12062012214831_0511057
s.Include nate exterior ing colors.	7/1/2012	10/24/2012	United States, Canada	(279452) | RSTE-XXXR_12062012214832_0512901
s.Include nate exterior ing colors.	7/1/2012	10/24/2012	United States, Canada	(279452) | RSTE-XXXS_12062012214834_0514792
ming els. Include nate exterior ing colors.	1/30/2012	4/24/2012	United States, Canada	TEC-09-xxxD-36x_12062012214153_0113646
ming els. Include nate exterior ing colors.	1/30/2012	4/24/2012	United States, Canada	TEC-09-xxxM-36x_12062012214150_0110009
ming els. Include nate exterior ing colors.	1/30/2012	4/24/2012	United States, Canada	TEC-09-xxxR-36x_12062012214151_0111867
	3/18/2011	7/16/2012	United States, Canada	(101124) | 16530_12062012202241_5361031
	3/18/2011	7/16/2012	United States, Canada	(101124) | 16535_12062012202243_5363133

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
enLux Lighting	enLux	Down Light	DL1-TC-120V_1_2700K	,DL1-TC-277V_1_2700K,277V labeled model	Residential,Commercial	LED	Downlight Recessed	879	14.0	N/A	N/A	0.95	2700K	82	50000	Continuous Dimming, Type Non-IC
enLux Lighting	enLux	Down Light	DL1-TC-120V_1_3000K	test,DL1-TC-277V_1_3000K,277V labeled model	Residential,Commercial	LED	Downlight Recessed	900	14.0	N/A	N/A	0.95	3000K	82	50000	Continuous Dimming, Type Non-IC
enLux Lighting	enLux	Down Light	DL1-TC-120V_1_3500K	test,DL1-TC-277V_1_3500K,277V labeled model	Residential,Commercial	LED	Downlight Recessed	936	14.0	N/A	N/A	0.95	3500K	82	50000	Continuous Dimming, Type Non-IC
enLux Lighting	enLux	Down Light	DL1-TC-120V_1_4000K	,DL1-TC-277V_1_4000K,277V labeled model	Residential,Commercial	LED	Downlight Recessed	966	14.0	N/A	N/A	0.95	4000/4100K	82	50000	Continuous Dimming, Type Non-IC
Evolution Lighting LLC	Catalina	1 Light Wall Lamp	18470		Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable
Evolution Lighting LLC	Catalina	2 Light Wall Lamp	18469		Residential	Fluorescent	Ceiling Mount	900	27	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable
Evolution Lighting LLC	Catalina	3 Light Pendant Lamp	18468		Residential	Fluorescent	Decorative Pendant	900	41	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable
Evolution Lighting LLC	ETILITECH	18307	18307		Residential	LED	Accent Light Line-voltage	419	7	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming
Evolution Lighting LLC	N/A	18289	18289		Residential	LED	Downlight Solid State Retrofit	541	8	N/A	N/A	0.9	3000K	82	36000	Continuous Dimming
Evolution Lighting LLC	PORTFOLIO	3-Head Decorative LED Accent Light	17835		Residential	LED	Accent Light Line-voltage	823	17	N/A	N/A	0.8	3000K	81	25000	Continuous Dimming
Fairway Products Inc.	Galaxy Lighting	ES200330	ES200330		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200331	ES200331		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200332	ES200332		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200333	ES200333		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200371	ES200371		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200572	ES200572		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200921	ES200921		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES200931	ES200931		Residential	Fluorescent	Porch (wall mounted)	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES201261	ES201261		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES208612	ES208612		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES208616	ES208616		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES21008	ES21008		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES210440	ES210440		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211335	ES211335		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/29/2009	5/16/2012	United States, Canada	1-TC-120V_1_2700K_05232012033950_1023487
	5/29/2009	5/16/2012	United States, Canada	1-TC-120V_1_3000K_05232012033950_1023487
	5/29/2009	5/16/2012	United States, Canada	1-TC-120V_1_3500K_05232012033950_1023487
	5/29/2009	5/16/2012	United States, Canada	1-TC-120V_1_4000K_05232012033950_1023487
	12/30/2012	12/11/2012	United States	(10710-4) 1-18470_12132012023853_6333219
	12/30/2012	12/11/2012	United States	(10710-4) 1-18469_12132012023814_6294815
	12/30/2012	12/11/2012	United States	(10710-4) 1-18468_12132012023738_6258609
	8/25/2012	1/7/2013	United States	ES_1105605_18307_01072013153327_9763910
	8/15/2012	1/7/2013	United States, Canada	ES_1105605_18289_01072013151559_6923944
	12/20/2011	8/8/2012	United States, Canada	(10710-4) 1-17835_12062012214712_0432568
	1/1/2012	12/7/2012	United States, Canada	(15155) 1-ES200330_12102012154026_4026689
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200331_1206 2012202804_5684327
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200332_12062012202932_5772891
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200333_12062012203029_5829392
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200371_12062012202712_5632890
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200572_12062012202806_5686256
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200921_12062012202808_5688198
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES200931_12062012203619_6179227
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES201261_12062012202810_5690234
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES208612_12062012202812_5692274
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES208616_12062012202814_5694282
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES21008_12062012202816_5696389
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES210440_12062012202818_5698352
	1/1/2012	9/12/2012	United States, Canada	(15155) 1-ES211335_12062012202714_5634901

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES211441	ES211441		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211442	ES211442		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211511	ES211511		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211551	ES211551		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211552	ES211552		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211621	ES211621		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211706	ES211706		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211781	ES211781		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES211870	ES211870		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES216112	ES216112		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES216122	ES216122		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES221511	ES221511		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES221621	ES221621		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES221870	ES221870		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250101	ES250101		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250102	ES250102		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250350	ES250350		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250480	ES250480		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250501	ES250501		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250616	ES250616		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250636	ES250636		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES250701	ES250701		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES301401	ES301401		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES301420	ES301420		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211441_1206 2012202716_56 36980
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211442_1206 2012202912_57 52268
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211511_1206 2012202719_56 39005
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211551_1206 2012202721_56 41028
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211552_1206 2012202737_56 57290
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211621_1206 2012202723_56 43045
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211706_1206 2012202725_56 45088
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211781_1206 2012202727_56 47136
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES211870_1206 2012202729_56 49114
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES216112_1206 2012202820_57 00339
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES216122_1206 2012202822_57 02360
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES221511_1206 2012202739_56 59346
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES221621_1206 2012202741_56 61449
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES221870_1206 2012202743_56 63519
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250101_1206 2012202731_56 51164
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250102_1206 2012202733_56 53240
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250350_1206 2012202824_57 04297
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250480_1206 2012202826_57 06370
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250501_1206 2012202735_56 55265
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250616_1206 2012202828_57 08465
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250636_1206 2012202830_57 10568
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES250701_1206 2012202832_57 12841
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES301401_1210 2012154030_40 30028
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES301420_1210 2012154031_40 31646

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES305011	ES305011		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305012	ES305012		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305013	ES305013		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305014	ES305014		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305061	ES305061		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305063	ES305063		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305081	ES305081		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305083	ES305083		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305111	ES305111		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305112	ES305112		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305113	ES305113		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES305114	ES305114		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES306120	ES306120		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600172	ES600172		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600173	ES600173		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600174	ES600174		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600175	ES600175		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600331	ES600331		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600372	ES600372		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600373	ES600373		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600386	ES600386		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600388	ES600388		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600403	ES600403		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600408	ES600408		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305011_12102012154033_4033366
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305012_12102012154035_4035120
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305013_12102012154036_4036876
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305014_12102012154038_4038575
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305061_12102012154040_4040228
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305063_12102012154041_4041849
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305081_12102012154043_4043562
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305083_12102012154045_4045238
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305111_12102012154046_4046959
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305112_12102012154048_4048737
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305113_12102012154051_4051538
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES305114_12102012154053_4053240
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES306120_12102012154054_4054806
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600172_12102012153852_3932178
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600173_12102012153958_3998633
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600174_12062012203355_6035381
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600175_12062012203357_6037535
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600331_12062012203411_6051143
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600372_12062012203230_5950921
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600373_12102012153853_3933800
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600386_12102012153855_3935388
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600388_12062012203318_5998059
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600403_12102012153857_3937042
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600408_12062012203320_6000114

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES600413	ES600413		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600418	ES600418		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600423	ES600423		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600428	ES600428		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600445	ES600445		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600448	ES600448		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600579	ES600579		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600611	ES600611		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600612	ES600612		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600801	ES600801		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600901	ES600901		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600902	ES600902		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600905	ES600905		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600921	ES600921		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600931	ES600931		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600991	ES600991		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600992	ES600992		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES600993	ES600993		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES601260	ES601260		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES601261	ES601261		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES601321	ES601321		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES601322	ES601322		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES606201	ES606201		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES606202	ES606202		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600413_1210 2012153858_39 38679
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600418_1206 2012203322_60 02264
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600423_1210 2012153900_39 40364
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600428_1206 2012203324_60 04265
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600445_1210 2012153902_39 42027
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600448_1206 2012203326_60 06359
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600579_1206 2012203233_59 53021
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600611_1206 2012203235_59 55237
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600612_1206 2012203328_60 08600
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600801_1206 2012203330_60 10641
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600901_1210 2012153903_39 43794
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600902_1210 2012153905_39 45403
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600905_1206 2012203237_59 57350
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600921_1210 2012153906_39 46969
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600931_1206 2012203332_60 12658
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600991_1210 2012153908_39 48626
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES600992_1210 2012154000_40 00213
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES600993_1206 2012203359_60 39726
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES601260_1210 2012154001_40 01938
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES601261_1206 2012203334_60 14692
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES601321_1210 2012153910_39 50207
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES601322_1206 2012203409_60 49072
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES606201_1206 2012203239_59 59499
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES606202_1206 2012203336_60 16663

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES606371	ES606371		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES607370	ES607370		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES607371	ES607371		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610148	ES610148		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610275	ES610275		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610278	ES610278		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610293	ES610293		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610328	ES610328		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610346	ES610346		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610396	ES610396		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610403	ES610403		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610406	ES610406		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610442	ES610442		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610446	ES610446		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610453	ES610453		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610456	ES610456		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610462	ES610462		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610463	ES610463		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610478	ES610478		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610486	ES610486		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610753	ES610753		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES610756	ES610756		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES611511	ES611511		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES611870	ES611870		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES606371_1206 2012203241_59 61682
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES607370_1206 2012203338_60 18752
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES607371_1206 2012203243_59 63883
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610148_1206 2012203340_60 20815
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610275_1210 2012154003_40 03783
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610278_1206 2012203343_60 23020
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610293_1210 2012153911_39 51845
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610328_1206 2012203345_60 25111
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610346_1206 2012203245_59 65937
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610396_1206 2012203248_59 68006
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610403_1206 2012203250_59 70878
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610406_1206 2012203252_59 72900
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610442_1210 2012153913_39 53465
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610446_1206 2012203254_59 74924
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610453_1210 2012153915_39 55165
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610456_1206 2012203347_60 27279
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610462_1210 2012154101_40 61201
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610463_1210 2012154102_40 62833
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610478_1206 2012203349_60 29295
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES610486_1206 2012203256_59 76965
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610753_1210 2012154104_40 64501
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES610756_1210 2012154106_40 66201
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES611511_1206 2012203621_61 81422
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES611870_1206 2012203623_61 83517

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES612310	ES612310		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612312	ES612312		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612314	ES612314		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612392	ES612392		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612394	ES612394		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612410	ES612410		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612413	ES612413		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES612796	ES612796		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613026	ES613026		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613330	ES613330		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613333	ES613333		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613335	ES613335		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613500	ES613500		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613501	ES613501		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613531	ES613531		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES613532	ES613532		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES622621	ES622621		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625018	ES625018		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625021	ES625021		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625031	ES625031		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625218	ES625218		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625480	ES625480		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES625580	ES625580		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES626101	ES626101		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612310_1210 2012154107_40 67862
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612312_1210 2012154109_40 69587
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612314_1210 2012154111_40 71163
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612392_1210 2012154112_40 72830
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612394_1210 2012154114_40 74480
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612410_1210 2012154116_40 76107
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612413_1210 2012154117_40 77689
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES612796_1210 2012154119_40 79363
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613026_1210 2012154121_40 81036
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613330_1210 2012154122_40 82831
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613333_1210 2012154124_40 84546
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613335_1210 2012154126_40 86167
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613500_1210 2012154127_40 87791
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613501_1210 2012154129_40 89375
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613531_1210 2012154131_40 91277
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES613532_1210 2012154132_40 92929
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES622621_1206 2012203258_59 78949
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625018_1210 2012153916_39 56926
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625021_1210 2012153918_39 58663
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625031_1210 2012153920_39 60404
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625218_1210 2012153834_39 14528
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625480_1210 2012153924_39 64134
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES625580_1210 2012153925_39 65745
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES626101_1210 2012153840_39 20441

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES626102	ES626102		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635004	ES635004		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635019	ES635019		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635020	ES635020		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635022	ES635022		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635023	ES635023		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635032	ES635032		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635033	ES635033		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635311	ES635311		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635313	ES635313		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635481	ES635481		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635482	ES635482		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES635581	ES635581		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES650100	ES650100		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES650102	ES650102		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES650200	ES650200		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES650202	ES650202		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES650300	ES650300		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660019	ES660019		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660022	ES660022		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660032	ES660032		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660313	ES660313		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660335	ES660335		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660441	ES660441		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES626102_1210 2012153927_39 67370
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635004_1210 2012153929_39 69055
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635019_1210 2012153930_39 70747
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635020_1210 2012154005_40 05459
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635022_1210 2012153932_39 72481
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635023_1210 2012154007_40 07116
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635032_1210 2012153934_39 74209
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635033_1210 2012154008_40 08828
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635311_1210 2012153935_39 75876
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635313_1210 2012153937_39 77575
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635481_1210 2012153939_39 79480
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635482_1210 2012154010_40 10468
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES635581_1210 2012153942_39 82008
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES650100_1210 2012153943_39 83539
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES650102_1210 2012154019_40 19108
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES650200_1210 2012153945_39 85087
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES650202_1210 2012154023_40 23245
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES650300_1210 2012154056_40 56381
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660019_1206 2012203300_59 80945
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660022_1206 2012203303_59 83012
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660032_1206 2012203304_59 84958
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660313_1206 2012203401_60 41792
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660335_1206 2012203306_59 86975
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660441_1206 2012203311_59 91884

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES660442	ES660442		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660480	ES660480		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660550	ES660550		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660560	ES660560		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES660781	ES660781		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES680112	ES680112		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES680116	ES680116		Residential	Fluorescent	Ceiling Mount	800	33	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES680120	ES680120		Residential	Fluorescent	Ceiling Mount	800	44	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES680231	ES680231		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES680232	ES680232		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700191	ES700191		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700192	ES700192		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700193	ES700193		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700194	ES700194		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700241	ES700241		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700242	ES700242		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700243	ES700243		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700245	ES700245		Residential	Fluorescent	Bath Vanity	8000	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700281	ES700281		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700283	ES700283		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700284	ES700284		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700285	ES700285		Residential	Fluorescent	Bath Vanity	8000	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700351	ES700351		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700352	ES700352		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660442_1206 2012203403_60 43855
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660480_1206 2012203413_60 53178
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660550_1206 2012203351_60 31352
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660560_1206 2012203353_60 33378
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES660781_1206 2012203313_59 93953
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES680112_1210 2012153946_39 86758
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES680116_1210 2012154024_40 24875
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES680120_1210 2012154028_40 28351
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES680231_1210 2012153948_39 88428
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES680232_1210 2012153950_39 90046
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700191_1206 2012202459_54 99264
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700192_1206 2012202528_55 28322
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700193_1206 2012202602_55 62329
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700194_1206 2012202639_55 99921
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700241_1206 2012202745_56 65577
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700242_1206 2012202710_56 30757
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700243_1206 2012203004_58 04313
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700245_1206 2012203118_58 78548
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700281_1206 2012202747_56 67720
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700283_1206 2012203006_58 06496
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700284_1206 2012203053_58 53019
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700285_1206 2012203120_58 80645
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700351_1206 2012202503_55 03678
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700352_1206 2012202530_55 30462

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES700353	ES700353		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700354	ES700354		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700381	ES700381		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700382	ES700382		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700383	ES700383		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700384	ES700384		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700401	ES700401		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700402	ES700402		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700403	ES700403		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700404	ES700404		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700411	ES700411		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700412	ES700412		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700413	ES700413		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700414	ES700414		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700451	ES700451		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700452	ES700452		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700453	ES700453		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700455	ES700455		Residential	Fluorescent	Bath Vanity	8000	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700571	ES700571		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700611	ES700611		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700612	ES700612		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700613	ES700613		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700801	ES700801		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700802	ES700802		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700353_1206 2012202604_55 64489
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700354_1206 2012202642_56 02030
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700381_1206 2012202749_56 69768
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700382_1206 2012202914_57 54280
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700383_1206 2012203008_58 08785
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700384_1206 2012203055_58 55197
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700401_1206 2012202752_56 72723
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700402_1206 2012202916_57 56529
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700403_1206 2012203011_58 11051
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700404_1206 2012203057_58 57374
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700411_1206 2012202457_54 97160
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700412_1206 2012202526_55 26170
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700413_1206 2012202600_55 60294
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700414_1206 2012202636_55 96887
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700451_1206 2012202754_56 74647
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700452_1206 2012202918_57 58730
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700453_1206 2012203013_58 13277
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700455_1206 2012203122_58 82872
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700571_1206 2012202756_56 76606
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700611_1206 2012202758_56 78531
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700612_1206 2012202920_57 60707
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700613_1206 2012203015_58 15469
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700801_1206 2012202835_57 15059
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700802_1206 2012202922_57 62730

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES700803	ES700803		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700804	ES700804		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700901	ES700901		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700902	ES700902		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700903	ES700903		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700922	ES700922		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700923	ES700923		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700924	ES700924		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700981	ES700981		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700982	ES700982		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES700983	ES700983		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701072	ES701072		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701073	ES701073		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701312	ES701312		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701313	ES701313		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701314	ES701314		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701321	ES701321		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701322	ES701322		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701323	ES701323		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701324	ES701324		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES701606	ES701606		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES702606	ES702606		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES703606	ES703606		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES705606	ES705606		Residential	Fluorescent	Bath Vanity	8000	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700803_1206 2012203017_58 17941
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700804_1206 2012203059_58 59566
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700901_1206 2012202800_56 80481
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700902_1206 2012202924_57 64704
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700903_1206 2012203021_58 21262
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700922_1206 2012202926_57 66714
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700923_1206 2012203023_58 23304
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700924_1206 2012203101_58 61645
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700981_1206 2012202802_56 82428
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700982_1206 2012202928_57 68756
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES700983_1206 2012203025_58 25322
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701072_1206 2012202930_57 70822
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701073_1206 2012203027_58 27391
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701312_1206 2012202532_55 32555
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701313_1206 2012202606_55 66612
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701314_1206 2012202644_56 04074
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701321_1206 2012202837_57 17138
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701322_1206 2012202534_55 34614
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701323_1206 2012202608_55 68771
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701324_1206 2012202646_56 06129
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES701606_1206 2012202505_55 05896
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES702606_1206 2012202536_55 36667
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES703606_1206 2012202611_55 71007
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES705606_1206 2012202706_56 26563

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES706201	ES706201		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES706202	ES706202		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710141	ES710141		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710142	ES710142		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710152	ES710152		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710153	ES710153		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710154	ES710154		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710162	ES710162		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710172	ES710172		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710291	ES710291		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710292	ES710292		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710321	ES710321		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710322	ES710322		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710341	ES710341		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710342	ES710342		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710391	ES710391		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710401	ES710401		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710441	ES710441		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710442	ES710442		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710451	ES710451		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710452	ES710452		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710453	ES710453		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710471	ES710471		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710472	ES710472		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES706201_1206 2012202839_57 19193
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES706202_1206 2012202934_57 74904
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710141_1206 2012202841_57 21307
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710142_1206 2012202936_57 76879
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710152_1206 2012202541_55 41138
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710153_1206 2012202613_55 73274
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710154_1206 2012202648_56 08196
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710162_1206 2012202938_57 78950
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710172_1206 2012202941_57 81060
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710291_1206 2012202843_57 23460
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710292_1206 2012202943_57 83137
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710321_1206 2012202845_57 25564
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710322_1206 2012202945_57 85192
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710341_1206 2012202847_57 27745
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710342_1206 2012202947_57 87240
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710391_1206 2012202849_57 29880
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710401_1206 2012202852_57 32070
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710441_1206 2012202854_57 34256
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710442_1206 2012202949_57 89313
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710451_1206 2012202508_55 08120
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710452_1206 2012202543_55 43215
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710453_1206 2012202615_55 75368
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710471_1206 2012202856_57 36440
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710472_1206 2012202951_57 91367

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES710481	ES710481		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710482	ES710482		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710483	ES710483		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710573	ES710573		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710574	ES710574		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710651	ES710651		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710652	ES710652		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710653	ES710653		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710654	ES710654		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710691	ES710691		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710692	ES710692		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710693	ES710693		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710721	ES710721		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710722	ES710722		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710723	ES710723		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710724	ES710724		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES710751	ES710751		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711411	ES711411		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711412	ES711412		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711413	ES711413		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711414	ES711414		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711696	ES711696		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711697	ES711697		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711698	ES711698		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710481_1206 2012202510_55 10322
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710482_1206 2012202545_55 45246
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710483_1206 2012202617_55 77592
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710573_1206 2012203133_58 93443
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710574_1206 2012203136_58 96419
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710651_1206 2012203138_58 98428
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710652_1206 2012203140_59 00389
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710653_1206 2012203142_59 02426
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710654_1206 2012203144_59 04369
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710691_1206 2012203146_59 06432
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710692_1206 2012203148_59 08510
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710693_1206 2012203150_59 10541
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710721_1206 2012203152_59 12657
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710722_1206 2012203154_59 14757
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710723_1206 2012203156_59 16866
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710724_1206 2012203158_59 18873
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES710751_1206 2012203200_59 20933
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711411_1206 2012202512_55 12448
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711412_1206 2012202547_55 47295
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711413_1206 2012202619_55 79728
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711414_1206 2012202650_56 10181
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711696_1206 2012203824_63 04535
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711697_1206 2012203826_63 06469
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711698_1206 2012203828_63 08476

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES711961	ES711961		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711962	ES711962		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711963	ES711963		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES711964	ES711964		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712612	ES712612		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712712	ES712712		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712724	ES712724		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712821	ES712821		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712822	ES712822		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712823	ES712823		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES712824	ES712824		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES713161	ES713161		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES713181	ES713181		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES713182	ES713182		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES713183	ES713183		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES713184	ES713184		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES721701	ES721701		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES721702	ES721702		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES721703	ES721703		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES721704	ES721704		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724101	ES724101		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724102	ES724102		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724103	ES724103		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724104	ES724104		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711961_1206 2012203203_59 23002
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711962_1206 2012203205_59 25151
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711963_1206 2012203207_59 27318
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES711964_1206 2012203209_59 29421
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712612_1206 2012202858_57 38651
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712712_1206 2012202900_57 40892
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712724_1206 2012202957_57 97499
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712821_1206 2012202903_57 43153
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712822_1206 2012202959_57 99674
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712823_1206 2012202621_55 81929
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES712824_1206 2012202652_56 12359
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES713161_1206 2012203211_59 31617
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES713181_1206 2012203213_59 33727
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES713182_1206 2012203215_59 35841
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES713183_1206 2012203218_59 38003
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES713184_1206 2012203220_59 40147
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES721701_1206 2012202514_55 14680
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES721702_1206 2012202549_55 49281
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES721703_1206 2012202624_55 84103
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES721704_1206 2012202654_56 14393
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724101_1206 2012202906_57 46170
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724102_1206 2012202955_57 95413
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724103_1206 2012202626_55 86294
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724104_1206 2012202656_56 16417

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES724131	ES724131		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724132	ES724132		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724133	ES724133		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES724134	ES724134		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728101	ES728101		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728102	ES728102		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728103	ES728103		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728104	ES728104		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728121	ES728121		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728122	ES728122		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728123	ES728123		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES728124	ES728124		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES781606	ES781606		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES782606	ES782606		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES783001	ES783001		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES783002	ES783002		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES783003	ES783003		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES783004	ES783004		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES783606	ES783606		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES790501	ES790501		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES790505	ES790505		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES790801	ES790801		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES790802	ES790802		Residential	Fluorescent	Bath Vanity	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES790803	ES790803		Residential	Fluorescent	Bath Vanity	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724131_1206 2012202501_55 01449
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724132_1206 2012202551_55 51317
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724133_1206 2012202628_55 88406
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES724134_1206 2012202658_56 18439
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728101_1206 2012202516_55 16927
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728102_1206 2012202553_55 53390
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728103_1206 2012202630_55 90491
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728104_1206 2012202700_56 20428
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728121_1206 2012202908_57 48183
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728122_1206 2012202953_57 93393
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728123_1206 2012202632_55 92573
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES728124_1206 2012202702_56 22462
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES781606_1206 2012202519_55 19100
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES782606_1206 2012202555_55 55400
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES783001_1206 2012202522_55 22109
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES783002_1206 2012202558_55 58281
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES783003_1206 2012202634_55 94734
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES783004_1206 2012202704_56 24525
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES783606_1206 2012202524_55 24184
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790501_1206 2012202910_57 50218
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790505_1206 2012203002_58 02081
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790801_1206 2012203222_59 42346
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790802_1206 2012203224_59 44547
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790803_1206 2012203226_59 46683

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES790804	ES790804		Residential	Fluorescent	Bath Vanity	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800171	ES800171		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800174	ES800174		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800241	ES800241		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800242	ES800242		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800243	ES800243		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800281	ES800281		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800282	ES800282		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800284	ES800284		Residential	Fluorescent	Chandelier	800	74	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800295	ES800295		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800332	ES800332		Residential	Fluorescent	Close to Ceiling Mount	8000	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800336	ES800336		Residential	Fluorescent	Chandelier	800	74	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800339	ES800339		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800371	ES800371		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800372	ES800372		Residential	Fluorescent	Chandelier	800	24	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800373	ES800373		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800375	ES800375		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800376	ES800376		Residential	Fluorescent	Chandelier	800	74	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800379	ES800379		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800381	ES800381		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800383	ES800383		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800386	ES800386		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800403	ES800403		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800406	ES800406		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES790804_1206 2012203228_59 48776
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800171_1206 2012203513_61 13716
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800174_1206 2012203421_60 61348
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800241_1210 2012153951_39 91677
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800242_1210 2012153953_39 93388
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800243_1210 2012154141_41 01376
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800281_1206 2012203625_61 85581
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800282_1206 2012203627_61 87688
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800284_1210 2012154327_42 07771
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800295_1210 2012154227_41 47358
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800332_1206 2012203559_61 59732
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800336_1210 2012154329_42 09494
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800339_1210 2012154336_42 16435
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800371_1206 2012203629_61 89749
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800372_1210 2012154138_40 98034
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800373_1210 2012154144_41 04897
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800375_1210 2012154229_41 49051
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800376_1210 2012154331_42 11357
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800379_1210 2012154338_42 18613
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800381_1210 2012154146_41 06760
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800383_1210 2012154230_41 50775
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800386_1210 2012154340_42 20386
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800403_1210 2012154232_41 52453
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800406_1210 2012154342_42 22170

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES800411	ES800411		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800413	ES800413		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800421	ES800421		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800423	ES800423		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800503	ES800503		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800572	ES800572		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800573	ES800573		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800576	ES800576		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800605	ES800605		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800609	ES800609		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800611	ES800611		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800612	ES800612		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800613	ES800613		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800801	ES800801		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800802	ES800802		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800805	ES800805		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800809	ES800809		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800901	ES800901		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800902	ES800902		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800903	ES800903		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800905	ES800905		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800909	ES800909		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800921	ES800921		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800922	ES800922		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800411_12102012154148_4108469
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800413_12102012154234_4154113
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800421_12102012154150_4110194
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800423_12102012154235_4155750
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800503_12102012154237_4157468
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800572_12102012154239_4159252
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800573_12102012154241_4161102
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800576_12102012154343_4223976
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800605_12102012154242_4162875
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800609_12102012154345_4225874
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800611_12062012203631_6191830
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800612_12062012203750_6270765
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800613_12062012203515_6115857
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800801_12062012203634_6194754
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800802_12062012203518_6118104
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800805_12102012154244_4164534
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800809_12102012154347_4227585
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800901_12062012203521_6121157
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800902_12062012203752_6272838
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800903_12102012154152_4112980
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800905_12102012154246_4166165
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800909_12102012154349_4229257
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800921_12062012203636_6196753
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800922_12102012154154_4114762

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES800923	ES800923		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800924	ES800924		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800926	ES800926		Residential	Fluorescent	Chandelier	800	86	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800929	ES800929		Residential	Fluorescent	Chandelier	800	136	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800930	ES800930		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800931	ES800931		Residential	Fluorescent	Close to Ceiling Mount	9600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800995	ES800995		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES800999	ES800999		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801240	ES801240		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801241	ES801241		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801243	ES801243		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801262	ES801262		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801320	ES801320		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801321	ES801321		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801322	ES801322		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801323	ES801323		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801325	ES801325		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801329	ES801329		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801340	ES801340		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801341	ES801341		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801343	ES801343		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801345	ES801345		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801349	ES801349		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES801352	ES801352		Residential	Fluorescent	Chandelier	800	24	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800923_12102012154156_4116440
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800924_12102012154158_4118169
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800926_12102012154334_4214758
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800929_12102012154422_4262395
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800930_12062012203523_6123047
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES800931_12062012203524_6124937
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800995_12102012154247_4167862
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES800999_12102012154350_4230996
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801240_12062012203754_6274784
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801241_12062012203423_6063363
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801243_12102012154159_4119809
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801262_12062012203417_6057320
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801320_12102012154425_4265881
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801321_12062012203638_6198697
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801322_12062012203425_6065393
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801323_12102012154201_4121418
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801325_12102012154249_4169494
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801329_12102012154352_4232799
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801340_12062012203640_6200590
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES801341_12062012203427_6067491
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801343_12102012154203_4123037
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801345_12102012154251_4171165
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801349_12102012154354_4234548
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801352_12102012154139_4099707

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES801355	ES801355		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES805849	ES805849		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES806201	ES806201		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES806202	ES806202		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES806203	ES806203		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES806205	ES806205		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES806209	ES806209		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810108	ES810108		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810110	ES810110		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810143	ES810143		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810146	ES810146		Residential	Fluorescent	Bath Vanity	14400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810208	ES810208		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810210	ES810210		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810212	ES810212		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810271	ES810271		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810273	ES810273		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810276	ES810276		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810291	ES810291		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810293	ES810293		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810308	ES810308		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810310	ES810310		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810321	ES810321		Residential	Fluorescent	Chandelier	800	49	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810323	ES810323		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810326	ES810326		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES801355_1210 2012154252_41 72944
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES805849_1206 2012203756_62 76702
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES806201_1206 2012203642_62 02514
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES806202_1206 2012203758_62 78688
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES806203_1206 2012203526_61 26849
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES806205_1210 2012154255_41 75605
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES806209_1210 2012154357_42 37261
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810108_1210 2012153842_39 22021
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810110_1210 2012154057_40 57989
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810143_1210 2012154257_41 77198
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES810146_1206 2012202708_56 28631
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810208_1210 2012153843_39 23680
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810210_1210 2012153845_39 25308
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810212_1210 2012153955_39 95063
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810271_1210 2012154204_41 24680
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810273_1210 2012154258_41 78838
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810276_1210 2012154358_42 38905
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810291_1210 2012154206_41 26284
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810293_1210 2012154300_41 80497
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810308_1210 2012153846_39 26995
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810310_1210 2012153848_39 28643
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810321_1210 2012154224_41 44976
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810323_1210 2012154302_41 82128
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810326_1210 2012154400_42 40633

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES810341	ES810341		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810343	ES810343		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810346	ES810346		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810348	ES810348		Residential	Fluorescent	Chandelier	800	186	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810391	ES810391		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810393	ES810393		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810396	ES810396		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810401	ES810401		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810403	ES810403		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810406	ES810406		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810434	ES810434		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810437	ES810437		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810441	ES810441		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810443	ES810443		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810446	ES810446		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810451	ES810451		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810453	ES810453		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810456	ES810456		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810471	ES810471		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810473	ES810473		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810476	ES810476		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810483	ES810483		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810486	ES810486		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES810753	ES810753		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810341_1210 2012154209_41 30000
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810343_1210 2012154303_41 83885
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810346_1210 2012154402_42 42270
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810348_1210 2012154424_42 64122
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810391_1210 2012154211_41 31720
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810393_1210 2012154305_41 85481
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810396_1210 2012154403_42 43916
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810401_1210 2012154213_41 33340
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810403_1210 2012154307_41 87145
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810406_1210 2012154405_42 45608
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810434_1210 2012154308_41 88838
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810437_1210 2012154407_42 47207
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810441_1210 2012154214_41 34937
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810443_1210 2012154310_41 90547
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810446_1210 2012154408_42 48803
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810451_1210 2012154216_41 36534
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810453_1210 2012154312_41 92267
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810456_1210 2012154410_42 50420
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810471_1210 2012154218_41 38085
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810473_1210 2012154314_41 94095
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810476_1210 2012154412_42 52097
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810483_1210 2012154315_41 95760
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810486_1210 2012154413_42 53865
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810753_1210 2012154427_42 67589

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES810756	ES810756		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811004	ES811004		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811008	ES811008		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811010	ES811010		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811012	ES811012		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811020	ES811020		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811023	ES811023		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811033	ES811033		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811231	ES811231		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811232	ES811232		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811234	ES811234		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811235	ES811235		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811331	ES811331		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811332	ES811332		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811335	ES811335		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811411	ES811411		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811412	ES811412		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811441	ES811441		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811442	ES811442		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811443	ES811443		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811480	ES811480		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811481	ES811481		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811509	ES811509		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811550	ES811550		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES810756_1210 2012154429_42 69434
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811004_1206 2012203528_61 28811
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811008_1210 2012153850_39 30538
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811010_1210 2012154059_40 59619
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811012_1210 2012153956_39 96960
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811020_1206 2012203530_61 30781
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811023_1206 2012203532_61 32859
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811033_1206 2012203534_61 34950
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811231_1206 2012203415_60 55269
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811232_1206 2012203406_60 46980
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811234_1206 2012203429_60 69589
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811235_1206 2012203431_60 71707
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811331_1206 2012203800_62 80662
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811332_1206 2012203644_62 04512
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811335_1206 2012203802_62 82604
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811411_1206 2012203646_62 06571
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811412_1206 2012203804_62 84587
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811441_1206 2012203648_62 08587
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811442_1206 2012203419_60 59351
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811443_1206 2012203806_62 86535
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811480_1206 2012203433_60 73810
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811481_1206 2012203435_60 75894
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811509_1206 2012203808_62 88528
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811550_1206 2012203650_62 10663

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES811551	ES811551		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811621	ES811621		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811706	ES811706		Residential	Fluorescent	Close to Ceiling Mount	3200	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811850	ES811850		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811851	ES811851		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811852	ES811852		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811853	ES811853		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811854	ES811854		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811855	ES811855		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811862	ES811862		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811863	ES811863		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811864	ES811864		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811865	ES811865		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811870	ES811870		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811871	ES811871		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811961	ES811961		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811965	ES811965		Residential	Fluorescent	Chandelier	800	74	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES811966	ES811966		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES812335	ES812335		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES812781	ES812781		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813021	ES813021		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813023	ES813023		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813026	ES813026		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813041	ES813041		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811551_1206 2012203537_61 37042
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811621_1206 2012203539_61 39072
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811706_1206 2012203315_59 95994
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811850_1206 2012203652_62 12681
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811851_1206 2012203654_62 14657
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811852_1206 2012203656_62 16703
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811853_1206 2012203658_62 18715
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811854_1206 2012203700_62 20718
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811855_1206 2012203702_62 22702
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811862_1206 2012203704_62 24700
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811863_1206 2012203706_62 26807
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811864_1206 2012203708_62 28903
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811865_1206 2012203711_62 31034
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811870_1206 2012203810_62 90561
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES811871_1206 2012203812_62 92537
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811961_1210 2012154431_42 71367
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811965_1210 2012154433_42 73199
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES811966_1210 2012154434_42 74978
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES812335_1206 2012203541_61 41093
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES812781_1206 2012203713_62 33237
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813021_1210 2012154436_42 76740
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813023_1210 2012154438_42 78483
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813026_1210 2012154440_42 80279
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813041_1210 2012154442_42 82091

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES813043	ES813043		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813046	ES813046		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813161	ES813161		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813163	ES813163		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813166	ES813166		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813781	ES813781		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813916	ES813916		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813920	ES813920		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813924	ES813924		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES813930	ES813930		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES814018	ES814018		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES814024	ES814024		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES814030	ES814030		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES814040	ES814040		Residential	Fluorescent	Close to Ceiling Mount	9600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815116	ES815116		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815120	ES815120		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815124	ES815124		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815445	ES815445		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815449	ES815449		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815555	ES815555		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815559	ES815559		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815626	ES815626		Residential	Fluorescent	Chandelier	800	74	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815629	ES815629		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES815785	ES815785		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813043_12102012154444_4284018
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813046_12102012154445_4285944
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813161_12102012154449_4289786
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813163_12102012154451_4291578
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES813166_12102012154453_4293321
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES813781_12062012203438_6078005
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES813916_12062012203440_6080081
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES813920_12062012203442_6082241
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES813924_12062012203444_6084362
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES813930_12062012203505_6105412
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES814018_12062012203601_6161792
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES814024_12062012203603_6163927
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES814030_12062012203606_6166142
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES814040_12062012203608_6168324
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES815116_12062012203543_6143148
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES815120_12062012203446_6086548
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES815124_12062012203507_6107458
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815445_12102012154317_4197404
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815449_12102012154415_4255557
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815555_12102012154319_4199069
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815559_12102012154417_4257282
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815626_12102012154333_4213045
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815629_12102012154418_4258952
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815785_12102012154320_4200734

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES815789	ES815789		Residential	Fluorescent	Chandelier	800	111	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES831870	ES831870		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES831904	ES831904		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES851381	ES851381		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES851383	ES851383		Residential	Fluorescent	Chandelier	800	37	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES851385	ES851385		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES851870	ES851870		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES851904	ES851904		Residential	Fluorescent	Chandelier	800	62	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900381	ES900381		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900384	ES900384		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900401	ES900401		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900404	ES900404		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900411	ES900411		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900414	ES900414		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900421	ES900421		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900501	ES900501		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900504	ES900504		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900571	ES900571		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES900574	ES900574		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910141	ES910141		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910144	ES910144		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910271	ES910271		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910274	ES910274		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910294	ES910294		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES815789_1210 2012154420_42 60651
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES831870_1210 2012154219_41 39705
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES831904_1210 2012154221_41 41344
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES851381_1206 2012203545_61 45216
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES851383_1210 2012154223_41 43174
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES851385_1210 2012154322_42 02450
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES851870_1210 2012154324_42 04150
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES851904_1210 2012154325_42 05940
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900381_1206 2012203547_61 47458
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900384_1206 2012203715_62 35369
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900401_1206 2012203448_60 88627
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900404_1206 2012203717_62 37617
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900411_1206 2012203549_61 49561
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900414_1206 2012203719_62 39969
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900421_1206 2012203551_61 51614
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900501_1206 2012203509_61 09484
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900504_1206 2012203722_62 42162
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900571_1206 2012203450_60 90617
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES900574_1206 2012203724_62 44313
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910141_1206 2012203452_60 92699
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910144_1206 2012203726_62 46529
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910271_1206 2012203454_60 94697
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910274_1206 2012203728_62 48681
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910294_1206 2012203730_62 50805

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Fairway Products Inc.	Galaxy Lighting	ES910321	ES910321		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910341	ES910341		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910344	ES910344		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910391	ES910391		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910394	ES910394		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910401	ES910401		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910404	ES910404		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910431	ES910431		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910434	ES910434		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910441	ES910441		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910444	ES910444		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910454	ES910454		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910471	ES910471		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910474	ES910474		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910481	ES910481		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910484	ES910484		Residential	Fluorescent	Close to Ceiling Mount	1600	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910751	ES910751		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910754	ES910754		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910920	ES910920		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910924	ES910924		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910930	ES910930		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910934	ES910934		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES910940	ES910940		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Fairway Products Inc.	Galaxy Lighting	ES911961	ES911961		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910321_1206 2012203553_61 53640
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910341_1206 2012203456_60 96767
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910344_1206 2012203732_62 52956
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910391_1206 2012203458_60 98959
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910394_1206 2012203735_62 55091
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910401_1206 2012203501_61 01062
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910404_1206 2012203737_62 57225
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910431_1206 2012203511_61 11588
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910434_1206 2012203739_62 59320
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910441_1206 2012203555_61 55576
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910444_1206 2012203741_62 61389
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910454_1206 2012203743_62 63645
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910471_1206 2012203503_61 03276
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910474_1206 2012203745_62 65829
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910481_1206 2012203557_61 57604
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910484_1206 2012203748_62 68811
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES910751_1206 2012203610_61 70625
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910754_1210 2012154455_42 95035
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910920_1210 2012154456_42 96764
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910924_1210 2012154458_42 98497
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910930_1210 2012154501_43 01384
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910934_1210 2012154503_43 03234
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES910940_1210 2012154504_43 04986
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES911961_1206 2012203612_61 72774

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Fairway Products Inc.	Galaxy Lighting	ES911964	ES911964		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES913021	ES913021		Residential	Fluorescent	Close to Ceiling Mount	4800	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES913024	ES913024		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES913041	ES913041		Residential	Fluorescent	Close to Ceiling Mount	6400	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES913044	ES913044		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES913164	ES913164		Residential	Fluorescent	Chandelier	800	12	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES921224	ES921224		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES921236	ES921236		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES921248	ES921248		Residential	Fluorescent	Bath Vanity	1600	42	N/A	N/A	0.98	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES944812	ES944812		Residential	Fluorescent	Wrapped Lens	1600	42	N/A	N/A	0.99	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	ES944818	ES944818		Residential	Fluorescent	Wrapped Lens	1600	42	N/A	N/A	0.99	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	MS-ES635041-G113	MS-ES635041-G114		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Fairway Products Inc.	Galaxy Lighting	MS-ES635042-G213	MS-ES635042-G214		Residential	Fluorescent	Ceiling Mount	800	22	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Feit Electric	FEIT ELECTRIC	LED Retrofit	LEDR6		Residential	LED	Downlight Solid State Retrofit	840	16.5	N/A	N/A	0.75	3000K	83	50000	Continuous Dimming	
Generation Brands	LBL Lighting	Alaya	PF236AMSC32GU	Alaya,PF236COSC32GU,	Residential	Fluorescent	Decorative Pendant	2200	32	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	LBL Lighting	Hollywood Beach Ceiling	PC651TNBZCF		Residential	Fluorescent	Ceiling Mount	5400	81	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	LBL Lighting	Monty Pendant	PF935BUPC27GU	Pendant,PF935CPCSC27GU,; Monty Pendant,PF935RDPC27GU,; Monty Pendant,PF935RDSC27GU,; Sedgwick Pendant,,; Sedgwick Pendant,600SEDGPCZ-CF,	Residential	Fluorescent	Decorative Pendant	1800	27	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Monte Carlo	MC214RB	MC214RB	MC214BS,MC214BS,; MC214WH,MC214WH,	Residential	Fluorescent	Ceiling Fan Light Kit	1600	24	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Monte Carlo	MC221CZG	MC221CZG	MC213CZG,MC213CZG,; MC213MOG,MC213MOG,	Residential	Fluorescent	Ceiling Fan Light Kit	4800	72	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Seagull Lighting	49170BLE-710	49170BLE-710		Residential	Fluorescent	Wall Sconces	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	49170BLE-962	49170BLE-962		Residential	Fluorescent	Wall Sconces	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	5901BLE-15	5901BLE-15		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	5902BLE-16	5902BLE-16		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	59055BLE-15	59055BLE-15		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES911964_1210 2012154506_43 06652
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES913021_1206 2012203614_61 74830
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES913024_1210 2012154508_43 08279
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES913041_1206 2012203617_61 77007
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES913044_1210 2012154509_43 09981
	1/1/2012	12/7/2012	United States, Canada	(15155) | ES913164_1210 2012154511_43 11714
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES921224_1206 2012203814_62 94528
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES921236_1206 2012203816_62 96604
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES921248_1206 2012203818_62 98606
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES944812_1206 2012203820_63 00595
	1/1/2012	9/12/2012	United States, Canada	(15155) | ES944818_1206 2012203822_63 02619
	1/1/2012	12/7/2012	United States, Canada	ES[illegible]- G114_12102012 154134_409464 9
	1/1/2012	12/7/2012	United States, Canada	ES[illegible]- G214_12102012 154136_409633 6
	9/1/2012	8/31/2012	United States, Canada	ES_1018130_LE DR6_100320121 42029_9480858
	1/1/2009	1/11/2013	United States, Canada	ES_[illegible] 236AMSC32GU _010920131744 26_538904
	1/1/2009	1/11/2013	United States, Canada	ES_[illegible] C651TNBZCF_0 1092013143442 _7033502
	1/1/2009	1/11/2013	United States, Canada	ES_[illegible] 935BUPC27GU_ 0109201317410 7_3380548
	1/1/2009	1/11/2013	United States, Canada	ES_[illegible] C214RB_01092 013151640_537 4109
	1/1/2009	1/11/2013	United States, Canada	ES_[illegible] C221CZG_0109 2013153529_18 65045
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(66675) | 49170BLE-710_ 1206201220060 0_4360535
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(66675) | 49170BLE-962_ 1206201220060 2_4362456
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(66675) | 5901BLE-15_12 062012202252_ 5372328
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(66675) | 5902BLE-16_12 062012202254_ 5374279
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(66675) | 59055BLE-15_1 2062012202304 _5384190

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Generation Brands	Seagull Lighting	59232BLE-15	59232BLE-15		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	5931BLE-15	5931BLE-15		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	7925BLE-15	7925BLE-15		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	7926BLE-15	7926BLE-15		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	83057BLE-12	83057BLE-12		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	83057BLE-15	83057BLE-15		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	8335BLE-12	8335BLE-12		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	8335BLE-15	8335BLE-15		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89805BLE-12	89805BLE-12		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89805BLE-15	89805BLE-15		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89806BLE-12	89806BLE-12		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89806BLE-15	89806BLE-15		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89807BLE-12	89807BLE-12		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	89807BLE-15	89807BLE-15		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Generation Brands	Seagull Lighting	Hermitage	69191BLE-71	60122BLE-020,; Del Prato,60122BLE-021,; Hermitage, 69191PBLE-71,; Medford Lake,60880BLE-51,; Medford Lake,60880PBLE-51,; Yorktowne,69248BLE-12,; Yorktowne,69248PBLE-12,	Residential	Fluorescent	Pendant	1800	27	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	16021BLE-999	16021BLE-999	16021BLE-15,16021BLE-15,; 16021BLE-33,16021BLE-33,; 16021BLE-6058,16021BLE-6058,; 16021BLE-962,16021BLE-962,; MC127,MC127,	Residential	Fluorescent	Ceiling Fan Light Kit	2500	38	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Acadia	51146BLE-814	Easton,39242BLE-773,	Residential	Fluorescent	Chandelier	3600	52	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Bancroft Wall	89316BLE-12	89471BLE-71,; Pulte Special Wall,89204BLE-12,; Pulte Special Wall,89204BLE-821,; Sebring Wall, 89571BLE-98,; Sebring Wall,89571PBLE-98,; Yorktowne Wall,89250BLE-12,; Yorktowne,89048PBLE-12,	Residential	Fluorescent	Porch (wall mounted)	1800	26	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Centra	69238BLE-98	Centra,69238BLE-02,	Residential	Fluorescent	Close to Ceiling Mount	3600	52	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Haylee	59233BLE-15	Brandywine,79331BLE-71,; Centra,79130BLE-02,; Centra,79130BLE-98,; Centra,79233BLE-02,; Centra, 79233BLE-98,; Nexus,59251BLE-962,	Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Herrington	69131BLE-12	Baskerville,60938BLE-12,; Herrington,69131PBLE-12,; Wynfield,69400BLE-12,	Residential	Fluorescent	Pendant	900	13	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Metropolis	59035BLE-962		Residential	Fluorescent	Close to Ceiling Mount	900	13	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Oslo	31160BLE-839	35901BLE-782,; Sussex,35901BLE-962,; Wheaton, 31625BLE-782,; Wheaton,31625BLE-962,; Windgate, 35939BLE-782,; Windgate,35939BLE-962,; Windgate, 35949BLE-782,; Windgate,35949BLE-962,	Residential	Fluorescent	Chandelier	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	
Generation Brands	Sea Gull Lighting	Oslo	31161BLE-839	Yamalia,KC47BLE-954,; Wheaton,31626BLE-782,; Wheaton,31626BLE-962,; Windgate,35940BLE-782,; Windgate,35940BLE-962,; Windgate,35950BLE-782,; Windgate,35950BLE-962,	Residential	Fluorescent	Chandelier	4500	65	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 59232BLE-15_12062012202256_5376340
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 5931BLE-15_12062012202302_5382213
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 7925BLE-15_12062012202258_5378324
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 7926BLE-15_12062012202300_5380217
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 83057BLE-12_12062012200620_4380883
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 83057BLE-15_12062012200618_4378914
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 8335BLE-12_12062012200608_4368871
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 8335BLE-15_12062012200604_4364466
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89805BLE-12_12062012200613_4373002
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89805BLE-15_12062012200610_4370899
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89806BLE-12_12062012200616_4376950
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89806BLE-15_12062012200615_4375010
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89807BLE-12_12062012200622_4382854
ible X can dded or ped from og number	4/13/2012	8/7/2012	United States, Canada	(000750) | 89807BLE-15_12062012200624_4384782
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09191BLE-71_01102013090931_1339685
	1/1/2009	1/11/2013	United States, Canada	ES_111515_10021BLE-999_01092013153925_6407281
	1/1/2009	1/11/2013	United States, Canada	ES_111515_01146BLE-814_01092013144203_8068200
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09316BLE-12_01102013085744_1436120
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09238BLE-98_01092013155547_3411676
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09233BLE-15_01092013142146_5137445
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09131BLE-12_01102013090639_1900140
	1/1/2009	1/11/2013	United States, Canada	ES_111515_09035BLE-962_01092013154238_3683587
	1/1/2009	1/11/2013	United States, Canada	ES_111515_01160BLE-839_01092013143840_5945093
	1/1/2009	1/11/2013	United States, Canada	ES_111515_01161BLE-839_01092013144533_2560083

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Generation Brands	Sea Gull Lighting	Oslo	31162BLE-05	Parkview,39381BLE-823,; Parkview,39381BLE-965,; RC70ES/9-23,RC70ES/9-23,; Solana,31971BLE-841,; Sussex,39063BLE-782,; Sussex,39063BLE-962,; Wheaton,31627BLE-782,; Wheaton,31627BLE-962,	Residential	Fluorescent	Chandelier	8100	117	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Oslo	41160BLE-839	Roslyn,44520BLE-840,; Solana Wall,44971BLE-841,; Sommerton,41375BLE-839,; Sussex Wall, 49063BLE-782,; Sussex Wall,49063BLE-962,; Wheaton Wall,44625BLE-782,; Wheaton Wall,44625BLE-962,	Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Oslo	41161BLE-05	Sussex Wall,49065BLE-782,; Sussex Wall, 49065BLE-962,; Wheaton Wall,44626BLE-782,; Wheaton Wall,44626BLE-962,; Windgate Wall, 44940BLE-782,; Windgate Wall,44940BLE-962,	Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Oslo	41162BLE-05	Sussex,49065BLE-782,; Vanity,RV5109ES/3-70,; Vanity,RV5109ES/3-70,; Wheaton Wall,44627BLE-782,; Wheaton Wall,44627BLE-962,; Windgate Wall, 44941BLE-782,; Windgate Wall,44941BLE-962,	Residential	Fluorescent	Wall Sconces	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Oslo	41163BLE-05	Vanity,RV5109ES/4-70,; Westlake,RV4402ES/4-23,; Wheaton,44628BLE-782,; Wheaton,44628BLE-962,; Windgate Wall,44942BLE-782,; Windgate Wall, 44942BLE-962,	Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Oslo	61160BLE-05	61940BLE-782,; Sussex,61940BLE-962,; Warwick, 61330BLE-825,; Wheaton,61625BLE-782,; Wheaton, 61625BLE-962,; Windgate,61940BLE-782,; Windgate, 61940BLE-962,	Residential	Fluorescent	Decorative Pendant	900	13	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Parkview	39382BLE-829	Acadia,31347BLE-814,; Brandywine,39034BLE-71,; Parkview,39382BLE-965,	Residential	Fluorescent	Chandelier	13500	195	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Piedmont Wall	8923BLE-15	Piedmont Wall,89060BLE-15,; Piedmont Wall, 89060BLE-72,; Piedmont Wall,89060BLE-755,; Piedmont Wall,8923PBLE-15,; Piedmont Wall,8924BLE-15,; Piedmont Wall,8924PBLE-15,	Residential	Fluorescent	Porch (wall mounted)	1800	26	N/A	N/A	0.6	2700K		10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Sebring Wall	89070BLE-98	89070PBLE-71,; Pulte Special,,; Pulte Special, 89100BLE-12,; Pulte Special,89100BLE-821,; Pulte Special,89101BLE-12,; Sebring Wall,89070PBLE-98,; Yorktowne Wall,89048BLE-12,	Residential	Fluorescent	Porch (wall mounted)	900	13	N/A	N/A	0.6	2700K		10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Serenity	69161BLE-07	Nexus,69251BLE-962,; Serenity,69161BLE-962,	Residential	Fluorescent	Decorative Pendant	3600	52	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Solana	66971BLE-841	Windgate,65941BLE-782,; Windgate,65941BLE-962,	Residential	Fluorescent	Decorative Pendant	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Sommerton	31379BLE-839	Acadia,31146BLE-814,	Residential	Fluorescent	Chandelier	5400	78	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Sommerton	51375BLE-839	69560BLE-962,; Solana,65972BLE-841,; Stirling, 65953BLE-710,; Sussex,69460BLE-782,; Sussex, 69460BLE-962,; Sussex,69561BLE-782,; Sussex, 69561BLE-962,	Residential	Fluorescent	Decorative Pendant	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Sussex	69562BLE-962	Centra,69195BLE-96,; Montreal,77180BLE-710,; Montreal,77180BLE-965,; Serenity,59159BLE-07,; Serenity,59159BLE-962,; Sussex,69562BLE-782,; Sussex,79661BLE-782,; Sussex,79661BLE-962,	Residential	Fluorescent	Close to Ceiling Mount	2700	29	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Windgate	75940BLE-15	5990BLE-15,; Tomkin,5997BLE-15,; Webster, 5920BLE-15,; Webster,5921BLE-15,; Webster, 5921BLE-782,; Webster,5921BLE-962,; Windgate, 75940BLE-782,; Windgate,75940BLE-962,	Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Windgate	75942BLE-15	79362BLE-710,; Sussex,79364BLE-782,; Sussex, 79364BLE-962,; Webster,5940BLE-15,; Webster, 59440BLE-15,; Webster,59440BLE-782,; Windgate, 75942BLE-782,; Windgate,75942BLE-962,	Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Windgate	75943BLE-15	79565BLE-962,; Sussex,79565BLE-782,; Sussex, 79565BLE-962,; Wheaton, 79565BLE-782,; Wheaton,79565BLE-962,; Windgate, 75943BLE-782,; Windgate,75943BLE-962,	Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Windgate	77950BLE-15	Oslo,77160BLE-05,; Oslo,77160BLE-839,; Solana, 79771BLE-841,; Stirling,77952BLE-710,; Windgate, 77950BLE-782,; Windgate,77950BLE-962,	Residential	Fluorescent	Close to Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Sea Gull Lighting	Yorktowne	89248PBLE-12	79136BLE-08,; Ardsley Court,79136BLE-08,; Bakersville,79136BLE-12,; Medford Lake,78880BLE-51,; Medford Lake,78880PBLE-51,; Yorktowne,89248BLE-12,	Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K		10000	Non-Dimmable
Generation Brands	Tech Lighting	Chambers Ceiling Large	700TDCHAFMLCS-CF	Chambers Ceiling Large,700TDCHAFMLWS-CF,; Mulberry Ceiling Large,700TDMULFMLCS-CF,; Mulberry Ceiling Large,700TDMULFMLWS-CF,	Residential	Fluorescent	Ceiling Mount	5000	72	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Generation Brands	Tech Lighting	Chambers Ceiling Small	700TDCHAFMSCS-CF	Chambers Ceiling Small,700TDCHAFMSWS-CF,; Mulberry Ceiling Small,700TDMULFMSCS-CF,; Mulberry Ceiling Small,700TDMULFMSWS-CF,	Residential	Fluorescent	Ceiling Mount	2500	36	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Generation Brands	Tech Lighting	Eve Suspension	700EVES1914AS-CF	700LRKS1924AG-CF,; Larkspur Suspension, 700LRKS1924AZ-CF,; Larkspur Suspension, 700LRKS1924SS-CF,; Larkspur Suspension, 700LRKS1924SZ-CF,	Residential	Fluorescent	Close to Ceiling Mount	3600	51	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable
Generation Brands	Tech Lighting	Monarch Suspension	700MNAS24GNS-CF	700MNAS36ING-CF,; Monarch Suspension, 700MNAS36INZ-CF,; Monarch Suspension, 700MNAS36WCS-CF,; Monarch Suspension, 700MNAS36WCZ-CF,	Residential	Fluorescent	Close to Ceiling Mount	2200	32	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable
Generation Brands	Tech Lighting	Monarch Wall	700WSMNAGNS-CF	700WSMNAINS-CF,; Monarch Wall,700WSMNAINZ-CF,; Monarch Wall,700WSMNAWCS-CF,; Monarch Wall, 700WSMNAWCZ-CF,	Residential	Fluorescent	Wall Sconces	2500	36	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2009	1/11/2013	United States, Canada	162BLE-05_010 92013145445_6 760064
	8/14/2010	1/11/2013	United States, Canada	160BLE-839_01 092013133724_ 9547998
	1/1/2009	1/11/2013	United States, Canada	161BLE-05_010 92013133455_9 759332
	1/1/2009	1/11/2013	United States, Canada	162BLE-05_010 92013134029_6 603357
	1/1/2009	1/11/2013	United States, Canada	163BLE-05_010 92013134329_5 774499
	1/1/2009	1/11/2013	United States, Canada	160BLE-05_010 92013161244_9 629480
	1/1/2009	1/11/2013	United States, Canada	382BLE-829_01 092013150000_ 5246698
	1/1/2009	1/11/2013	United States, Canada	23BLE-15_0110 2013085443_22 69555
	1/1/2009	1/11/2013	United States, Canada	070BLE-98_011 02013085153_8 191797
	1/1/2009	1/11/2013	United States, Canada	161BLE-07_010 92013162414_2 043115
	1/1/2009	1/11/2013	United States, Canada	971BLE-841_01 092013161734_ 1410791
	1/1/2009	1/11/2013	United States, Canada	379BLE-839_01 092013145024_ 507013
	1/1/2009	1/11/2013	United States, Canada	375BLE-839_01 092013162114_ 9930383
	1/1/2009	1/11/2013	United States, Canada	562BLE-962_01 092013155213_ 7519800
	1/1/2009	1/11/2013	United States, Canada	940BLE-15_010 92013140406_2 326318
	1/1/2009	1/11/2013	United States, Canada	942BLE-15_010 92013140845_6 72265
	1/1/2009	1/11/2013	United States, Canada	943BLE-15_010 92013141416_7 848474
	1/1/2009	1/11/2013	United States, Canada	950BLE-15_010 92013154806_5 586969
	1/1/2009	1/11/2013	United States, Canada	248PBLE-12_01 102013090323_ 377923
	1/1/2009	1/11/2013	United States, Canada	01BCHAPMLCS - CF_0109201314 2908_2740747
	1/1/2009	1/11/2013	United States, Canada	01BCHAPMLCS - CF_0109201314 2542_95788
	1/1/2009	1/11/2013	United States, Canada	0EVES1914AS- CF_0109201316 0301_9031030
	1/1/2009	1/11/2013	United States, Canada	0MNAS24GNS- CF_0109201316 0935_3980371
	1/1/2009	1/11/2013	United States, Canada	0WSMNAGNS- CF_0109201313 5227_4087182

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Generation Brands	Tech Lighting	Mulberry Pendant	700TDMULPNB-CF	700TDMULPWB-CF,; Mulberry Pendant, 700TDMULPWS-CF,; Mulberry Pendant, 700TDMULPWW-CF,; Mulberry Pendant, 700TDMULPWZ-CF,	Residential	Fluorescent	Decorative Pendant	5000	72	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Tech Lighting	Strata Wall	800SCSTRFLS-CF	700WSCHLYZ-CF,; Chelsea Wall,700WSCHLTN-CF,; Chelsea Wall,700WSCHLYS-CF,; Chelsea Wall, 700WSCHLYZ-CF,; Strata Wall,800SCSTRLAS-CF,; Strata Wall,800SCSTRLBS-CF,	Residential	Fluorescent	Wall Sconces	1800	27	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Tech Lighting	Sunkissed Suspension	PF659IVSCCF	700TDMERC60NS-CF,; Mercer Suspension, 700TDMERC60NZ-CF,; Mercer Suspension, 700TDMERC60WS-CF,; Zip Suspension,PF662BRSCCF,	Residential	Fluorescent	Close to Ceiling Mount	7200	102	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Tech Lighting	Trace Suspension	700TRAS2315CS-CF	700TRAS2336CS-CF,; Trace Suspension, 700TRAS2336CZ-CF,; Trace Suspension, 700TRAS2336CZ-CF,	Residential	Fluorescent	Close to Ceiling Mount	5000	76	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Generation Brands	Tech Lighting	Veil Wall	700WSVEINZ-CF	Wall,700WSVEIZS-CF,; Veil Wall,700WSVEIZZ-CF,; Veil Wall,700WSVEINC-CF,; Veil Wall,700WSVEINS-CF,; Veil Wall,700WSVEIWC-CF,; Veil Wall,700WSVEIWS-CF,; Veil Wall,700WSVEIWZ-CF,	Residential	Fluorescent	Wall Sconces	1250	18	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Globe Electric Inc.	Globe	Recessed Lamp	90058	Recessed Lamp,9212001,	Residential	Fluorescent	Downlight Recessed	530	13	N/A	N/A	0.63	2700K	82	10000	Non-Dimmable	
Globe Electric Inc.	Globe	Recessed Lamp	9232301		Residential	Fluorescent	Downlight Recessed	865	23	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
Good Earth Lighting, Inc.	EcoLight	GLC1301-NKES-I	GLC1301-NKES-I	GLC1301-ORBES-I,GLC1301-ORBES-I,; GLC1301-WHES-I,GLC1301-WHES-I,; GPT1301-ORBES-I,GPT1301-ORBES-I,; GPT1301-WHES-I,GPT1301-WHES-I,	Residential	Fluorescent	Other	900	13	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	EcoLight	GLC4018-WH-I	GLC4018-WH-I	G4018-WH-I,G4018-WH-I,; GU4018-WH-I,GU4018-WH-I,	Residential	Fluorescent	Other	900	14	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Good Earth Lighting, Inc.	EcoLight	GLS8113-RT-I	GLS8113-RT-I	GLS8113-NK-I,GLS8113-NK-I,	Residential	Fluorescent	Porch (wall mounted)	900	12	N/A	N/A	0.6	3000K		10000	Non-Dimmable	Integ phot
Good Earth Lighting, Inc.	EcoLight	GU0209CL-BA-I	GU0209CL-BA-I	G0209CL-BK-I,G0209CL-BK-I,; G0209CL-MOB-I,G0209CL-MOB-I,; G0209CL-SWH-I,G0209CL-SWH-I,	Residential	LED	Under Cabinet	138	4	N/A	N/A	0.7	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	EcoLight	GU0414CL-BA-I	GU0414CL-BA-I	G0414CL-BK-I,G0414CL-BK-I,; G0414CL-MOB-I,G0414CL-MOB-I,; G0414CL-SWH-I,G0414CL-SWH-I,	Residential	LED	Under Cabinet	279	6.6	N/A	N/A	0.84	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	EcoLight	GU0830CL-BA-I	GU0830CL-BA-I	G0830CL-BK-I,G0830CL-BK-I,; G0830CL-MOB-I,G0830CL-MOB-I,; G0830CL-SWH-I,G0830CL-SWH-I,	Residential	LED	Under Cabinet	536	12	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	GEL, Portfolio, and ECOLIGHT	GL4830-NKCP-I	GL4830-NKCP-I	GLC2301-NKES-I,GLC2301-NKES-I,; GLC2301-WHES-I,GLC2301-WHES-I,; GLC2301-NKES-I,GLC2301-NKES-I,; GLC2301-ORBES-I,GLC2301-ORBES-I,; GLC2301-WHES-I,GLC2301-WHES-I,	Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G3431-BN-I	G3431-BN-I	G3651-BZ-I,G3651-BZ-I,; G3811-DBZ-I,G3811-DBZ-I,; GLC3352-BN-I,GLC3352-BN-I,; GR1013-CH-I,GR1013-CH-I,	Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G41311-ORB-I	G41311-ORB-I	BN-I,; GLS2401-TWH-I,GLS2401-TWH-I,; GLS4511-BN-I,GLS4511-BN-I,; GLS4511-WH-I,GLS4511-WH-I,; GPT2401-BN-I,GPT2401-BN-I,; GPT2401-TWH-I,GPT2401-TWH-I,	Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G41315-ORB-I	G41315-ORB-I	GPT4352-BN-I,; GPT4614-NK-I,GPT4614-NK-I,; GPT4614-ORB-I,GPT4614-ORB-I,; H4015-BN-LIN-I,H4015-BN-LIN-I,; H4015-BZ-LIN-I,H4015-BZ-LIN-I,	Residential	Fluorescent	Ceiling Mount	1800	27	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G41319-ORB-I	G41319-ORB-I	G4150-BN-I,G4150-BN-I,; GPT4350-ORB-I,GPT4350-ORB-I,; H4019-BN-LIN-I,H4019-BN-LIN-I,; H4019-BZ-LIN-I,H4019-BZ-LIN-I,	Residential	Fluorescent	Ceiling Mount	3000	44	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G41319-ORB-I	G41319-ORB-I		Residential	Fluorescent	Ceiling Mount	3200	46	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G4419-DBL-I	G4419-DBL-I		Residential	Fluorescent	Close to Ceiling Mount	3200	46	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G4617-BZ-I	G4617-BZ-I	G4697-BZ-I,G4697-BZ-I,	Residential	Fluorescent	Decorative Pendant	1800	27	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G4639-BZ-I	G4639-BZ-I		Residential	Fluorescent	Chandelier	2700	39	N/A	N/A	0.5	2700K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G4711-ORB-I	G4711-ORB-I		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G4925-PN-I	G4925-PN-I		Residential	Fluorescent	Close to Ceiling Mount	1800	26	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2009	1/11/2013	United States, Canada	ES_1115150_70TDMULPNB-CF_01092013173759_3084985
	1/1/2009	1/11/2013	United States, Canada	ES_1115150_80SCSTRFLS-CF_01092013135945_7051965
	1/1/2009	1/11/2013	United States, Canada	ES_1115150_11659IVSCCF_01092013160622_8678094
	1/1/2009	1/11/2013	United States, Canada	ES_1115150_70TRAS2315CS-CF_01092013155916_3472101
	1/1/2009	1/11/2013	United States, Canada	ES_1115150_70WSVEINZ-CF_01092013134711_1150476
	6/15/2012	6/13/2012	United States, Canada	ES_31577_90058_12142012112219_1396602
	5/15/2012	5/7/2012	United States, Canada	ES_31577_9232301_10032012142029_7987738
	1/2/2012	1/11/2013	United States, Canada	ES_1020049_GLC1301-NKES-I_01092013091434_8713342
	1/2/2012	1/11/2013	United States, Canada	ES_1020049_GLC4018-WH-I_01092013091830_7364770
ral osensor	8/26/2011	1/11/2013	United States, Canada	ES_1020049_GLS8113-RT-I_01102013082209_9921991
	2/6/2012	1/7/2013	United States, Canada	ES_1020049_GU0209CL-BA-I_01042013213502_6907007
	1/30/2012	1/7/2013	United States, Canada	ES_1020049_GU0414CL-BA-I_01042013214604_734521
	2/6/2012	1/7/2013	United States, Canada	ES_1020049_GU0830CL-BA-I_01042013220230_8044244
	3/1/2012	1/11/2013	United States, Canada	ES_1020049_GL4830-NKCP-I_01092013093807_8498346
	1/2/2012	1/11/2013	United States, Canada	ES_1020049_G3431-BN-I_01082013161931_8673822
	11/7/2011	1/11/2013	United States, Canada	ES_1020049_G41311-ORB-I_01092013092539_3880884
	3/21/2012	1/11/2013	United States, Canada	ES_1020049_G41315-ORB-I_01092013095153_6704675
	11/7/2011	1/11/2013	United States, Canada	ES_1020049_G41319-ORB-I_01092013094140_7121240
	11/7/2011	1/11/2013	United States, Canada	ES_1020049_G41319-ORB-I_01072013151449_2710840
	1/2/2012	1/11/2013	United States, Canada	ES_1020049_G4419-DBL-I_01092013090605_4648095
	4/9/2010	1/11/2013	United States, Canada	ES_1020049_G4617-BZ-I_01082013160643_3659173
	9/1/2011	1/11/2013	United States, Canada	ES_1020049_G4639-BZ-I_01072013155322_1104242
	11/7/2011	1/11/2013	United States, Canada	ES_1020049_G4711-ORB-I_01092013093020_6927911
	1/2/2012	1/11/2013	United States, Canada	ES_1020049_G4925-PN-I_01082013162657_9634515

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Good Earth Lighting, Inc.	Good Earth Lighting	G4959-PN-I	G4959-PN-I	G4659-BZ-I,G4659-BZ-I,	Residential	Fluorescent	Chandelier	4500	65	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G8013-BZ-I	G8013-BZ-I	G8013-WH-I,G8013-WH-I,; G8313-BZ-I,G8313-BZ-I,; G8313-WH-I,G8313-WH-I,; GU8013-BZ-I,GU8013-BZ-I,; GU8013-WH-I,GU8013-WH-I,; GU8813-BZ-I,GU8813-BZ-I,; GU8813-WH-I,GU8813-WH-I,	Residential	Fluorescent	Security	800	12	N/A	N/A	0.6	4000/4100K		10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	G8923-BZ-I	G8923-BZ-I	G8923-WH-I,G8923-WH-I,; GU8923-BZ-I,GU8923-BZ-I,; GU8923-WH-I,GU8923-WH-I,	Residential	Fluorescent	Security	1500	22	N/A	N/A	0.6	4000/4100K		10000	Non-Dimmable	Integ phot
Good Earth Lighting, Inc.	Good Earth Lighting	GH4212-BN-LIN-I	GH4212-BN-LIN-I	G4823-ORB-I,G4823-ORB-I,; GH4312-BZ-LIN-I,GH4312-BZ-LIN-I,; GPT4823-ORBA-I,GPT4823-ORBA-I,; GR4212-BN-LIN-I,GR4212-BN-LIN-I,; GR4312-BZ-LIN-I,GR4312-BZ-LIN-I,	Residential	Fluorescent	Close to Ceiling Mount	1500	22	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	GL1433-NK-I	GL1433-NK-I	G1633-BZ-I,G1633-BZ-I,; GR1313-CH-I,GR1313-CH-I,	Residential	Fluorescent	Bath Vanity	2700	39	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	GL1434-NK-I	GL1434-NK-I	G1634-BZ-I,G1634-BZ-I,	Residential	Fluorescent	Bath Vanity	3600	52	N/A	N/A	0.6	3000K	84	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	GLC4795-ORB-I	GLC4795-ORB-I	G4923-PPW-I,G4923-PPW-I,; H4219-BN-LIN-I,H4219-BN-LIN-I,; H4219-BZ-LIN-I,H4219-BZ-LIN-I,; H4319-BN-LIN-I,H4319-BN-LIN-I,; H4319-BZ-LIN-I,H4319-BZ-LIN-I,	Residential	Fluorescent	Close to Ceiling Mount	3000	46	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	GPT4215-BN-LIN-I	GPT4215-BN-LIN-I	GPT4215-BN-I,GPT4215-BN-I,; H4215-BN-LIN-I,H4215-BN-LIN-I,; H4215-BZ-LIN-I,H4215-BZ-LIN-I,; H4315-BN-LIN-I,H4315-BN-LIN-I,; H4315-BZ-LIN-I,H4315-BZ-LIN-I,	Residential	Fluorescent	Ceiling Mount	1800	27	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Good Earth Lighting	H3008-BN-LIN-I	H3008-BN-LIN-I	G3150-BN23-IBX,G3150-BN23-IBX,; H3008-BZ-LIN-I,H3008-BZ-LIN-I,; H3408-BN-LIN-I,H3408-BN-LIN-I,; H3408-BZ-LIN-I,H3408-BZ-LIN-I,	Residential	Fluorescent	Ceiling Mount	1500	22	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Good Earth Lighting, Inc.	PORTFOLIO	G4313-WH-I	G4313-WH-I		Residential	Fluorescent	Other	900	13	N/A	N/A	0.6	3000K	85	10000	Non-Dimmable	
Good Earth Lighting, Inc.	Utilitech	G0312DW-WH-I	G0312DW-WH-I	GLC0312DW-WH-I,GLC0312DW-WH-I,; GU0312DW-WH-I,GU0312DW-WH-I,	Residential	LED	Under Cabinet	212	5.1	N/A	N/A	0.75	3000K	84	36000	Non-Dimmable	
Good Earth Lighting, Inc.	Utilitech	G0312LD-BKSS-I	G0312LD-BKSS-I	GLC0312LD-BKSS-I,GLC0312LD-BKSS-I,; GU0312LD-BKSS-I,GU0312LD-BKSS-I,	Residential	LED	Under Cabinet	217	5.1	N/A	N/A	0.74	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	Utilitech	G0518DW-WH-I	G0518DW-WH-I	GLC0518DW-WH-I,GLC0518DW-WH-I,; GLC9283C-LED-I,GLC9283C-LED-I,; GU0518DW-WH-I,GU0518DW-WH-I,	Residential	LED	Under Cabinet	357	7.9	N/A	N/A	0.8	3000K	83	36000	Non-Dimmable	
Good Earth Lighting, Inc.	Utilitech	G0518LD-BKSS-I	G0518LD-BKSS-I	GLC0518LD-BKSS-I,GLC0518LD-BKSS-I,; GLC0518LD-WH-I,GLC0518LD-WH-I,; GU0518LD-BKSS-I,GU0518LD-BKSS-I,	Residential	LED	Under Cabinet	359	7.8	N/A	N/A	0.8	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	Utilitech	G0724DW-WH-I	G0724DW-WH-I	GLC0724DW-WH-I,GLC0724DW-WH-I,; GLC9284C-LED-I,GLC9284C-LED-I,; GU0724DW-WHI-,GU0724DW-WHI-,	Residential	LED	Under Cabinet	509	10.8	N/A	N/A	0.8	3000K	83	36000	Non-Dimmable	
Good Earth Lighting, Inc.	Utilitech	G0724LD-BKSS-I	G0724LD-BKSS-I	GLC0724LD-BKSS-I,GLC0724LD-BKSS-I,; GU0724LD-BKSS-I,GU0724LD-BKSS-I,	Residential	LED	Under Cabinet	522	10.8	N/A	N/A	0.8	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	Utilitech	GU0622CL-BA-I	GU0622CL-BA-I	G0622CL-BK-I,G0622CL-BK-I,; G0622CL-MOB-I,G0622CL-MOB-I,; G0622CL-SWH-I,G0622CL-SWH-I,	Residential	LED	Under Cabinet	424	9.2	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
Good Earth Lighting, Inc.	Utilitech	GU0930DW-WHI, G0930DW-WH-I	GU0930DW-WHI, G0930DW-WH-I		Residential	LED	Under Cabinet	675	15.3	N/A	N/A	0.8	3000K	83	36000	Non-Dimmable	
Good Earth Lighting, Inc.	Varies (will change on Tab 13 and cert)	GPT2301-WHES-I	GPT2301-WHES-I	GPT2301-ORBES-I,GPT2301-ORBES-I,; GPT4715-BN-I,GPT4715-BN-I,; UT1007-BR413CF1-P,UT1007-BR413CF1-P,; UT1007-NK3-13CF1-P,UT1007-NK3-13CF1-P,	Residential	Fluorescent	Ceiling Mount	1500	22	N/A	N/A	0.5	3000K	83	10000	Non-Dimmable	
Grainger Industrial Supply	LUMAPRO	13R383	13R383		Residential	LED	Downlight Solid State Retrofit	432	10	N/A	N/A	0.85	2700K	89	25000	Non-Dimmable	
Grainger Industrial Supply	LUMAPRO	13R384	13R384		Residential	LED	Downlight Solid State Retrofit	599	10	N/A	N/A	0.86	2700K	84	25000	Non-Dimmable	
Grainger Industrial Supply	LUMAPRO	13R385	13R385		Residential	LED	Downlight Solid State Retrofit	696	14	N/A	N/A	0.87	2700K	84	25000	Non-Dimmable	
Grainger Industrial Supply	LUMAPRO	13R386	13R386		Residential	LED	Downlight Solid State Retrofit	790	14	N/A	N/A	0.87	2700K	91	25000	Non-Dimmable	
Grainger Industrial Supply	LUMAPRO	33L570	33L570		Residential	LED	Under Cabinet	279	6.6	N/A	N/A	0.84	3000K	83	36000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	7/17/2010	1/11/2013	United States, Canada	4959-PN-I_01082013160212_7550165
	7/17/2010	1/11/2013	United States, Canada	8013-BZ-I_01102013081558_1099511
ral osensor	7/17/2010	1/11/2013	United States, Canada	8923-BZ-I_01102013083843_9448663
	1/2/2012	1/11/2013	United States, Canada	H4212-BN-LIN-I_01082013163016_2087823
	5/27/2011	1/11/2013	United States, Canada	L1433-NK-I_01082013161211_7565881
	1/2/2012	1/11/2013	United States, Canada	L1434-NK-I_01082013161554_2949029
	3/23/2012	1/11/2013	United States, Canada	LC4795-ORB-I_01092013090101_8196374
	1/2/2012	1/11/2013	United States, Canada	PT4215-BN-LIN-I_01092013091016_837823
	1/2/2012	1/11/2013	United States, Canada	008-BN-LIN-I_01082013162248_6635095
	1/2/2012	1/11/2013	United States, Canada	4313-WH-I_01092013092210_482904
	12/4/2011	1/7/2013	United States, Canada	0312DW-WH-I_01042013213859_324518
	12/4/2011	1/7/2013	United States, Canada	0312LD-BKSS-I_01042013214230_8045160
	9/1/2011	1/7/2013	United States, Canada	0518DW-WH-I_01042013215008_5462152
	9/1/2011	1/7/2013	United States, Canada	0518LD-BKSS-I_01042013215349_8279382
	9/1/2011	1/7/2013	United States, Canada	0724DW-WH-I_01052013103050_1484643
	9/1/2011	1/7/2013	United States, Canada	0724LD-BKSS-I_01052013103456_1192438
	2/6/2012	1/7/2013	United States, Canada	U0622CL-BA-I_01042013215736_9092981
	11/16/2011	1/7/2013	United States, Canada	G0930DW-WH, G0930DW-WH-I_01052013103824_1951257
	3/1/2012	1/11/2013	United States, Canada	PT2301-WHES-I_01092013093400_936853
	12/15/2011	11/11/2011	United States, Canada	13R383_12062012213814_9894980
	8/15/2011	9/13/2011	United States, Canada	13R384_12062012213804_9884494
	8/15/2011	9/13/2011	United States, Canada	13R385_12062012213806_9886196
	12/15/2011	11/11/2011	United States, Canada	13R386_12062012213816_9896816
	1/30/2012	1/7/2013	United States, Canada	L570_01042013214604_5720636

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Grainger Industrial Supply	LUMAPRO	33L571	33L571		Residential	LED	Under Cabinet	424	9.2	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
Grainger Industrial Supply	LUMAPRO	33L572	33L572		Residential	LED	Under Cabinet	536	12	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming	
Green Creative	Green Creative	4" can retrofit kit	01-811-D/827		Residential,Commercial	LED	Downlight Solid State Retrofit	500	7	N/A	N/A	0.97	2700K	83	35000	Continuous Dimming	
Green Creative	Green Creative	4" can retrofit kit	01-811-D/830		Residential,Commercial	LED	Downlight Solid State Retrofit	500	7	N/A	N/A	0.97	3000K	83	35000	Continuous Dimming	
Green Creative	Green Creative	Luminaires	01-808-D/827		Residential,Commercial	LED	Downlight Recessed	650	9.5	N/A	N/A	0.98	2700K	85	35000	Continuous Dimming	
Green Creative	Green Creative	Luminaires	01-808-D/830		Residential,Commercial	LED	Downlight Recessed	700	9.5	N/A	N/A	0.98	3000K	85	35000	Continuous Dimming	
Greenheck Fan Corporation	Greenheck	SP LIGHTED GRILL	Decorative - Grill - CFL		Residential	Fluorescent	Other	1800	27	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Greenlite Lighting Corporation	Greenlite	Non-Directional Portable Luminaire	13W/DL/VN/XX	Non-Directional Portable Luminaire,13W/DL/VN/SL,; Non-Directional Portable Luminaire,13W/DL/VN/WH,	Residential	Fluorescent	Residential Portable Desk Task Light	900	13	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable	X ca BL o
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Downlight	TP120-RT5/6-DIM-E1		Residential,Commercial	LED	Downlight Solid State Retrofit	850	13	N/A	N/A	0.98	3000K	82	35000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Downlight	TP120-RT5/6-DIM-E2		Residential,Commercial	LED	Downlight Solid State Retrofit	1200	18	N/A	N/A	0.99	3000K	82	35000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Retrofit Luminaire Conversion Kits	TP120-RT3-DIM		Residential,Commercial	LED	Downlight Solid State Retrofit	650	9	N/A	N/A	0.97	3000K	82	40000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Retrofit Luminaire Conversion Kits	TP120-RT4-DIM		Residential,Commercial	LED	Downlight Solid State Retrofit	650	9	N/A	N/A	0.97	3000K	82	40000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Retrofit Luminaire Conversion Kits	TP120-RT4-DIM/B		Residential,Commercial	LED	Downlight Solid State Retrofit	800	13	N/A	N/A	0.96	3000K	82	40000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Retrofit Luminaire Conversion Kits	TP120-RT5/6-DIM-P1		Residential,Commercial	LED	Downlight Solid State Retrofit	800	13	N/A	N/A	0.96	3000K	82	40000	Continuous Dimming	
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	LED Retrofit Luminaire Conversion Kits	TP120-RT5/6-DIM-P2		Residential,Commercial	LED	Downlight Solid State Retrofit	1100	18	N/A	N/A	0.99	3000K	82	50000	Continuous Dimming	
Hubbardton Forge	Hubbardton	Sweeping Taper ADA Sconce	204529E		Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Ilsung Moolsan Company Ltd.	Ilsung	AFR56	AFR56		Residential,Commercial	LED	Downlight Solid State Retrofit	920	13	N/A	N/A	0.9	3000K	87	50000	Continuous Dimming	
INCON Industries	Incon Lighting	11111-13GU-ES-XX	11111-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11111-213GU-ES-XX	11111-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11111-26GU-ES-XX	11111-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11191-13GU-ES-XX	11191-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11191-213GU-ES-XX	11191-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11191-26GU-ES-XX	11191-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	11411-213GU-ES-XX	11411-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	1/7/2013	United States, Canada	ES_1018594_55 L571_01042013 215736_2209589
	2/6/2012	1/7/2013	United States, Canada	ES_1018594_55 L572_01042013 220230_7718775
	9/30/2012	9/20/2012	United States	ES_1111602_01 -811-D/ 827_11082012172033_3083717
	9/30/2012	9/20/2012	United States	ES_1111602_01 -811-D/ 830_11082012172033_1837368
	8/20/2012	8/20/2012	United States	ES_1111602_01 -808-D/ 827_10032012142029_6199961
	8/20/2012	8/20/2012	United States	ES_1111602_01 -808-D/ 830_12142012110048_7284066
	1/6/2011	5/23/2012	United States, Europe, Taiwan, Japan, Canada	Decorative - Grill - CFL_12062012202103_5263773
n be WH, r SL	6/30/2012	7/2/2012	United States	ES_917971_10W/ DL/VN/ XX_12102012184522_9250704
	9/1/2012	8/22/2012	United States	ES_1020520_11 120-RT5/6-DIM-E1_10032012142029_9809572
	9/1/2012	8/22/2012	United States	ES_1020520_11 120-RT5/6-DIM-E2_10032012142029_5311377
	9/1/2012	8/29/2012	United States	ES_1020520_11 120-RT3-DIM_10032012142029_1318785
	9/1/2012	8/29/2012	United States	ES_1020520_11 120-RT4-DIM_10032012142029_8000064
	9/1/2012	8/29/2012	United States	ES_1020520_11 120-RT4-DIM/ B_10032012142029_8763374
	9/1/2012	8/29/2012	United States	ES_1020520_11 120-RT5/6-DIM-P1_10032012142029_7246176
	7/1/2012	7/3/2012	United States	ES_1020520_11 120-RT5/6-DIM-P2_12142012110808_5397839
	1/13/2012	1/10/2012	United States	\\1106707\T 204529E_12062012190209_0529717
	10/2/2012	1/4/2013	United States, Canada	ES_1033971_AF R56_01042013111950_5859034
	2/6/2012	5/9/2012	United States, Canada	11111-15GG-ES-XX_12062012201709_5029552
	2/6/2012	5/9/2012	United States, Canada	11111-21GG-ES-XX_12062012201721_5041308
	2/6/2012	5/9/2012	United States, Canada	11111-20GG-ES-XX_12062012201733_5053178
	2/6/2012	5/9/2012	United States, Canada	11191-15GG-ES-XX_12062012201711_5031580
	2/6/2012	5/9/2012	United States, Canada	11191-21GG-ES-XX_12062012201723_5043236
	2/6/2012	5/9/2012	United States, Canada	11191-20GG-ES-XX_12062012201735_5055205
	2/6/2012	5/9/2012	United States, Canada	11111-21GG-ES-XX_12062012201745_5065419

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	11411-226GU-ES-XX	11411-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11411-313GU-ES-XX	11411-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11491-213GU-ES-XX	11491-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11491-226GU-ES-XX	11491-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11491-313GU-ES-XX	11491-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11511-213GU-ES-XX	11511-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11511-226GU-ES-XX	11511-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11511-313GU-ES-XX	11511-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11561-213GU-ES-XX	11561-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11561-226GU-ES-XX	11561-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11561-313GU-ES-XX	11561-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11711-213GU-ES-XX	11711-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11711-226GU-ES-XX	11711-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11711-313GU-ES-XX	11711-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11791-213GU-ES-XX	11791-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	11791-226GU-ES-XX	11791-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	11791-313GU-ES-XX	11791-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13312-13GU-ES-XX	13312-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13312-213GU-ES-XX	13312-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13312-26GU-ES-XX	13312-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	13392-13GU-ES-XX	13392-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13392-213GU-ES-XX	13392-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13392-26GU-ES-XX	13392-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	13412-213GU-ES-XX	13412-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201831_5111972
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201809_5089042
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201747_5067528
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201834_5114019
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201811_5091413
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201749_5069599
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201836_5116047
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201813_5093522
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201751_5071753
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201838_5118079
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201815_5095758
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201753_5073919
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201840_5120072
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201817_5097810
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201756_5076817
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201842_5122131
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201819_5099944
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201713_5033549
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201725_5045225
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201737_5057185
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201715_5035458
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201727_5047168
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201739_5059237
	2/6/2012	5/9/2012	United States, Canada	ES-XX_12062012201758_5078784

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	13412-226GU-ES-XX	13412-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	13412-313GU-ES-XX	13412-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13492-213GU-ES-XX	13492-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	13492-226GU-ES-XX	13492-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	13492-313GU-ES-XX	13492-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	136X1-213GU-ES-XX	136X1-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	136X1-226GU-ES-XX	136X1-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	136X1-313GU-ES-XX	136X1-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16111-13GU-ES-XX	16111-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16111-213GU-ES-XX	16111-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16111-26GU-ES-XX	16111-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	16161-13GU-ES-XX	16161-13GU-ES-XX		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16161-213GU-ES-XX	16161-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16161-26GU-ES-XX	16161-26GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	16411-213GU-ES-XX	16411-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16411-226GU-ES-XX	16411-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	16411-313GU-ES-XX	16411-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16461-213GU-ES-XX	16461-213GU-ES-XX		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	16461-226GU-ES-XX	16461-226GU-ES-XX		Residential	Fluorescent	Ceiling Mount	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	16461-313GU-ES-XX	16461-313GU-ES-XX		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	20017-213GU-ES-XX	20017-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	20017-226GU-ES-XX	20017-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	20017-26GU-ES-XX	20017-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	21511-26GU-ES-XX	21511-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	5/9/2012	United States, Canada	15412-22GGU-ES-XX_12062012201844_5124246
	2/6/2012	5/9/2012	United States, Canada	15412-51GGU-ES-XX_12062012201821_5101970
	2/6/2012	5/9/2012	United States, Canada	15492-21GGU-ES-XX_12062012201800_5080826
	2/6/2012	5/9/2012	United States, Canada	15492-22GGU-ES-XX_12062012201846_5126369
	2/6/2012	5/9/2012	United States, Canada	15492-51GGU-ES-XX_12062012201824_5104016
	2/6/2012	5/9/2012	United States, Canada	15GXT-21GGU-ES-XX_12062012201802_5082874
	2/6/2012	5/9/2012	United States, Canada	15GXT-22GGU-ES-XX_12062012201848_5128456
	2/6/2012	5/9/2012	United States, Canada	15GXT-51GGU-ES-XX_12062012201826_5106050
	2/6/2012	5/9/2012	United States, Canada	16111-11GGU-ES-XX_12062012201717_5037442
	2/6/2012	5/9/2012	United States, Canada	16111-21GGU-ES-XX_12062012201729_5049094
	2/6/2012	5/9/2012	United States, Canada	16111-20GGU-ES-XX_12062012201741_5061327
	2/6/2012	5/9/2012	United States, Canada	16161-11GGU-ES-XX_12062012201719_5039356
	2/6/2012	5/9/2012	United States, Canada	16161-21GGU-ES-XX_12062012201731_5051133
	2/6/2012	5/9/2012	United States, Canada	16161-20GGU-ES-XX_12062012201743_5063377
	2/6/2012	5/9/2012	United States, Canada	16411-21GGU-ES-XX_12062012201804_5084905
	2/6/2012	5/9/2012	United States, Canada	16411-22GGU-ES-XX_12062012201850_5130485
	2/6/2012	5/9/2012	United States, Canada	16411-51GGU-ES-XX_12062012201828_5108019
	2/6/2012	5/9/2012	United States, Canada	16461-21GGU-ES-XX_12062012201806_5086980
	2/6/2012	5/9/2012	United States, Canada	16461-22GGU-ES-XX_12062012201852_5132524
	2/6/2012	5/9/2012	United States, Canada	16461-51GGU-ES-XX_12062012201829_5109970
	2/6/2012	5/9/2012	United States, Canada	20017-21GGU-ES-XX_12062012201928_5168759
	2/6/2012	5/9/2012	United States, Canada	20017-22GGU-ES-XX_12062012201916_5156198
	2/6/2012	5/9/2012	United States, Canada	20017-20GGU-ES-XX_12062012201903_5143055
	2/6/2012	5/9/2012	United States, Canada	21011-20GGU-ES-XX_12062012201854_5134640

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	21611-213GU-ES-XX	21611-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	21611-226GU-ES-XX	21611-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	21611-26GU-ES-XX	21611-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	21762-13GU-ES-XX	21762-13GU-ES-XX		Residential	Fluorescent	Wall Sconces	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	230X1-213GU-ES-XX	230X1-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	230X1-226GU-ES-XX	230X1-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	230X1-26GU-ES-XX	230X1-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	236X1-26GU-ES-XX	236X1-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	24017-213GU-ES-XX	24017-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	24017-226GU-ES-XX	24017-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	24017-26GU-ES-XX	24017-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	25011-213GU-ES-XX	25011-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	25011-226GU-ES-XX	25011-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	25011-26GU-ES-XX	25011-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	26811-26GU-ES-XX	26811-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	27912-213GU-ES-XX	27912-213GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	27912-226GU-ES-XX	27912-226GU-ES-XX		Residential	Fluorescent	Wall Sconces	3600	52	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	27912-26GU-ES-XX	27912-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	28811-26GU-ES-XX	28811-26GU-ES-XX		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11111-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11111-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11111-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11191-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11191-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	5/9/2012	United States, Canada	21011-21GG-ES-XX_12062012201930_5170822
	2/6/2012	5/9/2012	United States, Canada	21011-22GG-ES-XX_12062012201918_5158371
	2/6/2012	5/9/2012	United States, Canada	21011-20GG-ES-XX_12062012201905_5145207
	2/6/2012	5/9/2012	United States, Canada	21702-19GG-ES-XX_12062012201941_5181136
	2/6/2012	5/9/2012	United States, Canada	23011-21GG-ES-XX_12062012201932_5172903
	2/6/2012	5/9/2012	United States, Canada	23011-22GG-ES-XX_12062012201920_5160471
	2/6/2012	5/9/2012	United States, Canada	23011-20GG-ES-XX_12062012201907_5147377
	2/6/2012	5/9/2012	United States, Canada	23011-20GG-ES-XX_12062012201856_5136691
	2/6/2012	5/9/2012	United States, Canada	24011-21GG-ES-XX_12062012201934_5175000
	2/6/2012	5/9/2012	United States, Canada	24011-22GG-ES-XX_12062012201922_5162583
	2/6/2012	5/9/2012	United States, Canada	24011-20GG-ES-XX_12062012201910_5150263
	2/6/2012	5/9/2012	United States, Canada	23011-21GG-ES-XX_12062012201937_5177091
	2/6/2012	5/9/2012	United States, Canada	23011-22GG-ES-XX_12062012201924_5164652
	2/6/2012	5/9/2012	United States, Canada	23011-20GG-ES-XX_12062012201912_5152175
	2/6/2012	5/9/2012	United States, Canada	23011-20GG-ES-XX_12062012201858_5138804
	2/6/2012	5/9/2012	United States, Canada	27912-21GG-ES-XX_12062012201939_5179152
	2/6/2012	5/9/2012	United States, Canada	27912-22GG-ES-XX_12062012201926_5166721
	2/6/2012	5/9/2012	United States, Canada	27912-20GG-ES-XX_12062012201914_5154180
	2/6/2012	5/9/2012	United States, Canada	28011-20GG-ES-XX_12062012201900_5140897
	2/6/2012	4/16/2012	United States, Canada	11191-19QL-ES-XX_12062012201323_4803301
	2/6/2012	4/16/2012	United States, Canada	11191-21QL-ES-XX_12062012201334_4814950
	2/6/2012	4/16/2012	United States, Canada	11191-20QL-ES-XX_12062012201346_4826925
	2/6/2012	4/16/2012	United States, Canada	11191-19QL-ES-XX_12062012201325_4805181
	2/6/2012	4/16/2012	United States, Canada	11191-21QL-ES-XX_12062012201336_4816883

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11191-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11411-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11411-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11411-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11491-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11491-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11491-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11511-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11511-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11511-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11561-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11561-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11561-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11711-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11711-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11711-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11791-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11791-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	11791-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13312-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13312-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13312-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13392-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13392-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	4/16/2012	United States, Canada	11491-20QE-ES-XX_12062012201348_4828996
	2/6/2012	4/16/2012	United States, Canada	11411-21QE-ES-XX_12062012201359_4839316
	2/6/2012	4/16/2012	United States, Canada	11411-01QE-ES-XX_12062012201422_4862867
	2/6/2012	4/16/2012	United States, Canada	11411-02QE-ES-XX_12062012201445_4885104
	2/6/2012	4/16/2012	United States, Canada	11491-21QE-ES-XX_12062012201401_4841300
	2/6/2012	4/16/2012	United States, Canada	11491-01QE-ES-XX_12062012201424_4864802
	2/6/2012	4/16/2012	United States, Canada	11491-02QE-ES-XX_12062012201447_4887292
	2/6/2012	4/16/2012	United States, Canada	11011-21QE-ES-XX_12062012201403_4843338
	2/6/2012	4/16/2012	United States, Canada	11011-01QE-ES-XX_12062012201426_4866777
	2/6/2012	4/16/2012	United States, Canada	11011-02QE-ES-XX_12062012201449_4889292
	2/6/2012	4/16/2012	United States, Canada	11001-21QE-ES-XX_12062012201405_4845331
	2/6/2012	4/16/2012	United States, Canada	11001-01QE-ES-XX_12062012201428_4868742
	2/6/2012	4/16/2012	United States, Canada	11001-02QE-ES-XX_12062012201451_4891401
	2/6/2012	4/16/2012	United States, Canada	11711-21QE-ES-XX_12062012201407_4847472
	2/6/2012	4/16/2012	United States, Canada	11711-01QE-ES-XX_12062012201430_4870702
	2/6/2012	4/16/2012	United States, Canada	11711-02QE-ES-XX_12062012201453_4893569
	2/6/2012	4/16/2012	United States, Canada	11791-21QE-ES-XX_12062012201409_4849547
	2/6/2012	4/16/2012	United States, Canada	11791-01QE-ES-XX_12062012201432_4872675
	2/6/2012	4/16/2012	United States, Canada	11791-02QE-ES-XX_12062012201455_4895575
	2/6/2012	4/16/2012	United States, Canada	13012-15QE-ES-XX_12062012201327_4807089
	2/6/2012	4/16/2012	United States, Canada	13012-21QE-ES-XX_12062012201338_4818840
	2/6/2012	4/16/2012	United States, Canada	13012-20QE-ES-XX_12062012201350_4830993
	2/6/2012	4/16/2012	United States, Canada	13092-15QE-ES-XX_12062012201328_4808991
	2/6/2012	4/16/2012	United States, Canada	13092-21QE-ES-XX_12062012201340_4820822

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13392-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13412-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13412-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13412-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13492-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13492-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	13492-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	136X1-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	136X1-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	136X1-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16111-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16111-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16111-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16161-13QE-ES-XX		Residential	Fluorescent	Ceiling Mount	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16161-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16161-26QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1550	21	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16411-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16411-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16411-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16461-213QE-ES-XX		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16461-313QE-ES-XX		Residential	Fluorescent	Ceiling Mount	2400	32	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Ceiling Compact Flourescent	16461-52QE-ES-XX		Residential	Fluorescent	Ceiling Mount	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5051X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5051X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	4/16/2012	United States, Canada	15392-20QL-ES-XX_12062012201353_4833109
	2/6/2012	4/16/2012	United States, Canada	15412-21QL-ES-XX_12062012201411_4851719
	2/6/2012	4/16/2012	United States, Canada	15412-31QL-ES-XX_12062012201434_4874677
	2/6/2012	4/16/2012	United States, Canada	15412-32QL-ES-XX_12062012201457_4897920
	2/6/2012	4/16/2012	United States, Canada	15492-21QL-ES-XX_12062012201413_4853848
	2/6/2012	4/16/2012	United States, Canada	15492-31QL-ES-XX_12062012201436_4876706
	2/6/2012	4/16/2012	United States, Canada	15492-32QL-ES-XX_12062012201500_4900140
	2/6/2012	4/16/2012	United States, Canada	15GX1-21QL-ES-XX_12062012201415_4855985
	2/6/2012	4/16/2012	United States, Canada	15GX1-31QL-ES-XX_12062012201438_4878825
	2/6/2012	4/16/2012	United States, Canada	15GX1-32QL-ES-XX_12062012201502_4902482
	2/6/2012	4/16/2012	United States, Canada	16111-13QL-ES-XX_12062012201330_4810943
	2/6/2012	4/16/2012	United States, Canada	16111-21QL-ES-XX_12062012201342_4822908
	2/6/2012	4/16/2012	United States, Canada	16111-20QL-ES-XX_12062012201355_4835164
	2/6/2012	4/16/2012	United States, Canada	16161-13QL-ES-XX_12062012201333_4813053
	2/6/2012	4/16/2012	United States, Canada	16161-21QL-ES-XX_12062012201344_4824902
	2/6/2012	4/16/2012	United States, Canada	16161-20QL-ES-XX_12062012201357_4837209
	2/6/2012	4/16/2012	United States, Canada	16411-21QL-ES-XX_12062012201418_4858926
	2/6/2012	4/16/2012	United States, Canada	16411-31QL-ES-XX_12062012201440_4880851
	2/6/2012	4/16/2012	United States, Canada	16411-32QL-ES-XX_12062012201504_4904614
	2/6/2012	4/16/2012	United States, Canada	16461-21QL-ES-XX_12062012201420_4860889
	2/6/2012	4/16/2012	United States, Canada	16461-31QL-ES-XX_12062012201443_4883050
	2/6/2012	4/16/2012	United States, Canada	16461-32QL-ES-XX_12062012201506_4906669
	4/27/2012	8/15/2012	United States, Canada	INC (204407) | 5051X-34Z-ES-XX_12202012200013_3613657
	4/27/2012	8/15/2012	United States, Canada	INC (204407) | 5051X-64Z-ES-XX_12202012202115_4875072

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	51511-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	51511-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5201X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5201X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5211X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5211X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5311X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5311X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5441X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5441X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5981X-34Z-ES-XX		Residential	Fluorescent	Wrapped Lens	2500	33	N/A	N/A	0.54	4000/4100K	85	10000	Non-Dimmable
INCON Industries	Incon Lighting	Vanity/Wall Linear Fluorescent	5981X-64Z-ES-XX		Residential	Fluorescent	Wrapped Lens	5470	59	N/A	N/A	0.6	4000/4100K	83	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	20017-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	20017-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	20017-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	21611-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	21611-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	21611-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	230X1-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	230X1-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	230X1-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	24017-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	24017-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable
INCON Industries	Incon Lighting	Wall Sconce	24017-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 51511-34Z-ES-XX_12202012195553_3353405
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 51511-64Z-ES-XX_12202012195706_3426820
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5201X-34Z-ES-XX_12202012202515_5115476
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5201X-64Z-ES-XX_12202012203611_5771989
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5211X-34Z-ES-XX_12202012202427_5067119
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5211X-64Z-ES-XX_12202012202830_5310766
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5311X-34Z-ES-XX_12202012195836_3516773
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5311X-64Z-ES-XX_12202012201927_4767561
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5441X-34Z-ES-XX_12202012195912_3552752
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5441X-64Z-ES-XX_12202012202012_4812401
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5981X-34Z-ES-XX_12202012200049_3649840
	4/27/2012	8/15/2012	United States, Canada	INC (2044067) | 5981X-64Z-ES-XX_12202012202159_4919392
	2/6/2012	4/16/2012	United States, Canada	2001T-21GQL-ES-XX_12062012201552_4952305
	2/6/2012	4/16/2012	United States, Canada	2001T-26GQL-ES-XX_12062012201526_4926702
	2/6/2012	4/16/2012	United States, Canada	2001T-32GQL-ES-XX_12062012201539_4939933
	2/6/2012	4/16/2012	United States, Canada	2101T-21GQL-ES-XX_12062012201554_4954334
	2/6/2012	4/16/2012	United States, Canada	2101T-26GQL-ES-XX_12062012201528_4928852
	2/6/2012	4/16/2012	United States, Canada	2101T-32GQL-ES-XX_12062012201542_4942039
	2/6/2012	4/16/2012	United States, Canada	2301T-21GQL-ES-XX_12062012201556_4956323
	2/6/2012	4/16/2012	United States, Canada	2301T-26GQL-ES-XX_12062012201531_4931014
	2/6/2012	4/16/2012	United States, Canada	2301T-32GQL-ES-XX_12062012201544_4944093
	2/6/2012	4/16/2012	United States, Canada	2401T-21GQL-ES-XX_12062012201558_4958327
	2/6/2012	4/16/2012	United States, Canada	2401T-26GQL-ES-XX_12062012201533_4933854
	2/6/2012	4/16/2012	United States, Canada	2401T-32GQL-ES-XX_12062012201546_4946237

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
INCON Industries	Incon Lighting	Wall Sconce	25011-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce	25011-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce	25011-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce	27912-213QE-ES-XX		Residential	Fluorescent	Wall Sconces	1600	21	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce	27912-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce	27912-52QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	21511-13QE-ES-XX		Residential	Fluorescent	Wall Sconces	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	21511-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	236X1-13QE-ES-XX		Residential	Fluorescent	Wall Sconces	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	236X1-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	26811-13QE-ES-XX		Residential	Fluorescent	Wall Sconces	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	26811-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	28811-13QE-ES-XX		Residential	Fluorescent	Wall Sconces	800	10	N/A	N/A	0.51	2700K	82	10000	Non-Dimmable	
INCON Industries	Incon Lighting	Wall Sconce Compact Flourescent	28811-26QE-ES-XX		Residential	Fluorescent	Wall Sconces	3100	42	N/A	N/A	0.99	2700K	80	10000	Non-Dimmable	
Inter-Global Inc.	Inter-Global Inc	F0318-Gxxx-xxxx	F0318-Gxxx-xxxx		Residential	Fluorescent	Ceiling Mount	1800	27	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FC321-EXX-XXXX	FC321-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FC322-E2XX-XXX	FC322-E2XX-XXX		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FC322-EXX-XXXX	FC322-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FD3x1-Gxxx-xxxx	FD3x1-Gxxx-xxxx		Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FD3x4-Gxxx-xxxx	FD3x4-Gxxx-xxxx		Residential	Fluorescent	Ceiling Mount	2700	39	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FD3XX-E2XX-XXXX	FD3XX-E2XX-XXXX		Residential	Fluorescent	Ceiling Mount	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FD3XX-EXX-XXXX	FD3XX-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE11X-E2XX-XXXX	FE11X-E2XX-XXXX		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE11X-EXX-XXXX	FE11X-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/6/2012	4/16/2012	United States, Canada	28011-21GQL-ES-XX_12062012201600_4960411
	2/6/2012	4/16/2012	United States, Canada	28011-20GQL-ES-XX_12062012201535_4935888
	2/6/2012	4/16/2012	United States, Canada	28011-02GQL-ES-XX_12062012201548_4948273
	2/6/2012	4/16/2012	United States, Canada	27912-21GQL-ES-XX_12062012201602_4962517
	2/6/2012	4/16/2012	United States, Canada	27912-20GQL-ES-XX_12062012201537_4937885
	2/6/2012	4/16/2012	United States, Canada	27912-02GQL-ES-XX_12062012201550_4950288
	2/6/2012	4/16/2012	United States, Canada	21011-15GQL-ES-XX_12062012201508_4908720
	2/6/2012	4/16/2012	United States, Canada	21011-20GQL-ES-XX_12062012201517_4917642
	2/6/2012	4/16/2012	United States, Canada	28001-15GQL-ES-XX_12062012201510_4910845
	2/6/2012	4/16/2012	United States, Canada	28001-20GQL-ES-XX_12062012201519_4919987
	2/6/2012	4/16/2012	United States, Canada	28011-15GQL-ES-XX_12062012201513_4913045
	2/6/2012	4/16/2012	United States, Canada	28011-20GQL-ES-XX_12062012201522_4922281
	2/6/2012	4/16/2012	United States, Canada	28011-15GQL-ES-XX_12062012201515_4915281
	2/6/2012	4/16/2012	United States, Canada	28011-20GQL-ES-XX_12062012201524_4924480
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	INC (3121) F0318-Gxxx-xxxx_12062012165012_2612538
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FC321-E2XX-XXXX_12062012200626_4386781
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	INC (3121) FC322-E2XX-XXX_12062012200630_4390611
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FC322-E2XX-XXXX_12062012200628_4388697
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	INC (3121) FD3x1-Gxxx-xxxx_12062012201307_4787314
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	INC (3121) FD3x4-Gxxx-xxxx_12062012201309_4789340
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FD3XX-E2XX-XXXX_12062012200636_4396478
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FD3XX-E2XX-XXXX_12062012200634_4394518
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FE11X-E2XX-XXXX_12062012202412_5452160
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FE11X-E2XX-XXXX_12062012202409_5449824

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Inter-Global Inc.	Inter-Global Inc	FE1XX-EXX-XXXX	FE1XX-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE1xx-Exxx-xxxx	FE1xx-Exxx-xxxx		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE1xx-Gxxx-xxxx	FE1xx-Gxxx-xxxx		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE35X-EXX-XXXX	FE35X-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE36X-E2XX-XXXX	FE36X-E2XX-XXXX		Residential	Fluorescent	Wall Sconces	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE36X-EXX-XXXX	FE36X-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE3xx-Exxx-xxxx	FE3xx-Exxx-xxxx		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FE3xx-Gxxx-xxxx	FE3xx-Gxxx-xxxx		Residential	Fluorescent	Ceiling Mount	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FK391-Gxxx-xxxx	FK391-Gxxx-xxxx		Residential	Fluorescent	Wall Sconces	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FK395-Gxxx-xxxx	FK395-Gxxx-xxxx		Residential	Fluorescent	Wall Sconces	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FK39X-EXX-XXXX	FK39X-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FM10X-E2XX-XXXX	FM10X-E2XX-XXXX		Residential	Fluorescent	Wall Sconces	1518	21	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FM10X-EXX-XXXX	FM10X-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FM10x-Gxxx-xxxx	FM10x-Gxxx-xxxx		Residential	Fluorescent	Wall Sconces	1800	26	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FM1X1-EXX-XXXX	FM1X1-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FWSBx-Gxxx-xx	FWSBx-Gxxx-xx		Residential	Fluorescent	Wall Sconces	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FWXXX-E2XX-XXXX	FWXXX-E2XX-XXXX		Residential	Fluorescent	Wall Sconces	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	FWXXX-EXX-XXXX	FWXXX-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS2-2X17T8	HS2-2X17T8		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.9	3500K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS2-2X17T8/ IG13-20ELSX	HS2-2X17T8/ IG13-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS2-2X17T8/ IG213-20ELSX	HS2-2X17T8/ IG213-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS3-2X25T8	HS3-2X25T8		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.9	3500K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS3-2X25T8/ IG130ELSX	HS3-2X25T8/ IG130ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS3-2X25T8/ IG230ELSX	HS3-2X25T8/ IG230ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	3/1/2012	9/5/2012	United States	FE1xx-Exxx-XXXX_12062012202430_5470223
ible X can dded or ped from og number	3/1/2012	7/12/2012	United States	FE1xx-Exxx-xxxx_12062012200549_4349851
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FE1xx-Gxxx-xxxx_12062012200522_4322099
ible X can dded or ped from og number	3/1/2012	9/5/2012	United States	FE3xx-Exxx-XXXX_12062012202428_5468192
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FE3xx-Exxx-XXXX_12062012202416_5456157
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FE3xx-Exxx-XXXX_12062012202414_5454170
ible X can dded or ped from og number	3/1/2012	7/12/2012	United States	FE3xx-Exxx-xxxx_12062012200551_4351970
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FE3xx-Gxxx-xxxx_12062012200530_4330523
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FK391-Gxxx-xxxx_12062012200524_4324173
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FK395-Gxxx-xxxx_12062012200526_4326280
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FK39X-EXXX-XXXX_12062012200632_4392582
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FM10X-EXXX-XXXX_12062012202422_5462105
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FM10X-EXXX-XXXX_12062012202420_5460143
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FM10x-Gxxx-xxxx_12062012201311_4791367
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FM11X-EXXX-XXXX_12062012202418_5458178
ible X can dded or ped from og number	3/1/2012	3/28/2012	United States	FWSBx-Gxxx-xx_12062012200528_4328419
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FWXXX-EXXX-XXXX_12062012202426_5466181
ible X can dded or ped from og number	3/1/2012	8/29/2012	United States	FWXXX-EXXX-XXXX_12062012202424_5464124
ible X can dded or ped from og number	3/1/2012	9/6/2012	United States	HS2-2X17T8_12062012202440_5480685
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS2-2X17T8/IG13-20ELSX_12062012202141_5301285
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS2-2X17T8/IG213-20ELSX_12062012202143_5303289
ible X can dded or ped from og number	3/1/2012	9/6/2012	United States	HS3-2X25T8_12062012202442_5482708
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS3-2X25T8/IG130ELSX_12062012202145_5305281
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS3-2X25T8/IG230ELSX_12062012202147_5307295

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Inter-Global Inc.	Inter-Global Inc	HS4-2X32T8	HS4-2X32T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS4-2X32T8/ IG130ELSX	HS4-2X32T8/ IG130ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.6	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS4-2X32T8/ IG214-32ELT8	HS4-2X32T8/ IG214-32ELT8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	HS4-2X32T8/ IG230ELSX	HS4-2X32T8/ IG230ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	RF2-217T8	RF2-217T8		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	RF3-225T8	RF3-225T8		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	RF4-232T8	RF4-232T8		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S2-1X17T8	S2-1X17T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S2-1X17T8/ IG217-40ELU-HPF	S2-1X17T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	1105	17	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S2-2X17T8	S2-2X17T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S2-2X17T8/ IG13-20ELSX	S2-2X17T8/ IG13-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S2-2X17T8/ IG217-40ELU-HPF	S2-2X17T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	2210	34	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S3-1X25T8	S3-1X25T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S3-1X25T8/ IG217-40ELU-HPF	S3-1X25T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	1625	25	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S3-1X25T8/ IG25-32ELSX	S3-1X25T8/ IG25-32ELSX		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.5	3500K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S3-2X25T8	S3-2X25T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S3-2X25T8/ IG217-40ELU-HPF	S3-2X25T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	3250	50	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S4-1X32T8	S4-1X32T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.6	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S4-1X32T8/ IG217-40ELU-HPF	S4-1X32T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	2080	32	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S4-2X32T8	S4-2X32T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	S4-2X32T8/ IG217-40ELU-HPF	S4-2X32T8/ IG217-40ELU-HPF		Residential	Fluorescent	Ceiling Mount	4160	64	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ-217T8	SQ-217T8		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.9	3500K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ2-217T8/ IG13-20ELSX	SQ2-217T8/ IG13-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ2-217T8/ IG213-20ELSX	SQ2-217T8/ IG213-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | HS4-2X32T8_12062012202149_5309289
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS4-2X32T8/ IG130ELSX_12062012202151_5311335
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS4-2X32T8/ IG214-32ELT8_12062012202155_5315330
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	HS4-2X32T8/ IG230ELSX_12062012202153_5313341
ible X can dded or ped from og number	3/1/2012	10/15/2012	United States	INC (9121) | RF2-217T8_12062012203844_6324628
ible X can dded or ped from og number	3/1/2012	10/15/2012	United States	INC (9121) | RF3-225T8_12062012203846_6326694
ible X can dded or ped from og number	3/1/2012	10/15/2012	United States	INC (9121) | RF4-232T8_12062012203848_6328733
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S2-1X17T8_12062012202126_5286406
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S2-1X17T8/ IG217-40ELU-HPF_12062012165101_2661132
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S2-2X17T8_12062012202128_5288436
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	S2-2X17T8/ IG13-20ELSX_12062012202130_5290455
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S2-2X17T8/ IG217-40ELU-HPF_12062012165135_2695721
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S3-1X25T8_12062012202132_5292530
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S3-1X25T8/ IG217-40ELU-HPF_12062012165204_2724863
ible X can dded or ped from og number	3/1/2012	9/6/2012	United States	S3-1X25T8/ IG25-32ELSX_12062012202438_5478660
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S3-2X25T8_12062012202134_5294557
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S3-2X25T8/ IG217-40ELU-HPF_12062012165233_2753789
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S4-1X32T8_12062012202137_5297422
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S4-1X32T8/ IG217-40ELU-HPF_12062012165302_2782665
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) | S4-2X32T8_12062012202139_5299358
ible X can dded or ped from og number	11/28/2012	12/6/2012	United States	S4-2X32T8/ IG217-40ELU-HPF_12062012165329_2809173
ible X can dded or ped from og number	3/1/2012	9/6/2012	United States	INC (9121) | SQ-217T8_12062012202444_5484756
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ-217T8/ IG13-20ELSX_12062012202157_5317281
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ-217T8/ IG213-20ELSX_12062012202159_5319277

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Inter-Global Inc.	Inter-Global Inc	SQ3-225T8	SQ3-225T8		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.9	3500K	81	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ3-225T8/ IG13-20ELSX	SQ3-225T8/ IG13-20ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ3-225T8/ IG230ELSX	SQ3-225T8/ IG230ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ4-232T8	SQ4-232T8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ4-232T8/ IG130ELSX	SQ4-232T8/ IG130ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.6	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ4-232T8/ IG214-32ELT8	SQ4-232T8/ IG214-32ELT8		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.9	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Inter-Global Inc.	Inter-Global Inc	SQ4-232T8/ IG230ELSX	SQ4-232T8/ IG230ELSX		Residential	Fluorescent	Ceiling Mount	4882	58	N/A	N/A	0.5	2700K	80	10000	Non-Dimmable	Varie be ac drop catal
Intermatic Incorporated	INTERMATIC	LED Downlight	IR6-600WH		Residential,Commercial	LED	Downlight Solid State Retrofit	626	13.7	N/A	N/A	0.95	3000K	81	35000	Continuous Dimming	
Janmar Lighting	Janmar Lighting	2XXLED-PAR20YYY	2XXLED-PAR20YYY		Residential	LED	Downlight Recessed	729	15	N/A	N/A	0.98	3000K	85	36000	Non-Dimmable	
Janmar Lighting	Janmar Lighting	311LED-PAR20YYY	311LED-PAR20YYY		Residential	LED	Downlight Recessed	729	15	N/A	N/A	0.98	3000K	85	36000	Non-Dimmable	
Janmar Lighting	Janmar Lighting	7XXLED-ZZ-PAR20YYY	7XXLED-XX-PAR20XXX		Residential	LED	Downlight Recessed	729	15	N/A	N/A	0.98	3000K	85	36000	Non-Dimmable	
Janmar Lighting	Janmar Lighting	8XXLED-PAR20YYY	8XXLED-PAR20YYY		Residential	LED	Downlight Recessed	729	15	N/A	N/A	0.98	3000K	85	36000	Non-Dimmable	
Janmar Lighting	NA	814LED-PAR30	814LED-PAR30	815LED-PAR30,815LED-PAR30,; 829LED-PAR30,829LED-PAR30,; 836LED-PAR30,836LED-PAR30,	Residential,Commercial	LED	Downlight Recessed	1048	21.2	N/A	N/A	0.99	2700K	86	50000	Non-Dimmable	
JUNO LIGHTING, LLC	Aculux	IC43L-827-y-z	IC43L-827-y-z	IC943LSQ-827-y-z,IC943LSQ-827-y-z,; IC943LSQ-830-y-z,IC943LSQ-830-y-z,; IC943LSQ-835-y-z,IC943LSQ-835-y-z,; IC943LSQ-841-y-z,IC943LSQ-841-y-z,	Residential,Commercial	LED	Downlight Recessed	591	12.2	N/A	N/A	1	2700K	85	36000	Continuous Dimming	Only, L=Dr with Univ
JUNO LIGHTING, LLC	Juno	IC1LWDG3-3K-1	IC1LWDG3-3K-1	IC20LWDG3-3K-1,IC20LWDG3-3K-1,; IC20RLWDG3-3K-1,IC20RLWDG3-3K-1,; IC22LWDG3-3K-1,IC22LWDG3-3K-1,; IC22RLWDG3-3K-1,IC22RLWDG3-3K-1,	Residential,Commercial	LED	Downlight Recessed	602	14	N/A	N/A	1	3000K	81	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	IC22-GU24-18ESL	IC22-GU24-18ESL		Residential	Fluorescent	Downlight Recessed	703	15.5	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
JUNO LIGHTING, LLC	Juno	IC926LED9G3-27K-U	IC926LED9G3-27K-U	IC928LED9G3-3K-1,IC928LED9G3-3K-1,; IC928LED9G3-3K-U,IC928LED9G3-3K-U,; IC928LED9G3-41K-1,IC928LED9G3-41K-1,; IC928LED9G3-41K-U,IC928LED9G3-41K-U,	Residential,Commercial	LED	Downlight Recessed	779	16.8	N/A	N/A	1	2700K	81	36000	Continuous Dimming	0142 WH,(ABZ, WH
JUNO LIGHTING, LLC	Juno	J6RLEG3-27K-6-WH	J6RLEG3-27K-6-WH		Commercial	LED	Downlight Recessed	616	10.9	N/A	N/A	1	2700K	82	35000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	J6RLEG3-27K-9-WH	J6RLEG3-27K-9-WH	J6RLG3-41K-9-WHW,J6RLG3-41K-9-WHW,; J6RLG3-41K-9-WWH,J6RLG3-41K-9-WWH,; J6RLG3-41K-9-WZW,J6RLG3-41K-9-WZW,	Residential,Commercial	LED	Downlight Solid State Retrofit	820	15.2	N/A	N/A	1	2700K	81	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	SP253MLL-2D-xxx-STN	SP253MLL-2D-xxx-STN	TEK253LED3Dxxxyy,TEK253LED3Dxxxyy,; TEK253LED3Kxxxyy,TEK253LED3Kxxxyy,; TEK253LED4Dxxxyy,TEK253LED4Dxxxyy,; TEK253LED4Kxxxyy,TEK253LED4Kxxxyy,	Residential,Commercial	LED	Accent Light Line-voltage	896	22.1	N/A	N/A	1	2700K	82	36000	Continuous Dimming	Finis Silve WH f Finis
JUNO LIGHTING, LLC	Juno	T209LED-27D-xx-yy	T209LED-27D-xx-yy	T209LED-27D-xxyy,T209LED-27D-xxyy,; TEK2093Kxxyy,TEK2093Kxxyy,; TEK2094Dxxyy,TEK2094Dxxyy,; TEK2094Kxxyy,TEK2094Kxxyy,	Residential,Commercial	LED	Accent Light Line-voltage	1615	35	N/A	N/A	1.0	2700K	86	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	T251LED-27K-xx-yy	T251LED-27K-xx-yy	xx-yy,T251LED-3D-xx-yy,; T251LED-3K-xx-yy,T251LED-3K-xx-yy,; T251LED-4D-xx-yy,T251LED-4D-xx-yy,; T251LED-4K-xx-yy,T251LED-4K-xx-yy,	Residential,Commercial	LED	Accent Light Line-voltage	541	15.4	N/A	N/A	1	2700K	82	36000	Continuous Dimming	Finis Silve WH f Finis
JUNO LIGHTING, LLC	Juno	T252L-3K-HC-y-zz	T252L-3K-HC-y-zz		Residential,Commercial	LED	Accent Light Line-voltage	740	18	N/A	N/A	1	3000K	94	36000	Continuous Dimming	Whe Blacl Silve Whit
JUNO LIGHTING, LLC	Juno	T254L-27K-y-zz	T254L-27K-y-zz	TEK254L3Kyzz,TEK254L3Kyzz,; TEK254L3KHCyzz,TEK254L3KHCyzz,; TEK254L3Kyzz,TEK254L3Kyzz,; TEK254L4Kyzz,TEK254L4Kyzz,	Residential,Commercial	LED	Accent Light Line-voltage	923	18.6	N/A	N/A	1	2700K	80	35000	Continuous Dimming	Whe Blacl Silve Whit

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	3/1/2012	9/6/2012	United States	INC (9121) SQ3-225T8_120 62012202446_5 486825
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ3-225T8/ IG13-20ELSX_1 2062012202201 _5321228
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ3-225T8/ IG230ELSX_120 62012202203_5 323347
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	INC (9121) SQ4-232T8_120 62012202205_5 325409
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ4-232T8/ IG130ELSX_120 62012202207_5 327543
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ4-232T8/ IG214-32ELT8_ 1206201220221 1_5331689
ible X can dded or ped from og number	3/1/2012	6/13/2012	United States	SQ4-232T8/ IG230ELSX_120 62012202209_5 329604
	7/1/2012	6/20/2012	United States, Canada	ES_110414/_IR 6-600WH_12142 012111123_327 2033
	1/1/2012	5/1/2012	United States	2XXLED- PAR20YYY_120 62012214206_0 126555
	1/1/2012	5/1/2012	United States	3YYLED- PAR20YYY_120 62012214208_0 128429
	1/1/2012	5/1/2012	United States	7XXLED-XX- PAR20XXX_120 62012214210_0 130287
	1/1/2012	5/1/2012	United States	8XXLED- PAR20YYY_120 62012214212_0 132153
	8/19/2010	1/7/2013	United States, Europe, Canada	LED- PAR30_0104201 3205203_93897 64
and iver option Lutron ersal input.	6/11/2012	1/7/2013	United States, Canada	ES_40290_IC45 L-827-y- z_01052013111 046_8836633
	7/2/2012	1/7/2013	United States, Canada	ES_40290_IC1E WDG3-3K-1_01 052013114901_ 7298089
	9/7/2012	1/7/2013	United States, Canada	- GU24-18ESL_01 042013211928_ 1879846
-SC,620W- 620WHZ- 620WHZ-	7/20/2012	1/7/2013	United States, Canada	ES_40290_IC92 6LED9G3-27K- U_01052013120 548_2096521
	12/1/2011	1/9/2013	United States, Canada	ES_40290_90RE EG3-27K-6- WH_010920131 53954_5791742
	1/2/2012	1/7/2013	United States, Canada	ES_40290_90RE EG3-27K-9- WH_010520131 10745_9394342
n, SL for r Finish, or White h.	9/10/2010	1/4/2013	United States, Canada	ES_40290_SF2 53MLL-2D-xxx- STN_010320131 60452_8607751
	3/1/2012	1/7/2013	United States, Canada	ES_40290_1209 LED-27D-xx- yy_0104201313 4214_4459802
n, SL for r Finish, or White h.	9/10/2010	1/4/2013	United States, Canada	ES_40290_1251 LED-27K-xx- yy_0103201316 4156_7077295
e BL = k, SL = r, or WH = e.	8/7/2012	1/7/2013	United States, Canada	ES_40290_1252 L-3K-HC-y- zz_0105201312 0939_7447625
e BL = k, SL = r, or WH = e.	9/28/2012	1/7/2013	United States, Canada	ES_40290_1254 L-27K-y- zz_0105201312 3611_395776

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
JUNO LIGHTING, LLC	Juno	T255LED-27D-xx-yy	T255LED-27D-xx-yy	TEK2553Dxxyy,TEK2553Dxxyy,; TEK2553Kxxyy,TEK2553Kxxyy,; TEK2554Dxxyy,TEK2554Dxxyy,; TEK2554Kxxyy,TEK2554Kxxyy,	Residential,Commercial	LED	Accent Light Line-voltage	2113	46.1	N/A	N/A	1	2700K	85	36000	Continuous Dimming	Finis Silve WH f Finis
JUNO LIGHTING, LLC	Juno	TC920LEDG3-27K-yz	TC920LEDG3-27K-yz	TC922LEDG3-27K-yz,TC922LEDG3-27K-yz,; TC922LEDG3-35K-yz,TC922LEDG3-35K-yz,; TC922LEDG3-3K-yz,TC922LEDG3-3K-yz,; TC922LEDG3-41K-yz,TC922LEDG3-41K-yz,	Commercial	LED	Downlight Recessed	729	16.9	N/A	N/A	1	2700K	82	36000	Continuous Dimming	Orna UL L equip CP.
JUNO LIGHTING, LLC	Juno	ULL12-WH	ULL12-WH		Residential	LED	Under Cabinet	216	5.2	N/A	N/A	0.8	3000K	84	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	ULL18-WH	ULL18-WH		Residential	LED	Under Cabinet	376	8	N/A	N/A	0.8	3000K	84	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	ULL24-WH	ULL24-WH		Residential	LED	Under Cabinet	510	11	N/A	N/A	0.8	3000K	84	36000	Continuous Dimming	
JUNO LIGHTING, LLC	Juno	V6RL3K-WH	V6RL3K-WH		Residential	LED	Downlight Solid State Retrofit	643	12	N/A	N/A	0.96	3000K	82	25000	Non-Dimmable	
JUNO LIGHTING, LLC	Juno	V6RL3K-WH-T24	V6RL3K-WH-T24		Residential	LED	Downlight Solid State Retrofit	643	12	N/A	N/A	0.96	3000K	82	25000	Non-Dimmable	
Kee Tat Lighting Holdings Limited	Kee Tat	DL4-10RB-AA60-B-C-DD	DL4-10RB-AA60-B-C-DD		Residential,Commercial	LED	Downlight Recessed	531	11	N/A	N/A	0.9	3000K	83	35000	Continuous Dimming	Trim Brus Trim
Kee Tat Lighting Holdings Limited	Kee Tat	DL6-14RB-AA60-B-C-DD	DL6-14RB-AA60-B-C-DD		Residential,Commercial	LED	Downlight Recessed	845	15	N/A	N/A	0.9	3000K	85	35000	Continuous Dimming	Trim Brus Trim
King One Products, Co.	King One	Recessed Luminaires	RC-56123R		Residential	Fluorescent	Downlight Recessed	1600	23	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable	
Lamps Plus Corporate	Casa Vieja	ESALB-70	SKU T4198	ESALB-73,SKU T4200,; ESALB-99,SKU T4201,	Residential	Fluorescent	Ceiling Fan Light Kit	1602	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Legrand	Legrand	ALLNLED	ALLNLED		Residential	LED	Under Cabinet	274	7	N/A	N/A	0.7	3000K	95	40000	Continuous Dimming	
Legrand	Legrand	ALPKLED	ALPKLED		Residential	LED	Under Cabinet	238	6	N/A	N/A	0.7	3000K	96	40000	Continuous Dimming	
Leviton Mfg Co., Inc.	Leviton	CFL Keyless Ceiling Lampholder	9860		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.63	2700K	82	10000	Non-Dimmable	
Leviton Mfg Co., Inc.	Leviton	CFL Keyless Ceiling Lampholder	9862		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.63	2700K	82	10000	Non-Dimmable	
Leviton Mfg Co., Inc.	Leviton	CFL Keyless Ceiling Lampholder	9863		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.63	2700K	82	10000	Non-Dimmable	
LG Electronics, Inc.	LG	D4AN08xECC0	D4AN08xECC0		Residential,Commercial	LED	Downlight Recessed	501	8	N/A	N/A	0.9	3000K	82	50000	Continuous Dimming	prod 3000 3500 ely
LG Electronics, Inc.	LG	D5AN11xECC0	D5AN11xECC0		Residential,Commercial	LED	Downlight Recessed	693	11	N/A	N/A	0.9	3000K	83	50000	Continuous Dimming	prod 3000 3500 ely
LG Electronics, Inc.	LG	D6AN13xECC0	D6AN13xECC0		Residential,Commercial	LED	Downlight Recessed	806	12	N/A	N/A	0.9	3000K	82	50000	Continuous Dimming	prod 3000 3500 ely
Light Corporation	Lucio	LU	LU		Commercial	LED	Portable Desk Task Light	433	8.4	N/A	N/A	0.9	3500K	84	36000	Continuous Dimming	
Light Engine Ltd.	Optiled	2018050117	2018050117		Residential,Commercial	LED	Downlight Recessed	631	12	N/A	N/A	0.99	3000K	82	50000	Continuous Dimming	Add CCT mod 2018
Light Engine Ltd.	Optiled	2018408021	2018408021		Residential,Commercial	LED	Downlight Solid State Retrofit	1041	15	N/A	N/A	0.9	4000/4100K	82	35000	Continuous Dimming	
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 CW BK		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	5000K	80	35000	Continuous Dimming	
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 CW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	5000K	80	35000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
h, SE for r Finish, or White h.	9/10/2010	1/4/2013	United States, Canada	ES_40290_T29 LED-27D-xx-yy_0103201316 2626_4005700
ngo Platinum isting. If pped, z =	7/27/2012	1/7/2013	United States, Canada	ES_40290_TC9 20LEDG3-27K-yz_0104201321 0135_5262414
	1/1/2012	1/4/2013	United States, Canada	ES_40290_SLL1 2-WH_010320131 53603_6124383
	1/1/2012	1/4/2013	United States, Canada	ES_40290_SLL1 8-WH_010320131 52928_9054529
	1/1/2012	1/4/2013	United States, Canada	ES_40290_SLL2 4-WH_010320131 52429_8023797
	4/15/2012	3/30/2012	United States	INC (7027) | V6RL3K-WH_120620122 14041_0041926
	4/15/2012	3/30/2012	United States	INC (7027) | V6RL3K-WH-T24_120620122 14043_0043901
Platinum BN= hed Nickel	10/15/2012	1/7/2013	United States, Canada	4-10RLD-AA00-B-C-DD_0107201313 0608_8928949
Platinum BN= hed Nickel	10/15/2012	1/7/2013	United States, Canada	3-14RLD-AA00-B-C-DD_0107201313 1246_4777795
	11/16/2012	11/19/2012	United States, Canada	ES_1009750_RC-56123R_1219 2012125050_26 76898
	8/1/2011	1/11/2013	United States	ES_50790_SRG T4198_0111201 3111057_84815 61
	8/31/2012	1/7/2013	United States, Canada	ES_1116100_AE LNLED_010720 13132803_8780 176
	8/31/2012	1/7/2013	United States, Canada	ES_1116100_AE PKLED_010720 13133310_4633 905
	7/30/2007	7/25/2012	United States, Canada	INC (92009) | 9860_12062012 202213_533382 0
	7/30/2007	7/25/2012	United States, Canada	INC (92009) | 9862_12062012 202216_533648 8
	7/30/2007	7/25/2012	United States, Canada	INC (92009) | 9863_12062012 202218_533847 5
ucts CCT: K, K,respectiv	9/17/2012	1/7/2013	United States, Canada	ES_1118034_D4 AN08xECC0_01 072013144607_ 9475213
ucts CCT: K, K,respectiv	9/17/2012	1/7/2013	United States, Canada	ES_1118034_D5 AN11xECC0_01 072013145110_ 3689081
ucts CCT: K, K,respectiv	9/17/2012	1/7/2013	United States, Canada	ES_1118034_D6 AN13xECC0_01 072013145532_ 3274194
	10/1/2011	1/7/2013	United States	ES_1120586_LU _010420131553 30_7185480
ational s 4000K, el no. 070117	9/1/2012	1/7/2013	United States	ES_1093494_20 18050117_0107 2013143137_60 1312
	6/30/2012	1/7/2013	United States	ES_1093494_20 18408021_0107 2013134023_58 76428
	2/1/2012	3/14/2012	United States, Canada	ES_1071676_C ED6 CW BK12202012123 437_9999999
	2/1/2012	3/14/2012	United States, Canada	ES_1071676_C ED6 CW BN12202012123 438_9999999

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 CW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	5000K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 NW BK		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	4000/4100K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 NW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	4000/4100K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 NW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	4000/4100K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 WW BK		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 WW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Commerical Electric	LED DISK LIGHT	CED6 WW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 CW 120 BK		Residential,Commercial	LED	Downlight Solid State Retrofit	500	9.5	N/A	N/A	0.97	5000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 CW 120 BN		Residential,Commercial	LED	Downlight Solid State Retrofit	500	9.5	N/A	N/A	0.97	5000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 CW 120 WH		Residential,Commercial	LED	Downlight Solid State Retrofit	500	9.5	N/A	N/A	0.97	5000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 NW MTL 120 CC BK		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	4000/4100K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 NW MTL 120 CC BN		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	4000/4100K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 NW MTL 120 CC WH		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	4000/4100K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 W27 MTL 120 CC BK		Residential	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	2700K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 W27 MTL 120 CC BN		Residential	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	2700K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 W27 MTL 120 CC WH		Residential	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.99	2700K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 WW MTL 120 CC BK		Residential,Commercial	LED	Downlight Solid State Retrofit	450	9.5	N/A	N/A	0.97	3000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 WW MTL 120 CC BN		Residential,Commercial	LED	Downlight Solid State Retrofit	450	9.5	N/A	N/A	0.97	3000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	GLP4	GLP4 WW MTL 120 CC WH		Residential,Commercial	LED	Downlight Solid State Retrofit	450	9.5	N/A	N/A	0.97	3000K	82	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 CW BK		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 CW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 CW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 NW BK		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	4000/4100K	81	35000	Continuous Dimming
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 NW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	4000/4100K	81	35000	Continuous Dimming

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 CW WH1220201212 3439_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 NW BK12202012123 430_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 NW BN12202012123 431_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 NW WH1220201212 3432_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 WW BK12202012123 433_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 WW BN12202012123 434_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G ED6 WW WH1220201212 3435_9999999
	2/1/2011	2/13/2011	United States, Canada	LS_10710_G LP4 CW 120 BK12202012123 439_9999999
	2/1/2011	2/13/2011	United States, Canada	LS_10710_G LP4 CW 120 BN12202012123 430_9999999
	2/1/2011	2/13/2011	United States, Canada	LS_10710_G LP4 CW 120 WH1220201212 3431_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 NW WHE 120 CC BK12202012123 438_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 NW WHE 120 CC BN12202012123 434_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 NW WHE 120 CC WH1220201212 3437_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC BK12202012123 454_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC BN12202012123 436_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC WH1220201212 3437_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC BK12202012123 435_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC BN12202012123 436_9999999
	2/1/2011	2/13/2011	United States, Canada	LP4 WW WHE 120 CC WH1220201212 3434_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G LP6 CW BK12202012123 439_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G LP6 CW BN12202012113 434_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G LP6 CW WH1220201212 3435_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G LP6 NW BK12202012123 444_9999999
	2/1/2012	3/14/2012	United States, Canada	LS_10710_G LP6 NW BN12202012123 454_9999999

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 NW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	4000/4100K	81	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 W27 BK		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 W27 BN		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 W27 WH		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 WW BK		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 WW BN		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming	
Lighting Science Group, Corp	Glimpse	LED DISK LIGHT	GLP6 WW WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	81	35000	Continuous Dimming	
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17120 / LLABR17BK0XX H2XXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.99	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17120 / LLABR17BK1XX H2XXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.99	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17120 / LLABR17WH0X XH2XXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.99	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17120 / LLABR17WH1X XH2XXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.99	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17277 / LLABR17BK0XX H2XXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.9	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17277 / LLABR17BK1XX H2XXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.9	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17277 / LLABR17WH0X XH2XXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.9	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR17277 / LLABR17WH1X XH2XXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.9	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24120 / LLABR24BK0XX H3XXXXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.99	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24120 / LLABR24BK1XX H3XXXXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.99	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24120 / LLABR24WH0X XH3XXXXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.99	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24120 / LLABR24WH1X XH3XXXXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.99	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24277 / LLABR24BK0XX H3XXXXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.9	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24277 / LLABR24BK1XX H3XXXXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.9	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24277 / LLABR24WH0X XH3XXXXXXXX		Commercial	LED	Downlight Recessed	962	18	N/A	N/A	0.9	2700K	86	36000	Continuous Dimming	spec data the L webs
Lightolier	Lightolier	SPOTLED RECESSED	LLABR24277 / LLABR24WH1X XH3XXXXXXXX		Commercial	LED	Downlight Recessed	1324	30	N/A	N/A	0.9	2700K	85	36000	Continuous Dimming	spec data the L webs
Lightolier	Lytecaster	Lytening LED	1013CDL27K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	NA If pleas Light webs

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	2/1/2012	3/14/2012	United States, Canada	LP6 NW WH1220201212 3436_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 W27 BK12202012123 424_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 W27 BN12202012123 435_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 W27 WH1220201212 3424_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 WW BK12202012123 444_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 WW BN12202012123 454_9999999
	2/1/2012	3/14/2012	United States, Canada	LP6 WW WH1220201212 3334_9999999
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H2XXXXXX_122 12012211306_4 386479
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H2XXXXXX_122 12012211321_4 401019
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH2XXXXXX_12 212012211352_ 4432872
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH2XXXXXX_12 212012211412_ 4452400
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H2XXXXXX_122 12012211427_4 467027
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H2XXXXXX_122 12012211454_4 494233
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH2XXXXXX_12 212012211510_ 4510995
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH2XXXXXX_12 212012211534_ 4534632
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H3XXXXXXXXX _122120122116 06_4566732
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H3XXXXXXXXX _122120122116 24_4584893
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH3XXXXXXXX X_12212012211 659_4619122
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH3XXXXXXXX X_12212012211 712_4632003
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H3XXXXXXXXX _122120122117 28_4648605
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	H3XXXXXXXXX _122120122117 44_4664732
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH3XXXXXXXX X_12212012211 756_4676584
ific fixture please visit ightolier site.	10/15/2012	10/25/2012	United States, Canada	XH3XXXXXXXX X_12212012211 821_4701284
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_122 12012203904_2 344140

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lightolier	Lytecaster	Lytening LED	1013CDL27K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL27K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL30K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL30K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL30K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL35K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL35K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013CDL35K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L27K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L27K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L27K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L30K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L30K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L30K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L35K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L35K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1013L35K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL27K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL27K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL27K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	2700K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL30K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL30K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL30K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3000K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL35K / 1004ICLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012203926_2366814
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012203948_2388621
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012204015_2415836
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012204032_2432558
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012204046_2446268
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012204111_2471235
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012204128_2488622
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012204201_2521409
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012204218_2538342
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012204302_2582131
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012204238_2558023
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012204324_2604118
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012204341_2621245
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012204356_2636746
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012204426_2666105
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012204440_2680371
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012204503_2703298
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012211000_4200460
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012211013_4213855
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012211028_4228079
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012211051_4251286
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012211111_4271878
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012211134_4294386
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICLED_12212012211159_4319945

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lightolier	Lytecaster	Lytening LED	1076WHL35K / 1004ICNLED		Residential,Commercial	LED	Downlight Recessed	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Lytening LED	1076WHL35K / LARFA / 1004IC		Residential,Commercial	LED	Downlight Solid State Retrofit	667	12	N/A	N/A	0.92	3500K	86	36000	Continuous Dimming	not in pleas Light webs
Lightolier	Lytecaster	Remodeler	1000LED09R271		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Remodeler	1000LED09R351		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Remodeler	1100LED09R271		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Remodeler	1100LED09R351		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Retrofit	L56LED09S271		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Retrofit	L56LED09S351		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N271		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N272		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	
Lightolier	Lytecaster	Uniframe	1001LED09N27D1		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N27D2		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N351		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N352		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N35D1		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1001LED09N35D2		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N271		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N272		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N27D1		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N27D2		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	2700K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N351		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N352		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N35D1		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs
Lightolier	Lytecaster	Uniframe	1101LED09N35D2		Residential,Commercial	LED	Downlight Recessed	900	22	N/A	N/A	0.92	3500K	82	36000	Continuous Dimming, Type Non-IC	not in pleas Light webs

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
sted here se visit the olier site.	11/2/2012	11/7/2012	United States, Canada	1004ICNLED_12212012211228_4348439
sted here se visit the olier site.	11/2/2012	11/26/2012	United States, Canada	1004IC_12212012211215_4335316
sted here se visit the olier site.	11/10/2010	12/11/2012	United States, Canada	1000LED09R271_12112012155125_1085199
sted here se visit the olier site.	11/10/2010	12/11/2012	United States, Canada	1000LED09R351_12112012155156_1116898
sted here se visit the olier site.	11/10/2010	12/11/2012	United States, Canada	1100LED09R271_12112012160009_1609138
sted here se visit the olier site.	11/10/2010	12/11/2012	United States, Canada	1100LED09R351_12112012160051_1651653
sted here se visit the olier site.	4/29/2010	12/11/2012	United States, Canada	L56LED09S271_1211201215502 1_1021307
sted here se visit the olier site.	4/29/2010	12/11/2012	United States, Canada	L56LED09S351_1211201215510 0_1060819
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N271_12112012155227_1147380
	8/26/2010	12/11/2012	United States, Canada	1001LED09N272_12112012155644_1404260
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N27D1_12112012155740_1460107
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N27D2_12112012155855_1535313
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N351_12112012155410_1250468
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N352_12112012155713_1433547
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N35D1_12112012155817_1497895
sted here se visit the olier site.	8/26/2010	12/11/2012	United States, Canada	1001LED09N35D2_12112012155923_1563973
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N271_12112012160120_1680501
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N272_12112012160237_1757255
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N27D1_12112012160405_1845167
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N27D2_12112012160517_1917799
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N351_12112012160211_1731028
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N352_12112012160337_1817303
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N35D1_12112012160444_1884303
sted here se visit the olier site.	8/25/2010	12/11/2012	United States, Canada	1101LED09N35D2_12112012160545_1945195

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lightolier	Lytecaster	Uniframe 1500 lumen	1001LED15N27 D1		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.99	2700K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1001LED15N27 D2		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.94	2700K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1001LED15N35 D1		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.99	3500K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1001LED15N35 D2		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.94	3500K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1101LED15N27 D1		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.99	2700K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1101LED15N27 D2		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.94	2700K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1101LED15N35 D1		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.99	3500K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Uniframe 1500 lumen	1101LED15N35 D2		Residential,Commercial	LED	Downlight Recessed	1695	31	N/A	N/A	0.94	3500K	84	54000	Continuous Dimming	
Lightolier	Lytecaster	Xceed	1050LRN0609D 2 / 1050LRN0927		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	2700K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	Lytecaster	Xceed	1050LRN0609D 2 / 1050LRN0935		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	3500K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	Lytecaster	Xceed	1050LRN0927		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	2700K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	Lytecaster	Xceed	1050LRN0935		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	3500K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	Lytecaster	Xceed	1050LSQ0609D 2 / 1050LSQ0927		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	2700K	83	36000	Continuous Dimming	
Lightolier	Lytecaster	Xceed	1050LSQ0609D 2 / 1050LSQ0935		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	3500K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	Lytecaster	Xceed	1050LSQ0927		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	2700K	83	36000	Continuous Dimming	
Lightolier	Lytecaster	Xceed	1050LSQ0935		Commercial	LED	Downlight Recessed	994	22	N/A	N/A	0.93	3500K	83	36000	Continuous Dimming	not i pleas Light webs
Lightolier	LyteSpan	LightFlood LED	LLF227-2700K		Commercial	LED	Downlight Surface Mount	2307	33	N/A	N/A	0.95	2700K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	LightFlood LED	LLF227-2700K-277V		Commercial	LED	Downlight Surface Mount	2253	32	N/A	N/A	0.95	2700K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	LightFlood LED	LLF230-3000K		Commercial	LED	Downlight Surface Mount	2527	31	N/A	N/A	0.95	3000K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	LightFlood LED	LLF230-3000K-277V		Commercial	LED	Downlight Surface Mount	2533	31	N/A	N/A	0.95	3000K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	LightFlood LED	LLF240-4000K		Commercial	LED	Downlight Surface Mount	2624	32	N/A	N/A	0.95	4000/4100K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	LightFlood LED	LLF240-4000K-277V		Commercial	LED	Downlight Surface Mount	2620	31	N/A	N/A	0.95	4000/4100K	87	36000	Non-Dimmable	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RF		Residential,Commercial	LED	Accent Light Line-voltage	455	9	N/A	N/A	0.91	2700K	84	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RFSOL		Residential	LED	Accent Light Line-voltage	436	9	N/A	N/A	0.88	2700K	84	60000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1001LED15N27D1_12062012214714_0434371
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1001LED15N27D2_12062012214716_0436193
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1001LED15N35D1_12062012214718_0438108
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1001LED15N35D2_12062012214719_0439903
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1101LED15N27D1_12062012214721_0441754
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1101LED15N27D2_12062012214723_0443593
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1101LED15N35D1_12062012214725_0445434
	6/26/2012	8/15/2012	United States, Canada	(7 13980) | 1101LED15N35D2_12062012214727_0447245
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	27 1050LRN0927_12212012204516_2716164
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	27 1050LRN0935_12212012204547_2747102
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	(7 13980) | 1050LRN0927_12062012214823_0503558
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	(7 13980) | 1050LRN0935_12062012214827_0507397
	5/15/2012	10/15/2012	United States, Canada	27 1050LSQ0927_12212012204602_2762865
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	27 1050LSQ0935_12212012204617_2777960
	5/15/2012	10/15/2012	United States, Canada	(7 13980) | 1050LSQ0927_12062012214819_0499881
sted here se visit the olier site.	5/15/2012	10/15/2012	United States, Canada	(7 13980) | 1050LSQ0935_12062012214821_0501700
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF227-2700K_0107201319215 9_6519829
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF227-2700K-277V_01072013192244_6564854
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF230-3000K_0107201319232 6_6606983
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF230-3000K-277V_01072013192902_6942686
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF240-4000K_0107201319294 8_6988340
	11/19/2012	1/7/2013	United States, Canada	(7 13980) | LLF240-4000K-277V_01072013193013_7013911
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-2700K-RF_12062012214033_0033970
	3/18/2011	3/15/2012	United States, Canada	LLAV00-2700K-RFSOL_12062012214039_0039940

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	459	9	N/A	N/A	0.91	2700K	84	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RNFSOL		Residential,Commercial	LED	Accent Light Line-voltage	450	9	N/A	N/A	0.91	2700K	84	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RS		Residential,Commercial	LED	Accent Light Line-voltage	457	9	N/A	N/A	0.91	2700K	84	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-2700K-RSSOL		Residential,Commercial	LED	Accent Light Line-voltage	442	9	N/A	N/A	0.91	2700K	84	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RF		Residential,Commercial	LED	Accent Light Line-voltage	490	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RFSOL		Residential,Commercial	LED	Accent Light Line-voltage	453	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	488	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RNFSOL		Residential,Commercial	LED	Accent Light Line-voltage	480	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RS		Residential,Commercial	LED	Accent Light Line-voltage	493	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	Mini LED Micro Cylinder	LLAV00-3000K-RSSOL		Residential,Commercial	LED	Accent Light Line-voltage	480	10	N/A	N/A	0.9	3000K	82	60000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB027-2700K-RF		Residential,Commercial	LED	Accent Light Line-voltage	895	16	N/A	N/A	0.98	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB027-2700K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	930	16	N/A	N/A	0.98	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB027-2700K-RS		Residential,Commercial	LED	Accent Light Line-voltage	970	16	N/A	N/A	0.98	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB030-3000K-RF		Residential,Commercial	LED	Accent Light Line-voltage	952	16	N/A	N/A	0.98	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB030-3000K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	978	16	N/A	N/A	0.98	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB030-3000K-RS		Residential,Commercial	LED	Accent Light Line-voltage	1029	16	N/A	N/A	0.98	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED	LLAB030-3000K-RSRNF		Residential,Commercial	LED	Accent Light Line-voltage	1010	16	N/A	N/A	0.98	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RF		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.99	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.99	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RNF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RS		Residential,Commercial	LED	Accent Light Line-voltage	1751	33	N/A	N/A	0.99	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB127-2700K-RS-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K-RF		Residential,Commercial	LED	Accent Light Line-voltage	1809	34	N/A	N/A	0.99	3000K	85	54000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-2700K-RNF_12062012214032_0032014
	3/18/2011	3/15/2012	United States, Canada	LLAV00-2700K-RNFSOL_12062012214038_0038023
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-2700K-RS_12062012214030_0030067
	3/18/2011	3/15/2012	United States, Canada	LLAV00-2700K-RSSOL_12062012214036_0036004
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-3000K-RF_12062012214022_0022355
	3/18/2011	3/15/2012	United States, Canada	LLAV00-3000K-RFSOL_12062012214028_0028095
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-3000K-RNF_12062012214020_0020482
	3/18/2011	3/15/2012	United States, Canada	LLAV00-3000K-RNFSOL_12062012214026_0026178
	3/18/2011	3/15/2012	United States, Canada	(7 13980) | LLAV00-3000K-RS_12062012214018_0018649
	3/18/2011	3/15/2012	United States, Canada	LLAV00-3000K-RSSOL_12062012214024_0024270
	8/4/2011	12/8/2011	United States, Canada	LLAB027-2700K-RF_12062012213825_9905987
	8/4/2011	12/8/2011	United States, Canada	LLAB027-2700K-RNF_12062012213827_9907887
	8/4/2011	12/8/2011	United States, Canada	LLAB027-2700K-RS_12062012213829_9909668
	8/4/2011	12/8/2011	United States, Canada	LLAB030-3000K-RF_12062012213831_9911428
	8/4/2011	12/8/2011	United States, Canada	LLAB030-3000K-RNF_12062012213833_9913238
	8/4/2011	12/8/2011	United States, Canada	LLAB030-3000K-RS_12062012213835_9915053
	8/4/2011	12/8/2011	United States, Canada	-RSRNF_12062012213836_9916880
	11/22/2011	12/8/2011	United States, Canada	LLAB127-2700K-RF_12062012213838_9918786
	7/20/2012	7/17/2012	United States, Canada	-RF-277V_12062012214616_0376763
	11/22/2011	12/8/2011	United States, Canada	LLAB127-2700K-RNF_12062012213840_9920686
	7/20/2012	7/17/2012	United States, Canada	-RNF-277V_12062012214618_0378705
	11/22/2011	12/8/2011	United States, Canada	LLAB127-2700K-RS_12062012213842_9922606
	7/20/2012	7/17/2012	United States, Canada	-RS-277V_12062012214620_0380552
	11/22/2011	12/8/2011	United States, Canada	LLAB130-3000K-RF_12062012213844_9924494

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RNF		Residential,Commercial	LED	Accent Light Line-voltage	1889	34	N/A	N/A	0.99	3000K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RNF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RS		Residential,Commercial	LED	Accent Light Line-voltage	1946	34	N/A	N/A	0.99	3000K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RS-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RSRNF		Residential,Commercial	LED	Accent Light Line-voltage	1854	34	N/A	N/A	0.99	3000K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB130-3000K -RSRNF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RF		Residential,Commercial	LED	Accent Light Line-voltage	1829	33	N/A	N/A	0.99	4000/4100K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	4000/4100K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RNF		Residential,Commercial	LED	Accent Light Line-voltage	1803	33	N/A	N/A	0.99	4000/4100K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RNF-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	4000/4100K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RS		Residential,Commercial	LED	Accent Light Line-voltage	1869	33	N/A	N/A	0.99	4000/4100K	85	54000	Continuous Dimming	
Lightolier	LyteSpan	SPOTLED LARGE	LLAB140-4000K -RS-277V		Residential,Commercial	LED	Accent Light Line-voltage	1708	33	N/A	N/A	0.91	4000/4100K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Flood	LLABS-2700K-RF		Residential,Commercial	LED	Accent Light Line-voltage	480	9	N/A	N/A	0.92	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Flood	LLABS-3000K-RF		Residential,Commercial	LED	Accent Light Line-voltage	551	9	N/A	N/A	0.92	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Narrow Flood	LLABS-2700K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	516	9	N/A	N/A	0.92	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Narrow Flood	LLABS-3000K-RNF		Residential,Commercial	LED	Accent Light Line-voltage	574	9	N/A	N/A	0.92	3000K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Spot	LLABS-2700K-RS		Residential,Commercial	LED	Accent Light Line-voltage	535	9	N/A	N/A	0.92	2700K	86	54000	Continuous Dimming	
Lightolier	LyteSpan	Spot LED Small Spot	LLABS-3000K-RS		Residential,Commercial	LED	Accent Light Line-voltage	596	9	N/A	N/A	0.92	3000K	86	54000	Continuous Dimming	
Lightolier	TCP	LED14DR630K	LED14DR630K		Residential	LED	Downlight Recessed	850	14	N/A	N/A	0.89	3000K	84	36000	Continuous Dimming	
Lights of America	Ceiling Lighting	Ceiling Light	4058WGT		Residential	Fluorescent	Ceiling Mount	910	13.8	N/A	N/A	0.62	2700K	82	10000	Non-Dimmable	
Lithonia Lighting	Evo	ALED	ALEDR	ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,; ALED,ALEDR,	Residential,Commercial	LED	Downlight Recessed	868	20.5	N/A	N/A	1	2700K	84	60000	Continuous Dimming	Finis for m or LS Spec
Lithonia Lighting	Lithonia	D0208RA	D0208RA		Residential	LED	Downlight Recessed	403	8	N/A	N/A	0.7	3000K	81	35000	Continuous Dimming	
Lithonia Lighting	Lithonia	UCLD XX YY	UCLD XX YY		Residential	LED	Under Cabinet	222	5	N/A	N/A	0.79	3000K	83	36000	Non-Dimmable	To , mode Leng Finis

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	7/20/2012	7/17/2012	United States, Canada	- RF-277V_12062012214622_0382425
	11/22/2011	12/8/2011	United States, Canada	LLAB130-3000K - RNF_12062012213846_9926521
	7/20/2012	7/17/2012	United States, Canada	- RNF-277V_12062012214624_0384315
	11/22/2011	12/8/2011	United States, Canada	LLAB130-3000K - RS_12062012213848_9928381
	7/20/2012	7/17/2012	United States, Canada	- RS-277V_12062012214626_0386254
	11/22/2011	12/8/2011	United States, Canada	- RSRNF_12062012213850_9930217
	7/20/2012	7/17/2012	United States, Canada	- RSRNF-277V_12062012214628_0388242
	11/22/2011	12/8/2011	United States, Canada	LLAB140-4000K - RF_12062012213852_9932101
	7/20/2012	7/17/2012	United States, Canada	- RF-277V_12062012214630_0390198
	11/22/2011	12/8/2011	United States, Canada	LLAB140-4000K - RNF_12062012213853_9933945
	7/20/2012	7/17/2012	United States, Canada	- RNF-277V_12062012214632_0392157
	11/22/2011	12/8/2011	United States, Canada	LLAB140-4000K - RS_12062012213855_9935851
	7/20/2012	7/17/2012	United States, Canada	- RS-277V_12062012214634_0394056
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-2700K-RF_12062012214808_0488884
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-3000K-RF_12062012214803_0483584
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-2700K-RNF_12062012214807_0487131
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-3000K-RNF_12062012214801_0481712
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-2700K-RS_12062012214805_0485356
	3/8/2012	9/20/2012	United States, Canada	(719500) | LLABS-3000K-RS_12062012214759_0479955
	9/1/2012	11/27/2012	United States	(719500) | LED14DR630K_12212012211241_4361495
	4/1/2012	4/13/2012	United States, Canada	ES_00210005_4058WGT11282012030712_9999999
n: YY = LD atte-diffuse s for Clear ular.	3/20/2012	1/7/2013	United States, Europe, Canada	ES_20512_ALEDR_01052013110439_5564844
	11/15/2012	1/7/2013	United States, Canada	ES_20512_D0208RA_01072013134629_7872583
and 24 els. XX = th, YY = h	4/20/2012	4/5/2012	United States, Canada	(290500) | OCLED XX YY_12062012214045_0045828

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Lithonia Lighting	Lithonia Lighting	10636RE OA	10636RE OA		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.6	3500K	81	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10637RE OA	10637RE OA		Residential	Fluorescent	Ceiling Mount	2400	112	N/A	N/A	0.58	3500K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10640RE	10640RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10642RE	10642RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10813 BN	10813 BN		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10814 BZA	10814 BZA		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10976(BNP)	10976(BNP)		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10976(BZ)	10976(BZ)		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	10976(WH)	10976(WH)		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11232RE	11232RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11233 RE	11233 RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11430RE	11430RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11432 RE	11432 RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11432RE	11432RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11602RE	11602RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11604RE	11604RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11642RE BNS	11642RE BNS		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11642RE BZ	11642RE BZ		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11642RE WH	11642RE WH		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11644 RE	11644 RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11656RE OA	11656RE OA		Residential	Fluorescent	Ceiling Mount	2400	112	N/A	N/A	0.58	3500K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11694RE	11694RE		Residential	Fluorescent	Ceiling Mount	2400	112	N/A	N/A	0.58	3500K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11741RE	11741RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11742RE	11742RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/5/2008	9/5/2012	United States, Canada	(290566) | 10636RE OA_12062012202434_5474562
	5/5/2004	9/5/2012	United States, Canada	(290566) | 10637RE OA_12062012204007_6407079
	8/1/2009	3/15/2012	United States, Canada	(290566) | 10640RE_12062012200712_4432207
	9/1/2008	3/20/2012	United States, Canada	(290566) | 10642RE_12062012203856_6336926
	3/1/2009	3/15/2012	United States, Canada	LIGHTING (290566) | 10813 BN_12062012200658_4418748
	3/1/2009	3/15/2012	United States, Canada	LIGHTING (290566) | 10814 BZA_12062012200700_4420868
	3/31/2012	3/28/2012	United States, Canada	(290566) | 10976 (BNP) _12062012201302_4782415
	3/31/2012	3/28/2012	United States, Canada	(290566) | 10976 (BZ) _12062012201304_4784466
	3/31/2012	3/28/2012	United States, Canada	(290566) | 10976 (WH) _12062012201300_4780311
	8/1/2009	3/14/2012	United States, Canada	(290566) | 11232RE_12062012200722_4442168
	10/19/2011	3/20/2012	United States, Canada	LIGHTING (290566) | 11233 RE_12062012203952_6392684
	8/1/2009	3/15/2012	United States, Canada	(290566) | 11430RE_12062012200710_4430209
	8/1/2009	3/20/2012	United States, Canada	LIGHTING (290566) | 11432 RE_12062012203901_6341580
	10/19/2011	3/20/2012	United States, Canada	(290566) | 11432RE_12062012203954_6394403
	8/1/2009	3/14/2012	United States, Canada	(290566) | 11602RE_12062012200720_4440237
	10/19/2011	3/20/2012	United States, Canada	(290566) | 11604RE_12062012203956_6396105
	8/1/2009	3/15/2012	United States, Canada	(290566) | 11642RE BNS_12062012200702_4422988
	8/1/2009	3/15/2012	United States, Canada	(290566) | 11642RE BZ_12062012200705_4425102
	8/1/2009	3/15/2012	United States, Canada	(290566) | 11642RE WH_12062012200708_4428126
	10/19/2011	3/20/2012	United States, Canada	LIGHTING (290566) | 11644 RE_12062012203950_6390853
	10/17/2003	9/5/2012	United States, Canada	(290566) | 11656RE OA_12062012204003_6403351
	10/3/2003	9/5/2012	United States, Canada	(290566) | 11694RE_12062012204005_6405220
	8/1/2009	3/14/2012	United States, Canada	(290566) | 11741RE_12062012200716_4436200
	8/1/2009	3/14/2012	United States, Canada	(290566) | 11742RE_12062012200714_4434237

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Lithonia Lighting	Lithonia Lighting	11746RE	11746RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11832 KR	11832 KR		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11981(BNP)	11981(BNP)		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.61	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11981(BZ)	11981(BZ)		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.61	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	11981(WH)	11981(WH)		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.61	2700K	82	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	1233 CW 232	1233 CW 232		Residential	Fluorescent	Close to Ceiling Mount	1027	59	N/A	N/A	0.6	3500K	81	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	1241 DP RE	1241DP RE		Residential	Fluorescent	Close to Ceiling Mount	4882	58	N/A	N/A	0.56	2700K	80	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	1242ZG RE	1242ZG RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	1284GRD RE	1284GRD RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	3255RE	3255RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	3348	3348		Residential	Fluorescent	Ceiling Mount	4446	53	N/A	N/A	0.56	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	3776RE	3776RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	3902RE	3902RE		Residential	Fluorescent	Ceiling Mount	9910	112	N/A	N/A	0.58	3500K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	3940RE	3940RE		Residential	Fluorescent	Ceiling Mount	1027	59	N/A	N/A	0.6	3500K	81	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	FMCL 13 ACRD	FMCL 13 ACRD		Residential	Fluorescent	Ceiling Mount	900	12	N/A	N/A	0.58	3000K	84	10000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	LK3BPMW LED	LK3BPMW LED		Residential	LED	Downlight Recessed	408	8	N/A	N/A	0.7	3000K	80	28000	Continuous Dimming
Lithonia Lighting	Lithonia Lighting	LK4BPMW LED	LK4BPMW LED		Residential	LED	Downlight Recessed	497	9	N/A	N/A	0.7	3000K	80	28000	Continuous Dimming
Lithonia Lighting	Lithonia Lighting	LK4GMW LED	LK4GMW LED		Residential	LED	Downlight Recessed	433	10	N/A	N/A	0.7	3000K	81	35000	Continuous Dimming
Lithonia Lighting	Lithonia Lighting	LK5BPMW LED	LK5BPMW LED		Residential	LED	Downlight Recessed	578	11	N/A	N/A	0.7	3000K	80	30000	Continuous Dimming
Lithonia Lighting	Lithonia Lighting	OFLLED 12	OFLLED 12		Residential	LED	Inseparable SSL - Other	1557	20	N/A	N/A	0.8	Other		55000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	OLAW25 40K 120 PE DBB	OLAW25 40K 120 PE DBB		Residential	LED	Downlight Surface Mount	2540	36	N/A	N/A	0.87	4000/4100K		50000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	Reality	Real6 D6MW ESL 35K		Residential,Commercial	LED	Downlight Recessed	650	11.2	N/A	N/A	0.96	3500K	80	35000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	Reality	Real6 D6MW ESL 40K		Residential,Commercial	LED	Downlight Recessed	650	11.2	N/A	N/A	0.96	3500K	80	35000	Non-Dimmable
Lithonia Lighting	Lithonia Lighting	XWL 2 32 120 RE	XWL 2 32 120 RE		Residential	Fluorescent	Ceiling Mount	4959	59	N/A	N/A	0.6	3500K	83	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	8/1/2009	3/14/2012	United States, Canada	(290566) | 11746RE_12062012200718_4438141
	3/31/2012	3/28/2012	United States, Canada	LIGHTING (290566) | 11832KR_12062012201258_4778310
	3/31/2012	3/28/2012	United States, Canada	(290566) | 11981 (BNP) _1206201220125 4_4774189
	3/31/2012	3/28/2012	United States, Canada	(290566) | 11981 (BZ) _1206201220125 6_4776232
	3/31/2012	3/28/2012	United States, Canada	(290566) | 11981 (WH) _1206201220125 2_4772103
	11/1/2008	9/5/2012	United States, Canada	(290566) | 1235 CW 232_1206201220243 2_5472547
	3/31/2012	6/15/2012	United States, Canada	(290566) | 1241DP RE_12062012201608_4968676
	2/9/2009	3/15/2012	United States, Canada	(290566) | 1242ZG RE_12062012200656_4416666
	11/1/2011	3/20/2012	United States, Canada	(290566) | 1284GRD RE_12062012203957_6397864
	10/19/2011	3/20/2012	United States, Canada	(290566) | 3255RE_12062012203905_6345383
	10/1/2008	3/20/2012	United States, Canada	(290566) | 3348_12062012203854_6334880
	8/1/2009	3/20/2012	United States, Canada	(290566) | 3776RE_12062012203859_6339654
	8/1/2009	3/20/2012	United States, Canada	(290566) | 3902RE_12062012203903_6343489
	12/18/2001	9/5/2012	United States, Canada	(290566) | 3940RE_12062012202436_5476608
	12/14/2010	3/19/2012	United States, Canada	15 ACRD_12062012203852_6332872
	6/1/2012	1/7/2013	United States, Canada	LS_20012_ER3 BPMW LED_01072013142624_8336908
	6/1/2012	1/7/2013	United States, Canada	LS_20012_ER4 BPMW LED_01072013135904_3744775
	6/1/2012	1/7/2013	United States, Canada	LS_20012_ER4 GMW LED_01072013140252_7265130
	6/1/2012	1/7/2013	United States, Canada	LS_20012_ER3 BPMW LED_01072013135454_3393976
	9/1/2012	12/19/2012	United States	LS_20012_SPE LED 12_12192012111257_5027582
	9/4/2012	12/19/2012	United States, Canada	W20 40K 120 PE DBB_12192012114525_1542016
	1/1/2010	1/26/2012	United States, Canada	LS_107107G_Re al6 D6MW ESL 35K12202012123452_9999999
	1/1/2010	1/26/2012	United States, Canada	LS_107107G_Re al6 D6MW ESL 40K12202012123456_9999999
	1/1/2005	3/15/2012	United States, Canada	(290566) | XWE 2 32 120 RE_12062012192941_2181904

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Lithonia Lighting	P-series	6BP	6BP		Residential,Commercial	LED	Downlight Solid State Retrofit	589	9	N/A	N/A	1	3000K	86	50000	Continuous Dimming	
Lithonia Lighting	Reality	REAL6C D6xxx ESL yyyL 0.60SC 27K	REAL6C D6xxx ESL yyyL 0.60SC 27K	ESL yyyL 0.90SC 35K,; REAL6C D6xxx ESL yyyL 0.90SC 35K,; REAL6C D6xxx ESL yyyL 0.90SC 40K,REAL6C D6xxx ESL yyyL 0.90SC 40K,	Residential,Commercial	LED	Downlight Recessed	1030	18.3	N/A	N/A	1	2700K	82	36000	Continuous Dimming	This 1000 Lume for 1
Lithonia Lighting	Reality	REAL6 D6xxx ESL yyyL 0.60SC 27K	REAL6 D6xxx ESL yyyL 0.60SC 27K	35K,REAL6 D6xxx ESL yyyL 0.90SC 35K,; REAL6 D6xxx ESL yyyL 0.90SC 40K,REAL6 D6xxx ESL yyyL 0.90SC 40K,	Residential,Commercial	LED	Downlight Solid State Retrofit	560	8.3	N/A	N/A	0.9	2700K	82	36000	Continuous Dimming	This 600 l Lume for 1
LittleFootprint Lighting, Incorporated	LittleFootprint Lighting	HERONLED01	HERONLED01		Commercial	LED	Portable Desk Task Light	219	4	N/A	N/A	0.6	3000K	82	36000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD400ICA (LT400W/403W)		Residential,Commercial	LED	Downlight Recessed	572	12	N/A	N/A	0.97	3000K	82	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD400ICA (LT401W)		Residential,Commercial	LED	Downlight Recessed	688	12	N/A	N/A	0.97	3000K	82	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD400ICRA (LT400W/403W)		Residential,Commercial	LED	Downlight Recessed	572	12	N/A	N/A	0.97	3000K	82	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD400ICRA (LT401W)		Residential,Commercial	LED	Downlight Recessed	688	12	N/A	N/A	0.97	3000K	82	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD600ICA (LT600W/603W)		Residential,Commercial	LED	Downlight Recessed	944	17	N/A	N/A	0.97	3000K	83	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD600ICA (LT601W)		Residential,Commercial	LED	Downlight Recessed	875	17	N/A	N/A	0.97	3000K	83	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD600ICRA (LT600W/603W)		Residential,Commercial	LED	Downlight Recessed	944	17	N/A	N/A	0.97	3000K	83	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LD600ICRA (LT601W)		Residential,Commercial	LED	Downlight Recessed	875	17	N/A	N/A	0.97	3000K	83	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LRKT400/403		Residential,Commercial	LED	Downlight Recessed	472	10	N/A	N/A	0.99	3000K	80	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LRKT401		Residential,Commercial	LED	Downlight Recessed	528	10	N/A	N/A	0.99	3000K	80	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LRKT600/603		Residential,Commercial	LED	Downlight Recessed	676	15	N/A	N/A	0.95	3000K	81	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LED Down Light	LRKT601		Residential,Commercial	LED	Downlight Recessed	687	15	N/A	N/A	0.95	3000K	80	35000	Non-Dimmable	
L-Tech Corporation	L-TECH CORP	LRKT560/563	LRKT560/563		Residential,Commercial	LED	Downlight Recessed	818	14.4	N/A	N/A	0.99	3000K	83	35000	Continuous Dimming	
L-Tech Corporation	L-TECH CORP	LRKT561	LRKT561		Residential,Commercial	LED	Downlight Solid State Retrofit	883	14.4	N/A	N/A	0.99	3000K	83	35000	Continuous Dimming	
Lumivert Incorporated	Lumivert Incorporated	5205	5205		Residential	Fluorescent	Bath Vanity	4500	65	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Maxlite	MaxLED	LED Downlight	ML2L141RR6W30	LED Downlight,ML2L141RR6NI30,	Residential,Commercial	LED	Downlight Solid State Retrofit	600	13.7	N/A	N/A	0.95	3000K	81	35000	Continuous Dimming	
Maxlite	MaxLED	RR61430	RR61430		Residential,Commercial	LED	Downlight Solid State Retrofit	920	13	N/A	N/A	0.9	3000K	87	50000	Continuous Dimming	
Maxlite	MaxLite	ML10Gxxxxxxx	ML10Gxxxxxxx		Residential	Fluorescent	Chandelier	2400	32	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	xxxx 393E 655E
Maxlite	MaxLite	ML1G4523xxxx	ML1G4523xxxx		Residential	Fluorescent	Torchiere	3230	44	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	^^^^ ARW ARB ARW
Maxlite	MaxLite	ML1G7033xxxx	ML1G7033xxxx		Residential	Fluorescent	Torchiere	3230	44	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	^^^^ ARW ARB ARW

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	9/1/2012	1/7/2013	United States, Canada	ES_20512_6BP_01052013121217_734216
n: Yyy = for 1000 ens or 1500 500 Lumens	5/21/2012	1/7/2013	United States, Canada	LG DUxxx LGL yyyL 0.60SC 27K_01042013211027_1764184
n: Yyy = or 600 ens or 1000 000 Lumens	5/21/2012	1/7/2013	United States, Canada	LG DUxxx LGL yyyL 0.60SC 27K_01042013211534_9275934
	5/30/2012	1/7/2013	United States, Australia, New Zealand, Europe, Canada	LG_1009004_H ERONLED01_01042013163942_8263818
	7/1/2012	6/28/2012	United States, Canada	LD400ICA (LT400W/403W) _12062012214601_0361666
	7/1/2012	6/28/2012	United States, Canada	LD400ICA (LT401W) _12062012214605_0365363
	7/1/2012	6/28/2012	United States, Canada	LD400ICA (LT400W/403W) _12062012214603_0363516
	7/1/2012	6/28/2012	United States, Canada	LD400ICA (LT401W) _12062012214607_0367200
	7/1/2012	6/28/2012	United States, Canada	LD600ICA (LT600W/603W) _12062012214554_0354132
	7/1/2012	6/28/2012	United States, Canada	LD600ICA (LT601W) _12062012214557_0357933
	7/1/2012	6/28/2012	United States, Canada	LD600ICA (LT600W/603W) _12062012214555_0355998
	7/1/2012	6/28/2012	United States, Canada	LD600ICA (LT601W) _12062012214559_0359798
	7/1/2012	6/15/2012	United States, Canada	(2012200) LRKT400/403_12062012214546_0346716
	7/1/2012	6/15/2012	United States, Canada	(2012200) LRKT401_12062012214548_0348492
	7/1/2012	6/15/2012	United States, Canada	(2012200) LRKT600/603_12062012214552_0352213
	7/1/2012	6/15/2012	United States, Canada	(2012200) LRKT601_12062012214550_0350333
	11/29/2012	12/6/2012	United States	LG_1008009_LR KT560/563_12192012125124_1204235
	11/29/2012	12/6/2012	United States	LG_1008009_LR KT561_12192012125113_5865055
	10/11/2011	12/20/2011	United States	(091207) 5205_12062012201317_4797448
	8/1/2010	12/27/2011	United States	LG_1018091_M L2L141RR6W30_12142012112731_7554893
	10/2/2012	1/4/2013	United States, Canada	LG_1018091_R R61430_01042013111950_9329645
xxx = TBZ, TBZ	3/7/2012	3/22/2012	United States, Canada	(20500) ML10Gxxxxxxx_12062012204001_6401483
= ARBR, , K-157, -157	3/7/2012	3/22/2012	United States, Canada	(20500) ML1G4523xxxx_12062012201239_4759351
= ARBR, , K-157, -157	3/7/2012	3/22/2012	United States, Canada	(20500) ML1G7033xxxx_12062012201241_4761521

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Maxlite	MaxLite	ML2G231xxxx	ML2G231xxxx		Residential	Fluorescent	Ceiling Mount	1580	23	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx OBN
Maxlite	MaxLite	ML2G261xxxx	ML2G261xxxx		Residential	Fluorescent	Ceiling Mount	1850	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx TRN
Maxlite	MaxLite	ML2G262xxxx	ML2G262xxxx		Residential	Fluorescent	Ceiling Mount	1600	21	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	xxxx
Maxlite	MaxLite	ML2G362xxxx	ML2G362xxxx		Residential	Fluorescent	Ceiling Mount	2760	36	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	CL, TRN TRW BTB
Maxlite	MaxLite	ML5G261xxxx	ML5G261xxxx		Residential	Fluorescent	Table Lamps	1850	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx CAS CSN
Maxlite	MaxLite	ML6G522xxxx	ML6G522xxxx		Residential	Fluorescent	Floor Lamp	3700	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx CSN
Maxlite	MaxLite	ML7G261xxxx	ML7G261xxxx		Residential	Fluorescent	Table Lamps	1850	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx
Maxlite	MaxLite	ML8G522xxxx	ML8G522xxxx		Residential	Fluorescent	Bath Vanity	3700	52	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx
Maxlite	MaxLite	ML8Gxxxxxxx	ML8Gxxxxxxx		Residential	Fluorescent	Bath Vanity	2400	32	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	xxxx 131E 393E
Maxlite	MaxLite	ML9G181xxxx	ML9G181xxxx		Residential	Fluorescent	Wall Sconces	1380	18	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	xxxx
Maxlite	MaxLite	ML9G261xxxx	ML9G261xxxx		Residential	Fluorescent	Wall Sconces	1850	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	xxxx CC/E TRW
Megalight Inc.	MegaLight	LED Downlight	DL6-600		Residential,Commercial	LED	Downlight Solid State Retrofit	626	13.7	N/A	N/A	0.95	3000K	81	35000	Continuous Dimming	
Minka Group	Minka Lavery	1420-281-PL	1420-281-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1420-84-PL	1420-84-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1421-84-PL	1421-84-PL		Residential	Fluorescent	Decorative Pendant	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1421-84-PL	1425-84-PL		Residential	Fluorescent	Chandelier	4000	59	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1422-84-PL	1422-84-PL		Residential	Fluorescent	Decorative Pendant	3200	47	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1424-84-PL	1424-84-PL		Residential	Fluorescent	Close to Ceiling Mount	2400	35	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	1426-84-PL	1426-84-PL		Residential	Fluorescent	Decorative Pendant	2400	35	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	341-172-PL	341-172-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	341-248-PL	341-248-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	341-357-PL	341-357-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	341-84-PL	341-84-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Minka Group	Minka Lavery	342-172-PL	342-172-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
= GLBK, I	3/7/2012	3/22/2012	United States, Canada	(26500) | ML2G231xxxx_12062012201221_4741136
= BTBZ, I, TRW	3/7/2012	3/22/2012	United States, Canada	(26500) | ML2G261xxxx_12062012201223_4743053
= CLSW	3/7/2012	3/22/2012	United States, Canada	(26500) | ML2G262xxxx_12062012201231_4751053
TRBR, I, TRNIBP, , TRWBP, Z	3/7/2012	3/22/2012	United States, Canada	(26500) | ML2G362xxxx_12062012201233_4753052
= CSAB, B/BP, CSNI, I/BP, WI	3/7/2012	3/22/2012	United States, Canada	(26500) | ML5G261xxxx_12062012201225_4745008
= CSAB, I, WI	3/7/2012	3/22/2012	United States, Canada	(26500) | ML6G522xxxx_12062012201235_4755111
= CT, DR	3/7/2012	3/22/2012	United States, Canada	(26500) | ML7G261xxxx_12062012201227_4747036
= RBNIBP	3/7/2012	3/22/2012	United States, Canada	(26500) | ML8G522xxxx_12062012201237_4757218
xxx = TBZ, TBZ	3/7/2012	3/22/2012	United States, Canada	(26500) | ML8Gxxxxxxx_12062012203959_6399636
= BTBZ	3/7/2012	3/22/2012	United States, Canada	(26500) | ML9G181xxxx_12062012201219_4739151
= ALWBP, P, TRNIBP, /BP	3/7/2012	3/22/2012	United States, Canada	(26500) | ML9G261xxxx_12062012201229_4749007
	7/1/2012	6/14/2012	United States	ES_104 1403_DL 6-600_121420121106 53_9811742
	9/7/2012	8/23/2012	United States	INC (16525) | 1420-281-PL_12062012202407_5447834
	9/7/2012	8/23/2012	United States	INC (16525) | 1420-84-PL_12062012202334_5414305
	9/7/2012	8/23/2012	United States	INC (16525) | 1421-84-PL_12062012202336_5416514
	9/7/2012	8/23/2012	United States	INC (16525) | 1425-84-PL_12062012202343_5423334
	9/7/2012	8/23/2012	United States	INC (16525) | 1422-84-PL_12062012202338_5418834
	9/7/2012	8/23/2012	United States	INC (16525) | 1424-84-PL_12062012202341_5421018
	9/7/2012	8/23/2012	United States	INC (16525) | 1426-84-PL_12062012202345_5425701
	9/7/2012	8/23/2012	United States	INC (16525) | 341-172-PL_12062012202354_5434320
	9/7/2012	8/23/2012	United States	INC (16525) | 341-248-PL_12062012202356_5436365
	9/7/2012	8/23/2012	United States	INC (16525) | 341-357-PL_12062012202316_5396392
	9/7/2012	8/23/2012	United States	INC (16525) | 341-84-PL_12062012202358_5438460
	9/7/2012	8/23/2012	United States	INC (16525) | 342-172-PL_12062012202400_5440556

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Minka Group	Minka Lavery	342-248-PL	342-248-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	342-357-PL	342-357-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	342-84-PL	342-84-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	368-PL	368-PL		Residential	Fluorescent	Wall Sconces	2760	32	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	370-PL	370-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	505-84-PL	505-84-PL		Residential	Fluorescent	Wall Sconces	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	5422-84-PL	5422-84-PL		Residential	Fluorescent	Bath Vanity	1600	23	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	5423-84-PL	5423-84-PL		Residential	Fluorescent	Bath Vanity	2400	35	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	5424-84-PL	5424-84-PL		Residential	Fluorescent	Bath Vanity	3200	47	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	62-84-PL	62-84-PL		Residential	Fluorescent	Decorative Pendant	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	63-84-PL	63-84-PL		Residential	Fluorescent	Decorative Pendant	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	66-84-PL	66-84-PL		Residential	Fluorescent	Decorative Pendant	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	866-44-PL	866-44-PL		Residential	Fluorescent	Ceiling Mount	800	11	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	867-44-PL	867-44-PL		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	893-84-PL	893-84-PL		Residential	Fluorescent	Ceiling Mount	2400	35	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
Minka Group	Minka Lavery	893-91-PL	893-91-PL		Residential	Fluorescent	Ceiling Mount	2400	35	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	79458		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	79459		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	79460		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	79461		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99831		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99832		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99833		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99834		Residential	Fluorescent	Other	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	9/7/2012	8/23/2012	United States	INC (10525) | 342-248-PL_12062012202402_5442647
	9/7/2012	8/23/2012	United States	INC (10525) | 342-357-PL_12062012202318_5398538
	9/7/2012	8/23/2012	United States	INC (10525) | 342-84-PL_12062012202404_5444820
	7/9/2012	7/10/2012	United States	INC (10525) | 368-PL_12062012202220_5340602
	9/7/2012	8/23/2012	United States	INC (10525) | 370-PL_12062012202320_5400613
	7/9/2012	7/10/2012	United States	INC (10525) | 505-84-PL_12062012202222_5342690
	9/7/2012	8/23/2012	United States	INC (10525) | 5422-84-PL_12062012202348_5428058
	9/7/2012	8/23/2012	United States	INC (10525) | 5423-84-PL_12062012202350_5430248
	9/7/2012	8/23/2012	United States	INC (10525) | 5424-84-PL_12062012202352_5432361
	9/7/2012	8/23/2012	United States	INC (10525) | 62-84-PL_12062012202310_5390267
	9/7/2012	8/23/2012	United States	INC (10525) | 63-84-PL_12062012202312_5392254
	9/7/2012	8/23/2012	United States	INC (10525) | 66-84-PL_12062012202314_5394321
	9/7/2012	8/23/2012	United States	INC (10525) | 866-44-PL_12062012202325_5405313
	9/7/2012	8/23/2012	United States	INC (10525) | 867-44-PL_12062012202327_5407671
	9/7/2012	8/23/2012	United States	INC (10525) | 893-84-PL_12062012202329_5409936
	9/7/2012	8/23/2012	United States	INC (10525) | 893-91-PL_12062012202332_5412175
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_794581128201201 4630_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_79459_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_79460_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_79461_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99831_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99832_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99833_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99834_11282012020224_9999999

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
MP Lighting	Paulmann	Living 2Easy	99835		Residential	Fluorescent	Close to Ceiling Mount	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99836		Residential	Fluorescent	Close to Ceiling Mount	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99837		Residential	Fluorescent	Close to Ceiling Mount	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99838		Residential	Fluorescent	Close to Ceiling Mount	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99839		Residential	Fluorescent	Wall Sconces	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
MP Lighting	Paulmann	Living 2Easy	99840		Residential	Fluorescent	Wall Sconces	900	12.0	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable
M-Tech International Corporation	Lumira	LM-4WW-10	LM-4WW-10	LM-4CW-10,LM-4CW-10,; LM-4HW-10,LM-4HW-10,	Residential,Commercial	LED	Downlight Solid State Retrofit	421	10	N/A	N/A	0.9	3000K	83	36000	Continuous Dimming
M-Tech International Corporation	Lumiraâ ¢ LED Lighting	LM-6WW-12	LM-6WW-12	LM-6HW-12,LM-6HW-12,	Residential,Commercial	LED	Downlight Solid State Retrofit	645	15	N/A	N/A	0.87	3000K	86	36000	Continuous Dimming, Type IC Airtight
Neo-Neon International Ltd	Neo-Neon	down light	B10881A (2700K)		Residential,Commercial	LED	Downlight Recessed	700	9.5	N/A	N/A	0.98	2700K	85	35000	Continuous Dimming
Neo-Neon International Ltd	Neo-Neon	down light	B10881A (3000K)		Residential,Commercial	LED	Downlight Recessed	700	9.5	N/A	N/A	0.98	3000K	85	35000	Continuous Dimming
Neo-Neon International Ltd	Neo-Neon, American lighting	B0611-(Cree lamp)	B0611-(Cree lamp)		Residential	LED	Downlight Solid State Retrofit	656	12	N/A	N/A	0.91	3000K	82	35000	Non-Dimmable
Neo-Neon International Ltd	Neo-Neon, American lighting	B0611-(Nichia lamp)	B0611-(Nichia lamp)		Residential	LED	Downlight Solid State Retrofit	605	13	N/A	N/A	0.91	3000K	85	35000	Non-Dimmable
Nicor Inc.	NICOR	DLR4-3K	DLR4-10-120V-3K-XX		Residential,Commercial	LED	Downlight Solid State Retrofit	533	11	N/A	N/A	0.95	3000K	83	36000	Continuous Dimming
Nicor Inc.	NICOR	DLR4-4K	DLR4-10-120V-4K-XX		Residential,Commercial	LED	Downlight Solid State Retrofit	584	11	N/A	N/A	0.95	4000/4100K	85	36000	Continuous Dimming
Nicor Inc.	NICOR	DLR4-5K	DLR4-10-120V-5K-XX		Residential,Commercial	LED	Downlight Solid State Retrofit	633	11	N/A	N/A	0.95	5000K	81	36000	Continuous Dimming
Nicor Inc.	NICOR	Maxcor DLR5-6	NSSLR-1-3-14-56-W		Residential,Commercial	LED	Downlight Solid State Retrofit	857	14	N/A	N/A	0.95	3000K	82	35000	Continuous Dimming
Nicor Inc.	NICOR	Maxcor DLR5-6	NSSLR-1-4-14-56-W		Residential,Commercial	LED	Downlight Solid State Retrofit	864	14	N/A	N/A	0.95	4000/4100K	83	35000	Continuous Dimming
Nicor Inc.	NICOR	Maxcor DLR5-6	NSSLR-1-5-14-56-W		Residential,Commercial	LED	Downlight Solid State Retrofit	907	14	N/A	N/A	0.95	5000K	80	35000	Continuous Dimming
Ningbo Utec Electric Co.,Ltd	LUTEC UME	6144-1-PHO	6144-1-PHO		Residential	LED	Inseparable SSL - Other	1644	19.3	N/A	N/A	0.99	Other		60000	Non-Dimmable
Ningbo Utec Electric Co.,Ltd	LUTEC UME	6144S-2-PIR	6144S-2-PIR		Residential	LED	Inseparable SSL - Other	1210	14.4	N/A	N/A	0.99	Other		60000	Non-Dimmable
Ningbo Utec Electric Co.,Ltd	LUTEC UME	6156-PIR	6156-PIR		Residential	LED	Inseparable SSL - Other	1182	15.4	N/A	N/A	0.99	Other		60000	Non-Dimmable
Ningbo Utec Electric Co.,Ltd	LUTEC UME	EXXXXXXXX	Characters may be used to make up the vendors model number.		Residential	LED	Inseparable SSL - Other	2349	33.0	N/A	N/A	0.99	Other		35000	Non-Dimmable
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56127XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56130XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99835_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99836_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99837_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99838_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99839_11282012020224_9999999
	1/1/2010	9/6/2012	United States, Canada	ES_1076817_99840_11282012020224_9999999
	3/1/2012	1/7/2013	United States, Taiwan, Japan, Canada	ES_1104903_LM-4WW-10_01042013210547_2683832
	7/8/2011	12/5/2012	United States, Taiwan, Japan, Canada	ES_1104903_LM-6WW-12_11282012150737_6110803
	8/10/2012	8/3/2012	United States	ES_1001570_BT0881A(2700K)_10032012142029_1122268
	8/10/2012	8/3/2012	United States	ES_1001570_BT0881A(3000K)_12142012110153_8616082
	2/15/2011	11/15/2011	United States, Canada	PB0011-(Cree lamp)_12062012213824_9904102
	2/15/2011	11/15/2011	United States, Canada	PB0011-(Nichia lamp)_12062012213822_9902250
	6/1/2012	7/13/2012	United States, Canada	DLR4-10-120V-3K-XX_12062012214611_0371056
	6/1/2012	7/13/2012	United States, Canada	DLR4-10-120V-4K-XX_12062012214612_0372975
	6/1/2012	7/13/2012	United States, Canada	DLR4-10-120V-5K-XX_12062012214614_0374835
	2/28/2012	12/14/2011	United States, Canada	NSSER-14-14-36-W_12062012213859_9939719
	2/28/2012	12/14/2011	United States, Canada	NSSER-14-14-36-W_12062012213901_9941621
	2/28/2012	12/14/2011	United States, Canada	NSSER-14-14-36-W_12062012213903_9943498
	12/25/2012	12/19/2012	United States, Canada	44-1-PHO_12192012132152_7680780
	12/25/2012	12/19/2012	United States, Canada	ES_1117277_0144S-2-PIR_12192012132712_3177453
	12/25/2012	12/19/2012	United States, Canada	ES_1117277_0156-PIR_12192012133139_7087518
	12/25/2012	12/19/2012	United States, Canada	model number._12192012115520_1310693
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56127XX_12062012214217_0137718
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56130XX_12062012214219_0139554

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56140XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56227XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56230XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-56240XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66127XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66130XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66140XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66227XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66230XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	LED Recess Downlight	NLEDX-66240XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NH8PU-12642/EL	NH8PU-12642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NH8PV-2642/EL	NH8PV-2642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHIC-6G24ATFL	NHIC-6G24ATFL		Residential	Fluorescent	Downlight Recessed	894	19	N/A	N/A	0.59	2700K	81	10000	Non-Dimmable, Type IC Airtight	
Nora Lighting	Nora Lighting	NHP-126EL	NHP-126EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP-226EL	NHP-226EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP26/2LEL	NHP26/2LEL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP-2642/EL	NHP-2642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP-26/EL	NHP-26/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP6-126/EL	NHP6-126/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP6-226/EL	NHP6-226/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP8U-12642/EL	NHP8U-12642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHP-926/2642EL	NHP-926/2642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC	
Nora Lighting	Nora Lighting	NHPIC-26ELAT	NHPIC-26ELAT		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type IC Airtight	
Nora Lighting	Nora Lighting	NHPIC-526ELAT	NHPIC-526ELAT		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type IC Airtight	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56140XX_12062012214221_0141444
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56227XX_12062012214223_0143323
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56230XX_12062012214225_0145209
	1/1/2012	5/8/2012	United States	(144030) NLEDX-56240XX_12062012214227_0147931
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66127XX_12062012214229_0149696
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66130XX_12062012214231_0151471
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66140XX_12062012214233_0153303
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66227XX_12062012214235_0155049
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66230XX_12062012214236_0156935
	1/1/2012	5/8/2012	United States	(144030) NLEDX-66240XX_12062012214238_0158672
	1/1/2012	1/13/2013	United States	(144030) NH8PU-12642/EL_01132013221845_5525377
	1/1/2012	1/13/2013	United States	(144030) NH8PV-2642/EL_01132013222010_5610505
	1/1/2012	12/9/2012	United States	(144030) NHIC-6G24ATFL_12092012202241_4561346
	1/1/2012	1/13/2013	United States	(144030) NHP-126EL_01132013222127_5687738
	1/1/2012	1/13/2013	United States	(144030) NHP-226EL_01132013222153_5713720
	1/1/2012	1/13/2013	United States	(144030) NHP26/2LEL_01132013222217_5737981
	1/1/2012	1/13/2013	United States	(144030) NHP-2642/EL_01132013222250_5770152
	1/1/2012	1/13/2013	United States	(144030) NHP-26/EL_01132013222322_5802640
	1/1/2012	1/13/2013	United States	(144030) NHP6-126/EL_01132013222736_6056738
	1/1/2012	1/13/2013	United States	(144030) NHP6-226/EL_01132013222815_6095395
	1/1/2012	1/13/2013	United States	(144030) NHP8U-12642/EL_01132013221929_5569515
	1/1/2012	1/13/2013	United States	(144030) NHP-926/2642EL_01132013222851_6131482
	1/1/2012	1/13/2013	United States	(144030) NHPIC-26ELAT_01132013224654_7214959
	1/1/2012	1/13/2013	United States	(144030) NHPIC-526ELAT_01132013224818_7298914

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Nora Lighting	Nora Lighting	NHPT-2642EL	NHPT-2642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHPT6-2642/EL	NHPT6-2642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHPV-2642/EL	NHPV-2642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHPV-82642/EL	NHPV-82642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRIC-6G24ATFL	NHRIC-6G24ATFL		Residential	Fluorescent	Downlight Recessed	894	19	N/A	N/A	0.59	2700K	81	10000	Non-Dimmable, Type IC Airtight
Nora Lighting	Nora Lighting	NHRP-26/2LEL	NHRP-26/2LEL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRP-2642/EL	NHRP-2642/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRP-26/EL	NHRP-26/EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRP6-126EL	NHRP6-126EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRP8U-12642EL	NHRP8U-12642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRP-926/2642EL	NHRP-926/2642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRPIC-26ELAT	NHRPIC-26ELAT		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type IC Airtight
Nora Lighting	Nora Lighting	NHRPIC-526ELAT	NHRPIC-526ELAT		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type IC Airtight
Nora Lighting	Nora Lighting	NHRPT6-2642EL	NHRPT6-2642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRPV-62642EL	NHRPV-62642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NHRPV-82642EL	NHRPV-82642EL		Residential,Commercial	Fluorescent	Downlight Recessed	1200	28	N/A	N/A	0.99	4000/4100K	80	10000	Non-Dimmable, Type Non-IC
Nora Lighting	Nora Lighting	NLEDC-56227WW	NLEDC-56227WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-56227XX	NLEDC-56227XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-56230WW	NLEDC-56230WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-56230XX	NLEDC-56230XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-56240WW	NLEDC-56240WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-56240XX	NLEDC-56240XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-58127WW	NLEDC-58127WW		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDC-58127XX	NLEDC-58127XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	1/13/2013	United States	(144030) NHPT-2642EL_01132013225113_7473026
	1/1/2012	1/13/2013	United States	(144030) NHPT6-2642/EL_01132013225311_7591566
	1/1/2012	1/13/2013	United States	(144030) NHPV-2642/EL_01132013225346_7626453
	1/1/2012	1/13/2013	United States	(144030) NHPV-82642/EL_01132013222047_5647477
	1/1/2012	12/9/2012	United States	(144030) NHRIC-6G24ATFL_12092012202353_4633981
	1/1/2012	1/13/2013	United States	(144030) NHRP-26/2LEL_01132013222349_5829216
	1/1/2012	1/13/2013	United States	(144030) NHRP-2642/EL_01132013222425_5865895
	1/1/2012	1/13/2013	United States	(144030) NHRP-26/EL_01132013222701_6021349
	1/1/2012	1/13/2013	United States	(144030) NHRP6-126EL_01132013225516_7716321
	1/1/2012	1/13/2013	United States	(144030) NHRP8U-12642EL_01132013225417_7657548
	1/1/2012	1/13/2013	United States	(144030) NHRP-926/2642EL_01132013222928_6168243
	1/1/2012	1/13/2013	United States	(144030) NHRPIC-26ELAT_01132013224742_7262121
	1/1/2012	1/13/2013	United States	(144030) NHRPIC-526ELAT_01132013224850_7330151
	1/1/2012	1/13/2013	United States	(144030) NHRPT6-2642EL_01132013225448_7688039
	1/1/2012	1/13/2013	United States	(144030) NHRPV-62642EL_01132013225544_7744765
	1/1/2012	1/13/2013	United States	(144030) NHRPV-82642EL_01132013225610_7770605
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56227WW_12062012214251_0171473
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56227XX_12062012214253_0173315
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56230WW_12062012214255_0175095
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56230XX_12062012214256_0176904
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56240WW_12062012214258_0178778
	1/1/2012	5/8/2012	United States	(144030) NLEDC-56240XX_12062012214300_0180592
	1/1/2012	4/18/2012	United States	(144030) NLEDC-58127WW_12062012214358_0238784
	1/1/2012	4/18/2012	United States	(144030) NLEDC-58127XX_12062012214400_0240599

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Nora Lighting	Nora Lighting	NLEDC-58130WW	NLEDC-58130WW		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58130XX	NLEDC-58130XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58140WW	NLEDC-58140WW		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58140XX	NLEDC-58140XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58227WW	NLEDC-58227WW		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58227XX	NLEDC-58227XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58230WW	NLEDC-58230WW		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58230XX	NLEDC-58230XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58240WW	NLEDC-58240WW		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-58240XX	NLEDC-58240XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66127WW	NLEDC-66127WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66127XX	NLEDC-66127XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66130WW	NLEDC-66130WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66130XX	NLEDC-66130XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66140WW	NLEDC-66140WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66140XX	NLEDC-66140XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66227WW	NLEDC-66227WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66227XX	NLEDC-66227XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66230WW	NLEDC-66230WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66230XX	NLEDC-66230XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66240WW	NLEDC-66240WW		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-66240XX	NLEDC-66240XX		Residential,Commercial	LED	Downlight Recessed	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68127WW	NLEDC-68127WW		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68127XX	NLEDC-68127XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58130WW_12062012214402_0242484
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58130XX_12062012214404_0244316
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58140WW_12062012214406_0246097
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58140XX_12062012214407_0247952
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58227WW_12062012214421_0261038
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58227XX_12062012214422_0262951
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58230WW_12062012214424_0264848
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58230XX_12062012214426_0266725
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58240WW_12062012214428_0268575
	1/1/2012	4/18/2012	United States	(144035) NLEDC-58240XX_12062012214430_0270487
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66127WW_12062012214313_0193860
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66127XX_12062012214315_0195787
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66130WW_12062012214317_0197716
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66130XX_12062012214319_0199622
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66140WW_12062012214321_0201490
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66140XX_12062012214323_0203359
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66227WW_12062012214337_0217154
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66227XX_12062012214338_0218924
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66230WW_12062012214340_0220728
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66230XX_12062012214342_0222577
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66240WW_12062012214344_0224402
	1/1/2012	5/8/2012	United States	(144035) NLEDC-66240XX_12062012214346_0226198
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68127WW_12062012214444_0284130
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68127XX_12062012214445_0285987

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Nora Lighting	Nora Lighting	NLEDC-68130WW	NLEDC-68130WW		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68130XX	NLEDC-68130XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68140WW	NLEDC-68140WW		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68140XX	NLEDC-68140XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68227WW	NLEDC-68227WW		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68227XX	NLEDC-68227XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68230WW	NLEDC-68230WW		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68230XX	NLEDC-68230XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68240WW	NLEDC-68240WW		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDC-68240XX	NLEDC-68240XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-46127xx	NLEDR-46127xx	NLEDR-46140xx,NLEDR-46140xx,; NLEDR-46227xx,NLEDR-46227xx,; NLEDR-46230xx,NLEDR-46230xx,; NLEDR-46240xx,NLEDR-46240xx,	Residential,Commercial	LED	Downlight Solid State Retrofit	576	11	N/A	N/A	0.9	2700K	92	35000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56227WW	NLEDR-56227WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56227XX	NLEDR-56227XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56230WW	NLEDR-56230WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56230XX	NLEDR-56230XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56240WW	NLEDR-56240WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-56240XX	NLEDR-56240XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58127WW	NLEDR-58127WW		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58127XX	NLEDR-58127XX		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58130WW	NLEDR-58130WW		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58130XX	NLEDR-58130XX		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58140WW	NLEDR-58140WW		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58140XX	NLEDR-58140XX		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-58227WW	NLEDR-58227WW		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68130WW_12062012214447_0287819
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68130XX_12062012214449_0289721
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68140WW_12062012214451_0291549
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68140XX_12062012214453_0293330
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68227WW_12062012214506_0306284
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68227XX_12062012214508_0308124
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68230WW_12062012214509_0309927
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68230XX_12062012214511_0311783
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68240WW_12062012214513_0313625
	1/1/2012	4/18/2012	United States	(144035) NLEDC-68240XX_12062012214515_0315439
	9/1/2011	1/4/2013	United States, Canada	ES_1030003_NLEDR-46127xx_01032013145757_3325311
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56227WW_12062012214240_0160411
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56227XX_12062012214242_0162255
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56230WW_12062012214244_0164071
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56230XX_12062012214245_0165899
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56240WW_12062012214247_0167739
	1/1/2012	5/8/2012	United States	(144035) NLEDR-56240XX_12062012214249_0169569
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58127WW_12062012214347_0227982
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58127XX_12062012214349_0229779
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58130WW_12062012214351_0231641
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58130XX_12062012214353_0233482
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58140WW_12062012214355_0235235
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58140XX_12062012214357_0237025
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58227WW_12062012214409_0249780

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)
Nora Lighting	Nora Lighting	NLEDR-58227XX	NLEDR-58227XX		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-58230WW	NLEDR-58230WW		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-58230XX	NLEDR-58230XX		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-58240WW	NLEDR-58240WW		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-58240XX	NLEDR-58240XX		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66127WW	NLEDR-66127WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66127XX	NLEDR-66127XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66130WW	NLEDR-66130WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66130XX	NLEDR-66130XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66140WW	NLEDR-66140WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66140XX	NLEDR-66140XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66227WW	NLEDR-66227WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66227XX	NLEDR-66227XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	2700K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66230WW	NLEDR-66230WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66230XX	NLEDR-66230XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	3000K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66240WW	NLEDR-66240WW		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-66240XX	NLEDR-66240XX		Residential,Commercial	LED	Downlight Solid State Retrofit	617	10	N/A	N/A	0.91	4000/4100K	80	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68127WW	NLEDR-68127WW		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68127XX	NLEDR-68127XX		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68130WW	NLEDR-68130WW		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68130XX	NLEDR-68130XX		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68140WW	NLEDR-68140WW		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68140XX	NLEDR-68140XX		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming
Nora Lighting	Nora Lighting	NLEDR-68227WW	NLEDR-68227WW		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58227XX_12062012214411_0251650
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58230WW_12062012214413_0253478
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58230XX_12062012214415_0255297
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58240WW_12062012214417_0257213
	1/1/2012	4/18/2012	United States	(144035) NLEDR-58240XX_12062012214419_0259078
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66127WW_12062012214302_0182459
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66127XX_12062012214304_0184287
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66130WW_12062012214306_0186176
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66130XX_12062012214308_0188096
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66140WW_12062012214309_0189996
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66140XX_12062012214311_0191937
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66227WW_12062012214325_0205221
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66227XX_12062012214327_0207153
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66230WW_12062012214329_0209064
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66230XX_12062012214330_0210957
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66240WW_12062012214333_0213605
	1/1/2012	5/8/2012	United States	(144035) NLEDR-66240XX_12062012214335_0215337
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68127WW_12062012214432_0272363
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68127XX_12062012214434_0274258
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68130WW_12062012214436_0276133
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68130XX_12062012214438_0278809
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68140WW_12062012214440_0280562
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68140XX_12062012214442_0282342
	1/1/2012	4/18/2012	United States	(144035) NLEDR-68227WW_12062012214455_0295084

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Nora Lighting	Nora Lighting	NLEDR-68227XX	NLEDR-68227XX		Residential,Commercial	LED	Downlight Solid State Retrofit	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-68230WW	NLEDR-68230WW		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-68230XX	NLEDR-68230XX		Residential,Commercial	LED	Downlight Solid State Retrofit	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-68240WW	NLEDR-68240WW		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDR-68240XX	NLEDR-68240XX		Residential,Commercial	LED	Downlight Solid State Retrofit	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58127XX	NLEDX-58127XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58130XX	NLEDX-58130XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58140XX	NLEDX-58140XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58227XX	NLEDX-58227XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58230XX	NLEDX-58230XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-58240XX	NLEDX-58240XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68127XX	NLEDX-68127XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68130XX	NLEDX-68130XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68140XX	NLEDX-68140XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68227XX	NLEDX-68227XX		Residential,Commercial	LED	Downlight Recessed	903	15	N/A	N/A	0.98	2700K	90	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68230XX	NLEDX-68230XX		Residential,Commercial	LED	Downlight Recessed	970	14	N/A	N/A	0.95	3000K	93	36000	Continuous Dimming	
Nora Lighting	Nora Lighting	NLEDX-68240XX	NLEDX-68240XX		Residential,Commercial	LED	Downlight Recessed	959	14	N/A	N/A	0.98	4000/4100K	91	36000	Continuous Dimming	
Noribachi	Noribachi	L-I-DLS-021-A-WW-MT-XX-Y	L-I-DLS-021-A-WW-MT-XX-Y		Residential,Commercial	LED	Downlight Surface Mount	1155	26	N/A	N/A	0.9	3500K	82	36000	Non-Dimmable	F=Fr C=Cl Lens
OSRAM SYLVANIA	Osram	LED/550/RT4/830/FL80/WTR/WRFL/OSRAM	707020		Residential,Commercial	LED	Downlight Solid State Retrofit	555	9	N/A	N/A	1	3000K	83	50000	Continuous Dimming	
OSRAM SYLVANIA	Sylvania	70664 LED/550/RT4/830/FL80/WRFL/WTR/HVP	70664 LED/550/RT4/830/FL80/WRFL/WTR/HVP	70659 LED/550/RT4/830/FL80/WRFL/WTR/BOX,; 70664 LED/550/RT4/830/FL80/WRFL/WTR/HVP/OSL,70664 LED/550/RT4/830/FL80/WRFL/WTR/HVP/OSL,	Residential	LED	Downlight Solid State Retrofit	512	8	N/A	N/A	0.8	3000K	83	35000	Non-Dimmable	
OSRAM SYLVANIA	Sylvania	70666 LED/550/RT4/827/FL80/WRFL/WTR/BOX	70666 LED/550/RT4/827/FL80/WRFL/WTR/BOX		Residential,Commercial	LED	Downlight Solid State Retrofit	559	9	N/A	N/A	1	2700K	81	50000	Continuous Dimming	
OSRAM SYLVANIA	Sylvania	LED/550/RT4/830/FL80/WRFL/WTR/BOX	LED/550/RT4/830/FL80/WRFL/WTR/BOX		Residential,Commercial	LED	Downlight Solid State Retrofit	555	9	N/A	N/A	1	3000K	83	50000	Continuous Dimming	
OSRAM SYLVANIA	Sylvania	LED/625/RT5/827/FL80/WRFL/WTR/BOX	LED/625/RT5/827/FL80/WRFL/WTR/BOX	LED/625/RT5/830/FL80/WRFL/WTR/BOX,LED/625/RT5/830/FL80/WRFL/WTR/BOX,	Residential,Commercial	LED	Downlight Solid State Retrofit	610	10.4	N/A	N/A	1	2700K	82	55200	Continuous Dimming	
OSRAM SYLVANIA	Sylvania	LED/625/RT6/827/FL80/WRFLWTR/BOX	70654		Residential,Commercial	LED	Downlight Solid State Retrofit	621	10.4	N/A	N/A	0.9	2700K	82	50000	Continuous Dimming	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	4/18/2012	United States	(144030) NLEDR-68227X X_12062012214 456_0296920
	1/1/2012	4/18/2012	United States	(144030) NLEDR-68230W W_12062012214 458_0298724
	1/1/2012	4/18/2012	United States	(144030) NLEDR-68230X X_12062012214 500_0300546
	1/1/2012	4/18/2012	United States	(144030) NLEDR-68240W W_12062012214 502_0302576
	1/1/2012	4/18/2012	United States	(144030) NLEDR-68240X X_12062012214 504_0304464
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58127X X_12062012214 135_0095298
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58130X X_12062012214 137_0097071
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58140X X_12062012214 138_0098834
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58227X X_12062012214 140_0100568
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58230X X_12062012214 142_0102388
	1/1/2012	4/18/2012	United States	(144030) NLEDX-58240X X_12062012214 144_0104506
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68127X X_12062012214 155_0115415
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68130X X_12062012214 157_0117235
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68140X X_12062012214 159_0119042
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68227X X_12062012214 200_0120836
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68230X X_12062012214 202_0122691
	1/1/2012	4/24/2012	United States	(144030) NLEDX-68240X X_12062012214 204_0124587
5 THE(1): osted; ear; N=No .	7/1/2011	1/9/2013	United States, Europe, Canada	I-DLC-021-A-WW-MT-XX-Y_01092013155 007_2591058
	3/1/2011	1/4/2013	United States, Europe, Canada	ES_1018393_70 7020_01022013 142713_468471 7
	3/1/2011	1/4/2013	United States, Europe, Canada	(144030) LED/ WRFL/WTR/ HVP_122820121 52222_4224206
	3/1/2011	1/4/2013	United States, Europe, Canada	WRFL/WTR/ BOX_12282012 145820_883770 1
	3/1/2011	1/4/2013	United States, Europe, Canada	WTR/ BOX_01022013 142712_922588 5
	3/1/2011	1/7/2013	United States, Canada	WTR/ BOX_01052013 123307_106746 8
	3/1/2011	1/4/2013	United States, Europe, Canada	ES_1018393_70 654_010220131 43623_9633752

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
OSRAM SYLVANIA	Sylvania	LED/700/ RT6/830/FL80/ WRFL/WTR	LED/700/ RT6/830/FL80/ WRFL/WTR	LED/600/RT4/830/FL80/WRFL/WTR,LED/600/RT4/830/ FL80/WRFL/WTR,; LED/700/RT6/830/FL80/WRFL/WTR/ RP,LED/700/RT6/830/FL80/WRFL/WTR/RP,	Residential	LED	Downlight Solid State Retrofit	614	9.3	N/A	N/A	1	3000K	82	33000	Continuous Dimming	
OSRAM SYLVANIA	Sylvania	LED/900/LD/ 830/FL120/RP	LED/900/LD/ 830/FL120/RP		Residential,Com mercial	LED	Downlight Solid State Retrofit	934	12.7	N/A	N/A	0.96	3000K	81	36000	Continuous Dimming	
Philips Capri	Philips Capri	CRL4K-G1-6-27K-***	CRL4K-G1-6-27K-***		Residential,Com mercial	LED	Downlight Solid State Retrofit	592	13	N/A	N/A	0.95	2700K	81	54000	Continuous Dimming	SL,B M,M TBZ
Philips Capri	Philips Capri	CRL4K-G1-6-35K-BLK	CRL4K-G1-6-35K-BLK	CRL4K-G1-6-35K,CRL4K-G1-6-35K,; CRL4K-G1-6-35K-***,CRL4K-G1-6-35K-***,	Residential,Com mercial	LED	Downlight Solid State Retrofit	626	12	N/A	N/A	0.9	3500K	85	54000	Continuous Dimming	
Philips Capri	Philips Capri	CRL5K-G1-6-35K-CRL5R-BLK	CRL5K-G1-6-35K-CRL5R-BLK	CRL5K-G1-6-35K-CRL5*-***,CRL5K-G1-6-35K-CRL5*-***,	Residential,Com mercial	LED	Downlight Solid State Retrofit	594	11	N/A	N/A	0.9	3500K	86	54000	Continuous Dimming	
Philips Capri	Philips Capri	CRL6K-G2-6-27K-CRL6B-WHT	CRL6K-G2-6-27K-CRL6B-WHT	CRL6K-G2-6-27K-CRL6R-xxx,CRL6K-G2-6-27K-CRL6R-xxx,	Residential,Com mercial	LED	Downlight Solid State Retrofit	594	12.7	N/A	N/A	0.9	2700K	82	36000	Continuous Dimming	insep
Philips Capri	Philips Capri	CRL6K-G2-6-35K-CRL6B-WHT	CRL6K-G2-6-35K-CRL6B-WHT	CRL6K-G2-6-35K-CRL6R-xxx,CRL6K-G2-6-35K-CRL6R-xxx,	Residential,Com mercial	LED	Downlight Solid State Retrofit	649	11	N/A	N/A	0.9	3500K	86	36000	Continuous Dimming	
Philips Lighting Company	AmbientLED; EnduraLED	9290002078	9290002078		Residential	LED	Downlight Recessed	860	14	N/A	N/A	0.7	2700K	85	45000	Continuous Dimming	
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	350-000006-00	350-000006-00	350-000006-11,350-000006-11,; 350-000006-12,350-000006-12,; 350-000006-13,350-000006-13,; 350-000006-14,350-000006-14,	Residential	LED	Under Cabinet	173	3.3	N/A	N/A	0.8	2700K	80	36000	Non-Dimmable	
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	350-000006-05	350-000006-05	350-000006-16,350-000006-16,; 350-000006-17,350-000006-17,; 350-000006-18,350-000006-18,; 350-000006-19,350-000006-19,	Residential	LED	Under Cabinet	173	3.3	N/A	N/A	0.8	4000/4100K	80	36000	Non-Dimmable	Only Drive Num 523-
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	eW Downlight Powercore 30 Degree, 2700K	523-000009-14		Residential,Com mercial	LED	Downlight Surface Mount	779	14	N/A	N/A	0.98	2700K	82	35000	Continuous Dimming	quali with Mode 523-
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	eW Downlight Powercore 30 Degree, 3000K	523-000009-15		Residential,Com mercial	LED	Downlight Surface Mount	796	14	N/A	N/A	0.98	3000K	82	35000	Continuous Dimming	quali with Mode 523-
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	eW Downlight Powercore 30 Degree, 3500K	523-000009-16		Residential,Com mercial	LED	Downlight Surface Mount	807	14	N/A	N/A	0.98	3500K	83	35000	Continuous Dimming	quali with Mode 523-
Philips Solid-State Lighting Solutions, Inc.	Philips Color Kinetics	eW Downlight Powercore 30 Degree, 4000K	523-000009-17		Residential,Com mercial	LED	Downlight Surface Mount	859	14	N/A	N/A	0.98	4000/4100K	83	35000	Continuous Dimming	quali with Mode 523-
Prescolite, Inc.	Prescolite	LB4LEDA30KkWH	LB4LEDA30KkWH		Residential	LED	Downlight Solid State Retrofit	557	8.8	N/A	N/A	1	3000K	83	33000	Continuous Dimming	
Prescolite, Inc.	Prescolite	LB6LEDA30KWH	LB6LEDA30KWH		Residential,Com mercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	3000K	85	60000	Continuous Dimming	
Prescolite, Inc.	Prescolite	LB6LEDA35KWH	LB6LEDA35KWH		Residential,Com mercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	3500K	85	60000	Continuous Dimming	
Prescolite, Inc.	Prescolite	LB6LEDA40KWH	LB6LEDA40KWH		Residential,Com mercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	4000/4100K	85	60000	Continuous Dimming	
Prescolite, Inc.	Prescolite	LB6LEDA50KWH	LB6LEDA50KWH		Residential,Com mercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	5000K	85	60000	Continuous Dimming	
PRISM Co., Ltd.	Prism	TL-4100	TL-4100	TL-4200,TL-4200,; TL-4300,TL-4300,; TL-4400,TL-4400,; TL-4500,TL-4500,; TL-4600,TL-4600,; TL-4700,TL-4700,; TL-4800,TL-4800,	Commercial	LED	Portable Desk Task Light	433	8.4	N/A	N/A	0.9	3500K	84	36000	Continuous Dimming	
Progress Lighting	Progress	P8080-28/30KS TR2	P8080-28/30KS TR2		Residential	LED	Downlight Solid State Retrofit	557	8.8	N/A	N/A	1	3000K	83	33000	Continuous Dimming	
Progress Lighting	Progress Lighting	P3719-xxWB	P3719-xxWB		Residential	Fluorescent	Ceiling Mount	1800	27	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7044-xxxxEBWB	P7044-xxxxEBWB		Residential	Fluorescent	Wall Sconces	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7230-15EB	P7230-15EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.9	2700K	81	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	5/1/2012	1/7/2013	United States, Canada	WTR_010520131215098078058
	12/7/2012	12/28/2012	United States, Canada	FL120/RP_12062012194757_7678186
RZ,RCP,SP CA, CBN, or finishes	3/1/2012	1/4/2013	United States, Canada	RL4K-G1-6-27K-***_01032013154155_5882379
	3/1/2012	1/4/2013	United States, Canada	RL4K-G1-6-35K-BLK_01032013154638_9979364
	3/1/2012	1/9/2013	United States, Canada	CRL5R-BLK_01092013160500_6260797
arable	9/15/2011	1/4/2013	United States, Canada	WHT_01032013144149_7045099
	9/15/2011	1/4/2013	United States, Canada	WHT_01032013145102_1970788
	7/18/2012	1/7/2013	United States, Canada	90002078_01072013143840_9713403
	3/1/2012	1/7/2013	United States	0-000006-00_01042013140618_4778253
	3/1/2012	1/7/2013	United States	0-000006-05_01042013152828_9559900
with the r Model ber 000010-00.	3/1/2012	2/9/2012	United States, Canada	523-000009-14_12062012214003_0003398
ned only the Driver el Number 000010-00.	3/1/2012	2/9/2012	United States, Canada	523-000009-16_12062012214049_0049504
ned only the Driver el Number 000010-00.	3/1/2012	2/9/2012	United States, Canada	523-000009-17_12062012214051_0051344
	7/1/2012	1/7/2013	United States, Canada	4LEDA30KkWH_01052013123859_4461938
	3/1/2012	1/25/2012	United States, Canada	6LEDA30KWH12202012123423_9999999
	3/1/2012	1/25/2012	United States, Canada	6LEDA35KWH12202012123425_9999999
	3/1/2012	1/25/2012	United States, Canada	6LEDA40KWH12202012123424_9999999
	3/1/2012	1/25/2012	United States, Canada	6LEDA50KWH12202012123414_9999999
	10/1/2011	1/7/2013	United States	-4100_01042013155330_8727990
	7/1/2012	1/7/2013	United States, Canada	0-28/30KSTR2_01052013124148_9565393
ble X can dded or ped from og number	6/15/2012	12/13/2012	United States, Canada	xxWB_12132012194602_7962897
ble X can dded or ped from og number	6/15/2012	10/4/2012	United States, Canada	xxxxEBWB_12062012202224_5344663
ble X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	P7230-15EB_12062012202226_5346687

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Progress Lighting	Progress Lighting	P7231-15EB	P7231-15EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.9	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7232-15EB	P7232-15EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.9	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7265-30EB	P7265-30EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7266-30EB	P7266-30EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7267-30EB	P7267-30EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7268-30EB	P7268-30EB		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.5	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7337-xxxxEBWB	P7337-xxxxEBWB		Residential	Fluorescent	Ceiling Mount	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7338-xxxxEBWB	P7338-xxxxEBWB		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P7339-xxxxEBWB	P7339-xxxxEBWB		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Progress Lighting	Progress Lighting	P8071 Series	P8071-28/30KS TR2		Residential,Commercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	3000K	85	60000	Continuous Dimming	
Progress Lighting	Progress Lighting	P8071 Series	P8071-28/35KS TR2		Residential,Commercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	3500K	85	60000	Continuous Dimming	
Progress Lighting	Progress Lighting	P8071 Series	P8071-28/40KS TR2		Residential,Commercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	4000/4100K	85	60000	Continuous Dimming	
Progress Lighting	Progress Lighting	P8071 Series	P8071-28/50KS TR2		Residential,Commercial	LED	Downlight Solid State Retrofit	691	13.5	N/A	N/A	0.96	5000K	85	60000	Continuous Dimming	
Quicklite Electrical Co., Ltd.	YUXING	LED Recessed Downlight	4H9W(RTLED/RETRO/4/D-50)		Residential	LED	Downlight Recessed	555	9	N/A	N/A	0.88	3000K	84	35000	Non-Dimmable	
Quicklite Electrical Co., Ltd.	YUXING	LED Recessed Downlight	6H14W(RTLED/RETRO/6/D-50)		Residential	LED	Downlight Recessed	959	14	N/A	N/A	0.85	3000K	84	35000	Non-Dimmable	
Quorum International	Oxygen Lighting	2-5898-XX	2-5898-XX		Residential	Fluorescent	Wall Sconces	900	13.8	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Rayon Lighting Group, Inc.	Rayon Lighting	RFL3-12W	RFL3-12W	RFL4-12W,RFL4-12W,; RFL5-12W,RFL5-12W,	Residential,Commercial	LED	Downlight Solid State Retrofit	579	12	N/A	N/A	0.9	3000K	81	36000	Continuous Dimming	
Rayon Lighting Group, Inc.	Rayon Lighting	RFL5-17W	RFL5-17W	RFL4-17W,RFL4-17W,; RFL6-172W,RFL6-172W,	Residential,Commercial	LED	Downlight Solid State Retrofit	782	16	N/A	N/A	1	3000K	81	36000	Continuous Dimming	
Royal Pacific Ltd.	Royal Pacific Ltd	Recessed Luminaires	8123HAQ-E2327		Residential	Fluorescent	Downlight Recessed	1055	20.7	N/A	N/A	0.54	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-2205	60-2205	60-2526,60-2526,; 60-2529,60-2529,; 60-3905,60-3905,; 60-3906,60-3906,; 60-3925,60-3925,; 60-3926,60-3926,; 60-3941,60-3941,; 60-3942,60-3942,; 60-3943,60-3943,; 60-3944,60-3944,; 60-3945,60-3945,; 60-3946,60-3946,	Residential	Fluorescent	Porch (wall mounted)	800	13	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-2207	60-2207	60-2208,60-2208,; 60-2209,60-2209,	Residential	Fluorescent	Porch (wall mounted)	800	13	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-2502	60-2502	60-2525,60-2525,; 60-2526,60-2526,; 60-3903,60-3903,; 60-3904,60-3904,; 60-3923,60-3923,; 60-3924,60-3924,; 60-4981,60-4981,; 60-4982,60-4982,; 60-4983,60-4983,; 60-4991,60-4991,; 60-4992,60-4992,; 60-4993,60-4993,	Residential	Fluorescent	Porch (wall mounted)	1200	18	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-2524	60-2524	60-2504,60-2504,; 60-2521,60-2521,; 60-3928,60-3928,; 60-4997,60-4997,; 60-4998,60-4998,; 60-4999,60-4999,	Residential	Fluorescent	Pendant	1200	18	N/A	N/A	0.6	2700K		10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-2561	60-2561	60-2431,60-2431,; 60-2473,60-2473,; 60-2493,60-2493,	Residential	Fluorescent	Chandelier	4800	72	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7231-15EB_12062012202228_5348674
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7232-15EB_12062012202230_5350705
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7265-30EB_12062012202232_5352743
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7266-30EB_12062012202234_5354801
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7267-30EB_12062012202236_5356897
ible X can dded or ped from og number	6/15/2012	10/8/2012	United States, Canada	(10439) | P7268-30EB_12062012202239_5359016
ible X can dded or ped from og number	6/15/2012	7/13/2012	United States, Canada	(10439) | P7357-xxxxEBWB_12062012200554_4354805
ible X can dded or ped from og number	6/15/2012	7/13/2012	United States, Canada	(10439) | P7358-xxxxEBWB_12062012200556_4356806
ible X can dded or ped from og number	6/15/2012	7/13/2012	United States, Canada	(10439) | P7359-xxxxEBWB_12062012200558_4358676
	3/1/2012	1/25/2012	United States, Canada	ES_10710710_P8071-28/30KSTR2122020121234 33_9999999
	3/1/2012	1/25/2012	United States, Canada	ES_10710710_P8071-28/35KSTR2122020121234 27_9999999
	12/7/2012	12/11/2012	United States, Canada	ES_10710710_P8071-28/40KSTR2122020121234 22_9999999
	3/1/2012	1/25/2012	United States, Canada	ES_10710710_P8071-28/50KSTR2122020121234 23_9999999
	12/7/2012	12/11/2012	United States, Canada	9W(KYLEE/RETRO/4/D-50)_12192012125100_5066190
	12/7/2012	12/11/2012	United States, Canada	14W(KYLEE/RETRO/6/D-50)_12192012125135_7321809
	11/1/2011	1/11/2013	United States, Canada	ES_1005155_2-5898-XX_01072013160120_2691766
	1/1/2012	1/7/2013	United States, Canada	ES_1120009_KFL3-12W_01072013155959_3469049
	1/1/2012	1/7/2013	United States, Canada	ES_1120009_KFL5-17W_01072013155743_3931848
	11/23/2012	11/26/2012	United States, Canada	23HAQ-E2327_12192012161058_1452386
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2205_01072013153416_8746606
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2207_01072013154452_6236078
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2502_01102013075109_4985315
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2524_01102013080329_1800805
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2561_01082013134420_8497735

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
SATCO/NUVO	NUVO	60-2941	60-2941	60-2942,60-2942,; 60-2943,60-2943,; 60-3114,60-3114,; 60-3135,60-3135,; 60-3201,60-3201,; 60-3314,60-3314,; 60-3365,60-3365,; 60-916,60-916,	Residential	Fluorescent	Ceiling Mount	1200	18	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-3309	60-3309	60-3199,60-3199,; 60-3364,60-3364,	Residential	Fluorescent	Chandelier	1200	18	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-3875	60-3875	60-2402,60-2402,; 60-3871,60-3871,; 60-3872,60-3872,	Residential	Fluorescent	Chandelier	3600	54	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-3907	60-3907	60-2544,60-2544,; 60-2545,60-2545,; 60-2546,60-2546,; 60-2547,60-2547,; 60-2548,60-2548,; 60-2551,60-2551,; 60-2552,60-2552,; 60-2553,60-2553,; 60-2554,60-2554,; 60-3927,60-3927,	Residential	Fluorescent	Ceiling Mount	1600	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-465	60-465	60-2405,60-2405,	Residential	Fluorescent	Chandelier	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-561	60-561	60-564,60-564,; 60-565,60-565,; 60-566,60-566,; 60-567,60-567,; 60-568,60-568,; 60-569,60-569,; 60-572,60-572,; 60-573,60-573,	Residential	Fluorescent	Ceiling Mount	800	13	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-931	60-931	60-2419,60-2419,; 60-907,60-907,; 60-919,60-919,; 60-923,60-923,; 60-944,60-944,; 60-945,60-945,; 60-946,60-946,; 60-947,60-947,; 60-948,60-948,; 60-949,60-949,	Residential	Fluorescent	Wall Sconces	1200	18	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	NUVO	60-940	60-940	60-941,60-941,	Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	Satco	4" LED Recessed Downlight Retrofit	S8991		Residential,Commercial	LED	Downlight Solid State Retrofit	650	9.0	N/A	N/A	0.99	3000K	82	40000	Continuous Dimming, Type Non-IC	
SATCO/NUVO	SATCO PRODUCTS	3",4" LED Recessed Downlight Retrofit	S8992		Residential,Commercial	LED	Downlight Solid State Retrofit	1100	18.0	N/A	N/A	0.99	3000K	82	40000	Continuous Dimming, Type Non-IC	
SATCO/NUVO	SATCO PRODUCTS	90-2615	90-2615	90-2616,90-2616,	Residential	Fluorescent	Ceiling Mount	800	13	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	
SATCO/NUVO	SATCO PRODUCTS	90-2631	90-2631	90-2632,90-2632,	Residential	Fluorescent	Ceiling Mount	1200	17	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	
SAVENERGY INC.	SavEnergy	SD6	SD6	NA,,	Commercial	LED	Downlight Recessed	700	10.1	N/A	N/A	0.95	3000K	86	35000	Non-Dimmable	
SAVENERGY INC.	SavEnergy	SD8	SD8	NA,,	Commercial	LED	Downlight Recessed	682	10.0	N/A	N/A	0.95	3000K	86	35000	Non-Dimmable	
Sea Gull Lighting Products LLC	Traverse	LED 4 Inch Retrofit Downlight	14601S-15 TRV4 WW MTL 120V CV WH		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	3000K	82	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	LED 4 Inch Retrofit Downlight	14602S-15 TRV4 W27 MTL 120V CV WH		Residential,Commercial	LED	Downlight Solid State Retrofit	450	9.5	N/A	N/A	0.97	2700K	82	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	LED 4 Inch Retrofit Downlight	14607S-15 TRV4 NW MTL 120V CV WH		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	4000/4100K	82	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	LED 6 Inch Retrofit Downlight	14604S-15 TRV6 NW MTL 120 CV WH		Residential,Commercial	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.79	4000/4100K	81	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	LED DISK LIGHT	14600S-15 TRV6 WW MTL 120V CV WH		Residential	LED	Downlight Solid State Retrofit	750	14.5	N/A	N/A	0.78	3000K	80	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	LED DISK LIGHT	14603S-15 TRV6 W27 MTL 120V CV WH		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Sea Gull Lighting Products LLC	Traverse	TRV4	14601S-15 TRV4 WW MTL 120V CV WH		Residential,Commercial	LED	Downlight Solid State Retrofit	450	9.5	N/A	N/A	0.97	3000K	82	35000	Continuous Dimming	
Shanghai Meetime Lighting Co., Ltd.	Meetime	LED Non-IC recessed luminaire	S9051E15-xx-xx		Residential,Commercial	LED	Downlight Recessed	685	13	N/A	N/A	0.92	2700K	83	35000	Continuous Dimming	Follo (xx=I repre differ
Shanghai Meetime Lighting Co., Ltd.	Meetime	LED Non-IC recessed luminaire	S9051E21-xx-xx		Residential,Commercial	LED	Downlight Recessed	1061	19	N/A	N/A	0.96	2700K	85	50000	Continuous Dimming	Follo (xx=I repre differ
Shanghai Meetime Lighting Co., Ltd.	Meetime	LED Non-IC recessed luminaire	S9051N15-xx-xx		Residential,Commercial	LED	Downlight Recessed	682	13	N/A	N/A	0.91	2700K	83	35000	Continuous Dimming	Follo (xx=I repre differ

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-2941_01082013131815_77325
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-3309_01082013133216_4421960
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-3875_01082013133926_1876336
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-3907_01072013152610_1791650
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-465_01082013133554_9387781
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-561_01072013152001_5422632
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-931_01082013132539_8398858
	1/1/2011	1/11/2013	United States, Europe, Canada	ES_31858_60-940_01082013132848_3767663
	10/1/2012	10/10/2012	United States	ES_31858_S8991__1023476
	10/1/2012	10/10/2012	United States	ES_31858_S8992__1023476
	11/1/2011	1/11/2013	United States, Canada	ES_31858_90-2615_01092013100238_4486352
	11/1/2011	1/11/2013	United States, Canada	ES_31858_90-2631_01092013095704_3347894
	6/15/2012	6/26/2012	United States	ES_1111073_6262012000000_0003556
	6/15/2012	6/26/2012	United States	ES_1111073_6262012000000_0003555
	2/1/2011	2/13/2011	United States, Canada	WW MTL 120V CV WH12202012123352_9999999
	2/1/2011	2/13/2011	United States, Canada	W27 MTL 120V CV WH12202012123433_9999999
	2/1/2011	2/13/2011	United States, Canada	NW MTL 120V CV WH12202012123444_9999999
	2/1/2012	3/14/2012	United States, Canada	0843-15 TRV0 NW MTL 120 CV WH12202012123431_9999999
	2/1/2012	3/14/2012	United States, Canada	WW MTL 120V CV WH12202012123414_9999999
	2/1/2012	3/14/2012	United States, Canada	W27 MTL 120V CV WH12202012123436_9999999
	2/1/2011	2/13/2011	United States, Canada	WW MTL 120V CV WH12202012123432_9999999
ving xx NW, AB) esents ent finish.	10/15/2012	8/15/2012	United States, Canada	LED (500995) | S9051E15-xx-xx_12062012214810_0490752
ving xx NW, AB) esents ent finish.	10/15/2012	8/15/2012	United States, Canada	LED (500995) | S9051E21-xx-xx_12062012214812_0492622
ving xx NW, AB) esents ent finish.	10/15/2012	8/15/2012	United States, Canada	LED (500995) | S9051N15-xx-xx_12062012214814_0494446

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Shanghai Meetime Lighting Co., Ltd.	Meetime	LED Non-IC recessed luminaire	S9051N21-xx-xx		Residential,Commercial	LED	Downlight Recessed	1074	18	N/A	N/A	0.94	2700K	83	50000	Continuous Dimming	follov (xx=I repre differ
Shenzhen Jiawei Photovoltaic Lighting Co., Ltd.	Utilitech	Recessed Retrofit LED Trim Kit	DLS02-41227D1E-WF1		Residential	LED	Downlight Solid State Retrofit	600	12	N/A	N/A	0.85	2700K	83	25000	Continuous Dimming, Type IC Airtight	
Shenzhen Jiawei Photovoltaic Lighting Co., Ltd.	Utilitech	Recessed Retrofit LED Trim Kit	DLS02-627D-WH-F1		Residential	LED	Downlight Solid State Retrofit	704	12	N/A	N/A	0.88	2700K	83	50000	Continuous Dimming	
Shenzhen OKT Electronics & Technology Co.,Ltd.	OKT	LED Retrofit Luminaire	DD-13D180-*#		Residential,Commercial	LED	Downlight Solid State Retrofit	967	12.9	N/A	N/A	0.96	2700K	83	36000	Continuous Dimming	N ide "Brus trim" "Blac
SmartRay, Inc.	SmartRay	SR1NNRD613W	SR1NNRD613W		Residential	LED	Downlight Solid State Retrofit	656	12	N/A	N/A	0.91	3000K	82	35000	Non-Dimmable	
SmartRay, Inc.	SmartRay	SR2NNRD613W	SR2NNRD613W		Residential	LED	Downlight Solid State Retrofit	643	12	N/A	N/A	0.96	3000K	82	25000	Non-Dimmable	B088 GU2
Standard Products, Inc.	FlexLED	61507: LED/ DL6/14.3W/ 3000K/RETRO/ E26/D/FLEX	61507: LED/ DL6/14.3W/30K/ 35M/RETRO/ E26/D/FLEX		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	3000K	81	35000	Continuous Dimming	
Standard Products, Inc.	FlexLED	61508: LED/ DL6/14.3W/ 2700K/RETRO/ E26/D/FLEX	61508: LED/ DL6/14.3W/27K/ 35M/RETRO/ E26/D/FLEX		Residential	LED	Downlight Solid State Retrofit	700	14.5	N/A	N/A	0.79	2700K	81	35000	Continuous Dimming	
Standard Products, Inc.	FlexLED	GLP4	61506: LED/ DL4/9.5W/30K/ 35M/RETRO/ E26/D/FLEX		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	3000K	82	25000	Continuous Dimming	
Standard Products, Inc.	FlexLED	GLP4	61507: LED/ DL4/9.5W/27K/ 35M/RETRO/ E26/D/FLEX		Residential,Commercial	LED	Downlight Solid State Retrofit	475	9.5	N/A	N/A	0.97	2700K	82	25000	Continuous Dimming	
Standard Products, Inc.	Standard Products	LED Downlight	61071		Residential,Commercial	LED	Downlight Solid State Retrofit	626	13.7	N/A	N/A	0.95	3000K	81	35000	Continuous Dimming	
Summerwind International Limited	Casa Vieja	ESALB-70	SKU T4198	ESALB-73,SKUT4200,; ESALB-99,SKU T4201,	Residential	Fluorescent	Ceiling Fan Light Kit	1602	24	N/A	N/A	0.5	2700K	82	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	1009-2232	,Fluorescent Fixture,2-0347-2232; Fluorescent Fixture, 2-0247-2232,	Residential	Fluorescent	Decorative Pendant	3150	54	N/A	N/A	0.53	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	100WR	Fluorescent Fixture,200WR,; Fluorescent Fixture,700CL,; Fluorescent Fixture,700WR,	Residential	Fluorescent	Ceiling Mount	4450	64	N/A	N/A	0.56	4000/4100K	83	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	1015CL-122-XX	Fluorescent Fixture,1010-122,; Fluorescent Fixture, 1019-122,; Fluorescent Fixture,1132CL-122-XX,	Residential	Fluorescent	Decorative Pendant	1540	22	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	300WR	Fluorescent Fixture,730CL,; Fluorescent Fixture,800WR,; Fluorescent Fixture,FL1648-XX,	Residential	Fluorescent	Ceiling Mount	2735	128	N/A	N/A	0.52	4000/4100K	83	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	3-0515-217	Fluorescent Fixture,FL1524-217-XX,; Fluorescent Fixture,FL2103-XX,; Fluorescent Fixture,FL2124-XX,	Residential	Fluorescent	Bath Vanity	2050	34	N/A	N/A	0.53	4000/4100K	85	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	624ST-217	Fluorescent Fixture,400WR,; Fluorescent Fixture, 600WR,; Fluorescent Fixture,710CL,	Residential	Fluorescent	Ceiling Mount	2050	34	N/A	N/A	0.53	4000/4100K	85	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	800SLG		Residential	Fluorescent	Other	6806	96	N/A	N/A	0.54	4000/4100K	83	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	900SLG	Fluorescent Fixture,510SL,; Fluorescent Fixture,648ST,; Fluorescent Fixture,BH48-232N,	Residential	Fluorescent	Other	4450	64	N/A	N/A	0.56	4000/4100K	83	10000	Non-Dimmable	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	DC010-122-XX	Fluorescent Fixture,DC014-122-PD-XX,; Fluorescent Fixture,DC012-122-PD-XX,; Fluorescent Fixture,DC012-122-XX,; Fluorescent Fixture,DC014-122-XX,	Residential	Fluorescent	Ceiling Mount	1540	22	N/A	N/A	0.54	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	DC014-132-PD-XX	Fluorescent Fixture,DC016-132-PD-XX,	Residential	Fluorescent	Decorative Pendant	2500	32	N/A	N/A	0.58	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	DC014-132-XX	Fluorescent Fixture,1009-132-XX,; Fluorescent Fixture,DC016-132-XX,; Fluorescent Fixture,DC034-132-XX,	Residential	Fluorescent	Ceiling Mount	2500	32	N/A	N/A	0.58	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	DC018-2232-XX	Fixture,DC019-2232-XX,; Fluorescent Fixture,DC022-2232-XX,; Fluorescent Fixture,DC024-2232-XX,; Fluorescent Fixture,DC050-2232-XX,	Residential	Fluorescent	Ceiling Mount	3150	54	N/A	N/A	0.53	3000K	84	10000	Non-Dimmable	(Note stanc color

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ving xx NW, AB) esents ent finish.	10/15/2012	8/15/2012	United States, Canada	LED (530990) | S9051N21-xx-xx_12062012214816_0496228
	12/30/2012	12/24/2012	United States	L-WF1_12242012061619_9779345
	8/4/2012	7/19/2012	United States	DL302-027D-WH-F1_12062012214729_0449129
ntities shed nickel , B identifies k trim"	8/30/2011	9/12/2012	United States	LS_120503_D-D-13D180-*#_10032012142029_8172506
	4/15/2012	4/18/2012	United States, Canada	(007274) | SR1NNRD613W_12062012214146_0106288
61A-GU24: 4 base	4/15/2012	4/18/2012	United States, Canada	(007274) | SR2NNRD613W_12062012214148_0108155
	1/1/2012	3/14/2012	United States, Canada	55W/RETRO/E26/D/FLEX12202012123435_9999999
	1/1/2012	3/14/2012	United States, Canada	55W/RETRO/E26/D/FLEX12202012123436_9999999
	2/1/2011	2/13/2011	United States, Canada	55W/RETRO/E26/D/FLEX12202012123433_9999999
	2/1/2011	2/13/2011	United States, Canada	55W/RETRO/E26/D/FLEX12202012123434_9999999
	6/1/2012	5/21/2012	United States, Canada	ES_1026018_61071_10032012142029_7916854
	8/1/2011	1/10/2013	United States	ISO T4198_0107201314091984635 56
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC18-2232-PD-XX_12102012190848_9234560
	11/25/2012	11/8/2012	United States	ES_43668_100WR_12102012190841_6084606
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC12-122-PD-XX_12102012190825_5185156
	11/25/2012	11/8/2012	United States	ES_43668_300WR_12102012190839_3351174
	11/25/2012	11/15/2012	United States	LS_43668_DSC15-217_12102012190821_8121176
	11/25/2012	11/15/2012	United States	LS_43668_DSCT-217_12102012190819_8873289
	11/25/2012	11/8/2012	United States	ES_43668_800SLG_12102012190836_4319637
	11/25/2012	11/8/2012	United States	ES_43668_900SLG_12102012190845_6870012
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC10-122-XX_12102012190823_9334814
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC14-132-PD-XX_12102012190830_7104090
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC14-132-XX_12102012190828_9126290
e: "XX" ds for fixture finish.)	11/25/2012	11/15/2012	United States	LS_43668_DSC18-2232-XX_12102012190847_8063934

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	DC032-XX	Fluorescent Fixture,C109-XX,	Residential	Fluorescent	Ceiling Mount	4320	64	N/A	N/A	0.53	3000K	84	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	FL1224-XX	Fluorescent Fixture,DC028-317-XX,; Fluorescent Fixture,FL1224A-XX,	Residential	Fluorescent	Ceiling Mount	3200	51	N/A	N/A	0.99	4000/4100K	85	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	FL1248-XX	Fluorescent Fixture,FL1248A-XX,	Residential	Fluorescent	Ceiling Mount	6806	96	N/A	N/A	0.54	4000/4100K	83	10000	Non-Dimmable	(Note stanc color
Sunpark Electronics Corporation	Sunpark	Fluorescent Fixture	FL2106-XX	Fluorescent Fixture,FL2048-XX,	Residential	Fluorescent	Bath Vanity	2735	64	N/A	N/A	0.56	4000/4100K	83	10000	Non-Dimmable	(Note stanc color
Sunshine Lighting	Sunlite	DBN16/AL/ GU24/ES	DBN16/AL/ GU24/ES		Residential	Fluorescent	Ceiling Mount	3750	56	N/A	N/A	0.6	3000K	82	10000	Non-Dimmable	
Sunshine Lighting	Sunlite	DWS11/FR/ GU24/ES	DWS11/FR/ GU24/ES	GU24/ES,; GLC6/PB/GU24/ES,GLC6/PB/GU24/ES,; HALL6/PB/GU24/ES,HALL6/PB/GU24/ES,; KIT6/CH/ GU24/ES,KIT6/CH/GU24/ES,; PIN3/4/GU24/ES,PIN3/4/ GU24/ES,	Residential	Fluorescent	Ceiling Mount	1250	19	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Sunshine Lighting	Sunlite	DWS13/FR/ GU24/ES	DWS13/FR/ GU24/ES	ES,; DBB13/AL/GU24/ES,DBB13/AL/GU24/ES,; HALL8/ PB/GU24/ES,HALL8/PB/GU24/ES,; KIT10/CH/GU24/ ES,KIT10/CH/GU24/ES,; KIT8/CH/GU24/ES,KIT8/CH/ GU24/ES,	Residential	Fluorescent	Ceiling Mount	2500	36	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Sunshine Lighting	Sunlite	FCM12/AL/ GU24/ES	FCM12/AL/ GU24/ES	FCM16/AL/GU24/ES,FCM16/AL/GU24/ES,	Residential	Fluorescent	Ceiling Mount	1800	26	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Sunshine Lighting	Sunlite	FCM20/AL/ GU24/ES	FCM20/AL/ GU24/ES		Residential	Fluorescent	Ceiling Mount	2700	42	N/A	N/A	0.6	2700K	82	10000	Non-Dimmable	
Sunshine Lighting	Sunlite	LED Recessed Down-Light	89050-SU		Residential,Commercial	LED	Downlight Recessed	1162	20	N/A	N/A	0.97	3000K	84	35000	Continuous Dimming, Type IC Airtight	
Sunshine Lighting	Sunlite	LED Recessed Down-Light	89051-SU		Residential,Commercial	LED	Downlight Recessed	1197	20	N/A	N/A	0.97	3000K	84	35000	Continuous Dimming, Type IC Airtight	
Sunshine Lighting	Sunlite	LED Recessed Down-Light	89055-SU		Commercial	LED	Downlight Recessed	1243	20	N/A	N/A	0.97	5000K	85	35000	Continuous Dimming, Type IC Airtight	
Sunshine Lighting	Sunlite	LED Recessed Down-Light	89056-SU		Commercial	LED	Downlight Recessed	1229	19	N/A	N/A	0.97	5000K	85	35000	Continuous Dimming, Type IC Airtight	
Technical Consumer Products, Inc. (TCP)	TCP	11826BSGU	11826BSGU		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	11826PBGU	11826PBGU		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	11826WHGU	11826WHGU		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	CL13	CL13		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.62	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	CL134PACK	CL134PACK		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.62	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	CL13B	CL13B		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.62	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	CL13B4PACK	CL13B4PACK		Residential	Fluorescent	Ceiling Mount	900	13	N/A	N/A	0.62	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X18GUFL CLBS	DES1X18GUFL CLBS		Residential	Fluorescent	Ceiling Mount	1200	18	N/A	N/A	0.54	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X18GUFL CLWH	DES1X18GUFL CLWH		Residential	Fluorescent	Ceiling Mount	1200	18	N/A	N/A	0.54	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X23GUFL CLBS	DES1X23GUFL CLBS		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X23GUFL CLWH	DES1X23GUFL CLWH		Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable	

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
e: "XX" ds for fixture finish.)	11/25/2012	11/8/2012	United States	ES_45000_DC032-XX_12102012190837_2144016
e: "XX" ds for fixture finish.)	11/25/2012	11/8/2012	United States	ES_45000_FL124-XX_12102012190832_1524109
e: "XX" ds for fixture finish.)	11/25/2012	11/8/2012	United States	ES_45000_FL148-XX_12102012190834_9517072
e: "XX" ds for fixture finish.)	11/25/2012	11/8/2012	United States	ES_45000_FL206-XX_12102012190843_7211411
	7/1/2012	1/11/2013	United States, Canada	ES_1023040_BBN16/AL/GU24/ES_01092013144534_7737848
	7/1/2012	1/11/2013	United States, Canada	ES_1023040_BWS11/FR/GU24/ES_01092013143119_8418542
	7/1/2012	1/11/2013	United States, Canada	ES_1023040_BWS13/FR/GU24/ES_01112013105952_2720147
	7/1/2012	1/11/2013	United States, Canada	ES_1023040_FCM12/AL/GU24/ES_01112013105720_6170465
	7/1/2012	1/11/2013	United States, Canada	ES_1023040_FCM20/AL/GU24/ES_01092013144106_2167322
	1/10/2013	12/24/2012	United States, Canada	(1010040) F89050-SU_12242012083014_7814871
	1/10/2013	12/24/2012	United States, Canada	(1010040) F89051-SU_12242012083345_8025936
	1/10/2013	12/24/2012	United States, Canada	(1010040) F89055-SU_12242012083306_7986261
	1/10/2013	12/24/2012	United States, Canada	(1010040) F89056-SU_12242012083416_8056517
	1/1/2012	4/30/2012	United States, Canada	(210504) F11826BSGU_12062012201649_5009579
	1/1/2012	4/30/2012	United States, Canada	(210504) F11826PBGU_12062012201651_5011470
	1/1/2012	4/30/2012	United States, Canada	(210504) F11826WHGU_12062012201653_5013694
	1/1/2012	4/30/2012	United States, Canada	(210504) FCL13_12062012201645_5005513
	1/1/2012	4/30/2012	United States, Canada	(210504) FCL134PACK_12062012201647_5007537
	1/1/2012	4/30/2012	United States, Canada	(210504) FCL13B_12062012201640_5000576
	1/1/2012	4/30/2012	United States, Canada	(210504) FCL13B4PACK_12062012201642_5002627
	1/1/2012	4/30/2012	United States, Canada	DESIX16GGFE CLBS_12062012201632_4992528
	1/1/2012	4/30/2012	United States, Canada	DESIX16GGFE CLWH_12062012201634_4994542
	1/1/2012	4/30/2012	United States, Canada	DESIX25GGFE CLBS_12062012201636_4996573
	1/1/2012	4/30/2012	United States, Canada	DESIX25GGFE CLWH_12062012201638_4998566

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X23GUWA LLBS	DES1X23GUWA LLBS		Residential	Fluorescent	Wall Sconces	1600	23	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X23GUWA LLWH	DES1X23GUWA LLWH		Residential	Fluorescent	Wall Sconces	1600	23	N/A	N/A	0.56	2700K	81	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X27GUFL CLBS	DES1X27GUFL CLBS		Residential	Fluorescent	Ceiling Mount	1850	27	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES1X27GYFL CLWH	DES1X27GUFL CLWH		Residential	Fluorescent	Ceiling Mount	1850	27	N/A	N/A	0.55	2700K	82	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES2X18GUPE NDBS	DES2X18GUPE NDBS		Residential	Fluorescent	Ceiling Mount	2400	18	N/A	N/A	0.54	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES2X18GUPE NDWH	DES2X18GUPE NDWH		Residential	Fluorescent	Ceiling Mount	2400	18	N/A	N/A	0.54	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES3X13GUBA THBS	DES3X13GUBA THBS		Residential	Fluorescent	Bath Vanity	2700	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	DES4X13GUBA THSBS	DES4X13GUBA THSBS		Residential	Fluorescent	Bath Vanity	3200	13	N/A	N/A	0.57	2700K	83	10000	Non-Dimmable	
Technical Consumer Products, Inc. (TCP)	TCP	LED12DR627K	LED12DR627K		Residential	LED	Downlight Recessed	650	12	N/A	N/A	0.88	2700K	82	36000	Continuous Dimming	
Technical Consumer Products, Inc. (TCP)	TCP	LED12DR630K	LED12DR630K		Residential	LED	Downlight Recessed	650	12	N/A	N/A	0.88	3000K	83	36000	Continuous Dimming	
Technical Consumer Products, Inc. (TCP)	TCP	LED14DR627K	LED14DR627K		Residential	LED	Downlight Recessed	750	14	N/A	N/A	0.89	2700K	82	36000	Continuous Dimming	
Technical Consumer Products, Inc. (TCP)	TCP	RL12DR427K	RL12DR427K		Residential	LED	Downlight Recessed	500	11	N/A	N/A	0.91	2700K	82	35000	Continuous Dimming	
Technical Consumer Products, Inc. (TCP)	TCP	RL12DR6527K	RL12DR6527K		Residential	LED	Downlight Recessed	650	12	N/A	N/A	0.88	2700K	82	36000	Continuous Dimming	
Technical Consumer Products, Inc. (TCP)	TCP	RL12DR6527K2	RL12DR6527K2		Residential	LED	Downlight Recessed	650	12	N/A	N/A	0.88	2700K	82	36000	Continuous Dimming	
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R02J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	2ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R02K-S-00-1-00-0-30-00		Residential,Commercial	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	2ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R03J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	3ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R03K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	3ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R04J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	4ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R04K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	4ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R05J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	5ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R05K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	5ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R06J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	6ft dr drive non- remo
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S301-R06K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	6ft dr drive non- remo

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
	1/1/2012	4/30/2012	United States, Canada	LLBS_12062012201630_4990506
	1/1/2012	4/30/2012	United States, Canada	LLWH_12062012201628_4988484
	1/1/2012	4/30/2012	United States, Canada	CLBS_12062012200650_4410464
	1/1/2012	4/30/2012	United States, Canada	CLWH_12062012200652_4412491
	1/1/2012	4/30/2012	United States, Canada	NDBS_12062012200646_4406401
	1/1/2012	4/30/2012	United States, Canada	NDWH_12062012200648_4408448
	1/1/2012	4/30/2012	United States, Canada	THBS_12062012201655_5015636
	1/1/2012	4/30/2012	United States, Canada	THSBS_12062012201657_5017634
	9/1/2012	11/21/2012	United States	LED12DR627K_12202012212631_8791122
	9/1/2012	11/21/2012	United States	LED12DR630K_12202012212654_8814078
	9/1/2012	11/21/2012	United States	LED14DR627K_12202012212712_8832749
	12/1/2012	12/25/2012	United States, Canada	RL9DR427K_12252012190158_2118945
	9/1/2012	11/21/2012	United States	RL12DR6527K_12202012212732_8852528
	9/1/2012	11/21/2012	United States	RL12DR6527K2_12202012212751_8871289
lit 350mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_4420674
lit 700mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_2273340
lit 350mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_5455082
lit 700mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_4739581
lit 350mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_2479179
lit 700mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_1005414
lit 350mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_7030682
lit 700mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_3625771
lit 350mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_3180319
lit 700mA current, dimming, ite driver	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_10032012142029_6669559

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R02K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	2ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R03J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	3ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R03K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	3ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R04J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	4ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R04K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	4ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R05J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	5ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R05K-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	5ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R06J-S-00-1-00-0-30-00		Residential	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	2ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R06J-S-00-1-00-0-30-00		Residential,Commercial	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	6ft u drive non-
The Lighting Quotient	The Lighting Quotient	fraqtir Cove	S305-R06K-S-00-1-00-0-30-00		Residential,Commercial	LED	Cove Mount	2711	54	N/A	N/A	0.99	3000K	86	36000	Non-Dimmable	6ft u drive non-
UPEC Electronics Corp.	UPEC Electronics	UE-MILDA01M#T-S1FAA	UE-MILDA01M#T-S1FAA		Residential	LED	Downlight Solid State Retrofit	599	10	N/A	N/A	0.86	2700K	84	25000	Non-Dimmable	MILD S1FA 4000
UPEC Electronics Corp.	UPEC Electronics	UE-MILDA02M#T-S1FAA	UE-MILDA02M#T-S1FAA		Residential	LED	Downlight Solid State Retrofit	696	14	N/A	N/A	0.87	2700K	84	25000	Non-Dimmable	MILD S1FA 4000
UPEC Electronics Corp.	UPEC Electronics	UE-MILDA03S#T-S1FB	UE-MILDA03S#T-S1FB@		Residential	LED	Downlight Solid State Retrofit	790	14	N/A	N/A	0.87	2700K	91	25000	Non-Dimmable	MILD S1FE 4000
UPEC Electronics Corp.	UPEC Electronics	UE-MILDA04S#T-S1FB	UE-MILDA04S#T-S1FB@		Residential	LED	Downlight Solid State Retrofit	432	10	N/A	N/A	0.85	2700K	89	25000	Non-Dimmable	MILD S1FE 4000
U S LED LTD	USLED	L-Trim	LRT65-1-30-14-120-6-W		Residential,Commercial	LED	Downlight Solid State Retrofit	857	14	N/A	N/A	0.95	3000K	82	36000	Continuous Dimming	
U S LED LTD	USLED	L-Trim	LRT65-1-40-14-120-6-W		Residential,Commercial	LED	Downlight Solid State Retrofit	864	14	N/A	N/A	0.95	4000/4100K	83	36000	Continuous Dimming	
U S LED LTD	USLED	L-Trim	LRT65-1-50-14-120-6-W		Residential,Commercial	LED	Downlight Solid State Retrofit	907	14	N/A	N/A	0.95	5000K	80	36000	Continuous Dimming	
WAC Lighting	N/A	HR-2LD-ET*09X-Y-ZZ	HR-2LD-ET*09X-Y-ZZ		Residential	LED	Downlight Solid State Retrofit	610	14	N/A	N/A	0.9	2700K	83	36000	Continuous Dimming	3500 K Z' color pane
WAC Lighting	N/A	HR-3LD-ET*18F-Y-ZZ	HR-3LD-ET*18F-Y-ZZ		Residential	LED	Downlight Solid State Retrofit	896	21	N/A	N/A	0.9	2700K	82	36000	Continuous Dimming	35 – 4000 indic the p
Wave Lighting	Wave Lighting	10xx-Gxx-xxx	10xx-Gxx-xxx		Residential	Fluorescent	Porch (wall mounted)	1800	27	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	156FM-EXX-XXXX	156FM-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	157FM-2EXX-XXXX	157FM-2EXX-XXXX		Residential	Fluorescent	Ceiling Mount	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	157FM-EXX-XXXX	157FM-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	164FMX-EXX-XXXX	164FMX-EXX-XXXX		Residential	Fluorescent	Ceiling Mount	1027	14	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
nit 700mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_9813579
nit 350mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_3473723
nit 700mA current, dimming	2/1/2012	1/31/2012	United States	S-00-1-00-0-30-00_1003201214 2029_7862287
nit 350mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_5964648
nit 700mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_5384662
nit 350mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_6245685
nit 700mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_4349763
nit 350mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_4223756
nit 350mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_2480789
nit 700mA current, dimming	2/1/2012	1/31/2012	United States, Canada	S-00-1-00-0-30-00_1003201214 2029_8400729
)A01MNT- \AB ---- K	8/15/2011	8/12/2011	United States, Canada	S1FAA_1206201 2213725_98456 54
)A02MNT- \AB ---- K	8/15/2011	8/12/2011	United States, Canada	S1FAA_1206201 2213802_98827 43
)A03SNT- 3K ---- K	12/15/2011	10/21/2011	United States, Canada	S1FB@_120620 12213813_9893 199
)A04SNT- 3K ---- K	12/15/2011	10/21/2011	United States, Canada	S1FB@_120620 12213811_9891 428
	2/28/2012	2/20/2012	United States, Canada	120-6- W_12062012213 957_9997156
	2/28/2012	2/20/2012	United States, Canada	120-6- W_12062012213 959_9999145
	2/28/2012	2/20/2012	United States, Canada	120-6- W_12062012214 001_0001280
ndicate of the l	8/10/2012	1/7/2013	United States, Canada	LD-ET*09X-Y- ZZ_0107201315 2451_1432306
K ,Z' ate color of anel	8/10/2012	1/7/2013	United States, Canada	LD-ET*18F-Y- ZZ_0107201315 2951_2613031
dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	10xx-Gxx- xxx_1206201220 0543_4343419
dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	XXXX_1206201 2200640_44003 91
dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	XXXX_1206201 2200644_44043 24
dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	XXXX_1206201 2200642_44023 85
dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	XXXX_1206201 2200638_43984 26

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model Information	Intended Use	Lighting Technology Used	Fixture Type	Light Output	Total Input Power (Watts)	Source Efficacy	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Light Source Life (Hours)	Special Features (Dimming, Motion Sensing etc)	
Wave Lighting	Wave Lighting	164FMx-Gxx-xxxxx	164FMx-xxxx-xxxxx		Residential	Fluorescent	Ceiling Mount	1200	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	165FMx-Gxx-xxxxx	165FMx-xxxx-xxxxx		Residential	Fluorescent	Ceiling Mount	1200	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	40x-Gxx-xxx	40x-Gxx-xxx		Residential	Fluorescent	Porch (wall mounted)	1800	27	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	60x-Gxx-xxx	60x-Gxx-xxx		Residential	Fluorescent	Porch (wall mounted)	1800	27	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S771WF-E2XX-XXXX	S771WF-E2XX-XXXX		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S771WF-EXX-XXXX	S771WF-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S771WF-xGxx-xxxxx	S771WF-xGxx-xxxxx		Residential	Fluorescent	Wall Sconces	1800	27	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7XWF-2EXX-XXXX	S7XWF-2EXX-XXXX		Residential	Fluorescent	Wall Sconces	2400	36	N/A	N/A	0.6	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7XWF-EXX-XXXX	S7XWF-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7xWF-xGxx-xxxxx	S7xWF-xGxx-xxxxx		Residential	Fluorescent	Wall Sconces	1800	27	N/A	N/A	0.6	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7XXWF-2EXX-XXXX	S7XXWF-2EXX-XXXX		Residential	Fluorescent	Wall Sconces	3150	45	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7XXWF-EXX-XXXX	S7XXWF-EXX-XXXX		Residential	Fluorescent	Wall Sconces	1547	21	N/A	N/A	0.53	2700K	81	10000	Non-Dimmable	Varie be ac drop catal
Wave Lighting	Wave Lighting	S7xxWF-xGxx-xxxxx	S7xxWF-xGxx-xxxxx		Residential	Fluorescent	Ceiling Mount	1800	36	N/A	N/A	0.5	2700K	83	10000	Non-Dimmable	Varie be ac drop catal
Yellow Energy	Biltmore	Fluorescent Indoor Fixture	B770GU123-BZ-27K	B770GU123-BZ-27K,,	Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	
Yellow Energy	Biltmore	Fluorescent Indoor Fixture	B770GU123-XX-27K	B770GU123-BZ-27K,,	Residential	Fluorescent	Ceiling Mount	1600	23	N/A	N/A	0.57	2700K	82	10000	Non-Dimmable	
Yellow Energy	Biltmore	Fluorescent Indoor Fixture	B771GU218-BZ-27K	B771GU218-BZ-27K,,	Residential	Fluorescent	Ceiling Mount	2500	36	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable	
Yellow Energy	Biltmore	Fluorescent Indoor Fixture	B771GU218-NI-27K	B771GU218-BZ-27K,,	Residential	Fluorescent	Ceiling Mount	2500	36	N/A	N/A	0.56	2700K	82	10000	Non-Dimmable	
Zumtobel Lighting, Inc. USA	Zumtobel Lighting, Inc.	BR4XLEDXXWK35XSXD1	BR4XLEDXXWK35XSXD1		Residential,Commercial	LED	Downlight Recessed	1463	26	N/A	N/A	0.98	3500K	83	36000	Continuous Dimming	25. any of N, 4,5
Zumtobel Lighting, Inc. USA	Zumtobel Lighting, Inc.	BR6XLEDXXWK35XSXD1	BR6XLEDXXWK35XSXD1		Residential,Commercial	LED	Downlight Recessed	1597	26	N/A	N/A	0.98	3500K	83	36000	Continuous Dimming	25. any of N, 4,5
Zumtobel Lighting, Inc. USA	Zumtobel Lighting, Inc.	BS4XLEDXXWK35XSXD1	BS4XLEDXXWK35XSXD1		Residential,Commercial	LED	Downlight Recessed	1562	24	N/A	N/A	0.97	3500K	83	36000	Continuous Dimming	25. any of N, 4,5
Zumtobel Lighting, Inc. USA	Zumtobel Lighting, Inc.	BS6XLEDXXWK35XSXD1	BS6XLEDXXWK35XSXD1		Residential,Commercial	LED	Downlight Recessed	1408	25	N/A	N/A	0.97	3500K	82	36000	Continuous Dimming	25. any of N, 4,5

Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	104PMX-xxxx-xxxxx_12062012200532_4332703
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	105PMX-xxxx-xxxxx_12062012200534_4334909
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	LED (P19517) 140x-Gxx-xxx_12062012200545_4345549
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	LED (P19517) 160x-Gxx-xxx_12062012200547_4347765
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37PWF-LEXX-XXXX_12062012203842_6322586
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37PWF-LEXX-XXXX_12062012203840_6320477
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	37PWF-xGxx-xxxxx_12062012200541_4341289
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37AWF-2LEXX-XXXX_12062012203838_6318414
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37AWF-LEXX-XXXX_12062012203836_6316440
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	37AWF-xGxx-xxxxx_12062012200539_4339246
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37AXWF-2LEXX-XXXX_12062012203834_6314425
ible X can dded or ped from og number	9/11/2012	9/28/2012	United States, Canada	37AXWF-LEXX-XXXX_12062012203832_6312441
ible X can dded or ped from og number	4/1/2012	3/30/2012	United States, Canada	37AXWF-xGxx-xxxxx_12062012200537_4337104
	3/8/2011	11/17/2011	United States	ES_1077385_11172011000000_0003021
	3/8/2011	11/17/2011	United States	ES_1077385_11172011000000_0003019
	4/1/2011	11/17/2011	United States	ES_1077385_11172011000000_0003023
	4/1/2011	11/17/2011	United States	ES_1077385_11172011000000_0003022
xxx can be combination M,W -S-	6/1/2011	2/6/2012	United States	BR40LEDXXWR35XSXD1_12062012213949_9989145
xxx can be combination M,W -S-	6/1/2011	2/6/2012	United States	BR30LEDXXWR35XSXD1_12062012213945_9985195
xxx can be combination M,W -S-	6/1/2011	2/6/2012	United States	BS40LEDXXWR35XSXD1_12062012213947_9987150
xxx can be combination M,W -S-	6/1/2011	2/6/2012	United States	BS30LEDXXWR35XSXD1_12062012213943_9983276

Definitions for Light Fixtures Column Headers

Performance Characteristic	Definitions
ENERGY STAR Partner	An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products.
Brand	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Name	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Number	A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler.
Additional Model Information	This column includes for the qualified model or family, family members, additional model names, model numbers and other identifying information associated with a product or family/series of products for sales and marketing purposes. Other identifying information includes, but is not limited to, SKUs, UPC codes, retail numbers, and/or descriptions of models included/not included in the reported Model Family.
Intended Use	The application in which the luminaire is intended to be used (commercial, residential, or both commercial and residential)
Lighting Technology Used	The light source technology utilized by the fixture: compact fluorescent light (CFL), light emitting diode (LED), or halogen.
Light Output	The amount of light emitted by the light source or light fixture. Non directional fixtures (with removable light sources i.e. GU24 base bulbs) are measured at the light source and do not account for light lost from the fixture, while other fixtures meant to put light on a specific application (e.g. recessed downlights, under cabinet lights, accent lights, cove lights) are measured at the fixture level, only counting the light that escapes the fixture.
Total Input Power	Total power consumed by the luminaire while in use.

Performance Characteristic	Definitions
Source Efficacy	The quotient of the total light source/lamp luminous flux (lumens) emitted over the total lamp power input (Watts). It is expressed in lm/W. For ENERGY STAR qualified fixtures this applies to light fixtures that are residential only, considered "non-directional" and have been measured at the light source level.
Luminaire Efficacy	The quotient of the total luminous flux (lumens) emitted by the fixture over the total power input (Watts). It is expressed in lumens per watt (lm/W). For ENERGY STAR qualified fixtures this applies to light fixtures that are considered directional and are measured at the fixture level. This includes the following residential grade directional fixture types: line-voltage track lights, ceiling fan light kits, undercabinet and cove lighting, downlights, recessed, pendant or surface mounted and includes retrofit kits for existing recessed cans. This also includes the following LIMITED commercial fixture types: Accent lights such as line-voltage track lights, under cabinet task lights, portable desk task lights, downlights, recessed, pendant or surface-mounts BUT EXCLUDES typical commercial and industrial fixtures such as recessed troffers or linear forms (e.g. linear fluorescent pendants) typically used in office spaces.
Power Factor	Ratio of real power flowing to the lamp to the apparent power in the circuit. A lamp with a lower power factor will draw more current than a lamp with a higher power factor of the same wattage.
Correlated Color Temperature	A description of the "color" of a light source measured on the Kelvin (K) scale. CFLs are available in a range of color temperatures. Lower values (2700-3000K) mean the white light has a warmer (red-yellow) tone, while higher kelvin (4100-6500K) mean the white light has a cooler (bluer) tone.
Color Rendering Index	Measure of the degree of color shift objects undergo when illuminated by the light source as compared with the color of those same objects when illuminated by a reference source of comparable color temperature.

Performance Characteristic	Definitions
Light Source Life	The expected useful life of the light source. Measured differently depending on the technology of the light source. For example, LED lighting expected useful life is based on the estimated point at which only 70% of the original light output remains, while for older technologies, like fluorescent and halogen, estimated useful life is based on the measured median sample life.
Special Features	Most fixtures are designed to operate on an on/off switch. However, some fixtures have been designed with features to perform in specialized applications, such as with dimmers, three-way, or photo cell controls. Special features and compatibility with controls should be clearly marked on the product packaging, cut sheet or web site for the product.
Notes	Indicates information on certification relevant to the consumer (i.e. product variations, unique issues concerning the model's listing, etc.).
Date Available on Market	The date that the model is available for purchase.
Date Qualified	The date on which the product was confirmed to meet the ENERGY STAR specification.
Markets	This list/dataset includes products sold in the U.S. and/or Canada and other ENERGY STAR partner countries.
ENERGY STAR Model Identifier	A unique string of characters used to identify models with the same performance characteristics. This sequence is generated by certification bodies and is reported as a single row of data on the lists of certified products.

Light Fixtures Key Efficiency Criteria

Qualified models meet all ENERGY STAR requirements as listed in the Version 1.2 ENERGY STAR Prog Requirements for Luminaires.

Performance Characteristic	Minimum Requirements
Light Output	Non-directional luminaires (those listed with a "Source Efficacy" value in column J): ≥ 800 lumens, or ≥ 450 lumens for fixtures with three sources or mores. Directional fixtures: ≥ 125 lumens/foot for undercabinet, 200 lumens/foot for cove mount, 345 or 575 for downlights (depending on aperture size), 200 lumens per head for accent lights, 300 lumens for outdoor post-mounted luminaires.
Source Efficacy (non-directional luminaires)	≥ 65 lm/W ≥ 70 lm/W after September 2013
Luminaire Efficacy (directional luminaires)	Dependent on fixture type/application starting at ≥ 29 lm/W
Power Factor	Residential: ≥ 0.5 Commercial: ≥ 0.9 Solid state residential with input power greater than 5 watts: ≥ 0.7
Correlated Color Temperature	Lamps shipped with luminaires shall have one of the following nominal correlated color temperatures (CCT): 2700K, 3000K, 3500K, 4000/4100K, 5000K (commercial only)
Color Rendering Index	Ra ≥ 80
Light Source Life	Fluorescent and HID: ≥ 10,000 hours Halogen incandescent: ≥ 2,500 hours Solid state (LED): ≥ 25,000 residential or ≥ 35,000 commercial

ram