

ENERGY STAR Qualified Lamps Product List

List Posted on May 16, 2012

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

| ENERGY STAR Partner | Brand | Model Number | Initial Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|------------------------------|-----------------------|--------------------|---------------------------|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Ace Hardware Corporation | Ace | 340505 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.58 | 2 | 11/21/11 |
| Ace Hardware Corporation | Ace | FL152A19BK | 3286358 | Covered A-line | E26/24 (Medium) | CFL | | 825 | 15 | N/A | 10000 | 2700 | 0.53 | 2 | 11/21/12 |
| Ace Hardware Corporation | Ace | FL152/R30 | 3286051 | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 8000 | 2700 | 0.56 | 2 | 11/21/12 |
| Ace Hardware Corporation | Ace | FL13HT3/D3/SW | 3286325 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 16/25/32 | 8000 | 2700 | 0.55 | 2 | 11/4/12 |
| Ace Hardware Corporation | ACE | 7416605 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.55 | 9 | 10/5/10 |
| Ace Hardware Corporation | ACE | 7416647 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.54 | 9 | 10/5/10 |
| Ace Hardware Corporation | ACE | 7416654 | | Bare-spiral | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 10000 | 4100 | 0.58 | 9 | 10/12/10 |
| Ace Hardware Corporation | ACE | 7416662 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 4100 | 0.6 | 9 | 10/12/10 |
| Ace Hardware Corporation | ACE | 7416670 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 9 | 10/12/10 |
| Ace Hardware Corporation | ACE | FL10HT3/2/SW | 3285822; 3285939 | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | 0.58 | 2 | 11/30/10 |
| Ace Hardware Corporation | ACE | FL112/G25/8K | 3286390 | Covered globe | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 8000 | 2700 | 0.56 | 2 | 12/31/10 |
| Ace Hardware Corporation | ACE | FL112/R20/8K | 3286028 | Covered reflector | E26/24 (Medium) | CFL | | 400 | 11 | N/A | 8000 | 2700 | 0.57 | 2 | 10/29/10 |
| Ace Hardware Corporation | ACE | FL13HT3/2/SW | 3285830; 3285947 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 8000 | 2700 | 0.58 | 2 | 11/30/10 |
| Ace Hardware Corporation | ACE | FL152/DV/R30 | 3286168 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 740 | 15 | N/A | 6000 | 2700 | 0.68 | 2 | 12/31/10 |
| Ace Hardware Corporation | ACE | FL152/DV/R30 | 3285889; 3285996 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 2700 | 0.55 | 2 | 11/30/10 |
| Ace Hardware Corporation | ACE | FL152/DV/R40 | 3286317 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 1260 | 26 | N/A | 6000 | 2700 | 0.73 | 2 | 11/24/10 |
| Ace Hardware Corporation | ACE | FL152/DV/R40 | 3286127 | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 26 | N/A | 8000 | 2700 | 0.56 | 2 | 12/31/10 |
| Ace Hardware Corporation | ACE | FL152/DV/R40 | 3286010; 3285897 | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 8000 | 2700 | 0.58 | 2 | 12/31/10 |
| Aero-Tech Light Bulb Company | Evolution | AE4B-11W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 580 | 11 | N/A | 15000 | 2700 | 0.55 | 2 | 9/5/07 |
| Aero-Tech Light Bulb Company | Evolution | AE4B-14W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.57 | 2 | 9/5/07 |
| Aero-Tech Light Bulb Company | Evolution | AE4B-20W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | 0.56 | 2 | 9/5/07 |
| Aero-Tech Light Bulb Company | Evolution | AE4B-25W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 8000 | 2700 | 0.54 | 2 | 9/5/07 |
| Aero-Tech Light Bulb Company | Evolution | AE4B/CA-11W | | Bare-quadruple tube | E12 (Candelabra) | CFL | | 580 | 11 | N/A | 15000 | 2700 | 0.55 | 2 | 8/31/09 |
| Aero-Tech Light Bulb Company | Evolution | AE5B-25W | AE5B-25W | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 15000 | 2700 | 0.55 | 2 | 7/20/11 |
| Aero-Tech Light Bulb Company | Evolution | FS4B-11W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 545 | 11 | N/A | 15000 | 5000 | 0.55 | 2 | 12/31/07 |
| Aero-Tech Light Bulb Company | Evolution | FS4B-14W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 15000 | 5000 | 0.59 | 2 | 9/5/07 |
| Aero-Tech Light Bulb Company | Evolution | FS4B-20W | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 12000 | 5000 | 0.55 | 2 | 12/21/07 |
| Aero-Tech Light Bulb Company | Evolution | FS4B/CA-11W | | Bare-quadruple tube | E12 (Candelabra) | CFL | | 545 | 11 | N/A | 15000 | 5000 | 0.55 | 2 | 9/30/09 |
| Ahold USA | Smart Living | 31001 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | 0.57 | 7 | 6/1/09 |
| Ahold USA | Smart Living | 87147 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87148 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87149 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87150 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87150 (2M) | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 9 | 5/18/10 |
| Ahold USA | Smart Living | 87151 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87152 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 9 | 6/10/09 |
| Ahold USA | Smart Living | 87547 | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | 0.57 | 7 | 6/10/09 |
| Ahold USA | Smart Living | 87548 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.57 | 7 | 6/10/09 |
| ALDI Inc. | ON | 7830 19W | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 2700 | 0.58 | 2 | 3/8/10 |
| ALDI Inc. | ON | 7830 19WTT | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 12000 | 2700 | 0.58 | 2 | 6/7/10 |
| ALDI Inc. | ON | 7830 19WTT | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 8000 | 2700 | 0.58 | 7 | 6/23/10 |
| ALDI Inc. | ON | 7830 23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 2 | 3/8/10 |
| ALDI Inc. | ON | 7830 23WTT | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.54 | 2 | 6/7/10 |
| ALDI Inc. | ON | 7830 23WTT | 17538 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | 0.58 | 7 | 5/24/10 |
| ALDI Inc. | ON | 9227 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 3/1/10 |
| ALDI Inc. | ON | 9227WTT | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 13 | N/A | 12000 | 2700 | 0.58 | 2 | 6/7/10 |
| ALDI Inc. | ON | 9227WTT | 19238 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 2700 | 0.58 | 7 | 5/24/10 |
| AM Conservation Group, Inc. | AM Conservation Group | 33051 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | 0.52 | 2 | 7/13/07 |
| AM Conservation Group, Inc. | AM Conservation Group | 33052 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | 0.52 | 2 | 11/10/11 |
| AM Conservation Group, Inc. | AM Conservation Group | AM09 | AM094 (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 2700 | 0.58 | 1 | 6/10/05 |
| AM Conservation Group, Inc. | AM Conservation Group | AM09PERM | AM094PERM (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | 0.58 | 1 | 7/6/07 |
| AM Conservation Group, Inc. | AM Conservation Group | AM14 | AM144 (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 1 | 6/23/05 |
| AM Conservation Group, Inc. | AM Conservation Group | AM14PERM | AM144PERM (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 1 | 7/6/07 |
| AM Conservation Group, Inc. | AM Conservation Group | AM20PERM | AM204PERM (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | 0.58 | 1 | 7/6/07 |
| AM Conservation Group, Inc. | AM Conservation Group | AM23PERM | AM234PERM (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 1 | 7/6/07 |
| AM Conservation Group, Inc. | AM Conservation Group | AM27PERM | AM274PERM (4-pack) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | 0.58 | 1 | 7/6/07 |
| AM Conservation Group, Inc. | LUMAcoll | L30109T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.58 | 1 | 9/4/09 |
| AM Conservation Group, Inc. | LUMAcoll | L30113M | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 1 | 12/11/09 |
| AM Conservation Group, Inc. | LUMAcoll | L30113T2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.58 | 1 | 9/4/09 |
| AM Conservation Group, Inc. | LUMAcoll | L30114A | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.58 | 2 | 4/18/12 |
| AM Conservation Group, Inc. | LUMAcoll | L30115M | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 15.0 | N/A | 10000 | 2700 | 0.58 | 1 | 3/4/03 |
| AM Conservation Group, Inc. | LUMAcoll | L30118T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | 0.53 | 2 | 12/15/11 |
| AM Conservation Group, Inc. | LUMAcoll | L30119T2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 12000 | 2700 | 0.58 | 1 | 9/4/09 |
| AM Conservation Group, Inc. | LUMAcoll | L30119T2K35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | 0.58 | 1 | 5/21/11 |
| AM Conservation Group, Inc. | LUMAcoll | L30120M | | Bare-spiral | E26/24 (Medium) | CFL | | 1400 | 20 | N/A | 10000 | 2700 | 0.58 | 1 | 12/11/09 |
| AM Conservation Group, Inc. | LUMAcoll | L30123M | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 1 | 12/11/09 |
| AM Conservation Group, Inc. | LUMAcoll | L31123T2 | L31123T2 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.58 | 2 | 10/7/11 |
| Arani Systems Corp. | Arani | AR_LED8PAR30-10W-D | AR_LED8PAR30-10W-D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 620 | 10.0 | N/A | 25000 | 3000 | 0.96 | 5 | 4/3/12 |
| Arani Systems Corp. | Arani | AR_LED8PAR38-15W-D | AR_LED8PAR38-15W-D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1100 | 15.0 | N/A | 25000 | 3000 | 0.98 | 5 | 4/3/12 |
| Ascend Battery Supply | Ultralast | CFL10490 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1620 | N/A | 13/20/25 | 8000 | 2700 | 0.58 | 2 | 11/21/11 |
| Ascend Battery Supply | Ultralast | CFL10493 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.58 | 2 | 10/13/10 |
| Ascend Battery Supply | Ultralast | CFL10496 | | Bare-spiral | E26/24 (Medium) | CFL | | 810 | 14 | N/A | 10000 | 2700 | 0.58 | 2 | 10/13/10 |
| Ascend Battery Supply | Ultralast | CFL10507 | | Bare-spiral | E26/24 (Medium) | CFL | | 2250 | 32 | N/A | 8000 | 2700 | 0.58 | 2 | 10/13/10 |
| Ascend Battery Supply | Ultralast | CFL10508 | | Covered-Candle | E12 (Candelabra) | CFL | | 220 | 5 | N/A | 8000 | 2700 | 0.62 | 2 | 10/13/10 |
| Ascend Battery Supply | Ultralast | CFL10510 | | Bare-spiral | E26/24 (Medium) | CFL | | 2820 | 42 | N/A | 10000 | 2700 | 0.56 | 2 | 10/13/10 |
| Ascend Battery Supply | Ultralast | TP120-1M5L 2700K | CFL10486 | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | 0.56 | 2 | 5/25/10 |
| Ascend Battery Supply | Ultralast | TP | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|--------------|--------------|--------------------------|-------------------|----------------------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Broadal, Inc. | Broadal | BDM-26 | | Bare-spiral | E26/24 (Medium) | CFL | | 1800 | 26 | N/A | 10000 | 2700 | | 2 | 10/14/09 |
| Broadal, Inc. | Broadal | BDS-23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1690 | 23 | N/A | 10000 | 2700 | 0.52 | 2 | 12/8/08 |
| Broadal, Inc. | Broadal | BGM-11 | | Covered globe | E26/24 (Medium) | CFL | | 550 | 11 | N/A | 10000 | 2700 | | 2 | 3/21/11 |
| Broadal, Inc. | Broadal | BGM-14 | | Covered globe | E26/24 (Medium) | CFL | | 890 | 14 | N/A | 10000 | 2700 | | 2 | 2/16/12 |
| Broadal, Inc. | Broadal | BHR-23 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 2/14/12 |
| Broadal, Inc. | Broadal | BHS-13 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Three Way | 900 | N/A | N/A | 10000 | 2700 | | 2 | 4/11/12 |
| Broadal, Inc. | Broadal | BJS-13 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.5 | 2 | 12/20/10 |
| Broadal, Inc. | Broadal | BJS-18 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 18 | N/A | 10000 | 2700 | 0.5 | 2 | 12/20/10 |
| Broadal, Inc. | Broadal | BMR-15 | | Covered reflector | E26/24 (Medium) | CFL | | 600 | 15 | N/A | 10000 | 2700 | | 2 | 3/21/11 |
| Broadal, Inc. | Broadal | BMS-16 | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 16 | N/A | 10000 | 2700 | 0.5 | 2 | 12/16/10 |
| Buffalo Lite | Buffalo | 1011 | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 2 | 1/7/10 |
| Buffalo Lite | Buffalo | 1013 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 1/7/10 |
| Buffalo Lite | Buffalo | 1013-2 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 5 | 1/7/10 |
| Buffalo Lite | Buffalo | 1016 | | Bare-spiral | E26/24 (Medium) | CFL | | 990 | 16 | N/A | 10000 | 2700 | | 2 | 8/17/11 |
| Buffalo Lite | Buffalo | 1019 | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 2 | 8/17/11 |
| Buffalo Lite | Buffalo | 1021 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 10000 | 2700 | | 2 | 8/17/11 |
| Buffalo Lite | Buffalo | 1023 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 5 | 1/7/10 |
| Buffalo Lite | Buffalo | 1026 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1620 | N/A | 13/20/25 | 8000 | 2700 | 0.53 | 2 | 10/21/11 |
| Buffalo Lite | Buffalo | 1027 | | Bare-spiral | E26/24 (Medium) | CFL | | 1900 | 27 | N/A | 10000 | 2700 | | 2 | 8/17/11 |
| Buffalo Lite | Buffalo | 1033 | | Covered-Candle | E26/24 (Medium) | CFL | | 220 | 5 | N/A | 8000 | 2700 | 0.62 | 2 | 10/20/11 |
| Buffalo Lite | Buffalo | 1042 | | Bare-spiral | E26/24 (Medium) | CFL | | 2838 | 42 | N/A | 10000 | 2700 | | 5 | 1/7/10 |
| Buffalo Lite | Buffalo | 1052 | | Covered-Candle | E12 (Candelabra) | CFL | | 220 | 5 | N/A | 8000 | 2700 | 0.62 | 2 | 10/20/11 |
| Buffalo Lite | Buffalo | 1914 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 5 | 12/31/09 |
| Buffalo Lite | Buffalo | 2209 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Buffalo Lite | Buffalo | 2315 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 11/26/07 |
| Buffalo Lite | Buffalo | 2320 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 11/26/07 |
| Buffalo Lite | Buffalo | 2509 | | Covered globe | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | | 5 | 12/31/09 |
| Buffalo Lite | Buffalo | 2514 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 5 | 12/31/09 |
| Buffalo Lite | Buffalo | 3016-2 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 3415 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | | 2 | 11/30/07 |
| Buffalo Lite | Buffalo | 4438 | | Covered reflector | E26/24 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 2700 | | 2 | 11/30/07 |
| Buffalo Lite | Buffalo | 6059 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 6500 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 6207 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 8/17/11 |
| Buffalo Lite | Buffalo | 7729 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 4100 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 7915 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 16 | N/A | 8000 | 6500 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 9019 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 10000 | 2700 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 9021 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1250 | 18 | N/A | 10000 | 2700 | | 1 | 8/17/11 |
| Buffalo Lite | Buffalo | 9023 | | Bare-spiral | E26/24 (Medium) Medium E26/24 | CFL | Dimmable | 1600 | 23 | N/A | 10000 | 2700 | | 1 | 8/17/11 |
| Bulbrite Industries | BULBRITE | 508019 | CF18WWLM | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 2 | 1/12/12 |
| Bulbrite Industries | BULBRITE | 508024 | CF23WWLM | Bare-spiral | Medium E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 1/12/12 |
| Bulbrite Industries | BULBRITE | CF25C3WAY | 515025 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1620 | N/A | 13/20/25 | 8000 | 2700 | 0.53 | 2 | 1/5/12 |
| Bulbrite Industries | Energy Wiser | CF13WW4P | 509413 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 2700 | | 2 | 2/6/08 |
| Bulbrite Industries | Energy Wiser | CF13WWLM | 509014 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 6/16/11 |
| Bulbrite Industries | Energy Wiser | CF14AWWW | 512014 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3000 | | 2 | 4/17/08 |
| Bulbrite Industries | Energy Wiser | CF15PAR30WW | 514305 | Covered reflector | E26/24 (Medium) | CFL | | 670 | 15 | N/A | 8000 | 3000 | | 5 | 8/5/08 |
| Bulbrite Industries | Energy Wiser | CF18T2WW | 509018 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 2700 | 0.58 | 2 | 7/30/09 |
| Bulbrite Industries | Energy Wiser | CF23CWWDM | 514023 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/9/10 |
| Bulbrite Industries | Energy Wiser | CF23PAR38WW | 514503 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3000 | | 5 | 8/5/08 |
| Bulbrite Industries | Energy Wiser | CF23T2WW | 509023 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 7/30/09 |
| Bulbrite Industries | Energy Wiser | CF32C3WAY | 515032 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2280 | N/A | 12/21/32 | 10000 | 3500 | | 2 | 9/15/10 |
| Bulbrite Industries | Energy Wiser | CF32CWWW | 50932 | Bare-spiral | E26/24 (Medium) | CFL | | 1920 | 32 | N/A | 8000 | 2700 | | 2 | 4/29/08 |
| Bulbrite Industries | Energy Wiser | CF42CWWW | 509542 | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 8000 | 2700 | | 2 | 8/24/09 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 7/22/09 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | 0.58 | 2 | 2/16/12 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | 2 | 5/9/10 |
| Bulbrite Industries | Energy Wiser | CF8A17WWW | 512009 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-------------------------|-------------------|---------------------------|---|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Canadian Tire | NOMA | 052-5380-6 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 6 | 9/8/08 |
| Canadian Tire | NOMA | 052-5385-6 | | Covered-Candle | E26/24 (Medium) | CFL | | 340 | 7 | N/A | 10000 | 2700 | | 2 | 9/24/08 |
| Canadian Tire | NOMA | FLE112R20/NOMA | 52-5382-8 | Covered reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 6000 | 2700 | | 4 | 5/6/05 |
| Canadian Tire | NOMA | FLE13HT3/2/NOMA | 52-5198-0; FLE13HT3/2/NOMA3; 52-5120-0; FLE13HT3/2/NOMA4; 52-5124-2 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 8000 | 2700 | 0.58 | 5 | 5/6/05 |
| Canadian Tire | NOMA | FLE152R30/NOMA | 52-5333-4; FLE152R30/ NOMA2; 52-5335-0 | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 6000 | 2700 | | 4 | 5/6/05 |
| Canadian Tire | NOMA | FLE26HT3/2/NOMA | 52-5125-0; FLE26HT3/2/NOMA3; 52-5121-8 | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 8000 | 2700 | | 5 | 5/6/05 |
| Canadian Tire | NOMA | FLE26PAR38/2/NOMA | 52-5334-3; FLE26PAR38/2/ NOMA2; 52-5357-8 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 26 | N/A | 6000 | 2700 | | 4 | 2/4/10 |
| Cathelle, Inc. | ECOPLUS | 70952 | 73790 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 7 | 8/18/05 |
| Cathelle, Inc. | ECOPLUS | 70953 | 73793 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 1/3/06 |
| Cathelle, Inc. | ECOPLUS | 70954 | 73794 | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 9 | 3/15/10 |
| Cathelle, Inc. | ECOPLUS | 70958 | 73808 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 6/27/08 |
| Cathelle, Inc. | ECOPLUS | 70958 | 73808 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 3/15/10 |
| Cathelle, Inc. | ECOPLUS | 70972 | 73791 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 10000 | 2700 | | 7 | 6/4/07 |
| Cathelle, Inc. | ECOPLUS | 70973 | 73792 | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 9 | 3/15/10 |
| Carlo Lamps | fusion | FCF15R30/827 | 0285-6048 | Covered reflector | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 2 | 2/27/12 |
| Carlo Lamps | fusion | FCF23BR40/827 | 0289-5161 | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 2 | 3/12/12 |
| Carlo Lamps | fusion | FE13885/2 | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 13 | N/A | 12000 | 6500 | | 11 | 2/29/12 |
| CE Lighting Ltd. | Landite | 15CFLPAR90 | 16CFLPAR30/LN27/AR | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 2700 | 0.55 | 2 | 7/20/09 |
| CE Lighting Ltd. | Landite | 23CFLPAR98 | 23CFLPAR38/27/AR | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | 0.55 | 2 | 7/20/09 |
| CE Lighting Ltd. | Landite | ELH-10W ES (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 8000 | 2800 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-10W ES (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 10000 | 2800 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-10W ES MINI 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 570 | 10 | N/A | 8000 | 2700 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-10W ES MINI 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 640 | 10 | N/A | 8000 | 4100 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-10W ES MINI 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 590 | 10 | N/A | 8000 | 6500 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-13W ES (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-13W ES Mini | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13.0 | N/A | 10000 | 2900 | | 2 | 8/1/02 |
| CE Lighting Ltd. | Landite | ELH-13W ES MINI 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-13W ES MINI (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-13W ES MINI (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-13W ES MINI 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 8000 | 4100 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-13W ES MINI 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 8000 | 6500 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-15W ES Mini | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 15.0 | N/A | 10000 | 2800 | | 2 | 8/1/02 |
| CE Lighting Ltd. | Landite | ELH-15W ES MINI 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 2700 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-15W ES MINI 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 980 | 15 | N/A | 8000 | 4100 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-15W ES MINI 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 980 | 15 | N/A | 8000 | 6500 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-20W ES Mini | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 18 | N/A | 10000 | 2700 | | 2 | 8/1/02 |
| CE Lighting Ltd. | Landite | ELH-20W ES MINI 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 2700 | 0.6 | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-20W ES MINI (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-20W ES MINI (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-20W ES MINI 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-20W ES MINI 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 4100 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-23W ES Mini | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 6500 | | 2 | 5/5/09 |
| CE Lighting Ltd. | Landite | ELH-23W ES Mini (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 23.0 | N/A | 10000 | 2700 | | 2 | 4/1/03 |
| CE Lighting Ltd. | Landite | ELH-23W ES MINI (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 23 | N/A | 8000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-23W ES MINI (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 23 | N/A | 10000 | 2700 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 1610 | 26 | N/A | 8000 | 2700 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI (827-08K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 2800 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI (827-10K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2800 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI (827-12K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2800 | | 2 | 4/28/08 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1530 | 26 | N/A | 8000 | 4100 | | 2 | 5/4/09 |
| CE Lighting Ltd. | Landite | ELH-26W ES MINI 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 1630 | 26 | N/A | 8000 | 6500 | | 2 | 5/4/09 |
| Centifuge Sourcing, LLC | Centifuge | FLE10HT3/2 | 61464, 65196 | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 10000 | 2700 | | 2 | 7/13/10 |
| Centifuge Sourcing, LLC | Centifuge | FLE11A17XLB2/OP | 63528 | Covered A-line | E26/24 (Medium) | CFL | | 450 | 11 | N/A | 10000 | 2700 | | 2 | 8/30/11 |
| Centifuge Sourcing, LLC | Centifuge | FLE13HT3/2 | 61465; 61468; 62947; 65197; 65198; 63529 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 7/13/10 |
| Centifuge Sourcing, LLC | Centifuge | FLE15HT3/2/D | 61584 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 6500 | 0.5 | 2 | 6/3/10 |
| Centifuge Sourcing, LLC | Centifuge | FLE20HT3/2 | 61466, 65199 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 7/13/10 |
| Centifuge Sourcing, LLC | Centifuge | FLE26HT3/2 | 61467, 65201 | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | | 2 | 7/13/10 |
| Centifuge Sourcing, LLC | Centifuge | FLE26HT3/2/D | 61585 | Bare-spiral | E26/24 (Medium) | CFL | | 1610 | 26 | N/A | 10000 | 6500 | 0.5 | 2 | 6/3/10 |
| Centifuge Sourcing, LLC | Energy Saving CFL | FLE10HT3/2/SW | 76991 | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | 0.5 | 5 | 2/11/10 |
| Centifuge Sourcing, LLC | Energy Saving CFL | FLE13HT3/2/SW | 76992 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 8000 | 2700 | 0.5 | 5 | 2/11/10 |
| Centifuge Sourcing, LLC | Energy Saving CFL | FLE20HT3/2/SW | 76993 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 2700 | 0.5 | 5 | 2/11/10 |
| Centifuge Sourcing, LLC | Energy Saving CFL | FLE26HT3/2/SW | 61588 | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.5 | 2 | 2/11/10 |
| Centifuge Sourcing, LLC | Energy Saving CFL | FLE26HT3/2/SW | 76994 | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 2700 | | 5 | 3/24/11 |
| Centifuge Sourcing, LLC | General Electric | FLE11G25XLB2/OP | 63527 | Covered globe | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 10000 | 2700 | 0.5 | 2 | 10/26/11 |
| Centifuge Sourcing, LLC | General Electric | FLE15R30XLB2/OP | 63528 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.5 | 2 | 10/26/11 |
| Chain Drug Consortium | Premier Value | 6540002 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 9 | 12/7/10 |
| Chain Drug Consortium | Premier Value | 6540102 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 2700 | 0.58 | 9 | 12/16/10 |
| Chain Drug Consortium | Premier Value | 6540202 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 12/7/10 |
| Chain Drug Consortium | Premier Value | 6541502 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | | 9 | 12/16/10 |
| Chain Drug Consortium | Premier Value | 756-5328 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.55 | 9 | 10/5/09 |
| Chalfour Canada | Endurance | 756-5385 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 9 | 4/28/10 |
| Chalfour Canada | Endurance | 756-5385 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 9 | 4/28/10 |
| Chalfour Canada | Endurance | 756-5393 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.59 | 9 | 10/5/09 |
| Chalfour Canada | Endurance | 756-5393 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.59 | 9 | 10/5/09 |
| Chalfour Canada | Endurance | 756-5419 | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | 0.52 | 9 | 4/28/10 |
| Chalfour Canada | Endurance | 756-5427 | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | 0.52 | 9 | 4/28/10 |
| Chalfour Canada | Endurance | 756-5443 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 9 | 4/28/10 |
| Chalfour Canada | Endurance | 756-5443 | | Bare-spiral | E26/24 (Medium) | CFL | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--------------------------|--------------|------------------------|---|------------------------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Corgom, Inc. | Luminus | P-17523H | 999773 | Bare-Mini-Spiral | Medium E26/24 | CFL | | 1600 | 23.0 | N/A | 12000 | 3000 | 0.58 | 3 | 2/22/12 |
| Corgom, Inc. | Luminus | P-17523S | 888873 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 3 | 8/26/09 |
| Corgom, Inc. | Luminus | P-17523T | 872872, P-C17823 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 3 | 9/17/09 |
| Corgom, Inc. | Luminus | P-17613A | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.58 | 3 | 9/14/09 |
| Corgom, Inc. | Luminus | P-17613T | 200920 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.58 | 3 | 9/14/09 |
| Corgom, Inc. | Luminus | P-17625TR | P-17625TRT (2-pack) | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 3000 | | 3 | 5/17/04 |
| Corgom, Inc. | Luminus | P-17626DL | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 6500 | | 3 | 2/17/10 |
| Corgom, Inc. | Luminus | P-17713S | 888871, P-C17613 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | 0.6 | 3 | 12/18/09 |
| Corgom, Inc. | Luminus | P-17751 | P17751TB, P-C17609, P-177612 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 3 | 7/26/07 |
| Corgom, Inc. | Luminus | P-17756T | 871871, P-177624 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 3 | 8/31/09 |
| Corgom, Inc. | Luminus | P-177622 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 3 | 8/31/09 |
| Corgom, Inc. | Luminus | P-177632 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 3 | 9/17/09 |
| Corgom, Inc. | Luminus | P-177713S | 999971 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 3 | 8/21/10 |
| Corgom, Inc. | Luminus | P-177716S | 245484 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 3000 | | 3 | 8/31/10 |
| Corgom, Inc. | Prolux | P-A27725A | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 8000 | 2700 | | 2 | 8/9/04 |
| Cree, Inc. | CREE, Inc. | LBR30A92-25D | LBR30A92-25D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 618 | 11.866 | N/A | 25000 | 2700 | 0.95 | 3 | 10/5/11 |
| Cree, Inc. | CREE, Inc. | LBR30A92-25D-GU24 | LBR30A92-25D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 618 | 11.866 | N/A | 25000 | 2700 | 0.95 | 3 | 10/5/11 |
| Cree, Inc. | CREE, Inc. | LBR30A92-50D | LBR30A92-50D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 616 | 12.24 | N/A | 25000 | 2700 | 0.95 | 3 | 10/5/11 |
| Cree, Inc. | CREE, Inc. | LBR30A92-50D-GU24 | LBR30A92-50D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 616 | 12.24 | N/A | 25000 | 2700 | 0.95 | 3 | 10/5/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-27K-12D | | | | LED | | | | # | | | | | 1/10/12 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-27K-12D-GU24 | | | | LED | | | | # | | | | | 1/10/12 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-27K-25D | | | | LED | | | | # | | | | | 1/10/12 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-27K-25D-GU24 | | | | LED | | | | # | | | | | 1/10/12 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-12D | LRP38-10L-30K-12D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1023 | 13.77 | N/A | 35000 | 3000 | 0.95 | 3 | 12/20/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-12D-GU24 | LRP38-10L-30K-12D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 1023 | 13.77 | N/A | 35000 | 3000 | 0.95 | 3 | 12/20/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-25D | LRP38-10L-30K-25D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1023 | 13.77 | N/A | 35000 | 3000 | 0.95 | 3 | 12/20/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-25D-GU24 | LRP38-10L-30K-25D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 1023 | 13.77 | N/A | 28000 | 3000 | 0.95 | 3 | 10/7/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-25D-GU24 | LRP38-10L-30K-25D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 1023 | 13.77 | N/A | 25000 | 3000 | 0.95 | 3 | 10/7/11 |
| Cree, Inc. | CREE, Inc. | LRP38-10L-30K-25D-GU24 | LRP38-10L-30K-25D-GU24 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 1023 | 13.77 | N/A | 35000 | 3000 | 0.95 | 3 | 12/20/11 |
| Cree, Inc. | CREE, Inc. | LRP38A92-20D40 | LRP38A92-20D40 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 597 | 11.14 | N/A | 35000 | 2700 | 0.94 | 3 | 2/6/12 |
| Cree, Inc. | CREE, Inc. | LRP38A92-20D40-GU24 | LRP38A92-20D40-GU24 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 597 | 11.14 | N/A | 35000 | 2700 | 0.94 | 3 | 2/6/12 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P14AWW | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | | 2 | 1/8/10 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P14G25WW | | Covered globe | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 2700 | | 2 | 2/25/09 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P15PAR/CW | | Covered reflector | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 4100 | | 2 | 12/1/10 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P18XPWW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 12/16/08 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P20SPWW | P20SPWW, P20SPWW3PK, P20SPWW4PK, P20SPWW6PK | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 10/25/07 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P23PAR/CW | | Covered reflector | E26/24 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 4100 | | 2 | 2/25/09 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P23R40WW | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 4/30/09 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P23XPWW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 12/16/08 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P28SPWW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 4100 | | 2 | 12/16/08 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P32SPWW | | Bare-spiral | E26/24 (Medium) | CFL | | 1920 | 32 | N/A | 8000 | 2700 | | 2 | 4/27/09 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P42SPWW | | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 2 | 4/27/09 |
| Cyber Tech Lighting Inc. | Cyber Lamp | P9XSP WW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 12/16/08 |
| Cyber Tech Lighting Inc. | Eco-Star | LB1PAR38D/WW | LB1PAR38D/WW | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 607 | 11.0 | N/A | 50000 | 3000 | 0.79 | 3 | 11/29/11 |
| Cyber Tech Lighting Inc. | Eco-Star | LB8PAR20D/WW | LB8PAR20D/WW | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 281 | 5.6 | N/A | 25000 | 3000 | 0.71 | 3 | 12/14/11 |
| Digital Lighting, Inc. | Q-RAY | QMR16-USN-30G533 | 95552100211 | MR - Multifaceted reflector | GU5.3 | LED | Dimmable | 151 | 3.26 | N/A | 50000 | 3000 | 0.66 | 3 | 3/8/11 |
| DLU Lighting | DLU Lighting | DMA14 | FLSX9230V | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/25/10 |
| DLU Lighting | DLU Lighting | DMA19 | | Covered A-line | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 2 | 2/28/12 |
| DLU Lighting | DLU Lighting | DME20 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 9/13/07 |
| DLU Lighting | DLU Lighting | DME23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 9/13/07 |
| DLU Lighting | DLU Lighting | DME27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1823 | 27 | N/A | 10000 | 2700 | | 2 | 9/13/07 |
| DLU Lighting | DLU Lighting | DME32 | | Bare-spiral | E26/24 (Medium) | CFL | | 1920 | 32 | N/A | 8000 | 2700 | | 2 | 9/13/07 |
| DLU Lighting | DLU Lighting | DMG14 | FLSY9230V | Covered globe | E26/24 (Medium) | CFL | | 810 | 14 | N/A | 8000 | 2700 | | 7 | 2/25/10 |
| DLU Lighting | DLU Lighting | DMS18 | FLSHC230V | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 2700 | | 7 | 2/23/10 |
| DLU Lighting | DLU Lighting | DMS23 | FLSHQ230V | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 2/23/10 |
| Do it Best Corporation | Do it | 68909DB | 504262 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 6/22/11 |
| Do it Best Corporation | Do it | 689142DB | 514811 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 7/7/11 |
| Do it Best Corporation | Do it | 689145DB | 521086 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 7/7/11 |
| Do it Best Corporation | Do it | 68914DB | 504424, 514811, 521086 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 6/22/11 |
| Do it Best Corporation | Do it | 68914DMD8 | 521983 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 850 | 14 | N/A | 10000 | 2700 | | 9 | 6/22/11 |
| Do it Best Corporation | Do it | 68914DL2DB | 517774 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 6/22/11 |
| Do it Best Corporation | Do it | 689192DB | 514820 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 7/7/11 |
| Do it Best Corporation | Do it | 689195DB | 514839 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 7/7/11 |
| Do it Best Corporation | Do it | 68919DB | 504440, 514820, 514839 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 6/22/11 |
| Do it Best Corporation | Do it | 68919DL2DB | 517792 | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 5000 | | 9 | 6/24/11 |
| Do it Best Corporation | Do it | 689232DB | 514848 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/7/11 |
| Do it Best Corporation | Do it | 689235DB | 514866 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/7/11 |
| Do it Best Corporation | Do it | 68923DB | 504521, 514848, 514866 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 6/23/11 |
| Do it Best Corporation | Do it | 68923DMD8 | 522018 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | | 9 | 6/24/11 |
| Do it Best Corporation | Do it | 68923DL2DB | 517765 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 9 | 6/24/11 |
| Do it Best Corporation | Do it | 691093DB | 517783 | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 2700 | | 7 | 7/7/11 |
| Do it Best Corporation | Do it | 69109DB | 558532, 517783 | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 2700 | | 7 | 6/24/11 |
| Do it Best Corporation | Do it | 6R3014DB | 558540 | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 6/24/11 |
| Do it Best Corporation | Do it | 6R3016DMD8 | 522027 | Covered reflector | E26/24 (Medium) | CFL | | 650 | 16 | N/A | 8000 | 2700 | | 7 | 6/24/11 |
| Do it Best Corporation | Do it | 7P38192DB | 517809 | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 19 | N/A | 8000 | 2700 | | 2 | 7/7/11 |
| Do it Best Corporation | Do it | 7P3819DB | 517818, 517809 | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 19 | N/A | 8000 | 2700 | | 7 | 6/24/11 |
| Do it Best Corporation | Do it | FE-G25A-9W | 558532, | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|-------------------------|---------------|--|-------------------|------------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Earthmate | Earthmate | ES2052AK | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 11/28/07 |
| Earthmate | Earthmate | ES2352AK | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | | 2 | 11/28/07 |
| Earthmate | Litronics International | EM1552AK4 | | Bare-spiral | E26/24 (Medium) | CFL | | 1000 | 15 | N/A | 10000 | 2700 | | 2 | 6/30/09 |
| Earthmate | Litronics International | EM2352AK3 | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | | 2 | 6/30/09 |
| EarthTronics, Inc. | BioLife | SDM11MSL | 057800131014 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM13MSL | 057800131021; 057800131038; 057800131045; 057800131144 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM13MSLT2 | 057800131120; 057800131137 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM16MRUS | 057800131274 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM16SR3DIM | 057800131052 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 700 | 16 | N/A | 8000 | 2700 | | 2 | 12/9/08 |
| EarthTronics, Inc. | BioLife | SDM23MSL | 057800131083 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM32MSL | 057800131168 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1920 | 32 | N/A | 8000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM3W25S | 057800131250 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Three Way | 1800 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BioLife | SDM42MSL | 057800131175 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 2 | 10/28/08 |
| EarthTronics, Inc. | BMR | BMR13MSLT2 | BMRFC13SWB8T2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 7/20/09 |
| EarthTronics, Inc. | BMR | BMR13MSLT2-41 | BMRFC13CW8B2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | | 2 | 4/5/10 |
| EarthTronics, Inc. | BMR | BMR23MSLT2 | BMRFC23CW8B2 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 7/27/09 |
| EarthTronics, Inc. | Bright Green | ET13MSLT2 | CF13SW28T2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 4/11/10 |
| EarthTronics, Inc. | Bright Green | ET23MSLT2 | CF23SW28T2 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 11 | 4/11/10 |
| EarthTronics, Inc. | EarthBulb | AT14SW1B | ET14MALS | Covered A-line | Medium E26/24 (medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF163518T2E | CF163518T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 3500 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF18DL18T2E | CF18DL18T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 6500 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF18SW18T2E | CF18SW18T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF18SW28T2E | CF18SW28T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF18SW48T2E | CF18SW48T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF233518T2E | CF233518T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 3500 | 0.55 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF23DL18T2E | CF23DL18T2E | Bare-Mini-Spiral | Medium E26/24 (medium) | CFL | | 1640 | 23.0 | N/A | 12000 | 6500 | 0.55 | 2 | 2/16/12 |
| EarthTronics, Inc. | EarthBulb | CF23DL28T2E | CF23DL28T2E | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | 0.55 | 11 | 3/19/10 |
| EarthTronics, Inc. | EarthBulb | CF23DL28T2E | CF23DL28T2E | Bare-Mini-Spiral | Medium E26/24 (medium) | CFL | | 1640 | 23.0 | N/A | 12000 | 6500 | 0.55 | 2 | 2/16/12 |
| EarthTronics, Inc. | EarthBulb | CF23DL48T2E | CF23DL48T2E | Bare-Mini-Spiral | Medium E26/24 (medium) | CFL | | 1640 | 23.0 | N/A | 12000 | 6500 | 0.55 | 2 | 2/16/12 |
| EarthTronics, Inc. | EarthBulb | CF23SW18T2E | CF23SW18T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF23SW28T2E | CF23SW28T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | CF23SW48T2E | CF23SW48T2E | Bare-spiral | Medium E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 1/12/12 |
| EarthTronics, Inc. | EarthBulb | ET09MSLT2E | CF09SW18T2E; CF09SW48T2E | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | 0.55 | 2 | 1/4/12 |
| EarthTronics, Inc. | EarthBulb | ET11MSL | CF11SW18; CF11SW28; CF11SW48 | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 2 | 2/5/08 |
| EarthTronics, Inc. | EarthBulb | ET13MSL | CF13SW18; CF13SW28; CF13SW48; CF13SW66 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 2/5/08 |
| EarthTronics, Inc. | EarthBulb | ET13MSLT2 | CF13SW18T2; CF13SW28T2; CF13SW48T2; CF13SW66T2 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 4/3/09 |
| EarthTronics, Inc. | EarthBulb | ET13MSLT2-41 | CF13CW28T2; CF13CW48T2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | | 2 | 4/5/10 |
| EarthTronics, Inc. | EarthBulb | ET13MSLT2E | CF13SW18T2E; CF13SW28T2E; CF13SW48T2E; CF13SW66T2E | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.56 | 2 | 1/4/12 |
| EarthTronics, Inc. | EarthBulb | ET14MAL/S | AT14SW1B; AT14SW2B | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 7/29/09 |
| EarthTronics, Inc. | EarthBulb | ET14MCL/S | CT14SW1B | Covered-Candle | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 8/24/10 |
| EarthTronics, Inc. | EarthBulb | ET14MGL/S-10H | GT14SW1B-10H | Covered globe | E26/24 (Medium) | CFL | | 810 | 14 | N/A | 10000 | 2700 | | 9 | 11/9/10 |
| EarthTronics, Inc. | EarthBulb | ET14SDIM | CF14SW18DIM | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 8000 | 2700 | | 2 | 12/29/08 |
| EarthTronics, Inc. | EarthBulb | ET15FP/S | FP15301B | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 2700 | | 7 | 7/30/10 |
| EarthTronics, Inc. | EarthBulb | ET16MRUS | R316SW18; R316SW28 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | | 2 | 4/3/09 |
| EarthTronics, Inc. | EarthBulb | ET16MRUS-12H | R316SW18-12H | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 12000 | 2700 | | 11 | 11/9/10 |
| EarthTronics, Inc. | EarthBulb | ET16SADIM | AT16SW18DIM | Covered A-line | E26/24 (Medium) | CFL | Dimmable | 800 | 16 | N/A | 8000 | 2700 | | 2 | 12/29/08 |
| EarthTronics, Inc. | EarthBulb | ET16SR2DIM | R216SW18DIM | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 540 | 16 | N/A | 8000 | 2700 | | 2 | 12/29/08 |
| EarthTronics, Inc. | EarthBulb | ET16SR3DIM | R316SW18DIM | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 700 | 16 | N/A | 8000 | 2700 | | 2 | 12/29/08 |
| EarthTronics, Inc. | EarthBulb | ET18MSLT2 | CF18SW18T2; CF18SW28T2; CF18SW48T2 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | | 2 | 7/20/09 |
| EarthTronics, Inc. | EarthBulb | ET20MSL | CF20SW18; CF20SW28; CF20SW48 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 2/6/08 |
| EarthTronics, Inc. | EarthBulb | ET23FP38/S | FP3823301B | Covered reflector | E26/24 (Medium) | CFL | | 1280 | 23 | N/A | 8000 | 3000 | | 7 | 7/30/10 |
| EarthTronics, Inc. | EarthBulb | ET23MPLUS | Pa23SW1B | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 2 | 2/15/08 |
| EarthTronics, Inc. | EarthBulb | ET23MRL/S | R423SW1B | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 8000 | 2700 | | 2 | 2/15/08 |
| EarthTronics, Inc. | EarthBulb | ET23MRL/S | R423SW2B | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 4/3/09 |
| EarthTronics, Inc. | EarthBulb | ET23MSL | CF23SW18; CF23SW28; CF23SW48 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 2/6/08 |
| EarthTronics, Inc. | EarthBulb | ET23MSLT2 | CF23SW18T2; CF23SW28T2; CF23SW48T2; CF23SW18T2E; CF23SW28T2E | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 10/29/08 |
| EarthTronics, Inc. | EarthBulb | ET23MSLT2-6S | CF23DL28T2 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | | 11 | 7/30/10 |
| EarthTronics, Inc. | EarthBulb | ET24SDIM | CF24SW18DIM | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Dimmable | 1490 | 24 | N/A | 8000 | 2700 | | 2 | 12/29/08 |
| EarthTronics, Inc. | EarthBulb | ET27MSL | CF27SW18; CF27SW48 | Bare-spiral | E26/24 (Medium) | CFL | | 1823 | 27 | N/A | 10000 | 2700 | | 2 | 2/6/08 |
| EarthTronics, Inc. | EarthBulb | ET32MSL | CF32SW1B | Bare-spiral | E26/24 (Medium) | CFL | | 1950 | 32 | N/A | 8000 | 2700 | | 2 | 9/1/09 |
| EarthTronics, Inc. | EarthBulb | ET3W25S | 3W25SW1B | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1550 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 4/21/08 |
| EarthTronics, Inc. | EarthBulb | ET42MSL | CF42SW1B | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 2 | 2/6/08 |
| EarthTronics, Inc. | EarthBulb | ET9MGL/S | GT09SW1B | Covered globe | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 11/18/10 |
| EarthTronics, Inc. | EarthBulb | GT14SW1B | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 5/13/10 |
| EarthTronics, Inc. | EarthBulb | R316SW1B | ET16MRL/S | Covered reflector | Medium E26/24 (medium) | CFL | | 750 | 16.0 | N/A | 10000 | 2700 | 0.57 | 2 | 1/12/12 |
| EarthTronics, Inc. | Mejor | 2884975 | ET16MRL/SIS | Covered reflector | Medium E26/24 (medium) | CFL | | 750 | 16.0 | N/A | 10000 | 2700 | 0.57 | 2 | 1/12/12 |
| EarthTronics, Inc. | Mejor | 2885040 | ET16MRL/SIS | Covered reflector | Medium E26/24 (medium) | CFL | | 750 | 16.0 | N/A | 10000 | 2700 | 0.57 | 2 | 1/12/12 |
| EIKO Ltd. | Eiko | PAR209/30K | | Covered reflector | E26/24 (Medium) | CFL | | 280 | 9 | N/A | 8000 | 3000 | | 2 | 6/21/10 |
| EIKO Ltd. | Eiko | PAR209/41K | | Covered reflector | E26/24 (Medium) | CFL | | 270 | 9 | N/A | 8000 | 4100 | | 2 | 6/21/10 |
| EIKO Ltd. | Eiko | PAR30LN15/35K | PAR30LN15/35K | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 3500 | 0.5 | 2 | 6/16/10 |
| EIKO Ltd. | Eiko | PAR30LN15/41K | | Covered reflector | E26/24 (Medium) | CFL | | 725 | 15 | N/A | 8000 | 4100 | 0.53 | 2 | 6/31/10 |
| EIKO Ltd. | Eiko | PAR30LN15/50K | | Covered reflector | E26/24 (Medium) | CFL | | 745 | 15 | N/A | 8000 | 5000 | | 2 | 6/8/10 |
| EIKO Ltd. | Eiko | PAR38/23/30 | PAR38/23/30 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3000 | | 2 | 12/21/10 |
| EIKO Ltd. | Eiko | PAR38/23/35 | | Covered reflector | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-------------------------|------------------|--------------------|--|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| EIKO Ltd. | Eiko | SP9G2841K | | Covered globe | E2624 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 8/24/09 |
| Energetic Lighting Inc. | Energetic | E117-100W-B1 | | Covered globe | E2624 (Medium) | CFL | | 500 | 10 | N/A | 10000 | 2700 | | 2 | 1/6/11 |
| Energetic Lighting Inc. | Energetic | E117-160W-B1 | E117-150W-V1; E117Q-150W-B1 | Covered globe | E2624 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 2 | 1/12/10 |
| Energetic Lighting Inc. | Energetic | E151-195C-B1 | FE151C-19-VP1 | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 4100 | | 2 | 9/10/09 |
| Energetic Lighting Inc. | Energetic | E151-235C-B1 | FE151C-23-VP1; FE151C-23-VP2 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 2 | 9/15/09 |
| Energetic Lighting Inc. | Energetic | E151-275W-B1 | FE151-S-27 2700K | Bare-spiral | E2624 (Medium) | CFL | | 2000 | 27 | N/A | 10000 | 2700 | | 2 | 10/21/09 |
| Energetic Lighting Inc. | Energetic | E151M-235W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/11/12 |
| Energetic Lighting Inc. | Energetic | E151M-235W-B6 | | Bare-spiral | E2624 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 2700 | | 2 | 6/29/11 |
| Energetic Lighting Inc. | Energetic | E151X-160W-B1 | | Covered reflector | E2624 (Medium) | CFL | | 1250 | 19 | N/A | 10000 | 2700 | 0.55 | 2 | 11/28/11 |
| Energetic Lighting Inc. | Energetic | E152-230W-B1 | E152Q-150W-B1 | Covered reflector | E2624 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | 0.58 | 2 | 9/18/09 |
| Energetic Lighting Inc. | Energetic | E152-230W-B1 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 9/18/09 |
| Energetic Lighting Inc. | Energetic | E152-230W-B1 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.59 | 2 | 9/18/09 |
| Energetic Lighting Inc. | Energetic | E153-135N-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 5000 | | 2 | 12/31/10 |
| Energetic Lighting Inc. | Energetic | E153-70W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | | 2 | 8/20/09 |
| Energetic Lighting Inc. | Energetic | E172-70W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 375 | 7 | N/A | 12000 | 2700 | | 2 | 12/01/11 |
| Energetic Lighting Inc. | Energetic | E213-135W-B2 | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 2 | 3/24/11 |
| Energetic Lighting Inc. | Energetic | E231C-11AW-B1 | FE231C-11-VP1; FE231C-11-VP2 | Covered A-line | E12 (Candelabra) | CFL | | 600 | 11 | N/A | 10000 | 2700 | | 2 | 10/15/09 |
| Energetic Lighting Inc. | Energetic | E242-230W-B1 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 9/18/09 |
| Energetic Lighting Inc. | Energetic | E247-235W-B2 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 3/24/11 |
| Energetic Lighting Inc. | Energetic | E275-14CW-B1 | E275-14CW-B1 | Bare-spiral | Medium E2624 | CFL | | 800 | 14.0 | N/A | 10000 | 2700 | 0.64 | 2 | 4/23/12 |
| Energetic Lighting Inc. | Energetic | E275C-13AW-B1 | FE275C-13-VP1; FE275C-13-VP2 | Covered A-line | E12 (Candelabra) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 2 | 10/15/09 |
| Energetic Lighting Inc. | Energetic | E501-105W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 660 | 10 | N/A | 10000 | 2700 | | 2 | 8/6/10 |
| Energetic Lighting Inc. | Energetic | E501-135W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 2 | 7/23/10 |
| Energetic Lighting Inc. | Energetic | E502-205W-B1 | E502-205W-VP1 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 7/23/10 |
| Energetic Lighting Inc. | Energetic | E502-205W-B2 | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 3/24/11 |
| Energetic Lighting Inc. | Energetic | E502-235W-B1 | E502-235W-VP1 | Bare-spiral | E2624 (Medium) | CFL | | 1620 | 23 | N/A | 10000 | 2700 | | 2 | 6/17/10 |
| Energetic Lighting Inc. | Energetic | E508T-325W-B1 | | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2150 | N/A | 1323/32 | 2 | 2700 | | 2 | 7/30/10 |
| Energetic Lighting Inc. | Energetic | E509D-135W-B1 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 12000 | 2700 | | 2 | 9/19/10 |
| Energetic Lighting Inc. | Energetic | E509D-235W-B1 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 12/01/11 |
| Energetic Lighting Inc. | Energetic | E511-135W-B1 | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 6/29/11 |
| Energetic Lighting Inc. | Energetic | E511-135W-VB10 | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 6/29/11 |
| Energetic Lighting Inc. | Energetic | E516-70W-B1 | E516-70W-B1 | Covered-Candle | E12 (Candelabra) | CFL | | 350 | 7.0 | N/A | 10000 | 2700 | 0.58 | 2 | 2/13/12 |
| Energetic Lighting Inc. | Energetic | FE101-11W 2700K | E101-11SW-B1 | Bare-spiral | E2624 (Medium) | CFL | | 650 | 11 | N/A | 10000 | 2700 | | 2 | 7/20/09 |
| Energetic Lighting Inc. | Energetic | FE101 15W 2700K | E101-15SW-B1 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 7/20/09 |
| Energetic Lighting Inc. | Energetic | FE127 19W 2700K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 2 | 9/15/09 |
| Energetic Lighting Inc. | Energetic | FE151A 19S | FE151-S-19; E151-19SW-B1 | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 2700 | | 2 | 7/15/09 |
| Energetic Lighting Inc. | Energetic | FE151D-19-VP1 | | Bare-spiral | E2624 (Medium) | CFL | | 1240 | 19 | N/A | 10000 | 6500 | | 2 | 8/3/09 |
| Energetic Lighting Inc. | Energetic | FE151-S-23W 2700K | E151-23SW-B1 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/15/09 |
| Energetic Lighting Inc. | Energetic | FE152-40-19 | | Covered reflector | E2624 (Medium) | CFL | | 1000 | 19 | N/A | 6000 | 2700 | | 5 | 7/14/06 |
| Energetic Lighting Inc. | Energetic | FE153-13D-VP1 | FE153-13D-VP2; FE153-13D-VP4; E153-13SD-B1; E153-13SD-B10; E153-13SD-B6 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 6500 | | 2 | 8/3/09 |
| Energetic Lighting Inc. | Energetic | FE153-13S | FE153-13S-VP1; FE153-13S-VP2; FE153-13S-VP4; FE153-13S-VP6; FE153-13S-VP10; FE153-13S-10BX; FE153-13SP-VP1; FE153-13SP-VP2; E153-13SW-B6; E153-13SW-V4; E153-13SW-V3; WPS153 13W | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 6/24/08 |
| Energetic Lighting Inc. | Energetic | FE213 13W | FE213-13-VP2 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 11/3/08 |
| Energetic Lighting Inc. | Energetic | FE231-11-VP1 | FE231-11-VP2; E231-11AW-B1 | Covered A-line | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | | 2 | 9/30/09 |
| Energetic Lighting Inc. | Energetic | FE247-19-VP1 | E247-19SW-B1 | Bare-spiral | E2624 (Medium) | CFL | | 1180 | 19 | N/A | 10000 | 2700 | | 2 | 10/6/09 |
| Energetic Lighting Inc. | Energetic | FE247-23-VP1 | E247-23SW-B1; E247-23SW-V3 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/5/09 |
| Energetic Lighting Inc. | Energetic | FE275-13-VP1 | FE275-13-VP2; E275-13AW-B1; E275-13AW-V2 | Covered A-line | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 9/30/09 |
| Energetic Lighting Inc. | Energetic Yankon | FE151-S-19 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3000 | 0.63 | 7 | 12/17/07 |
| Energetic Lighting Inc. | Energetic Yankon | FE151-S-19 (352) | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 8000 | 3500 | 0.56 | 7 | 12/17/07 |
| Energetic Lighting Inc. | Energetic Yankon | FE151S-19-VP1 | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 2700 | | 2 | 10/2/08 |
| Energetic Lighting Inc. | Energetic Yankon | FE151-S-23 | FE151S-23-VP1; FE151S-23-VP2 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3000 | 0.64 | 7 | 12/17/07 |
| Energetic Lighting Inc. | Energetic Yankon | FE151-S-23 (352) | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | 0.57 | 7 | 12/17/07 |
| Energetic Lighting Inc. | Energetic Yankon | FE151S-23-VP1 | FE151S-23-VP1 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3000 | 0.64 | 7 | 12/17/07 |
| Energetic Lighting Inc. | Energetic Yankon | FE213-13-VP2 | E213-13SW-B1; E213-13SW-B6 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 2 | 10/2/08 |
| Energetic Lighting Inc. | ON | 9237 | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.59 | 2 | 9/18/09 |
| Energy Max Ltd | Ecospiral | 15WUHPF27 | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 15000 | 2700 | 0.98 | 2 | 4/30/09 |
| Energy Max Ltd | Ecospiral | 20WUHPF27 | | Bare-spiral | E2624 (Medium) | CFL | | 1400 | 20 | N/A | 15000 | 2700 | 0.89 | 2 | 4/30/09 |
| Energy Max Ltd | Ecospiral | 23WUHPF27 | | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 23 | N/A | 15000 | 2700 | 0.88 | 2 | 4/30/09 |
| Energy Max Ltd | Quality Choice | QC-96726 | QC-96726 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.6 | 2 | 10/17/11 |
| Energy Max Ltd | Quality Choice | QC-96727 | 143426 | Covered A-line | E2624 (Medium) | CFL | | 894 | 14.0 | N/A | 10000 | 2700 | 0.56 | 3 | 9/29/11 |
| Energy Max Ltd | Quality Choice | QC-96728 | QC-96728 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 10/5/11 |
| Felt Electric | APS | ESL18TMAPS | | Bare-spiral | E2624 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | | 2 | 9/1/11 |
| Felt Electric | Conserv-Energy | BPCE11G3 | | Covered globe | E2624 (Medium) | CFL | | 550 | 11 | N/A | 8000 | 2700 | | 2 | 3/13/06 |
| Felt Electric | Conserv-Energy | BPCE11G4 | BPCE11G4 | Covered globe | E2624 (Medium) | CFL | | 550 | 11 | N/A | 8000 | 2700 | | 2 | 12/07 |
| Felt Electric | Conserv-Energy | BPCE13T8 | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 12/16/02 |
| Felt Electric | Conserv-Energy | BPCE15A4 | | Covered A-line | E2624 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | | 2 | 3/13/06 |
| Felt Electric | Conserv-Energy | BPCE18PAR38/DIMLED | 18PAR38/DIMLED | PAR - Parabolic Aluminum Reflector | E2624 (Medium) | LED | Dimmable | 889 | 16.62 | N/A | 25000 | 3000 | 0.85 | 3 | 2/8/11 |
| Felt Electric | Conserv-Energy | BPCE18TMDI6 | BPCE18TMDI6 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 6500 | | 2 | 12/07 |
| Felt Electric | Conserv-Energy | BPCE23TM4 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 2 | 12/12/02 |
| Felt Electric | Conserv-Energy | CE11G4 | | Covered globe | E2624 (Medium) | CFL | | 550 | 11 | N/A | 8000 | 2700 | | 2 | 12/17/07 |
| Felt Electric | Conserv-Energy | CE13T5 | BPCE13T5 | Covered globe | E2624 (Medium) | CFL | | 900 | 13.0 | N/A | 10000 | 2700 | | 2 | 3/9/09 |
| Felt Electric | Conserv-Energy | CE13T10 | 877205 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 7/24/07 |
| Felt Electric | Conserv-Energy | CE13T10(N) | 877205 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/30/09 |
| Felt Electric | Conserv-Energy | CE13T4 | 440075 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.57 | 2 | 8/25/09 |
| Felt Electric | Conserv-Energy | CE13T4(N) | 440075 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/30/09 |
| Felt Electric | Conserv-Energy | CE15BR30 | | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | | 2 | 3/9/09 |
| Felt Electric | Conserv-Energy | CE15BR304 | 440075 | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.54</ | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|---------------|-------------------|--|-------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Feit Electric | Feit Electric | ESL137IES | BPEL137IES, BPEL137A3ES | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/12/09 |
| Feit Electric | Feit Electric | ESL137M | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 5/10/10 |
| Feit Electric | Feit Electric | ESL147M | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 12000 | 2700 | 0.58 | 2 | 3/6/09 |
| Feit Electric | Feit Electric | ESL15A | BPEL15A | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | 0.6 | 2 | 4/28/10 |
| Feit Electric | Feit Electric | ESL15A4 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | 0.6 | 2 | 5/26/10 |
| Feit Electric | Feit Electric | ESL15A4/ECCO/CAN | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 6000 | 2700 | | 2 | 1/11/08 |
| Feit Electric | Feit Electric | ESL15BR30 | BPEL15BR30, BPEL15BR30/3RP | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | | 2 | 4/14/08 |
| Feit Electric | Feit Electric | ESL15BR30/35K | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 15 | N/A | 8000 | 3500 | 0.53 | 2 | 9/30/09 |
| Feit Electric | Feit Electric | ESL15BR30/65K | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 15 | N/A | 8000 | 6500 | 0.55 | 2 | 10/2/09 |
| Feit Electric | Feit Electric | ESL15BR30/ECCO | ESL15BR30/ECCO, ESL15BR30/ECCO/CAN, ESL15BR30/ECCO, ESL15BR30/4/ECCO | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.54 | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL15GT | BPEL15GT, ESL15GT/ECCO | Covered globe | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | 0.61 | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL15R30DM | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 720 | 15 | N/A | 6000 | 2700 | 0.68 | 2 | 3/27/09 |
| Feit Electric | Feit Electric | ESL15R30DM(A) | BPEL15R30DM | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 720 | 15 | N/A | 6000 | 2700 | 0.68 | 2 | 7/24/09 |
| Feit Electric | Feit Electric | ESL15R30DM(A1) | ESL15R30DM/3 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 720 | 15 | N/A | 10000 | 2700 | 0.67 | 2 | 6/15/10 |
| Feit Electric | Feit Electric | ESL15R30HDM | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 720 | 15 | N/A | 6000 | 2700 | 0.67 | 2 | 3/25/09 |
| Feit Electric | Feit Electric | ESL16AT(E) | BPEL16AT(E), ESL16AT(E), BPEL16AT(Q/E) | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15.0 | N/A | 8000 | 2700 | | 2 | 3/11/09 |
| Feit Electric | Feit Electric | ESL16PAR38H | BPEL16PAR38H | Covered reflector | E26/24 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 2700 | 0.67 | 2 | 7/15/09 |
| Feit Electric | Feit Electric | ESL16R40H | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 18 | N/A | 10000 | 2700 | 0.6 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL16R40H/35K | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 3500 | 0.6 | 2 | 4/3/09 |
| Feit Electric | Feit Electric | ESL16R40T | BPEL16R40T | Covered reflector | E26/24 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 2700 | | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL18T | BPEL18TMECCO, ESL18TM/3, ECO, ESL18TM/4/ECCO | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL18T/65K | | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 8000 | 6500 | 0.57 | 2 | 10/18/10 |
| Feit Electric | Feit Electric | ESL18TM | ESL18TM4, ESL18TM2, BPEL18TM/2/3RP, ESL18TM/4/ RP | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | 0.58 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL18TMA | | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 8000 | 2700 | 0.55 | 2 | 7/28/09 |
| Feit Electric | Feit Electric | ESL18TM/CW | BPEL18TM/CW, ESL18TM/CW/4 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 4100 | | 2 | 10/30/03 |
| Feit Electric | Feit Electric | ESL18TM/D | BPEL18TM/D, ESL18TM/D/3, ESL18TM/D/4 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 6500 | | 2 | 3/11/09 |
| Feit Electric | Feit Electric | ESL18TM/D(N) | ESL18TM/D/4(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 8000 | 6500 | | 2 | 10/2/09 |
| Feit Electric | Feit Electric | ESL18TMECCO | BPEL18TMECCO | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 2700 | | 2 | 10/29/07 |
| Feit Electric | Feit Electric | ESL18TMECCO(N) | ESL18TM/3/ECCO(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | 0.58 | 2 | 10/6/09 |
| Feit Electric | Feit Electric | ESL18TMM | | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 8000 | 2700 | 0.6 | 2 | 7/28/09 |
| Feit Electric | Feit Electric | ESL22TM | | Bare-spiral | E26/24 (Medium) | CFL | | 1485 | 22 | N/A | 10000 | 2700 | 0.56 | 2 | 11/22/10 |
| Feit Electric | Feit Electric | ESL22TM/4/SCE | ESL22TM/3/SCE | Bare-spiral | E26/24 (Medium) | CFL | | 1485 | 22 | N/A | 10000 | 2700 | | 2 | 5/12/11 |
| Feit Electric | Feit Electric | ESL23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 10/8/10 |
| Feit Electric | Feit Electric | ESL23PAR38H | BPEL23PAR38, BPEL23PAR38H, BPEL23PAR38T2, ESL23PAR38T | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23.0 | N/A | 8000 | 2700 | 0.59 | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL23PAR38H/ECCO | ESL23PAR38H/2/ECCO | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL23R40 | BPEL23R40T, ESL23R40H | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23.0 | N/A | 10000 | 2700 | 0.56 | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL23R40H/ECCO | ESL23R40H/2/ECCO | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 2 | 3/9/09 |
| Feit Electric | Feit Electric | ESL23R40H/ECCO(G) | ESL23R40H_2_ECCO(G) | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 10/12/11 |
| Feit Electric | Feit Electric | ESL23TA | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 11/22/11 |
| Feit Electric | Feit Electric | ESL23TM | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 2 | 8/3/09 |
| Feit Electric | Feit Electric | ESL23TM/12 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 11/22/11 |
| Feit Electric | Feit Electric | ESL23TM/35K | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 8000 | 3500 | 0.6 | 2 | 9/30/09 |
| Feit Electric | Feit Electric | ESL23TM 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 6500 | 0.57 | 2 | 6/22/10 |
| Feit Electric | Feit Electric | ESL23TM/AP(S/N) | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 3/16/11 |
| Feit Electric | Feit Electric | ESL23TM/D | BPEL23TM/D, BPEL23TM/D/3RP, ESL23TM/D/4 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 6500 | | 2 | 10/2/07 |
| Feit Electric | Feit Electric | ESL23TMECCO | BPEL23TMECCO, ESL23TM/3/ ECO | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/29/07 |
| Feit Electric | Feit Electric | ESL23TM(G) | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 2/22/08 |
| Feit Electric | Feit Electric | ESL23TMM/CW | BPEL23TMM/CW, ESL23TM/CW/4 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 4100 | | 2 | 8/15/05 |
| Feit Electric | Feit Electric | ESL23TMM/CW(N) | ESL23TMM/CW/4(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 4100 | 0.57 | 2 | 10/1/09 |
| Feit Electric | Feit Electric | ESL23TM(N) | BPEL23TM(N), ESL23TM/2(N), ESL23TM/4(N), ESL23TM/12(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1644 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 10/6/09 |
| Feit Electric | Feit Electric | ESL25T | BPEL25T | Bare-spiral | E26/24 (Medium) | CFL | | 1800 | 25 | N/A | 10000 | 2700 | 0.62 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL25TM | BPEL25TM, BPEL25TA, ESL25TA | Bare-spiral | E26/24 (Medium) | CFL | | 1800 | 25 | N/A | 8000 | 2700 | | 2 | 7/22/09 |
| Feit Electric | Feit Electric | ESL25TMECCO | BPEL25TMECCO | Bare-spiral | E26/24 (Medium) | CFL | | 1800 | 25 | N/A | 10000 | 2700 | | 2 | 6/22/09 |
| Feit Electric | Feit Electric | ESL30/100T | BPEL30/100T, ESL30/100T/ ECO | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 2700 | 0.57 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL30T | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 10000 | 2700 | 0.55 | 2 | 3/6/09 |
| Feit Electric | Feit Electric | ESL30T/ECCO | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 8000 | 2700 | | 2 | 7/20/09 |
| Feit Electric | Feit Electric | ESL30TM | BPEL30T/3, BPEL30T, ESL30T/ECCO | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 8000 | 2700 | | 2 | 7/21/09 |
| Feit Electric | Feit Electric | ESL315 | BPEL315 | Bare-Triple Tube | E26/24 (Medium) | CFL | | 1500 | 15 | N/A | 8000 | 2700 | 0.53 | 2 | 3/25/09 |
| Feit Electric | Feit Electric | ESL320 | BPEL320 | Bare-Triple Tube | E26/24 (Medium) | CFL | | 1430 | 22.0 | N/A | 8000 | 2700 | | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL325 | BPEL325 | Bare-Triple Tube | E26/24 (Medium) | CFL | | 1600 | 24 | N/A | 8000 | 2700 | 0.59 | 2 | 6/29/09 |
| Feit Electric | Feit Electric | ESL3C | BPEL3C | Covered-Candle | E12 (Candelabra) | CFL | | 120 | 3 | N/A | 8000 | 2700 | 0.54 | 2 | 9/15/09 |
| Feit Electric | Feit Electric | ESL3C | BPEL3C | Covered-Candle | E26/24 (Medium) | CFL | | 120 | 3 | N/A | 8000 | 2700 | 0.54 | 2 | 9/15/09 |
| Feit Electric | Feit Electric | ESL40T | BPEL40T | Bare-spiral | E26/24 (Medium) | CFL | | 2650 | 40 | N/A | 8000 | 2700 | 0.58 | 2 | 12/17/07 |
| Feit Electric | Feit Electric | ESL7C | ESL7C, BPEL7C, BPEL7C/2, BPEL7C/5 | Covered-Candle | E12 (Candelabra) | CFL | | 280 | 7 | N/A | 8000 | 2700 | 0.55 | 2 | 4/7/09 |
| Feit Electric | Feit Electric | ESL7C | | Covered-Candle | E26/24 (Medium) | CFL | | 280 | 7 | N/A | 8000 | 2700 | 0.55 | 2 | 4/7/09 |
| Feit Electric | Feit Electric | ESL7C/35K | | Covered-Candle | E12 (Candelabra) | CFL | | 280 | 7 | N/A | 8000 | 3500 | 0.52 | 2 | 10/1/09 |
| Feit Electric | Feit Electric | ESL7C/35K | | Covered-Candle | E26/24 (Medium) | CFL | | 280 | 7 | N/A | 8000 | 3500 | 0.52 | 2 | 10/1/09 |
| Feit Electric | Feit Electric | ESL9T | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 2700 | 0.59 | 2 | 1/6/11 |
| Feit Electric | Feit Electric | ESL9TM | BPEL9TM | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 4/28/10 |
| Feit Electric | Feit Electric | ESL9TM/4(H) | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 8000 | 2700 | 0.55 | 2 | 10/18/11 |
| Feit Electric | Feit Electric | ESL9TMECCO (H) | ESL9TM/3/ECCO (H) | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 8000 | 2700 | 0.55 | 2 | 10/18/11 |
| Feit Electric | Feit Electric | ESL9TMM | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 650 | 9 | N/A | 8000 | 2700 | | 2 | 5/10/05 |
| Feit Electric | Feit Electric | L23TM | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.59 | 2 | 4/15/10 |
| Feit Electric | Feit Electric | PAR20/HP/DIM/LED | 18PAR38/DIM/LED, BPEL18PAR38/DIM/LED, CE18PAR38/DIM/LED | PAR - Parabolic Aluminium Reflector | E26/24 (Medium) | LED | Dimmable | 316 | 7.09 | N/A | 30000 | 3000 | 0.85 | 3 | 28/11 |
| Feit Electric | Feit Electric | PAR38/HP/DIM/LED | | PAR - Parabolic Aluminium Reflector | E26/24 (Medium) | LED | Dimmable | 889 | 16.62 | N/A | 30000 | 3000 | 0.85 | 3 | 28/11 |
| Feit Electric | FEIT ELECTRIC | 11R20T | BPEL11R20 | Covered reflector | E26/E24 (Medium) | CFL | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|-----------|------------------------------|------------------------------|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Feit Electric | HomeBrite | ESL23TM6HBR | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 5/20/10 |
| Feit Electric | HomeBrite | ESL9TM4HBR | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 8000 | 2700 | | 2 | 4/28/10 |
| Feit Electric | ProValue | PV35988 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 2 | 7/28/08 |
| Firefly Lighting Co., Ltd. | Firefly | BH4-11D E26 | BX4 | Bare-spiral | E26/24 (Medium) | CFL | | 580 | 11 | N/A | 12000 | 2700 | 0.56 | 9 | 4/30/09 |
| Firefly Lighting Co., Ltd. | Firefly | BH4-11X2700K E12 | | Bare-spiral | E12 (Candelabra) | CFL | | 580 | 11 | N/A | 15000 | 2700 | | 2 | 3/23/07 |
| Firefly Lighting Co., Ltd. | Firefly | BH4-11X2700K E12 | BX4 | Bare-quadruple tube | E26/24 (Medium) | CFL | | 580 | 11 | N/A | 15000 | 2700 | | 2 | 3/23/07 |
| Firefly Lighting Co., Ltd. | Firefly | BH4-11X5000K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 578 | 11 | N/A | 15000 | 5000 | | 2 | 12/21/07 |
| Firefly Lighting Co., Ltd. | Firefly | BH4-11X5000K E12 | | Bare-quadruple tube | E12 (Candelabra) | CFL | | 545 | 11 | N/A | 15000 | 5000 | 0.55 | 2 | 9/30/09 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-14D E26 | | Bare-spiral | E26/24 (Medium) | CFL | | 860 | 14 | N/A | 15000 | 2700 | 0.57 | 9 | 4/30/09 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-14W2700K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 8/24/07 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-14W5000K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 840 | 14 | N/A | 15000 | 5000 | | 2 | 8/24/07 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-20D 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1150 | 20 | N/A | 15000 | 2700 | 0.57 | 2 | 1/19/10 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-20W2700K | BU4 | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | | 2 | 9/4/07 |
| Firefly Lighting Co., Ltd. | Firefly | BU4-20W5000K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1115 | 20 | N/A | 12000 | 5000 | | 2 | 12/21/07 |
| Firefly Lighting Co., Ltd. | Firefly | BUS-25D (E26/E12) | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 15000 | 2700 | 0.56 | 9 | 7/17/09 |
| Firefly Lighting Co., Ltd. | Firefly | BUS-25W2700K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 15000 | 2700 | | 2 | 8/24/07 |
| Firefly Lighting Co., Ltd. | Firefly | BUS-25W5000K | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1430 | 25 | N/A | 15000 | 5000 | | 2 | 7/17/08 |
| Firefly Lighting Co., Ltd. | Firefly | FLOD-A4 E12 3000K | FLOD-A4 E12 3000K | C-Candle | E12 (Candelabra) | LED | | 219 | 3.62 | N/A | 15000 | 3000 | 0.55 | 3 | 11/21/12 |
| Firefly Lighting Co., Ltd. | Firefly | FLOD-DB4-F-4W E12 3000K | FLOD-DB4-F-4W E12 3000K | CA - Candle with angular tip | E12 | LED | Dimmable | 240 | 4.0 | N/A | 20000 | 3000 | 0.7 | 3 | 5/10/12 |
| Firefly Lighting Co., Ltd. | Firefly | FLGL-A3.5 E26 3000K | FLGL-A3.5 E26 3000K | Non-standard | E26/24 (Medium) | LED | | 220 | 3.5 | N/A | 25000 | 3000 | 0.48 | 3 | 12/20/11 |
| Firefly Lighting Co., Ltd. | Firefly | FLGL-A7 E26 3000K | FLGL-A7 E26 3000K | Non-standard | E26/24 (Medium) | LED | | 455 | 7.0 | N/A | 25000 | 3000 | 0.87 | 3 | 12/20/11 |
| Firefly Lighting Co., Ltd. | Firefly | FLGL-B3.5-A55-3.5W E26 3000K | FLGL-B3.5-A55-3.5W E26 3000K | Non-standard | E26/24 (Medium) | LED | | 318 | 3.4 | N/A | 25000 | 3000 | 0.54 | 3 | 4/12/12 |
| Firefly Lighting Co., Ltd. | Firefly | FLGL-B7-A60-7W E26 3000K | FLGL-B7-A60-7W E26 3000K | Non-standard | E26/24 (Medium) | LED | | 534 | 6.3 | N/A | 25000 | 3000 | 0.85 | 3 | 4/12/12 |
| Firefly Lighting Co., Ltd. | Firefly | FLM16-A4 GU10 3000K | FLM16-A4 GU10 3000K | Non-standard | GU10 | LED | | 208 | 4.0 | N/A | 25000 | 3000 | 0.57 | 3 | 1/13/12 |
| Firefly Lighting Co., Ltd. | Firefly | FLP38-A12 12W E26 3000K | FLP38-A12 12W E26 3000K | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | | 685 | 11.7 | N/A | 25000 | 3000 | 0.8 | 3 | 10/31/11 |
| Firefly Lighting Co., Ltd. | Firefly | FPA30-15W 2700K | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 10/21/10 |
| Firefly Lighting Co., Ltd. | Firefly | FPA30-15W 4100K | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 15 | N/A | 10000 | 4100 | 0.56 | 2 | 10/21/10 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-13W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.56 | 2 | 12/18/09 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-13W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 15000 | 4100 | 0.55 | 2 | 5/27/10 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-18W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1208 | 18 | N/A | 12000 | 2700 | 0.55 | 2 | 12/18/09 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-18W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1150 | 18 | N/A | 15000 | 4100 | 0.55 | 2 | 5/27/10 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1610 | 23 | N/A | 15000 | 2700 | 0.55 | 2 | 12/10/09 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-23W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 15000 | 4100 | 0.56 | 2 | 5/27/10 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-9W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 12000 | 2700 | 0.55 | 2 | 12/10/09 |
| Firefly Lighting Co., Ltd. | Firefly | FST2-9W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 480 | 9 | N/A | 15000 | 4100 | 0.55 | 2 | 5/27/10 |
| Firefly Lighting Co., Ltd. | Firefly | XEU23-11T 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 668 | 11 | N/A | 15000 | 2700 | | 2 | 7/17/08 |
| Firefly Lighting Co., Ltd. | Firefly | XEU23-14T 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 15000 | 2700 | 0.54 | 2 | 8/3/09 |
| Firefly Lighting Co., Ltd. | Firefly | XEU23-15T 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 953 | 15 | N/A | 15000 | 2700 | | 2 | 7/17/08 |
| Firefly Lighting Co., Ltd. | Firefly | XEU23-9T 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 582 | 9 | N/A | 15000 | 2700 | | 2 | 7/17/08 |
| Firefly Lighting Co., Ltd. | Firefly | XEU38-18T 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 15000 | 2700 | 0.55 | 2 | 7/31/09 |
| Firefly Lighting Co., Ltd. | Firefly | XEU38-20T 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 15000 | 2700 | 0.56 | 2 | 7/31/09 |
| Firefly Lighting Co., Ltd. | Firefly | XEU38-24T 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 24 | N/A | 15000 | 2700 | 0.55 | 2 | 8/3/09 |
| Firefly Lighting Co., Ltd. | Firefly | XEU38-26T 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 26 | N/A | 15000 | 2700 | 0.55 | 2 | 8/3/09 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M13 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.54 | 5 | 7/14/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M13/CW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.56 | 5 | 7/23/08 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M18 | | Bare-spiral | E26/24 (Medium) | CFL | | 1150 | 18 | N/A | 15000 | 2700 | 0.56 | 13 | 8/31/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M18/CW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 4100 | 0.56 | 5 | 7/23/08 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M22 | | Bare-spiral | E26/24 (Medium) | CFL | | 1450 | 22 | N/A | 10000 | 2700 | 0.57 | 9 | 9/21/09 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 15000 | 2700 | 0.56 | 13 | 6/14/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M23/CW | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 5 | 7/23/08 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-M6 E26 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 9 | N/A | 8000 | 2700 | 0.57 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-S5209 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.58 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | ELS-S5211 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 560 | 11 | N/A | 10000 | 2700 | 0.5 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | F613(F614) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 8000 | 2700 | | 5 | 3/9/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | F618 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1150 | 18 | N/A | 8000 | 2700 | | 5 | 3/5/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | F624 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 24 | N/A | 8000 | 2700 | | 5 | 3/5/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | T3 ELS-M11 E26 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 680 | 11 | N/A | 8000 | 2700 | 0.59 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | T3 ELS-M15 E26 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 2700 | 0.57 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | T3 ELS-M20 E26 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1290 | 20 | N/A | 10000 | 2700 | 0.57 | 7 | 11/30/07 |
| Foshan Electrical and Lighting Co., Ltd. | FSL | T3 ELS-M7 E26 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 8000 | 2700 | 0.54 | 7 | 11/30/07 |
| Free's Inc. | FRED'S | 12101 | 12101 | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.59 | 9 | 9/29/09 |
| Free's Inc. | FRED'S | 12144 | 12144 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.54 | 9 | 9/29/09 |
| Free's Inc. | FRED'S | 12169 | 12169 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.54 | 9 | 9/29/09 |
| Free's Inc. | FRED'S | 12172 | 12172 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.54 | 9 | 9/29/09 |
| Free's Inc. | FRED'S | 12286 | 12287, 12288 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.55 | 2 | 3/23/10 |
| Free's Inc. | FRED'S | FRD689144 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/17/11 |
| Free's Inc. | FRED'S | FRD689194 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 2/17/11 |
| Free's Inc. | FRED'S | FRD689234 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 2/17/11 |
| Free's Inc. | FRED'S | FRD694142 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/17/11 |
| Free's Inc. | FRED'S | FRD73823 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 2/17/11 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | 3-WAY T4S 15W/26W/40W | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2600 | N/A | 15/26/40 | 10000 | 2700 | | 2 | 12/5/05 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | A-TYPE T2S 15W | A-TYPE T2S 15W | Covered A-line | E26/24 (medium) | CFL | | 810 | 14.14 | N/A | 10000 | 2700 | 0.59 | 2 | 12/20/11 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | A-TYPE T2S 7W | | Covered A-line | E12 (Candelabra) | CFL | | 450 | 7 | N/A | 12000 | 2700 | | 2 | 12/18/08 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | A-TYPE T2S 7W | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 12000 | 2700 | | 2 | 12/18/08 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | A-TYPE T2S 7W 4100K | | Covered A-line | E12 (Candelabra) | CFL | | 450 | 7 | N/A | 10000 | 4100 | 0.58 | 2 | 9/2/09 |
| Fujian Jionluck Electronic Enterprise Co., Ltd. | Jionluck | A-TYPE T2S 7W 4100K | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 4100 | 0.58 | 2 | 9/2/09 |
| Fujian Jionluck Electronic Enterprise Co., Ltd.</ | | | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|----------|------------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS MINI I 20W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 11000 | 2700 | | 2 | 11/1/03 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS MINI I 23W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 11/10/03 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS MINI I 23W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1450 | 23 | N/A | 10000 | 4100 | | 2 | 6/10/07 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS MINI I 26W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 11000 | 2700 | | 2 | 11/10/03 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS-S MINI 13W | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 830 | 13.0 | N/A | 10000 | 2700 | | 2 | 6/10/04 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS-S MINI 13W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13.0 | N/A | 10000 | 2700 | | 2 | 6/10/04 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS-S MINI 18W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 11000 | 2700 | | 2 | 12/3/04 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS-S MINI 23W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 3/30/05 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 11W | | Bare-spiral | E12 (Candelabra) | CFL | | 730 | 11 | N/A | 10000 | 2700 | | 2 | 11/01/11 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 11W | | Bare-spiral | E26/24 (Medium) | CFL | | 730 | 11 | N/A | 10000 | 2700 | | 2 | 11/01/11 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 7/11/05 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 7/11/05 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 3500K | | Bare-spiral | E12 (Candelabra) | CFL | | 850 | 13 | N/A | 12000 | 3500 | 0.6 | 2 | 8/24/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 12000 | 3500 | 0.6 | 2 | 8/24/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 4100K | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 800 | 13.0 | N/A | 10000 | 4100 | | 2 | 11/7/06 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13.0 | N/A | 10000 | 4100 | | 2 | 11/7/06 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 5000K | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 890 | 13 | N/A | 18000 | 5000 | | 2 | 7/2/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 890 | 13 | N/A | 15000 | 5000 | | 2 | 7/2/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 6500K | | Bare-spiral | E12 (Candelabra) | CFL | | 860 | 13 | N/A | 15000 | 6500 | 0.58 | 2 | 12/30/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 13W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 860 | 13 | N/A | 15000 | 6500 | 0.58 | 2 | 12/30/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 15W | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 12000 | 2700 | 0.58 | 2 | 10/29/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 15W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 12000 | 4100 | 0.59 | 2 | 11/30/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 18W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1140 | 18 | N/A | 18000 | 2700 | | 2 | 6/10/07 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 18W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 3500 | 0.59 | 2 | 10/12/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 18W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 4100 | | 2 | 6/11/08 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 18W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 5000 | 0.58 | 2 | 8/21/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 18W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1260 | 18 | N/A | 15000 | 6500 | | 2 | 5/6/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 20W | | Bare-spiral | E26/24 (Medium) | CFL | | 1330 | 20 | N/A | 12000 | 2700 | 0.59 | 2 | 6/16/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 23W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 5/8/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 23W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 3500 | 0.59 | 2 | 9/27/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 23W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1630 | 23 | N/A | 12000 | 4100 | | 2 | 3/2/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 23W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 5000 | 0.58 | 2 | 7/15/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 23W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 6500 | 0.57 | 2 | 2/9/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 26W | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 8/16/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 26W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 4100 | 0.6 | 2 | 11/01/11 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 5W | | Bare-spiral | E12 (Candelabra) | CFL | | 300 | 5 | N/A | 10000 | 2700 | 0.54 | 2 | 10/20/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 5W | | Bare-spiral | E26/24 (Medium) | CFL | | 300 | 5 | N/A | 10000 | 2700 | 0.54 | 2 | 10/20/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 3/30/05 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 3/30/05 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W 4100K | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 12/10/06 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 12/10/06 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W 5000K | | Bare-spiral | E12 (Candelabra) | CFL | | 570 | 9 | N/A | 12000 | 5000 | 0.59 | 2 | 8/25/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 9W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 570 | 9 | N/A | 12000 | 5000 | 0.59 | 2 | 8/25/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 1 18W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 6/16/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 1 23W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 4/14/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 13W | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 840 | 13 | N/A | 15000 | 2700 | | 2 | 2/5/08 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 13W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 18000 | 2700 | | 2 | 2/5/08 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 13W 4100K | | Bare-spiral | E12 (Candelabra) | CFL | | 880 | 13 | N/A | 15000 | 4100 | 0.58 | 2 | 1/22/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 13W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 15000 | 4100 | 0.58 | 2 | 1/22/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 18W | | Bare-spiral | E26/24 (Medium) | CFL | | 1230 | 18 | N/A | 12000 | 2700 | 0.59 | 2 | 11/3/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 23W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 4/23/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 9W | | Bare-spiral | E12 (Candelabra) | CFL | | 570 | 9 | N/A | 12000 | 2700 | 0.59 | 2 | 11/2/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 9W | | Bare-spiral | E26/24 (Medium) | CFL | | 570 | 9 | N/A | 12000 | 2700 | 0.59 | 2 | 11/2/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 9W 4100K | | Bare-spiral | E12 (Candelabra) | CFL | | 600 | 9 | N/A | 15000 | 4100 | 0.54 | 2 | 1/22/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | JLS T2 II 9W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 15000 | 4100 | 0.54 | 2 | 1/22/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | PAR30 T3S 15W | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 9/21/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | PAR30 T3S 15W 4100K | | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 10000 | 4100 | 0.58 | 2 | 8/31/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | PAR38 T4S 23W 4100K | | Covered reflector | E26/24 (Medium) | CFL | | 1090 | 23 | N/A | 10000 | 4100 | 0.6 | 2 | 5/28/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | PAR38 T4S II 23W 4100K | | Covered reflector | E26/24 (Medium) | CFL | | 1150 | 23 | N/A | 10000 | 4100 | 0.58 | 2 | 7/20/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R20 T2S 11W | | Covered reflector | E26/24 (Medium) | CFL | | 365 | 11 | N/A | 10000 | 2700 | 0.58 | 2 | 10/26/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R20 T2S 13W | | Covered reflector | E26/24 (Medium) | CFL | | 430 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 11/30/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R20 T3S 11W | | Covered reflector | E26/24 (Medium) | CFL | | 365 | 11 | N/A | 10000 | 2700 | 0.57 | 2 | 9/22/09 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R30 T3S 15W | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.58 | 2 | 11/17/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R30 T3S 15W 4100K | | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 10000 | 4100 | 0.58 | 2 | 9/21/10 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R30 T3S II 15W | R30 T3S II 15W | Covered reflector | E26/24 (medium) | CFL | | 783 | 14.6 | N/A | 10000 | 2700 | 0.57 | 2 | 12/20/11 |
| Fujian Jointuck Electronic Enterprise Co., Ltd. | Jointuck | R40 T4S 23W | | Covered reflector | E26/24 (Medium) | CFL | | 1090 | 23 | N/A | 10000 | 2700 | | 2 | 6/30/09 |
| Fujian YDJ-Light Company | YDJ | 10005-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 300 | 5 | N/A | 10000 | 2700 | 0.56 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 10010 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 640 | 10 | N/A | 10000 | 2700 | | 2 | 11/16/06 |
| Fujian YDJ-Light Company | YDJ | 10010-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 10000 | 2700 | 0.56 | 2 | 12/15/10 |
| Fujian YDJ-Light Company | YDJ | 10010-35 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 10000 | 3500 | 0.55 | 2 | 6/14/10 |
| Fujian YDJ-Light Company | YDJ | 10010-65 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 10000 | 6500 | 0.56 | 2 | 6/15/10 |
| Fujian YDJ-Light Company | YDJ | 10013-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 3500 | 0.58 | 2 | 6/14/10 |
| Fujian YDJ-Light Company | YDJ | 10013-65 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 6500 | 0.6 | 2 | 7/11/10 |
| Fujian YDJ-Light Company | YDJ | 10015-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 935 | 15 | N/A | 10000 | 2700 | 0.58 | 2 | 10/6/10 |
| Fujian YDJ-Light Company | YDJ | 10020-35 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 3500 | 0.57 | 2 | 7/11/10 |
| Fujian YDJ-Light Company | YDJ | 10023-35 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | 0.56 | 2 | 6/14/10 |
| Fujian YDJ-Light Company | YDJ | 10023-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1450 | 23 | N/A | 10000 | 6500 | 0.55 | 2 | 7/15/10 |
| Fujian YDJ-Light Company | YDJ | 10026-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1720 | 26 | N/A | 10000 | 2700 | 0.57 | 2 | 6/11/10 |
| Fujian YDJ-Light Company | YDJ | 10026-35 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1670 | 26 | N/A | 10000 | 3500 | 0.56 | 2 | 6/15/10 |
| Fujian YDJ-Light Company | YDJ | 100401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 616 | 10 | N/A | 8000 | 2700 | | 2 | 3/6/05 |
| Fujian YDJ-Light Company | YDJ | 101101 | | Bare-spiral | E26/24 (Medium) | CFL | | 790 | 10 | N/A | 12000 | 2700 | 0.57 | 2 | 9/22/09 |
| Fujian YDJ-Light Company | YDJ | 12005-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 300 | 5 | N/A | 12000 | 2700 | 0.56 | 2 | 9/7/10 |
| Fujian YDJ-Light Company | YDJ | 12010-27 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 685 | 10 | N/A | 12000 | 2700 | 0.56 | 11 | 6/24/09 |
| Fujian YDJ-Light Company | YDJ | 12010-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 650 | 10 | N/A | 12000 | 3500 | | 11 | 9/15/09 |
| Fujian YDJ-Light Company | YDJ | 12010-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 12000 | 6500 | 0.56 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 12013 | 12013 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 2700 | | 2 | 5/18/07 |
| Fujian YDJ-Light Company | YDJ | 12013-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 935 | 13 | N/A | 12000 | 2700 | 0 | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|-------------|-----------------------|----------------------------|---|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Fujian YDJ-Light Company | YDJ | 12026-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1720 | 26 | N/A | 12000 | 2700 | 0.57 | 11 | 8/14/09 |
| Fujian YDJ-Light Company | YDJ | 12026-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1663 | 26 | N/A | 12000 | 3000 | 0.57 | 11 | 8/14/09 |
| Fujian YDJ-Light Company | YDJ | 12026-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 26 | N/A | 12000 | 3500 | 0.56 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 12030-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 12000 | 3500 | 0.53 | 2 | 10/6/10 |
| Fujian YDJ-Light Company | YDJ | 12040-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 2700 | 40 | N/A | 12000 | 3000 | 0.52 | 2 | 10/6/10 |
| Fujian YDJ-Light Company | YDJ | 12110-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 650 | 10 | N/A | 12000 | 6500 | 0.56 | 2 | 1/10/11 |
| Fujian YDJ-Light Company | YDJ | 12113-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 2700 | 0.59 | 2 | 12/8/10 |
| Fujian YDJ-Light Company | YDJ | 12113-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 6500 | 0.58 | 2 | 1/10/11 |
| Fujian YDJ-Light Company | YDJ | 12120-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 12000 | 6500 | 0.58 | 2 | 1/10/11 |
| Fujian YDJ-Light Company | YDJ | 12123-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | 0.56 | 2 | 1/10/11 |
| Fujian YDJ-Light Company | YDJ | 12126-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 6500 | 0.57 | 2 | 1/10/11 |
| Fujian YDJ-Light Company | YDJ | 13010 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 820 | 13 | N/A | 10000 | 2700 | 0.59 | 2 | 11/16/06 |
| Fujian YDJ-Light Company | YDJ | 130401 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 8000 | 2700 | 0.59 | 7 | 4/29/09 |
| Fujian YDJ-Light Company | YDJ | 131001 | 12013 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 2700 | 0.57 | 2 | 5/13/09 |
| Fujian YDJ-Light Company | YDJ | 140701 | 140701 | Covered A-line | E26/24 (Medium) | CFL | | 865 | 14 | N/A | 10000 | 2700 | 0.56 | 2 | 10/6/06 |
| Fujian YDJ-Light Company | YDJ | 15010 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1000 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 11/16/06 |
| Fujian YDJ-Light Company | YDJ | 15010-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | 0.56 | 2 | 8/14/10 |
| Fujian YDJ-Light Company | YDJ | 15013 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 15000 | 2700 | 0.58 | 2 | 9/23/09 |
| Fujian YDJ-Light Company | YDJ | 15013-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 15000 | 2700 | 0.59 | 2 | 8/24/10 |
| Fujian YDJ-Light Company | YDJ | 15013-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 15000 | 6500 | 0.6 | 2 | 10/25/10 |
| Fujian YDJ-Light Company | YDJ | 15015-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 15000 | 2700 | 0.58 | 2 | 1/13/11 |
| Fujian YDJ-Light Company | YDJ | 15020-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 15000 | 3000 | 0.57 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 15023-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 3000 | 0.57 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 15023-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 3500 | 0.56 | 2 | 8/14/10 |
| Fujian YDJ-Light Company | YDJ | 15023-65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1450 | 23 | N/A | 15000 | 6500 | 0.55 | 2 | 8/18/10 |
| Fujian YDJ-Light Company | YDJ | 15026-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1720 | 26 | N/A | 15000 | 2700 | 0.57 | 2 | 8/14/10 |
| Fujian YDJ-Light Company | YDJ | 15026-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1660 | 26 | N/A | 15000 | 3000 | 0.57 | 2 | 9/14/10 |
| Fujian YDJ-Light Company | YDJ | 15030-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 15000 | 3500 | 0.53 | 2 | 10/25/10 |
| Fujian YDJ-Light Company | YDJ | 150401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 988 | 15 | N/A | 8000 | 2700 | 0.52 | 2 | 3/8/06 |
| Fujian YDJ-Light Company | YDJ | 150901HFP | | Bare-spiral | E26/24 (Medium) | CFL | | 957 | 15 | N/A | 15000 | 2700 | 0.58 | 11 | 4/15/09 |
| Fujian YDJ-Light Company | YDJ | 15126-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1798 | 26 | N/A | 15000 | 2700 | 0.58 | 2 | 1/13/11 |
| Fujian YDJ-Light Company | YDJ | 20010 | | Bare-spiral | E26/24 (Medium) | CFL | | 1290 | 20 | N/A | 10000 | 2700 | 0.57 | 2 | 11/16/06 |
| Fujian YDJ-Light Company | YDJ | 200201HFP | | Bare-spiral | E26/24 (Medium) | CFL | | 1427 | 20 | N/A | 15000 | 2700 | 0.89 | 11 | 4/13/09 |
| Fujian YDJ-Light Company | YDJ | 201201 | | Bare-spiral | E26/24 (Medium) | CFL | | 1451 | 20 | N/A | 15000 | 2700 | 0.58 | 11 | 3/12/09 |
| Fujian YDJ-Light Company | YDJ | 23010 | 23010 | Bare-spiral | E26/24 (Medium) | CFL | | 1660 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 12/11/06 |
| Fujian YDJ-Light Company | YDJ | 230101 | | Bare-spiral | E26/24 (Medium) | CFL | | 1674 | 23 | N/A | 10000 | 2700 | 0.57 | 9 | 9/8/09 |
| Fujian YDJ-Light Company | YDJ | 230201HFP | | Bare-spiral | E26/24 (Medium) | CFL | | 1686 | 23 | N/A | 15000 | 2700 | 0.88 | 11 | 4/13/09 |
| Fujian YDJ-Light Company | YDJ | 231201 | | Bare-spiral | E26/24 (Medium) | CFL | | 231201 | 23 | N/A | 15000 | 2700 | 0.56 | 11 | 3/12/09 |
| Fujian YDJ-Light Company | YDJ | 250101 | | Bare-spiral | E26/24 (Medium) | CFL | | 1725 | 25 | N/A | 10000 | 2700 | 0.57 | 2 | 4/15/09 |
| Fujian YDJ-Light Company | YDJ | 260101 | | Bare-spiral | E26/24 (Medium) | CFL | | 1655 | 26 | N/A | 10000 | 2700 | 0.57 | 2 | 4/20/05 |
| Fujian YDJ-Light Company | YDJ | 330501 | 330501 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | 0.57 | 2 | 12/11/06 |
| Fujian YDJ-Light Company | YDJ | 330502-30 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 3000 | 0.53 | 2 | 12/15/10 |
| Fujian YDJ-Light Company | YDJ | 330503 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 3000 | 0.53 | 9 | 8/10/09 |
| Fujian YDJ-Light Company | YDJ | 400501 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2650 | N/A | 20/30/40 | 10000 | 2700 | 0.53 | 2 | 10/22/09 |
| Fujian YDJ-Light Company | YDJ | 650601 | | Bare-spiral | E26/24 (Medium) | CFL | | 4450 | 65 | N/A | 12000 | 4100 | 0.55 | 2 | 9/22/09 |
| Fujian YDJ-Light Company | YDJ | SS330-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 2050 | 30 | N/A | 15000 | 2700 | 0.52 | 2 | 7/29/09 |
| Fujian YDJ-Light Company | YDJ | SS330-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 2080 | 30 | N/A | 10000 | 3000 | 0.52 | 9 | 7/7/09 |
| Fujian YDJ-Light Company | YDJ | SS330-35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1950 | 30 | N/A | 10000 | 3500 | 0.53 | 2 | 9/23/09 |
| Fujian YDJ-Light Company | YDJ | SS33050K | | Bare-spiral | E26/24 (Medium) | CFL | | 2039 | 30 | N/A | 10000 | 5000 | 0.53 | 9 | 4/28/09 |
| Fujian YDJ-Light Company | YDJ | SS340-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 2820 | 40 | N/A | 10000 | 2700 | 0.55 | 9 | 8/5/09 |
| Fujian YDJ-Light Company | YDJ | SS340-30 | | Bare-spiral | E26/24 (Medium) | CFL | | 2640 | 40 | N/A | 10000 | 3000 | 0.52 | 2 | 9/15/09 |
| Fujian YDJ-Light Company | YDJ | T21001 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 8000 | 2700 | 0.54 | 2 | 7/17/06 |
| Fujian YDJ-Light Company | YDJ | T21301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.56 | 2 | 7/17/06 |
| Fujian YDJ-Light Company | YDJ | T21501 | T21501 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 2700 | 0.53 | 2 | 9/20/06 |
| Fujian YDJ-Light Company | YDJ | T22001 | | Bare-spiral | E26/24 (Medium) | CFL | | 1280 | 20 | N/A | 8000 | 2700 | 0.52 | 2 | 7/17/06 |
| Fujian YDJ-Light Company | YDJ | T22301 | T22301 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | 0.55 | 2 | 9/20/06 |
| Fujian YDJ-Light Company | YDJ | YDJ-15E | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 15.0 | N/A | 10000 | 2700 | 0.52 | 2 | 6/1/02 |
| Fujian YDJ-Light Company | YDJ | YDJ-20D1 | | Bare-spiral | E26/24 (Medium) | CFL | | 1230 | 20.0 | N/A | 10000 | 2700 | 0.52 | 2 | 4/22/02 |
| Fujian YDJ-Light Company | YDJ | YDJ-25D1 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 25.0 | N/A | 10000 | 2700 | 0.52 | 2 | 7/14/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL09 | | Bare-spiral | E26/24 (Medium) | CFL | | 530 | 9 | N/A | 8000 | 2700 | 0.56 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL09T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 560 | 9 | N/A | 10000 | 2700 | 0.57 | 9 | 4/24/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL09T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 530 | 9 | N/A | 12000 | 2700 | 0.56 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL11 | | Bare-spiral | E26/24 (Medium) | CFL | | 740 | 11 | N/A | 8000 | 2700 | 0.55 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL11T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 610 | 11 | N/A | 10000 | 2700 | 0.55 | 9 | 4/27/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL11T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 740 | 11 | N/A | 12000 | 2700 | 0.55 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL13 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 8000 | 2700 | 0.56 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL13T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 12000 | 2700 | 0.56 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL14T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 730 | 14 | N/A | 10000 | 2700 | 0.56 | 9 | 4/24/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL15 | | Bare-spiral | E26/24 (Medium) | CFL | | 890 | 15 | N/A | 8000 | 2700 | 0.57 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL15T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 890 | 15 | N/A | 12000 | 2700 | 0.57 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL18 | | Bare-spiral | E26/24 (Medium) | CFL | | 1240 | 18 | N/A | 8000 | 2700 | 0.54 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL18T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 2700 | 0.55 | 9 | 4/24/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL18T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 1240 | 18 | N/A | 12000 | 2700 | 0.54 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL20 | | Bare-spiral | E26/24 (Medium) | CFL | | 1390 | 20 | N/A | 8000 | 2700 | 0.56 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL20T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1280 | 20 | N/A | 10000 | 2700 | 0.56 | 9 | 4/24/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL20T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 1390 | 20 | N/A | 12000 | 2700 | 0.56 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | 0.53 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL23T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 23 | N/A | 10000 | 2700 | 0.53 | 9 | 4/24/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL23T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.54 | 7 | 1/7/09 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL26 | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 8000 | 2700 | 0.54 | 7 | 10/6/08 |
| Fuzhou Sunlight Lighting Electrical Appliance Co Ltd | JIH KUANG | SL26T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 12000 | 2700 | 0.54 | 7 | 1/7/09 |
| GBL LED Lighting Inc | ALEDECO | ALED-PAR30D-10W | 890016002045 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 620 | 10.0 | N/A | 25000 | 3000 | 0.96 | 5 | 4/21/12 |
| GBL LED Lighting Inc | ALEDECO | ALED-PAR38D-18W | 890016002047 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1100 | 15.0 | N/A | 25000 | 3000 | 0.98 | 5 | 4/21/12 |
| GE Appliances and Lighting | GE | LED9A19B30 | 62181, 62180, 01396, 64018 | A - Arbitrary (standard incandescent shape) | E26/24 (Medium) | LED | | 472 | 8.1 | N/A | 25000 | 3000 | 0.99 | 10 | 11/18/10 |
| GE Appliances and Lighting | GE Lighting | 61821 LED7DP20S830/20 | | | | LED | | | | | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | FAM72LED2CAC-ES | | | | LED | | | | | | | | | 4/13/11 |
| GE Appliances and Lighting | GE Lighting | LED10DP30S827/20 | | | | LED | | | | | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | LED10DP30S830/20 | | | | LED | | | | | | | | | 4/21/11 |
| GE Appliances and Lighting | | | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|----------------------------|------------------|------------------------------|---|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| GE Appliances and Lighting | GE Lighting | LED14P3883040 | | | | LED | | | | // | | | | | 3/1/12 |
| GE Appliances and Lighting | GE Lighting | LED17P3883015 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED17P3883017 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED17P3883025 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED17P3883040 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3882715 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3882725 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3882740 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3883015 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3883025 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3883040 | | | | LED | | | | // | | | | | 8/8/11 |
| GE Appliances and Lighting | GE Lighting | LED20DP3884015 | | | | LED | | | | // | | | | | 3/20/12 |
| GE Appliances and Lighting | GE Lighting | LED20DP3884025 | | | | LED | | | | // | | | | | 3/20/12 |
| GE Appliances and Lighting | GE Lighting | LED20DP3884040 | | | | LED | | | | // | | | | | 3/20/12 |
| GE Appliances and Lighting | GE Lighting | LED20P3883025 | | | | LED | | | | // | | | | | 8/25/11 |
| GE Appliances and Lighting | GE Lighting | LED20P3883040 | | | | LED | | | | // | | | | | 8/25/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-C | | | | LED | | | | // | | | | | 4/13/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-C | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-C/ES/TP | | | | LED | | | | // | | | | | 4/13/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-C/ES/TP | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-F | | | | LED | | | | // | | | | | 4/28/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAC-F | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2CAM-C/ES/TP | | | | LED | | | | // | | | | | 4/19/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAM-C/ES/TP | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2CAM-F/ES/TP | | | | LED | | | | // | | | | | 4/20/11 |
| GE Appliances and Lighting | GE Lighting | LED2CAM-F/ES/TP | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2DCAC-C | | | | LED | | | | // | | | | | 7/15/11 |
| GE Appliances and Lighting | GE Lighting | LED2DCAC-F | | | | LED | | | | // | | | | | 7/26/11 |
| GE Appliances and Lighting | GE Lighting | LED2DCAM-C | | | | LED | | | | // | | | | | 7/26/11 |
| GE Appliances and Lighting | GE Lighting | LED2DCAM-C | | | | LED | | | | // | | | | | 7/26/11 |
| GE Appliances and Lighting | GE Lighting | LED2DCM-C | | | | LED | | | | // | | | | | 4/19/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18C-C | | | | LED | | | | // | | | | | 4/19/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18C-C/ES/TP | | | | LED | | | | // | | | | | 4/20/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18C-C/ES/TP | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2G18C-W | | | | LED | | | | // | | | | | 4/20/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18C-W | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2G18M-C/ES/TP | | | | LED | | | | // | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18M-C/ES/TP | | | | LED | | | | // | | | | | 4/25/12 |
| GE Appliances and Lighting | GE Lighting | LED2G18M-W | | | | LED | | | | // | | | | | 4/18/11 |
| GE Appliances and Lighting | GE Lighting | LED2G18M-W | | | | LED | | | | // | | | | | 3/15/12 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-C | | | | LED | | | | // | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-C | | | | LED | | | | // | | | | | 3/15/12 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-C/ES/TP | | | | LED | | | | // | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-C/ES/TP | | | | LED | | | | // | | | | | 3/15/12 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-W | | | | LED | | | | // | | | | | 4/28/11 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-W | | | | LED | | | | // | | | | | 4/2/12 |
| GE Appliances and Lighting | GE Lighting | LED2G25M-W | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED9GU10S83025 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED9P16S83025 | | | | LED | | | | // | | | | | 4/25/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/827/15 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/827/25 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/827/35 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/830/15 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/830/25 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18/830/35 | | | | LED | | | | // | | | | | 12/19/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208827/15 | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208827/20 | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208830/12 | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208830/20 | | | | LED | | | | // | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208830/20 | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP208827/20, LED7DP20NPL | | | | LED | | | | // | | | | | 6/29/11 |
| GE Appliances and Lighting | GE Lighting | LED7DP20W30/20 | | | | LED | | | | // | | | | | 4/14/11 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18827/25 | | | | LED | | | | // | | | | | 2/20/12 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18830/25 | | | | LED | | | | // | | | | | 2/20/12 |
| GE Appliances and Lighting | GE Lighting | LED7DMR18830/35 | | | | LED | | | | // | | | | | 2/20/12 |
| GE Appliances and Lighting | GE Lighting | LED9DA19827 | | | | LED | | | | // | | | | | 11/7/11 |
| GE Appliances and Lighting | GE Lighting | LED9DA19830 | | | | LED | | | | // | | | | | 11/10/11 |
| GE Appliances and Lighting | GE Lighting | PLGP301DLEDCN_LED10DP30FL- | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | GE Lighting | PLGP301DLEDCN_PLGP301DLE | | | | LED | | | | // | | | | | 4/21/11 |
| GE Appliances and Lighting | General Electric | FAM147-FLE138PK | 31064 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 8000 | 2700 | | 2 | 3/20/05 |
| GE Appliances and Lighting | General Electric | FAM147-FLE13HT36P | 20737 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 825 | 13.0 | N/A | 8000 | 2700 | 0.58 | 5 | 8/18/03 |
| GE Appliances and Lighting | General Electric | FLE10HT10KBX3 | 65168 | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 10000 | 2700 | 0.5 | 5 | 10/14/11 |
| GE Appliances and Lighting | General Electric | FLE10HT12/2 | 85382; 85389 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 12000 | 2700 | | 8 | 7/19/06 |
| GE Appliances and Lighting | General Electric | FLE10HT12/2/D | 01111; 01157; 73441; 62948 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 12000 | 6500 | 0.56 | 8 | 7/27/09 |
| GE Appliances and Lighting | General Electric | FLE10HT12/6H/CW | 72468 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 8000 | 4100 | | 4 | 4/2/10 |
| GE Appliances and Lighting | General Electric | FLE10HT12/6H/D | 72471; 78546 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 8000 | 6500 | | 4 | 4/2/10 |
| GE Appliances and Lighting | General Electric | FLE10HT12/6H/HSW | 72465; 73634 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 8000 | 2700 | | 4 | 1/7/08 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2 | 15829; 49807; 90065; 00728; 00345; 73150; 00817; 74196; 74197; 72931; 77004; 01031; 77671 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | | 5 | 12/12/06 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2 | 97688 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 10000 | 2700 | | 6 | 12/12/06 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2/841 | 25182 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 4100 | | 2 | 9/17/04 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2/D | 89082; 85393; 00403; 01070; 73434 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 490 | 10 | N/A | 8000 | 6500 | | 6 | 12/13/06 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2/D/8X3 | 81587; 84094 | Bare-spiral | E26/24 (Medium) | CFL | | 490 | 10 | N/A | 10000 | 6500 | | 6 | 12/13/10 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2/XL | 47430; 49671; 80936; 00450; 00685; 75372; | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 12000 | 2700 | | 8 | 6/7/05 |
| GE Appliances and Lighting | General Electric | FLE10HT13/2/XL/841 | 77415 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 530 | 10 | N/A | 12000 | 4100 | 0.57 | 2 | 7/24/09 |
| GE Appliances and Lighting | General Electric | FLE10HT13/3 | 49807 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | | 5 | 7/12/07 |
| GE Appliances and Lighting | General Electric | FLE10HT13/5 | 15829; 49906 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | | 5 | 10/28/05 |
| GE Appliances and Lighting | General Electric | FLE10T3SW/CD4/TP | 62821 | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 10 | N/A | 10000 | 2700 | 0.5 | 6 | 1/20/11 |
| GE Appliances and Lighting | General Electric | FLE11/2/A17XL | 47486; 49687; 87809; 00882; 00696; 71992; 00532; 00570 | Covered A-line | E26/24 (Medium) | CFL | | 550 | 11 | N/A | 10000 | 2700 | | 7 | 6/13/05 |
| GE Appliances and Lighting | General Electric | FLE11/2/A17XL/CB/D | 78941; 78942 | Covered A-line | E12 (Candelabra) | CFL | | 460 | 11 | N/A | 10000 | 6500 | 0.56 | 6 | 5/18/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/A17XL/CF/CB/SW | 78937; 78938 | Covered A-line | E26/24 (Medium) | CFL | | 505 | 11 | N/A | 10000 | 2700 | | 6 | 3/4/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/A17XL/CF/D | 78939; 78940 | Covered A-line | E26/24 (Medium) | CFL | | 460 | 11 | N/A | 10000 | 6500 | | 6 | 4/2/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/A19XL | 89622 | Covered A-line | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 10000 | 2700 | | 2 | 11/2/06 |
| GE Appliances and Lighting | General Electric | FLE11/2/G25XL | 47484; 85392; 89096; 90069; 00872; 00572 | Covered globe | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 10000 | 2700 | 0.58 | 7 | 6/13/05 |
| GE Appliances and Lighting | General Electric | FLE11/2/G25XL/D | 78946; 78947 | Covered globe | E26/24 (Medium) | CFL | | 450 | 11 | N/A | 10000 | 6500 | 0.5 | 6 | 1/27/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/R20/SW | 24691 | Covered reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 6000 | 2700 | | 4 | 9/16/04 |
| GE Appliances and Lighting | General Electric | FLE11/2/R20/XL | 47477; 80892; 90067; 00684; 73705; 00820; 00897; 01116; 78131 | Covered reflector | E26/24 (Medium) | CFL | | 400 | 11 | N/A | 10000 | 2700 | | 7 | 2/19/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/R20/XL/D | 78948; 78949 | Covered reflector | E26/24 (Medium) | CFL | | 370 | 11 | N/A | 10000 | 6500 | 0.5 | 6 | 1/27/10 |
| GE Appliances and Lighting | General Electric | FLE11/2/T14XL | 89631 | Covered bullet | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 10000 | 2700 | | 2 | 10/17/06 |
| GE Appliances and Lighting | General Electric | FLE11/2/TC14/SW/CD | 49894; 00507 | Covered post | E26/24 (Medium) | CFL | | 500 | 11.0 | N/A | 6000 | 2700 | 0.59 | 4 | 1/20/11 |
| GE Appliances and Lighting | General Electric | FLE13HT10KBX3 | 65169 | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | 0.5 | 5 | 10/12/11 |
| GE Appliances and Lighting | General Electric | FLE13HT12/2 | 85383; 85390; 00709; 00711; 89256; 00460 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 870 | 13 | N/A | 12000 | 2700 | 0.51 | 8 | 10/17/06 |
| GE Appliances and Lighting | General Electric | FLE13HT12/CAND | 75368; 01194 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 850 | 13 | N/A | 8000 | 2700 | | 5 | 7/13/09 |
| GE Appliances and Lighting | General Electric | FLE13HT12/D | 01158; 01112; 73442; 62949 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 6500 | 0.55 | 8 | 7/28/09 |
| GE Appliances and Lighting | General Electric | FLE13HT12/6H/CW | 72469; 01107 | Bare-spiral | E26/24 (Medium) | CFL | | 870 | 13 | N/A | 8000 | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified | |
|----------------------------|------------------|---------------------|---|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|---------|
| GE Appliances and Lighting | General Electric | FLE152/A21XL | 47487 21709; FLE152/DV/R30SWCD, 21710; 71277; 71330; 00367; 00863; 96284; 01114; 62825 | Covered A-line | E2624 (Medium) | CFL | | 800 | 15 | N/A | N/A | 10000 | 2700 | | 7 | 3/11/10 |
| GE Appliances and Lighting | General Electric | FLE152/DV/R30 | 47485; 80633; 00785; 01011; 70132 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 720 | 15.0 | N/A | 6000 | 2700 | | 4 | 1/14/04 | |
| GE Appliances and Lighting | General Electric | FLE152/C25XL | 20708; FLE152/R30; 28909 (3pk); FLE152/R30/UTCO, 49610 | Covered globe | E2624 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 8 | 10/17/06 | |
| GE Appliances and Lighting | General Electric | FLE152/R30/SWCD | 47478; 00683; 80893; 73793; 72884; 01115; 00656; 71276; 62929 | Covered reflector | E2624 (Medium) | CFL | | 720 | 15.0 | N/A | 8000 | 2700 | | 5 | 1/14/04 | |
| GE Appliances and Lighting | General Electric | FLE152/R30XL | 78950; 78951 | Covered reflector | E2624 (Medium) | CFL | | 650 | 15 | N/A | 10000 | 2700 | | 7 | 6/13/05 | |
| GE Appliances and Lighting | General Electric | FLE152/R30XL/D | 78950; 78951 | Covered reflector | E2624 (Medium) | CFL | | 650 | 15 | N/A | 10000 | 2700 | 0.5 | 6 | 1/27/10 | |
| GE Appliances and Lighting | General Electric | FLE15/A2/A23/SW/R27 | 41439 | Covered A-line | E2624 (Medium) | CFL | | 825 | 15.0 | N/A | 6000 | 2700 | | 5 | 2/4/00 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/841 | 25183; 61166 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 4100 | | 2 | 9/17/04 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/CG/R27 | 78961 | Bare-spiral | E2624 (Medium) | CFL | | 920 | 15 | N/A | 8000 | 2700 | 0.5 | 8 | 2/17/10 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/D | 89091; 85394; 00791; 00461; 73435; 01071; 00695; 62119 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 8000 | 2700 | | 5 | 12/13/06 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/D/8X2/6 | 64005 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 6 | 7/19/11 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/DV | 89623; 89619; 01020 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 900 | 15 | N/A | 10000 | 2700 | | 6 | 10/16/06 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/SW | 15831; FLE15HT3/2/SWCD3PK, 00261; 01160 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 950 | 15.0 | N/A | 8000 | 2700 | 0.57 | 5 | 10/7/02 | |
| GE Appliances and Lighting | General Electric | FLE15HT3/2/XL | 47435; 49680; 80973; 00686; 00694; 71804; 71666; 80937; 75373 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 12000 | 2700 | | 8 | 6/7/05 | |
| GE Appliances and Lighting | General Electric | FLE16/R30 | 73042; 73043; 73097 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 5 | 5/2/08 | |
| GE Appliances and Lighting | General Electric | FLE20/A10/XL | 89634; 74191; 74192 | Covered A-line | E2624 (Medium) | CFL | | 1100 | 20 | N/A | 10000 | 2700 | | 2 | 10/16/06 | |
| GE Appliances and Lighting | General Electric | FLE20/2/T19/XL | 89635 | Covered bullet | E2624 (Medium) | CFL | | 1100 | 20 | N/A | 10000 | 2700 | | 2 | 10/18/06 | |
| GE Appliances and Lighting | General Electric | FLE20/AG21/2/SW | 74438; 74726; 74658; 01066; 01089 | Covered A-line | E2624 (Medium) | CFL | | 1100 | 20 | N/A | 8000 | 2700 | | 5 | 4/24/09 | |
| GE Appliances and Lighting | General Electric | FLE20HT10K8X3 | 65170 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 10000 | 2700 | 0.5 | 5 | 10/12/11 | |
| GE Appliances and Lighting | General Electric | FLE20HT2/2/XL | 72875; 72880 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 2700 | 0.5 | 8 | 2/17/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT2/2/XL/D | 73443; 62951 | Bare-spiral | E2624 (Medium) | CFL | | 1190 | 20 | N/A | 12000 | 2700 | | 8 | 10/19/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT2/2/840 | 73632 | Bare-spiral | E2624 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 2700 | 0.5 | 5 | 4/16/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT2/2/840/SW | 73540; 73636 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 2700 | 0.57 | 4 | 4/16/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT13/2 | 97600; 61229 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20.0 | N/A | 10000 | 2700 | 0.5 | 6 | 10/7/02 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/3/841 | 25186 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 4100 | | 2 | 3/26/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/CG/R27 | 78962 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 2700 | | 5 | 3/25/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/D | 85396; 89094 | Bare-spiral | E2624 (Medium) | CFL | | 1150 | 20 | N/A | 8000 | 2700 | 0.55 | 6 | 8/1/06 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/D/8X3 | 61588; 64006 | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 6 | 12/13/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/SW | 15516; 15518; 15834; 49587; 97249; 74200; 71284; 74201; 77006; 75573; 61461 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20.0 | N/A | 8000 | 2700 | | 5 | 10/7/02 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/XL | 73983 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 2700 | | 8 | 3/4/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2/XL/D | 47466; 00687; 01042 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 8000 | 2700 | | 8 | 4/2/10 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/2 | 15516; 15518; 49587 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 8000 | 2700 | | 5 | 3/2/07 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/8 | 15516; 15518; 49587 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 8000 | 2700 | | 5 | 2/13/08 | |
| GE Appliances and Lighting | General Electric | FLE20HT3/8/H/3 | 71764 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 8000 | 5000 | | 4 | 3/19/10 | |
| GE Appliances and Lighting | General Electric | FLE20T3/SWCD4/TP | 62823 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 10000 | 2700 | 0.5 | 6 | 12/0/11 | |
| GE Appliances and Lighting | General Electric | FLE23/2/PAR38F | 61227; 76964; 61149; 61165 | Covered reflector | E2624 (Medium) | CFL | | 1185 | 23 | N/A | 10000 | 2700 | 0.5 | 6 | 5/19/10 | |
| GE Appliances and Lighting | General Electric | FLE23/3/R40 | 73044 | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 5 | 5/2/08 | |
| GE Appliances and Lighting | General Electric | FLE23HT3/2/XL | 47445; 80889 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 8 | 6/13/05 | |
| GE Appliances and Lighting | General Electric | FLE23HT3/3 | 72841 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 6 | 13/08 | |
| GE Appliances and Lighting | General Electric | FLE26/2/PAR38/SWCD | 21739; FLE26/2/PAR38/CDN, 00353 | Covered reflector | E2624 (Medium) | CFL | | 1200 | 26 | N/A | 6000 | 2700 | | 4 | 2/4/10 | |
| GE Appliances and Lighting | General Electric | FLE26/3/PAR38/XL | 47483; 80895; 47770; 00688; 00529; 73157; 00859; 03796; 01117; 02629 | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 10000 | 2700 | | 6 | 6/13/05 | |
| GE Appliances and Lighting | General Electric | FLE26/R40 | 21738; FLE26/R40/CDN; 00369 47479; 80894; 90066; 00688; 73792; 00864; 01172; 62828 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 1300 | 26 | N/A | 6000 | 2700 | | 4 | 5/25/04 | |
| GE Appliances and Lighting | General Electric | FLE26/R40XL | 73792; 00864; 01172; 62828 | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 10000 | 2700 | | 7 | 6/13/05 | |
| GE Appliances and Lighting | General Electric | FLE26/2/T21/XL | 89636 | Covered bullet | E2624 (Medium) | CFL | | 1350 | 26 | N/A | 10000 | 2700 | | 2 | 10/18/06 | |
| GE Appliances and Lighting | General Electric | FLE26HT10K8X3 | 65171 | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.5 | 5 | 10/12/11 | |
| GE Appliances and Lighting | General Electric | FLE26HT2/2/XL | 01110; 01156; 72877; 72881 | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 12000 | 2700 | 0.58 | 8 | 9/23/09 | |
| GE Appliances and Lighting | General Electric | FLE26HT2/2/XL/D | 73444; 62952 | Bare-spiral | E2624 (Medium) | CFL | | 1625 | 26 | N/A | 10000 | 2700 | | 8 | 10/14/10 | |
| GE Appliances and Lighting | General Electric | FLE26HT2/6/H/D | 73633 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 26 | N/A | 8000 | 2700 | | 5 | 4/2/10 | |
| GE Appliances and Lighting | General Electric | FLE26HT2/8/H/SW | 73637; 73631 | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 8000 | 2700 | 0.6 | 4 | 7/29/09 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2 | 97691; 71285; 61230 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.5 | 6 | 12/21/09 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/841 | 25195 | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 8000 | 4100 | | 2 | 9/17/04 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/CG/R27 | 78963 | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 8000 | 2700 | | 5 | 3/25/10 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/D | 85397; 89095; 00462; 73436; 01072; 62111 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 26 | N/A | 8000 | 2700 | | 5 | 8/1/06 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/D/SW | 77123; 77124 | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1750 | N/A | 13/19/26 | 10000 | 2700 | | 6 | 9/29/09 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/D/8X2/6 | 64007 | Bare-spiral | E2624 (Medium) | CFL | | 1610 | 26 | N/A | 10000 | 2700 | | 6 | 7/19/11 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/DV | 89621; 09624; 00001 15517; FLE26HT3/2/SW2PK, 15519 (2-pack); FLE26HT3/2/S27; 15836; FLE26HT3/2/10PK; 21645; FLE26HT3/2/SW/CDN; 00327; FLE26HT3/2/SW/CDN; 00323; FLE26HT3/2/SW/CD3PK; 00262; 47709; 97259; 00946; 74300; 74203; 73697; 97134; 01028; 77007; 77877; 61482; 72070 47446; 49680; 80890; 00990; 00688; 75375; 73864; 01055 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1700 | 26 | N/A | 10000 | 2700 | | 6 | 10/16/06 | |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/SW | 15517; FLE26HT3/2/SW2PK, 15519 (2-pack); FLE26HT3/2/S27; 15836; FLE26HT3/2/10PK; 21645; FLE26HT3/2/SW/CDN; 00327; FLE26HT3/2/SW/CDN; 00323; FLE26HT3/2/SW/CD3PK; 00262; 47709; 97259; 00946; 74300; 74203; 73697; 97134; 01028; 77007; 77877; 61482; 72070 47446; 49680; 80890; 00990; 00688; 75375; 73864; 01055 | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26.0 | N/A | N/A | 8000 | 2700 | | 5 | 10/7/02 |
| GE Appliances and Lighting | General Electric | FLE26HT3/2/XL | 47446; 49680; 80890; 00990; 00688; 75375; 73864; 01055 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 12000 | 2700 | | 8 | 6/13/05 | |
| GE Appliances and Lighting | General Electric | FLE26T3/SWCD4/TP | 62824 | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.58 | 6 | 12/0/11 | |
| GE Appliances and Lighting | General Electric | FLE29HLX/2/XL | 47459; 00693; 81514 | Bare-spiral | E2624 (Medium) | CFL | | 2200 | 29 | N/A | 12000 | 2700 | | 8 | 3/11/10 | |
| GE Appliances and Lighting | General Electric | FLE32HLX/2/SW | 24684; 24743 (boxed) | Bare-spiral | E2624 (Medium) | CFL | | 2200 | 32 | N/A | 8000 | 2700 | | 5 | 3/12/10 | |
| GE Appliances and Lighting | General Electric | FLE32HT3/2/D3/CW | 62070 | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2150 | N/A | 16/25/32 | 8000 | 4100 | | 2 | 12/11/11 | |
| GE Appliances and Lighting | General Electric | FLE32HT3/2/D3/SW | 78962; 79455; 01374; 62590; 63482 | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2150 | N/A | 16/25/32 | 8000 | 2700 | | 5 | 3/4/10 | |
| GE Appliances and Lighting | General Electric | FLE42HLX/2/XL | 47452; 80891; 00483; 97728 | Bare-spiral | E2624 (Medium) | CFL | | 2700 | 42 | N/A | 12000 | 2700 | | 8 | 10/4/05 | |
| GE Appliances and Lighting | General Electric | FLE52/CAC/827 | 00373; 01009 | Covered-Candle | E12 (Candelabra) | CFL | | 200 | 5 | N/A | 6000 | 2700 | 0.5 | 4 | 2/22/10 | |
| GE Appliances and Lighting | General Electric | FLE55HT5/2/SW | 78965 | Bare-spiral | E2624 (Medium) | CFL | | 3860 | 55 | N/A | 8000 | 2700 | 0.5 | 5 | 5/19/10 | |
| GE Appliances and Lighting | General Electric | FLE72/CAC/827 | 00374; 00574; 16103 | Covered-Candle | E12 (Candelabra) | CFL | | 370 | 7 | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--------------------------------|-----------|--------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Global Consumer Products, Inc. | Overdrive | 9W00GS | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.53 | 2 | 12/12/06 |
| Global Consumer Products, Inc. | Overdrive | 9W00T2S | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 3/21/07 |
| Global Consumer Products, Inc. | Overdrive | 9W00T2S | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 3/21/07 |
| Global Consumer Products, Inc. | Overdrive | 9W00T2S41K | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 520 | 9 | N/A | 10000 | 4100 | | 2 | 3/21/07 |
| Global Consumer Products, Inc. | Overdrive | 9W00T2S41K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 4100 | | 2 | 3/21/07 |
| Global Consumer Products, Inc. | Overdrive | 9W00T2S50K | | Bare-spiral | E26/24 (Medium) | CFL | | 570 | 9 | N/A | 10000 | 5000 | | 2 | 9/28/09 |
| Globe Electric Inc. | Globe | 00006 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.59 | 11 | 12/9/09 |
| Globe Electric Inc. | Globe | 00007 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 12000 | 2700 | 0.58 | 11 | 12/9/09 |
| Globe Electric Inc. | Globe | 00008 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 11 | 12/12/09 |
| Globe Electric Inc. | Globe | 00009 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | 0.59 | 9 | 12/9/09 |
| Globe Electric Inc. | Globe | 00010 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.59 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00010 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | 0.59 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00011 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00011 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00012 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00013 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | 0.59 | 9 | 12/9/09 |
| Globe Electric Inc. | Globe | 00014 | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.56 | 9 | 12/9/09 |
| Globe Electric Inc. | Globe | 00025 | | Covered-Candle | E26/24 (Medium) | CFL | | 340 | 7 | N/A | 10000 | 2700 | 0.6 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00026 | | Covered-Candle | E26/24 (Medium) | CFL | | 340 | 7 | N/A | 10000 | 2700 | 0.6 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00031 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | 0.52 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00032 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2600 | N/A | 15/26/40 | 10000 | 2700 | 0.57 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00035 | 01111, 0744201 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.58 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00038 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.57 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00040 | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 10000 | 2700 | 0.5 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00048 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 11 | 12/21/09 |
| Globe Electric Inc. | Globe | 00049 | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.56 | 9 | 12/9/09 |
| Globe Electric Inc. | Globe | 00050 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00200 | 07504, 240680, 2407001 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 11 | 1/7/08 |
| Globe Electric Inc. | Globe | 0020001 | 0750401 | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 2 | 4/24/12 |
| Globe Electric Inc. | Globe | 00201 | 07502 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 1/7/08 |
| Globe Electric Inc. | Globe | 00202 | 07506, 2750301 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 9 | 1/7/08 |
| Globe Electric Inc. | Globe | 0020301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 11 | 6/11/09 |
| Globe Electric Inc. | Globe | 00210 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 00210 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 2 | 6/15/11 |
| Globe Electric Inc. | Globe | 00211 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | | 11 | 1/7/08 |
| Globe Electric Inc. | Globe | 00212 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | | 11 | 4/21/09 |
| Globe Electric Inc. | Globe | 0021201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 0021201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 9 | 6/11/09 |
| Globe Electric Inc. | Globe | 0021301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 7 | 6/25/09 |
| Globe Electric Inc. | Globe | 00303 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.59 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00303 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.59 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00304 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00304 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00306 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 2 | 2/15/12 |
| Globe Electric Inc. | Globe | 00307 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.59 | 11 | 12/9/09 |
| Globe Electric Inc. | Globe | 00308 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 12000 | 2700 | 0.58 | 11 | 12/9/09 |
| Globe Electric Inc. | Globe | 00351 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | 0.57 | 9 | 12/24/09 |
| Globe Electric Inc. | Globe | 00400 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 00401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 00402 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Globe Electric Inc. | Globe | 0040201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 6/11/09 |
| Globe Electric Inc. | Globe | 0040301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 9 | 6/11/09 |
| Globe Electric Inc. | Globe | 00410 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 2 | 12/10/08 |
| Globe Electric Inc. | Globe | 00411 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 00412 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 0041301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 7 | 6/26/09 |
| Globe Electric Inc. | Globe | 00501 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.53 | 9 | 12/24/09 |
| Globe Electric Inc. | Globe | 00601 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | | 2 | 2/16/12 |
| Globe Electric Inc. | Globe | 00604 | 2852401 | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 12000 | 2700 | | 2 | 3/30/12 |
| Globe Electric Inc. | Globe | 00606 | | Covered-Candle | E26/24 (Medium) | CFL | | 340 | 7 | N/A | 10000 | 2700 | 0.6 | 9 | 12/21/09 |
| Globe Electric Inc. | Globe | 00607 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.55 | 9 | 12/9/09 |
| Globe Electric Inc. | Globe | 0070101 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 5000 | | 9 | 3/16/10 |
| Globe Electric Inc. | Globe | 00705 | 0072101, 0170501 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 9 | 5/9/11 |
| Globe Electric Inc. | Globe | 00903 | | Covered A-line | E26/24 (Medium) | CFL | Dimmable | 900 | 16 | N/A | 10000 | 3000 | | 2 | 6/17/09 |
| Globe Electric Inc. | Globe | 00905 | | Covered reflector | E26/24 (Medium) | CFL | | 780 | 16 | N/A | 10000 | 3000 | | 9 | 2/24/10 |
| Globe Electric Inc. | Globe | 01102 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 01104 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 01107 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 0110701 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 01108 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2600 | N/A | 15/26/40 | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 0110801 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Three Way | 2600 | N/A | 15/26/40 | 10000 | 2700 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 01109 | | Covered A-line | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 6000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 01110 | 0737101 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.55 | 2 | 2/9/12 |
| Globe Electric Inc. | Globe | 01111 | | Covered reflector | E26/24 (Medium) | CFL | | 1070 | 23 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Globe Electric Inc. | Globe | 01112 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 4100 | | 2 | 3/28/12 |
| Globe Electric Inc. | Globe | 01114 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.57 | 9 | 10/19/09 |
| Globe Electric Inc. | Globe | 01116 | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 01128 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 01136 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 2 | 3/28/12 |
| Globe Electric Inc. | Globe | 01402 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 0171201 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 9 | 8/24/10 |
| Globe Electric Inc. | Globe | 02109 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|-----------------|--------------|---------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Globe Electric Inc. | Globe | 2407801 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 7 | 8/7/08 |
| Globe Electric Inc. | Globe | 2408101 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 2408401 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 2/24/10 |
| Globe Electric Inc. | Globe | 25512 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 25514 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 25516 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 27371 | | Covered reflector | E26/24 (Medium) | CFL | | 520 | 15 | N/A | 6000 | 2700 | | 5 | 1/15/04 |
| Globe Electric Inc. | Globe | 2737101 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 9 | 7/28/09 |
| Globe Electric Inc. | Globe | 2750101 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 7 | 2/24/10 |
| Globe Electric Inc. | Globe | 2751501 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 8/27/08 |
| Globe Electric Inc. | Globe | 27516 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 9/11/07 |
| Globe Electric Inc. | Globe | 27600 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 27602 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 2760201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 8/26/08 |
| Globe Electric Inc. | Globe | 27604 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 2/15/08 |
| Globe Electric Inc. | Globe | 2760501 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | 0.53 | 9 | 12/3/09 |
| Globe Electric Inc. | Globe | 28522 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 7 | 3/28/08 |
| Globe Electric Inc. | Globe | 28524 | 28524 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 8/8/07 |
| Globe Electric Inc. | Globe | 28524 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 3/28/08 |
| Globe Electric Inc. | Globe | 2852401 | 2852401 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 8/8/07 |
| Globe Electric Inc. | Globe | 2852401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 28526 | 28526 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/8/07 |
| Globe Electric Inc. | Globe | 28526 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 3/28/08 |
| Globe Electric Inc. | Globe | 2852601 | 2852601 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/8/07 |
| Globe Electric Inc. | Globe | 28600 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 9 | 2/15/08 |
| Globe Electric Inc. | Globe | 28600 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 9 | 6/15/11 |
| Globe Electric Inc. | Globe | 2860401 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 3021601 | 3021901, 3031901, 8129201 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 12/16/10 |
| Globe Electric Inc. | Globe | 3021701 | 3021801 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 12/16/10 |
| Globe Electric Inc. | Globe | 3560701 | 3560701 | Covered-Candle | E12 (Candelabra) | CFL | | 340 | 7.0 | N/A | 10000 | 2700 | 0.57 | 9 | 2/29/12 |
| Globe Electric Inc. | Globe | 3560901 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 9 | 2/16/10 |
| Globe Electric Inc. | Globe | 3561501 | 3561501 | Covered reflector | Medium E26/24 | CFL | Dimmable | 700 | 15.0 | N/A | 8000 | 2700 | 0.63 | 7 | 2/16/12 |
| Globe Electric Inc. | Globe | 37371 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 9 | 7/28/09 |
| Globe Electric Inc. | Globe | 37600 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 37601 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 37602 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 37603 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 37605 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Globe Electric Inc. | Globe | 38605 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 38610 | | E12 (Candelabra) | CFL | | | 550 | 9 | N/A | 12000 | 4100 | | 11 | 12/16/08 |
| Globe Electric Inc. | Globe | 38610 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 11 | 1/5/09 |
| Globe Electric Inc. | Globe | 38612 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 1/7/08 |
| Globe Electric Inc. | Globe | 4751701 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 2/16/10 |
| Globe Electric Inc. | Globe | 48400 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 9 | 1/5/09 |
| Globe Electric Inc. | Globe | 48400 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 11 | 1/5/09 |
| Globe Electric Inc. | Globe | 48402 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 48402 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 4841201 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 2/24/10 |
| Globe Electric Inc. | Globe | 4841401 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 48501 | 48501 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 9 | 8/20/07 |
| Globe Electric Inc. | Globe | 48504 | 48504, 4850401 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 8/20/07 |
| Globe Electric Inc. | Globe | 4850401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 48522 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | 0.52 | 7 | 12/21/09 |
| Globe Electric Inc. | Globe | 48524 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 9/28/05 |
| Globe Electric Inc. | Globe | 4852601 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 48600 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 48602 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 5 | 9/1/05 |
| Globe Electric Inc. | Globe | 4860201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 4860201 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 4/8/11 |
| Globe Electric Inc. | Globe | 4860401 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 5/28/09 |
| Globe Electric Inc. | Globe | 48622 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 48624 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 48626 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 9/1/05 |
| Globe Electric Inc. | Globe | 48700 | | Bare-spiral | E12 (Candelabra) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 48700 | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 48702 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 1/5/09 |
| Globe Electric Inc. | Globe | 55011 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/3/09 |
| Globe Electric Inc. | Globe | 55011 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 12/3/09 |
| Globe Electric Inc. | Globe | 67514 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 9/28/05 |
| Globe Electric Inc. | Globe | 6760201 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.58 | 9 | 2/24/10 |
| Globe Electric Inc. | Globe | 68504 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 9 | 2/16/10 |
| Globe Electric Inc. | Globe | 68524 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 9/28/05 |
| Globe Electric Inc. | Globe | 68525 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 12/19/07 |
| Globe Electric Inc. | Globe | 68700 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 7 | 12/5/07 |
| Globe Electric Inc. | Globe | 68702 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 12/11/08 |
| Globe Electric Inc. | Globe | 68704 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 12/5/07 |
| Globe Electric Inc. | Globe | 6870401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 6870401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 6/11/09 |
| Globe Electric Inc. | Globe | 68714 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/21/09 |
| Globe Electric Inc. | Globe | 6871401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 6871401 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 9 | 6/11/09 |
| Globe Electric Inc. | Globe | 68800 | | Bare-spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 9 | 1/5/09 |
| Globe Electric Inc. | Globe | 68800 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 9 | 1/5/09 |
| Globe Electric Inc. | Globe | 6880201 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 68803 | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 11/30/07 |
| Globe Electric Inc. | Globe | 68803 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 12/10/08 |
| Globe Electric Inc. | Globe | 6880301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 9 | 5/21/09 |
| Globe Electric Inc. | Globe | 6880301 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 9 | 2/15/08 |
| Globe Electric Inc. | Globe Enersaver | 00207 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | | 9 | 12/1/10 |
| Globe Electric Inc. | Globe Enersaver | 00217 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | | 9 | 12/1/10 |
| Globe Electric Inc. | Globe Enersaver | 00712 | | Bare-spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 12000 | 5000 | | 11 | 5/11/11 |
| Globe Electric Inc. | Globe Enersaver | 00715 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 5000 | | 9 | 5/9/11 |
| Globe Electric Inc. | Globe Enersaver | 0110901 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 9 | 6/7/11 |
| Globe Electric Inc. | Globe Enersaver | 02102 | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 9 | 12/1/10 |
| Globe Electric Inc. | London Lights | 70002 | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-------------------------------|----------|-------------------|---|-------------------|----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Granger Industrial Supply | Luma Pro | 12T270 | | Bare-spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 4100 | 0.6 | 2 | 9/9/11 |
| Granger Industrial Supply | Luma Pro | 12T271 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 14 | N/A | 8000 | 2700 | 0.58 | 2 | 9/9/11 |
| Granger Industrial Supply | Luma Pro | 12T273 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | 0.56 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 12T274 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 4100 | 0.6 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 12T275 | | Bare-spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.61 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 12T277 | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 12000 | 2700 | 0.63 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 12T279 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.62 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 12T281 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 850 | 14 | N/A | 10000 | 2700 | 0.93 | 2 | 9/8/11 |
| Granger Industrial Supply | Luma Pro | 2CEK6 | | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 3000 | 0.5 | 2 | 4/19/10 |
| Granger Industrial Supply | Luma Pro | 2CEK7 | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3000 | 0.5 | 2 | 4/19/10 |
| Granger Industrial Supply | Luma Pro | 2CU4 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.52 | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CU75 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 4100 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CU76 | | Bare-spiral | E2624 (Medium) | CFL | | 1330 | 20 | N/A | 10000 | 2700 | | 2 | 8/31/11 |
| Granger Industrial Supply | Luma Pro | 2CU79 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 5/12/09 |
| Granger Industrial Supply | Luma Pro | 2CUJ1 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/23/09 |
| Granger Industrial Supply | Luma Pro | 2CUJ2 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 6500 | | 2 | 2/25/10 |
| Granger Industrial Supply | Luma Pro | 2CUJ8 | | Covered globe | E2624 (Medium) | CFL | | 720 | 15 | N/A | 10000 | 2700 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CUJ8 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | Dimmable | 1300 | 20 | N/A | 10000 | 2700 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CUJ8 | | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CUV4 | | Covered reflector | E2624 (Medium) | CFL | | 350 | 11 | N/A | 10000 | 2700 | | 2 | 4/19/10 |
| Granger Industrial Supply | Luma Pro | 2CUV6 | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 610 | 15 | N/A | 10000 | 2700 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 2CUV7 | | Covered reflector | E2624 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 2 | 9/23/09 |
| Granger Industrial Supply | Luma Pro | 2CUV9 | | Covered reflector | E2624 (Medium) | CFL | | 1040 | 23 | N/A | 10000 | 2700 | | 2 | 8/27/07 |
| Granger Industrial Supply | Luma Pro | 3EMY1 | | Bare-spiral | E2624 (Medium) | CFL | | 1620 | 32 | N/A | 8000 | 2700 | | 2 | 7/7/09 |
| Granger Industrial Supply | Luma Pro | 3TFP5 | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 6500 | 0.58 | 2 | 2/18/10 |
| Granger Industrial Supply | Luma Pro | 3TFP8 | | Covered reflector | E2624 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 4100 | | 2 | 10/1/10 |
| Granger Industrial Supply | Luma Pro | 3TFR1 | | Covered reflector | E2624 (Medium) | CFL | | 720 | 15 | N/A | 10000 | 4100 | | 2 | 9/7/10 |
| Granger Industrial Supply | Luma Pro | 3TFR3 | | Covered reflector | E2624 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 4100 | | 2 | 7/26/10 |
| Granger Industrial Supply | Luma Pro | 5MRK6 | | Covered reflector | E2624 (Medium) | CFL | | 345 | 9 | N/A | 8000 | 3000 | 0.5 | 2 | 4/19/10 |
| Granger Industrial Supply | Luma Pro | 5MRL0 | | Covered A-line | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.58 | 2 | 6/27/08 |
| Granger Industrial Supply | LUMAPRO | 12T269 | | Bare-spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 2700 | | 2 | 2/16/12 |
| Granger Industrial Supply | LUMAPRO | 12T272 | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 4100 | | 7 | 2/14/12 |
| Granger Industrial Supply | LUMAPRO | 12T282 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | | 9 | 2/13/12 |
| Granger Industrial Supply | LUMAPRO | 2CUW3 | | Bare-spiral | E2624 (Medium) | CFL | | 884 | 12.1 | N/A | 10000 | 4100 | 0.58 | 2 | 2/28/12 |
| Granger Industrial Supply | LUMAPRO | 2CUW4 | | Bare-spiral | E2624 (Medium) | CFL | | 1756 | 23.86 | N/A | 10000 | 2700 | 0.59 | 2 | 2/28/10 |
| Greenlee Lighting Corporation | Greenlee | 11/20/28W/3WAY | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | | | 11/20/28 | 10000 | | 2 | 3/27/12 |
| Greenlee Lighting Corporation | Greenlee | 12/23/30W/3WAY | | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2200 | N/A | 12/23/30 | 10000 | | 2 | 3/28/11 | |
| Greenlee Lighting Corporation | Greenlee | 13WELS-M | 13WELSAMCD1; 13WELS-AM CD2; 13WELS-M4 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13.0 | N/A | 10000 | 2700 | | 2 | 9/21/01 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-MA | 13WELSM4A (4-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13.0 | N/A | 10000 | 2700 | | 9 | 11/10/05 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 830 | 13 | N/A | 12000 | 2700 | 0.58 | 2 | 7/11/05 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U1 | 13WELS-U2; 13WELS-U; 4.13WELS-U0 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 3/19/12 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U1 | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 7/21/11 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U1/41K | | Bare-spiral | E2624 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 4100 | | 2 | 10/1/10 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U1/50K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 5000 | | 2 | 7/30/10 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U41K | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 8/31/11 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U50K | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 5000 | | 2 | 8/31/11 |
| Greenlee Lighting Corporation | Greenlee | 13WELS-U11Z7K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 950 | 13 | N/A | 15000 | 2700 | | 13 | 11/25/08 |
| Greenlee Lighting Corporation | Greenlee | 14WELR201/HH/2Z7K | | Covered reflector | E2624 (Medium) | CFL | | 470 | 14 | N/A | 8000 | 2700 | | 7 | 12/10/08 |
| Greenlee Lighting Corporation | Greenlee | 14WELX-1 | 14WELX-2 | Covered A-line | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 3/3/10 |
| Greenlee Lighting Corporation | Greenlee | 14WELX1 | 14WELX2 | Covered A-line | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 12/6/10 |
| Greenlee Lighting Corporation | Greenlee | 15WELG | 15WELG | Covered globe | E2624 (Medium) | CFL | | 820 | 15 | N/A | 10000 | 2700 | | 2 | 3/10/03 |
| Greenlee Lighting Corporation | Greenlee | 15WELR30HH | | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | | 2 | 6/3/08 |
| Greenlee Lighting Corporation | Greenlee | 15WELR-U | | Bare-spiral | E2624 (Medium) | CFL | | 1100 | 15 | N/A | 12000 | 2700 | | 2 | 12/3/09 |
| Greenlee Lighting Corporation | Greenlee | 15WELX | 15WELXCD1 | Covered A-line | E2624 (Medium) | CFL | | 720 | 15.0 | N/A | 6000 | 2700 | | 1 | 6/24/02 |
| Greenlee Lighting Corporation | Greenlee | 15WELXR30/127K | 15WELXR30/14/2Z7K | Covered reflector | E2624 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 2700 | | 2 | 2/16/10 |
| Greenlee Lighting Corporation | Greenlee | 15WELXR30DM | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 750 | 15 | N/A | 8000 | 2700 | | 2 | 3/21/11 |
| Greenlee Lighting Corporation | Greenlee | 15WELXR30R | 15WELXR30R | Covered reflector | E2624 (Medium) | CFL | | 783 | 14.8 | N/A | 10000 | 2700 | 0.57 | 2 | 12/5/11 |
| Greenlee Lighting Corporation | Greenlee | 18WELX1 | 18WELX2; 18WELX4 | Covered A-line | E2624 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | | 2 | 2/17/11 |
| Greenlee Lighting Corporation | Greenlee | 19WELS-U1 | 19WELS-U; 19WELS-U4; 19WEL-U2 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1250 | 19 | N/A | 12000 | 2700 | | 2 | 11/13/07 |
| Greenlee Lighting Corporation | Greenlee | 19WELS-U1/41K | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 19 | N/A | 12000 | 4100 | | 2 | 10/1/10 |
| Greenlee Lighting Corporation | Greenlee | 19WELS-U50K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 5000 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 20WELPAR381 | 20WELPAR382 | Covered reflector | E2624 (Medium) | CFL | | 960 | 20 | N/A | 8000 | 2700 | | 2 | 2/17/10 |
| Greenlee Lighting Corporation | Greenlee | 20WELPAR381 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 9 | 2/13/06 |
| Greenlee Lighting Corporation | Greenlee | 20WELR30DM | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 970 | 20 | N/A | 8000 | 2700 | | 2 | 2/16/12 |
| Greenlee Lighting Corporation | Greenlee | 23WELPAR381 | | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 2 | 2/17/10 |
| Greenlee Lighting Corporation | Greenlee | 23WELPAR38A | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23.0 | N/A | 8000 | 2700 | 0.61 | 7 | 4/28/08 |
| Greenlee Lighting Corporation | Greenlee | 23WELR401 | | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 2 | 10/27/10 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-M | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 23 | N/A | 10000 | 2700 | | 2 | 7/8/09 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-M1 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 7/2/09 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-M1/50K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/20/10 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-M27K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 8/31/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-M50K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/15/09 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 8/31/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U1 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 7/21/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U1/41K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 10/1/10 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U1/50K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/20/10 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U2 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U27K | 23WELS-U27K | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.58 | 2 | 9/22/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U41K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-U50K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 23WELS-UU | 23WELS-UU; 23WELS-UU4 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 14/10 |
| Greenlee Lighting Corporation | Greenlee | 26WELS-M1/27K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 9/22/09 |
| Greenlee Lighting Corporation | Greenlee | 26WELS-U | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 26WELS-U1/41K | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 4100 | | 2 | 10/1/10 |
| Greenlee Lighting Corporation | Greenlee | 42WELS1 | | Bare-spiral | E2624 (Medium) | CFL | | 2700 | 42 | N/A | 10000 | 2700 | | 2 | 4/25/08 |
| Greenlee Lighting Corporation | Greenlee | 7WELC27K | | Covered-Candle | E2624 (Medium) | CFL | | 320 | 7 | N/A | 10000 | 2700 | | 2 | 12/2/09 |
| Greenlee Lighting Corporation | Greenlee | 7WELX | 7WELXCD1(Single Card); 7WELXCD2(Double Card); | Covered A-line | E2624 (Medium) | CFL | | 450 | 7.0 | N/A | 10000 | 2700 | | 2 | 6/19/02 |
| Greenlee Lighting Corporation | Greenlee | 7WELX | | Covered A-line | E2624 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 7WELX1 | | Covered A-line | E2624 (Medium) | CFL | | 450 | 7 | N/A | 8000 | 2700 | | 2 | 3/21/12 |
| Greenlee Lighting Corporation | Greenlee | 8WLED1A19D | 8WLED1A19D; 8WLED1A19D/2 | Non-standard | E2624 (Medium) | LED | Dimmable | 472 | 8.0 | N/A | 25000 | 3000 | 0.73 | 3 | 4/13/12 |
| Greenlee Lighting Corporation | Greenlee | 9WELG | 9WELG2 | Covered globe | E2624 (Medium) | CFL | | 450 | 9 | N/A | 12000 | 2700 | | 2 | 1/10/11 |
| Greenlee Lighting Corporation | Greenlee | 9WELG | 9WELG; 9WELG4 | Covered globe | E2624 (Medium) | CFL | | 500 | 9 | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|----------|--------------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Halo Lighting Technologies | ProLume | 45077 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.52 | 2 | 10/5/11 |
| Halo Lighting Technologies | ProLume | 45079 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.52 | 2 | 10/6/11 |
| Halo Lighting Technologies | ProLume | 45101 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 12000 | 2700 | 0.52 | 2 | 10/11/11 |
| Halo Lighting Technologies | ProLume | 45250 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.52 | 2 | 10/3/11 |
| Halo Lighting Technologies | ProLume | 45701 | | Covered globe | E26/24 (Medium) | CFL | | 525 | 9 | N/A | 10000 | 2700 | 0.52 | 2 | 10/13/11 |
| Halo Lighting Technologies | ProLume | 45702 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.52 | 2 | 2/21/12 |
| Halo Lighting Technologies | ProLume | 45713 | | Covered globe | E26/24 (Medium) | CFL | | 850 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 9/19/11 |
| Halo Lighting Technologies | ProLume | 45720 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 2700 | 0.53 | 2 | 10/14/11 |
| Halo Lighting Technologies | ProLume | 45734 | | Covered A-line | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 10000 | 2700 | 0.58 | 2 | 10/12/11 |
| Halo Lighting Technologies | ProLume | 45741 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | 0.57 | 2 | 10/25/11 |
| Halo Lighting Technologies | ProLume | 46001 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 9/19/11 |
| Halo Lighting Technologies | ProLume | 46003 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 4100 | 0.58 | 2 | 9/20/11 |
| Halo Lighting Technologies | ProLume | 46201 | | Covered reflector | E26/24 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 2700 | 0.52 | 2 | 10/4/11 |
| Halo Lighting Technologies | ProLume | 46203 | | Covered reflector | E26/24 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 4100 | 0.52 | 2 | 10/5/11 |
| Halo Lighting Technologies | ProLume | 46234 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1650 | 23 | N/A | 10000 | 2700 | 0.52 | 2 | 10/4/11 |
| Halo Lighting Technologies | ProLume | 46605 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.56 | 2 | 10/13/11 |
| Halo Lighting Technologies | ProLume | 46610 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 12000 | 2700 | 0.58 | 2 | 10/13/11 |
| Halo Lighting Technologies | ProLume | 46615 | | Bare-spiral | E26/24 (Medium) | CFL | | 1280 | 18 | N/A | 12000 | 2700 | 0.55 | 2 | 10/13/11 |
| Halo Lighting Technologies | ProLume | 46620 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.58 | 2 | 10/14/11 |
| Halo Lighting Technologies | ProLume | PL13SE/27/T2 | 45050 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 2/19/08 |
| Halo Lighting Technologies | ProLume | PL13SE/41/T2 | 45056 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 12/5/07 |
| Halo Lighting Technologies | ProLume | PL13SE/41/T2 | 45056 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 12/5/07 |
| Halo Lighting Technologies | ProLume | PL18SE/27 | 45120 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | | 2 | 12/6/07 |
| Halo Lighting Technologies | ProLume | PL23SE/27 | 45250 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/25/07 |
| Halo Lighting Technologies | ProLume | PL42SE/27 | 109328 | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 2 | 12/6/07 |
| Halo Lighting Technologies | ProLume | PL9SE/27 | 45030 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 12/6/07 |
| Halo Lighting Technologies | ProLume | PL9SE/27 | 45030 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 12/6/07 |
| Halo Lighting Technologies | ProLume | PL9SE/27/G | 45701 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 12/6/07 |
| Halo Lighting Technologies | ProLume | PL9SE/41 | 45038 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 1/31/08 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS21-10W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 10000 | 2700 | | 7 | 11/5/04 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS21-19W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 7 | 11/5/04 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS21-15W | | Bare-spiral | E26/24 (Medium) | CFL | | 930 | 15 | N/A | 10000 | 2700 | | 7 | 3/29/05 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS22-20W | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 12000 | 2700 | | 7 | 4/11/05 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS22-23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1400 | 23 | N/A | 10000 | 2700 | | 7 | 3/29/05 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS22-28W | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 12/11/07 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS23-13W | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 2/23/05 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-10W-T3 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 12000 | 2700 | 0.54 | 2 | 5/27/09 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-10W-T3 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 12000 | 4100 | 0.54 | 2 | 1/26/10 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-10W-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 12000 | 6500 | 0.54 | 2 | 1/26/10 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-13W-T3 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 12000 | 2700 | 0.54 | 2 | 5/27/09 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-13W-T3 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 12000 | 4100 | 0.56 | 2 | 1/26/10 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-13W-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 6500 | 0.56 | 2 | 1/26/10 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-15W-T3 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1000 | 15 | N/A | 12000 | 2700 | 0.54 | 2 | 5/27/09 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-15W-T3 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 940 | 15 | N/A | 12000 | 4100 | 0.54 | 2 | 1/26/10 |
| Hangzhou Eboylamp Electronics Co., Ltd. | EBOY | EBS-30-15W-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 910 | 15 | N/A | 12000 | 6500 | 0.53 | 2 | 1/26/10 |
| Hangzhou EcoLighting Industrial Co., Ltd. | Lux Watt | ECO21-11W | 49851 11T2 E26 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 650 | 11 | N/A | 10000 | 2700 | 0.57 | 7 | 5/2/08 |
| Hangzhou EcoLighting Industrial Co., Ltd. | Lux Watt | ECO22-14W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 820 | 14 | N/A | 10000 | 2700 | 0.58 | 7 | 4/14/08 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | PAR2011W120V | | Covered reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 10000 | 2700 | 0.6 | 2 | 12/23/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | PAR3015W120V | | Covered reflector | E26/24 (Medium) | CFL | | 740 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 12/23/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | PAR3823W120V | | Covered reflector | E26/24 (Medium) | CFL | | 1150 | 23 | N/A | 10000 | 2700 | 0.59 | 2 | 12/23/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | T207120FS | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 12000 | 2700 | 0.57 | 2 | 9/15/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | T209120FS | | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | 0.55 | 2 | 8/24/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | T211120FS | | Bare-spiral | E26/24 (Medium) | CFL | | 680 | 11 | N/A | 12000 | 2700 | 0.57 | 2 | 9/15/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | T220120FS | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 12000 | 2700 | 0.54 | 2 | 9/15/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | T223120FS | | Bare-spiral | E26/24 (Medium) | CFL | | 1400 | 23 | N/A | 12000 | 2700 | 0.55 | 2 | 9/15/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | YPV120V60HZ13WS | | Bare-spiral | E26/24 (Medium) | CFL | | 860 | 13 | N/A | 12000 | 2700 | 0.55 | 2 | 9/29/09 |
| Hangzhou Li-Tech Electric Co., Ltd. | Li-Tech | YPV120V60HZ21WS | | Bare-spiral | E26/24 (Medium) | CFL | | 1550 | 21 | N/A | 12000 | 2700 | 0.55 | 2 | 9/29/09 |
| Hangzhou Sky-Lighting Co., Ltd | SKY-ING | mini_spiral_13W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 715 | 13 | N/A | 12000 | 2700 | 0.55 | 5 | 6/11/09 |
| Hangzhou Sky-Lighting Co., Ltd | SKY-ING | mini_spiral_9w | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 12000 | 2700 | 0.55 | 5 | 6/11/09 |
| Hangzhou Sky-Lighting Co., Ltd | SKY-ING | spiral_23w | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 23 | N/A | 12000 | 2700 | 0.58 | 5 | 10/9/09 |
| Hangzhou Sky-Lighting Co., Ltd | SKY-ING | T2_13W | | Bare-spiral | E26/24 (Medium) | CFL | | 715 | 13 | N/A | 16000 | 2700 | 0.58 | 7 | 9/14/10 |
| Hangzhou Sky-Lighting Co., Ltd | SKY-ING | T2_9W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 16000 | 2700 | 0.55 | 7 | 6/26/09 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/10-spiral 10W 827 | 6-943701-006783 | Bare-spiral | E26/24 (Medium) | CFL | | 570 | 10 | N/A | 8000 | 2700 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/10-spiral 10W 841 | 6-943701-056782 | Bare-spiral | E26/24 (Medium) | CFL | | 640 | 10 | N/A | 8000 | 4100 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/10-spiral 10W 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 590 | 10 | N/A | 8000 | 6500 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/13-spiral 13W 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/13-spiral 13W 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 8000 | 4100 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/13-spiral 13W 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 8000 | 6500 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/15-spiral 15W 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 2700 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/15-spiral 15W 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 980 | 15 | N/A | 8000 | 4100 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/15-spiral 15W 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 980 | 15 | N/A | 8000 | 6500 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/20-spiral 20W 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 2700 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/20-spiral 20W 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 4100 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/20-spiral 20W 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 6500 | 0.6 | 3 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/26-spiral 26W 827 | | Bare-spiral | E26/24 (Medium) | CFL | | 1610 | 26 | N/A | 8000 | 2700 | 0.6 | 2 | 12/30/08 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/26-spiral 26W 841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1530 | 26 | N/A | 8000 | 4100 | 0.6 | 3 | 1/9/09 |
| Hangzhou Yuzhong Gaozhong Lighting Electrical Equipment Co., Ltd | Citrus | YPZ120/26-spiral 26W 865 | | Bare-spiral | E26/24 (Medium) | CFL | | 1630 | 26 | N/A | 8000 | 6500 | 0.6 | 3 | 12/30/08 |
| Hannaford Bros. Co./Kash N Kary Food Stores, Inc. | HOME 360 | 96196 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 9/2/09 |
| Hannaford Bros. Co./Kash N Kary Food Stores, Inc. | HOME 360 | 96197 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 8/5/10 |
| Hannaford Bros. Co./Kash N Kary Food Stores, Inc. | HOME 360 | 96198 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 9/2/09 |
| Hannaford Bros. Co./Kash N Kary Food Stores, Inc. | HOME 360 | 96199 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/25/09 |
| Hannaford Bros. Co./Kash N Kary Food Stores, Inc. | HOME 360 | 96200/K | X19027 1K | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/20/33 | 8000 | 2700 | 0.2 | 2 | 6/27/11 |
| Havells Inc | HAVELLS | 26123 | 26124 | Covered A-line | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | 0.2 | 2 | 3/7/12 |
| Havells Inc | HAVELLS | 26125 | 26126 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.2 | 2 | 3/7/12 |
| Havells Inc | HAVELLS | 26127 | 26128 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | 0. | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|-------|--------------|-----------------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| HEB | GTC | 008357 | 113318, 008726 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 5/12/11 |
| HEB | GTC | 008460 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 9 | 5/23/11 |
| HEB | GTC | 008488 | 009460 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 6000 | 2700 | | 2 | 7/2/08 |
| HEB | GTC | 009579 | 009579 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | | 11 | 7/2/08 |
| HEB | GTC | 008580 | 006845 | Covered reflector | E26/24 (Medium) | CFL | | 1050 | 23 | N/A | 10000 | 2700 | | 2 | 7/2/08 |
| HEB | GTC | 098266 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.55 | 9 | 1/26/09 |
| HEB | GTC | 098963 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.6 | 9 | 1/26/09 |
| HEB | GTC | 113318 | 0750266 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 11 | 3/16/11 |
| HEB | GTC | 185038 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 8/31/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 101964 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 15000 | 2700 | | 2 | 7/3/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 103889 | | Bare-spiral | E26/24 (Medium) | CFL | | 2820 | 42 | N/A | 15000 | 2700 | | 2 | 11/16/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 104700 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 2700 | | 2 | 4/16/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 104903 | 1T48S3238 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 2700 | | 2 | 7/9/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 105620 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13.0 | N/A | 10000 | 2700 | | 2 | 4/17/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 105621 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 15000 | 2700 | | 2 | 12/11/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 133566 | TP120-13MSL(T2) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 15000 | 2700 | | 2 | 11/16/07 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 135558 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | 0.55 | 2 | 1/20/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136058 | | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 12000 | 2700 | | 2 | 3/4/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136059 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 12000 | 2700 | 0.57 | 2 | 7/8/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136207 | TP120-13MSL(1C), TP120-14MSL(13)Y | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 11/18/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136345 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 12000 | 2700 | | 2 | 7/11/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136347 | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 12000 | 2700 | 0.59 | 2 | 8/23/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136348 | | Covered globe | E26/24 (Medium) | CFL | | 810 | 14 | N/A | 12000 | 2700 | | 2 | 6/27/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136349 | | Covered-Candle | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 12000 | 2700 | 0.57 | 2 | 6/30/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136350 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 12000 | 2700 | | 2 | 6/27/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 136810 | | Covered A-line | E26/24 (Medium) | CFL | | 760 | 14 | N/A | 12000 | 5000 | 0.57 | 2 | 8/12/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137048 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 3000 | 0.59 | 2 | 7/14/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137139 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | | 2 | 12/2/08 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137463 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 15000 | 4100 | 0.59 | 2 | 7/14/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137556 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 15000 | 2700 | 0.58 | 2 | 4/28/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137557 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 2700 | 0.56 | 2 | 7/17/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137729 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 12000 | 4100 | 0.58 | 2 | 5/11/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 137915 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 16 | N/A | 12000 | 6500 | 0.56 | 2 | 10/29/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138223 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 15000 | 2700 | 0.56 | 2 | 4/28/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138224 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 15000 | 2700 | 0.58 | 2 | 4/28/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138379 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 660 | 11 | N/A | 15000 | 5000 | 0.59 | 2 | 6/29/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138390 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | 0.59 | 2 | 6/18/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138509 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | 0.56 | 2 | 4/28/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138860 | | Covered reflector | E26/24 (Medium) | CFL | | 1280 | 23 | N/A | 12000 | 3000 | 0.56 | 2 | 4/8/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 138920 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 4100 | 0.57 | 2 | 7/14/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139011 | | Bare-spiral | E26/24 (Medium) | CFL | | 1810 | 26 | N/A | 12000 | 2700 | 0.57 | 2 | 8/12/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139019 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 12000 | 2700 | 0.76 | 2 | 4/28/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139021 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1250 | 18 | N/A | 12000 | 2700 | 0.75 | 2 | 7/27/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139023 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 12000 | 2700 | 0.8 | 2 | 8/23/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139067 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 15000 | 3000 | | 2 | 6/18/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139631 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | 0.58 | 2 | 7/14/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 139779 | | Covered-Candle | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 12000 | 2700 | 0.6 | 2 | 7/8/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 140573 | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 15000 | 4100 | 0.59 | 2 | 7/14/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 140676 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 12000 | 3000 | 0.58 | 2 | 4/14/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141033 | | Covered-Candle | E26/24 (Medium) | CFL | | 220 | 5 | N/A | 12000 | 2700 | 0.62 | 2 | 9/7/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141052 | | Covered-Candle | E12 (Candelabra) | CFL | | 220 | 5 | N/A | 12000 | 2700 | 0.62 | 2 | 8/20/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141052 | | Covered-Candle | E26/24 (Medium) | CFL | | 220 | 5 | N/A | 12000 | 2700 | 0.62 | 2 | 8/20/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141053 | | Covered-Candle | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 12000 | 2700 | 0.6 | 2 | 7/8/09 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141089 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 12000 | 3000 | 0.56 | 2 | 4/8/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141463 | | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 12000 | 2700 | 0.59 | 2 | 12/23/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 141539 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | 0.55 | 2 | 1/27/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143249 | TP120-13MSL 2700K T2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.56 | 2 | 12/23/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143426 | 143426 | Covered A-line | E26/E24 (Medium) | CFL | | 800 | 14.0 | N/A | 10000 | 2700 | 0.56 | 3 | 8/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143476 | | Covered A-line | E12 (Candelabra) | CFL | | 470 | 9 | N/A | 12000 | 2700 | 0.58 | 2 | 1/29/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143476 | | Covered A-line | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 12000 | 2700 | 0.58 | 2 | 1/29/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143482 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 12000 | 2700 | 0.58 | 2 | 1/29/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143603 | 143606 | Bare-spiral | E26/E24 (Medium) | CFL | | 550 | 9.0 | N/A | 12000 | 2700 | 0.58 | 2 | 10/6/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 143816 | | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | 0.55 | 2 | 11/11/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144296 | 144296 | Bare-spiral | E26/E24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.57 | 3 | 8/21/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144686 | 144686 | Bare-spiral | E26/E24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 3000 | 0.57 | 3 | 8/21/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144734 | 144734 | Bare-spiral | E26/E24 (Medium) | CFL | | 540 | 9.0 | N/A | 12000 | 3500 | 0.55 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144735 | | Bare-spiral | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 12000 | 6500 | 0.54 | 2 | 12/14/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144736 | 144736 | Bare-spiral | E26/E24 (Medium) | CFL | | 900 | 13.0 | N/A | 12000 | 3500 | 0.56 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144738 | 144738 | Bare-spiral | E26/E24 (Medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144739 | | Bare-spiral | E26/E24 (Medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 3500 | 0.56 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144740 | 144740 | Bare-spiral | E26/E24 (Medium) | CFL | | 1200 | 18.0 | N/A | 12000 | 6500 | 0.56 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144741 | 144741 | Bare-spiral | E26/E24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 10/5/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144742 | 144742 | Bare-spiral | E26/E24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 3500 | 0.55 | 2 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144743 | 144743 | Bare-spiral | E26/E24 (Medium) | CFL | | 1500 | 23.0 | N/A | 12000 | 6500 | 0.55 | 3 | 9/9/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 144965 | 144965 | Covered Reflector | E26/E24 (Medium) | CFL | | 750 | 16.0 | N/A | 10000 | 2700 | 0.57 | 3 | 7/12/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 147075 | 147075 | Covered reflector | E26/E24 (Medium) | CFL | | 650 | 16.0 | N/A | 10000 | 2700 | 0.57 | 3 | 8/21/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 147076 | 147076 | Covered reflector | E26/E24 (Medium) | CFL | | 1050 | 23.0 | N/A | 10000 | 2700 | 0.55 | 3 | 8/4/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 148164 | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 750 | 16 | N/A | 12000 | 2700 | 0.66 | 2 | 12/23/10 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 150110 | 150110 | Covered A-line | Medium E26/24 | CFL | | 800 | 14.0 | N/A | 12000 | 2700 | 0.62 | 2 | 2/16/12 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 150748 | 150748 | Covered reflector | E26/E24 (Medium) | CFL | | 1300 | 23.0 | N/A | 10000 | 2700 | 0.56 | 3 | 8/4/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151035 | 151035 | Covered A-line | Medium E26/24 | CFL | | 900 | 14.0 | N/A | 12000 | 2700 | 0.58 | 2 | 2/27/12 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151301 | 151301 | Covered reflector | E26/E24 (Medium) | CFL | | 1300 | 23.0 | N/A | 10000 | 2700 | 0.56 | 3 | 8/4/11 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151916 | None | Bare-spiral | E26/24 (medium) | CFL | | 540 | 9.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/9/12 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151917 | None | Bare-spiral | E26/24 (medium) | CFL | | 900 | 13.0 | N/A | 12000 | 2700 | 0.59 | 2 | 4/9/12 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151918 | None | Bare-spiral | E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/9/12 |
| Hengdian Group Tospo Lighting Co., Ltd. | Tospo | 151919 | None | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/9/12 |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|------------|--------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Hengshian Group Tospo Lighting Co., Ltd. | Tospo | TP120-27MSL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1900 | 27 | N/A | 10000 | 2700 | | 2 | 2/3/04 |
| Hengshian Group Tospo Lighting Co., Ltd. | Tospo | TP120-32MSL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2250 | 32 | N/A | 8000 | 2700 | | 2 | 2/13/04 |
| Homelite Limited | Homelite | HLFDR15W | HLFDR15W/2700K | Covered reflector | Medium E26/24 | CFL | Dimmable | 700 | 15.0 | N/A | 8000 | 2700 | 0.63 | 3 | 2/16/12 |
| Homelite Limited | Homelite | HLT2S09W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 10000 | 2700 | 0.57 | 2 | 11/18/08 |
| Homelite Limited | Homelite | HLT2S09W/42700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.58 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT2S09W/4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | 0.54 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT2S13W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.6 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT2S13W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.6 | 2 | 1/17/08 |
| Homelite Limited | Homelite | HLT2S13W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.59 | 2 | 1/27/10 |
| Homelite Limited | Homelite | HLT2S13W/A4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | 0.58 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT2S13W/C/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.59 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT2S18W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | 0.57 | 2 | 12/23/10 |
| Homelite Limited | Homelite | HLT2S18W/A4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 4100 | 0.59 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT2S20W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | 0.57 | 2 | 11/22/08 |
| Homelite Limited | Homelite | HLT2S20W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | 0.57 | 2 | 12/15/08 |
| Homelite Limited | Homelite | HLT2S23W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT2S23W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT2S23W/5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.57 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT2S23W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 2 | 1/27/10 |
| Homelite Limited | Homelite | HLT2S23W/A4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | 0.56 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT3A09/2700K | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.56 | 2 | 12/26/08 |
| Homelite Limited | Homelite | HLT3A09W/2700K | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.56 | 2 | 6/11/10 |
| Homelite Limited | Homelite | HLT3A09W/4100K | | Covered A-line | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.56 | 2 | 1/15/08 |
| Homelite Limited | Homelite | HLT3A1319W/B2700K | HLT3A1319W/B2700K | Covered A-line | Medium E26/24 | CFL | | 1200 | 18.0 | N/A | 10000 | 2700 | 0.58 | 2 | 2/16/12 |
| Homelite Limited | Homelite | HLT3A14W/2700K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | 0.59 | 2 | 1/15/08 |
| Homelite Limited | Homelite | HLT3A14W/4100K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | 0.59 | 2 | 1/15/08 |
| Homelite Limited | Homelite | HLT3A7W/2700K | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | 0.66 | 2 | 1/11/11 |
| Homelite Limited | Homelite | HLT3C08W/E12/2700K | | Covered-Candle | E12 (Candelabra) | CFL | | 200 | 5 | N/A | 10000 | 2700 | 0.55 | 2 | 8/12/09 |
| Homelite Limited | Homelite | HLT3C08W/E26/2700K | | Covered-Candle | E26/24 (Medium) | CFL | | 200 | 5 | N/A | 10000 | 2700 | 0.55 | 2 | 8/12/09 |
| Homelite Limited | Homelite | HLT3C07W/B2700K | HLT3C07W/B2700K | Covered-Candle | E12 (Candelabra) | CFL | | 300 | 7.0 | N/A | 10000 | 2700 | 0.57 | 3 | 2/27/12 |
| Homelite Limited | Homelite | HLT3C07W/E12/2700K | | Covered-Candle | E12 (Candelabra) | CFL | | 300 | 7 | N/A | 10000 | 2700 | 0.54 | 2 | 8/12/09 |
| Homelite Limited | Homelite | HLT3G09W/2700K | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 1/23/09 |
| Homelite Limited | Homelite | HLT3G09W/4100K | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | 0.55 | 2 | 1/13/09 |
| Homelite Limited | Homelite | HLT3G14W/4100K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | 0.56 | 2 | 1/13/09 |
| Homelite Limited | Homelite | HLT3G3019W/2700K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 10000 | 2700 | 0.58 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3PAR16W/2700K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | 0.57 | 2 | 1/14/09 |
| Homelite Limited | Homelite | HLT3PAR16W/4100K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 4100 | 0.56 | 2 | 9/16/09 |
| Homelite Limited | Homelite | HLT3PAR23W/2700K | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 1/14/09 |
| Homelite Limited | Homelite | HLT3PAR23W/4100K | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 4100 | 0.57 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3R14W/2700K | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 14 | N/A | 10000 | 2700 | 0.59 | 2 | 1/14/09 |
| Homelite Limited | Homelite | HLT3R14W/4100K | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 14 | N/A | 10000 | 4100 | 0.59 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3R16W/4100K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 4100 | 0.56 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3R2011W/2700K | | Covered reflector | E26/24 (Medium) | CFL | | 400 | 11 | N/A | 10000 | 2700 | 0.58 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3R23W/2700K | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 1/14/09 |
| Homelite Limited | Homelite | HLT3R23W/4100K | | Covered reflector | E26/24 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 4100 | 0.57 | 2 | 9/15/09 |
| Homelite Limited | Homelite | HLT3S09W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT3S09W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | 0.57 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT3S13W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.55 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT3S13W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | 0.55 | 2 | 9/15/08 |
| Homelite Limited | Homelite | HLT3S13W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.59 | 2 | 1/27/10 |
| Homelite Limited | Homelite | HLT3S18W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | 0.57 | 2 | 12/22/10 |
| Homelite Limited | Homelite | HLT3S20W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | 0.54 | 2 | 1/15/09 |
| Homelite Limited | Homelite | HLT3S23W/2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 1/11/08 |
| Homelite Limited | Homelite | HLT3S23W/4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.57 | 2 | 1/18/08 |
| Homelite Limited | Homelite | HLT3S23W/A2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 2 | 1/27/10 |
| Homelite Limited | Homelite | HLT3S23W/A4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | 0.59 | 2 | 1/12/08 |
| Homelite Limited | Homelite | HLT3S20W/2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 8/13/09 |
| Homelite Limited | Homelite | HLT4S40W/2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 10000 | 2700 | 0.58 | 2 | 1/11/11 |
| Howard Berger Co. Inc. | Bright-Way | BWCF515 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 12/31/10 |
| Howard Berger Co. Inc. | Bright-Way | BWCF523 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 12/31/10 |
| Howard Berger Co. Inc. | Globe | 185039 | 185039 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.5 | 2 | 6/22/11 |
| IKEA of Sweden AB | Ikea | ES0910C7 | N/A | Covered-Candle | E12 (Candelabra) | CFL | | 315 | 7.0 | N/A | 10000 | 2700 | 0.61 | 3 | 6/30/11 |
| IKEA of Sweden AB | Ikea | ES1001S20 | 00215883, 50219402 | Bare-Spiral | E26/24 (medium) | CFL | Dimmable | 1174 | 19.03 | N/A | 8000 | 2700 | 0.71 | 7 | 1/12/12 |
| IKEA of Sweden AB | Ikea | ES0805C5 | | Covered-Candle | E12 (Candelabra) | CFL | | 225 | 5 | N/A | 8000 | 2700 | 0.6 | 3 | 6/21/10 |
| IKEA of Sweden AB | Ikea | ES0906G7 | | Covered globe | E12 (Candelabra) | CFL | | 315 | 7 | N/A | 10000 | 2700 | 0.67 | 3 | 6/21/10 |
| IKEA of Sweden AB | Ikea | ES0906G7 | | Covered globe | E26/24 (Medium) | CFL | | 315 | 7 | N/A | 10000 | 2700 | 0.67 | 3 | 6/21/10 |
| IKEA of Sweden AB | Ikea | ES0807G11 | | Covered globe | E26/24 (Medium) | CFL | | 550 | 11 | N/A | 10000 | 2700 | | 3 | 7/13/10 |
| IKEA of Sweden AB | Ikea | ES0808G20 | | Covered globe | E26/24 (Medium) | CFL | | 1160 | 20 | N/A | 10000 | 2700 | 0.59 | 3 | 11/8/10 |
| IKEA of Sweden AB | Ikea | ES0906S9 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 3 | 3/24/11 |
| IKEA of Sweden AB | Ikea | ES0906S9 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 3 | 1/7/10 |
| IKEA of Sweden AB | Ikea | ES0907S13 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 5 | 1/11/10 |
| IKEA of Sweden AB | Ikea | ES0908S20 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | | 5 | 1/11/10 |
| Infelight Products, Inc. | Infelight | IFL-PAR20-WW30 | | | | LED | | | | | | | | | 11/21/11 |
| Infelight Products, Inc. | Infelight | IFL-PAR30-WW30 | | | | LED | | | | | | | | | 11/21/11 |
| Infelight Products, Inc. | Infelight | IFL-PAR36-WW30 | | | | LED | | | | | | | | | 11/21/11 |
| IPAN LED Inc. | IPAN LED | IPAN-A-LAMP-12W-D | | | | LED | | | | | | | | | 4/17/12 |
| IPAN LED Inc. | IPAN LED | IPAN-MR16-4W | | | | LED | | | | | | | | | 1/12/12 |
| IPAN LED Inc. | IPAN LED | IPAN-PAR38-17W | | | | LED | | | | | | | | | 1/12/12 |
| IPAN LED Inc. | IPAN LED | IPAN-PAR38-17W-D | | | | LED | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|-------------------------|------------------------|--|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S13Z7 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 8/29/08 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S13L-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S13L-5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | 0.57 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S13WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S15WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 2700 | 0.59 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S15WE264100K | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 15 | N/A | 10000 | 4100 | 0.59 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S18L-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 18 | N/A | 10000 | 2700 | 0.54 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S18L-5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 10000 | 5000 | 0.55 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S18WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 10000 | 2700 | 0.54 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S20Z7 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | 0.58 | 2 | 8/29/08 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S23Z7 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 8/29/08 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S23L-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S23L-5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.57 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S23WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S25WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 10000 | 2700 | 0.57 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S25WE265000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 25 | N/A | 10000 | 5000 | 0.58 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | GUIYA | GYT3S30WE26Z700K | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 10000 | 2700 | 0.57 | 2 | 9/14/09 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | GYT2S13L2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 932 | 13 | N/A | 10000 | 2700 | 0.57 | 2 | 11/31/11 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP11W-E26 | MDESLMSP11W-E26 | Bare-spiral | E26/24 (medium) | CFL | | 828 | 11.13 | N/A | 10000 | 2700 | 0.59 | 2 | 3/6/12 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP13W-E26 | MDESLMSP13W-E26 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 848 | 12.517 | N/A | 10000 | 2700 | 0.58 | 2 | 12/19/11 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP15W-E26 | MDESLMSP15W-E26 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 940 | 13.86 | N/A | 10000 | 2700 | 0.6 | 2 | 12/19/11 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP23W-E26 | MDESLMSP23W-E26 | Bare-spiral | E26/24 (medium) | CFL | | 1694 | 24.81 | N/A | 10000 | 2700 | 0.58 | 2 | 3/6/12 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP7W-E26 | MDESLMSP7W-E26 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 474 | 7.094 | N/A | 10000 | 2700 | 0.57 | 2 | 12/19/11 |
| Jiangxi Midea Guya Green Lighting Electrical Co., Ltd | Midea | MDESLMSP9W-E26 | MDESLMSP9W-E26 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 626 | 9.185 | N/A | 10000 | 2700 | 0.56 | 2 | 12/19/11 |
| Jiangxi Supersun Technology Lighting Co., Ltd. | Supersun | SPS T2 13SM 2700K | SPS T2 13SM 2700K | Bare-spiral | E26/E24 (Medium) | CFL | | 900 | 13.0 | N/A | 12000 | 2700 | 0.62 | 2 | 11/29/11 |
| Jiangxi Supersun Technology Lighting Co., Ltd. | Supersun | SPS T2 13SM 4100K | SPS T2 13SM 4100K | Bare-spiral | E26/E24 (Medium) | CFL | | 900 | 13.0 | N/A | 12000 | 4100 | 0.61 | 2 | 11/29/11 |
| Jiangxi Supersun Technology Lighting Co., Ltd. | Supersun | SPS T3 13S | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.59 | 2 | 6/21/10 |
| Jiangxi Supersun Technology Lighting Co., Ltd. | Supersun | SPS T3 18S | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 6/21/10 |
| Jiangxi Supersun Technology Lighting Co., Ltd. | Supersun | SPS T3 23S | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 6/21/10 |
| Kroger Company | Everyday Living | 2725-BXEL | 2725-BXEL, 2725-2VPBXEL | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 12/7/07 |
| Kroger Company | Everyday Living | 2725D-BXEL | 2725D-2VP-BXEL | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.56 | 2 | 11/23/10 |
| Kroger Company | Everyday Living | 2814S-BXEL | 2814S-BXEL, 2814S-2VPBXEL, 2814S-4VPBXEL | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 14 | N/A | 8000 | 6500 | 0.56 | 2 | 12/7/07 |
| Kroger Company | Everyday Living | 2814W-BXEL | 2814W-2VPBXEL | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.56 | 2 | 2/16/10 |
| Kroger Company | Everyday Living | 2819-BXEL | 2819-BXEL, 2819-4VPBXEL | Bare-spiral | E26/24 (Medium) | CFL | | 1260 | 19 | N/A | 10000 | 2700 | 0.56 | 2 | 12/6/11 |
| Kroger Company | Everyday Living | 2920-PP38 EL | 2819-2VPBXEL | Covered reflector | E26/24 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 2700 | 0.56 | 2 | 7/16/09 |
| LeeEngin, Inc. | LuxPAR | LP38-082W31 | | | | LED | | | | | | | | | 1/25/12 |
| LEDirect | NaturalLED | LED14PAR30L/DIMFLU27K | | | | LED | | | | | | | | | 3/20/12 |
| LEDirect | NaturalLED | LED14PAR30L/DIMFLU30K | | | | LED | | | | | | | | | 3/6/12 |
| LEDirect | NaturalLED | LED14PAR30L/DIMNFL27K | | | | LED | | | | | | | | | 3/20/12 |
| LEDirect | NaturalLED | LED14PAR30L/DIMNFL30K | | | | LED | | | | | | | | | 3/6/12 |
| LEDirect | NaturalLED | LED17PAR38/DIMFLU27K | | | | LED | | | | | | | | | 4/10/12 |
| LEDirect | NaturalLED | LED17PAR38/DIMFLU30K | | | | LED | | | | | | | | | 3/6/12 |
| LEDirect | NaturalLED | LED17PAR38/DIMNFL27K | | | | LED | | | | | | | | | 3/6/12 |
| LEDirect | NaturalLED | LED17PAR38L/DIMNFL27K | | | | LED | | | | | | | | | 4/10/12 |
| LEDirect | NaturalLED | LED19PAR26/DIMNFL30K | | | | LED | | | | | | | | | 12/19/11 |
| LEDirect | NaturalLED | LHO-4.9MR18NFLWW | | | | LED | | | | | | | | | 3/21/11 |
| LEDirect | NaturalLED | LHO-4.9MR18NFLWW | | | | LED | | | | | | | | | 12/15/11 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR20-50-1WD-INFE | LED-PAR20-50-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 359 | 6.04 | N/A | 25000 | 3000 | 0.91 | 5 | 9/29/11 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR30S-75-1WD-INFE | LED-PAR30S-75-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 614 | 15.57 | N/A | 25000 | 3000 | 0.93 | 5 | 11/4/11 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0.94 | 5 | 11/7/12 |
| LEDnovation, Inc. | LEDnovation EnhanceLite | LED-PAR38-90-1WD-INFE | LED-PAR38-90-1WD-INFE | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 914 | 18.29 | N/A | 28000 | 3000 | 0. | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------------------------|-----------------|-----------------------|----------------------------|------------------------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | NHST13 NT | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 5000 | | 5 | 6/6/08 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | NHST15 IE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 8000 | 2700 | 0.54 | 5 | 11/30/07 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | NHST15 IT | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | 0.54 | 9 | 1/4/08 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | NHSZR13 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | 0.57 | 5 | 12/10/09 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | PAR30A15 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.58 | 5 | 5/26/09 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | PAR38A23 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.58 | 5 | 5/26/09 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | R30A15 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.55 | 5 | 5/26/09 |
| Leaderson Lighting (Xiamen) Co., Ltd. | LeeLite | R40A23 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | 0.58 | 5 | 5/26/09 |
| Lemnis Inc. | Pharox | 101300 | 101300 | Non - Standard | E26/24 (Medium) | LED | | 326 | 5.56 | N/A | 25000 | 3000 | 0.82 | 3 | 12/31/11 |
| Lightel Technologies, Inc. | ALEDDRA | PAR30-S-D-30-30K | | | | LED | | | | # | | | | | 1/25/12 |
| Lightel Technologies, Inc. | ALEDDRA | PAR30-S-D-30-40K | | | | LED | | | | # | | | | | 1/25/12 |
| Lightel Technologies, Inc. | ALEDDRA | PAR38-S-D-30-30K | | | | LED | | | | # | | | | | 4/10/12 |
| Lightel Technologies, Inc. | ALEDDRA | PAR38-S-D-30-40K | | | | LED | | | | # | | | | | 4/10/12 |
| Lighting Science Group, Corp | Definity | DFN 16 NW FL | 7434000099 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 282 | 5.81 | N/A | 35000 | 4100 | 1 | 3 | 10/8/10 |
| Lighting Science Group, Corp | Definity | DFN 16 NW NFL | 7434000010 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 282 | 5.81 | N/A | 25000 | 4000 | 1 | 3 | 10/8/10 |
| Lighting Science Group, Corp | Definity | DFN 16 NW NFL | 7434000010 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 276 | 5.92 | N/A | 35000 | 4100 | 1 | 3 | 10/18/10 |
| Lighting Science Group, Corp | Definity | DFN 16 W27 FL | 7434000054 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 275 | 5.92 | N/A | 25000 | 4000 | 1 | 5 | 10/7/10 |
| Lighting Science Group, Corp | Definity | DFN 16 W27 FL | 7434000054 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 246 | 5.52 | N/A | 35000 | 2700 | 1 | 3 | 10/18/10 |
| Lighting Science Group, Corp | Definity | DFN 16 W27 FL | 7434000054 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 246 | 5.5 | N/A | 25000 | 2700 | 1 | 3 | 11/4/11 |
| Lighting Science Group, Corp | Definity | DFN 16 W27 NFL | 7434000055 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 247 | 5.415 | N/A | 35000 | 2700 | 1 | 3 | 10/18/10 |
| Lighting Science Group, Corp | Definity | DFN 16 W27 NFL | 7434000055 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 247 | 5.4 | N/A | 25000 | 2700 | 1 | 3 | 11/4/11 |
| Lighting Science Group, Corp | Definity | DFN 16 WW FL | 7434000009 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 258 | 5.75 | N/A | 35000 | 3000 | 1 | 3 | 1/24/11 |
| Lighting Science Group, Corp | Definity | DFN 16 WW FL | 7434000009 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 263 | 5.85 | N/A | 25000 | 3000 | 1 | 3 | 10/20/10 |
| Lighting Science Group, Corp | Definity | DFN 16 WW FL GU10 | 61541 | Non-Standard | GU10 | LED | | 333 | 6.0 | N/A | 25000 | 3000 | 0.79 | 3 | 3/28/12 |
| Lighting Science Group, Corp | Definity | DFN 16 WW NFL | 7434000010 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 258 | 5.62 | N/A | 35000 | 3000 | 1 | 3 | 1/24/11 |
| Lighting Science Group, Corp | Definity | DFN 16 WW NFL | 7434000010 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 262 | 5.85 | N/A | 25000 | 3000 | 1 | 3 | 10/20/10 |
| Lighting Science Group, Corp | Definity | DFN 16 WW NFL 120 E26 | 61544 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | | 304 | 6.0 | N/A | 25000 | 3000 | 0.74 | 3 | 3/29/12 |
| Lighting Science Group, Corp | Definity | DFN 16 WW NFL GU10 | 61587 | PAR - Parabolic Aluminum Reflector | GU10 | LED | | 312 | 5.6 | N/A | 25000 | 3000 | 0.75 | 3 | 3/29/12 |
| Lighting Science Group, Corp | Definity | DFN 19 NW | 7434000000 | Non - Standard | E26/24 (Medium) | LED | Dimmable | 412 | 8.0 | N/A | 50000 | 4100 | 0.93 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 19 WW | 7434000000 | Non - Standard | E26/24 (Medium) | LED | Dimmable | 390 | 8.0 | N/A | 50000 | 3000 | 0.93 | 5 | 7/7/11 |
| Lighting Science Group, Corp | Definity | DFN 20 NW FL 120 | 7434000021 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 333 | 8.17 | N/A | 50000 | 4100 | 0.94 | 5 | 12/21/11 |
| Lighting Science Group, Corp | Definity | DFN 20 NW NFL | 7434000021 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 367 | 8.069 | N/A | 35000 | 4100 | 0.94 | 5 | 10/14/11 |
| Lighting Science Group, Corp | Definity | DFN 20 NW NFL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 367 | 8.07 | N/A | 25000 | 4000 | 0.94 | 5 | 10/29/10 |
| Lighting Science Group, Corp | Definity | DFN 20 W27 V2 FL 120 | 61641 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 376 | 8.355 | N/A | 25000 | 2700 | 0.98 | 5 | 3/22/12 |
| Lighting Science Group, Corp | Definity | DFN 20 WW FL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 321 | 8.13 | N/A | 25000 | 3000 | 0.94 | 5 | 11/17/10 |
| Lighting Science Group, Corp | Definity | DFN 20 WW NFL | 7434000011 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 330 | 7.85 | N/A | 50000 | 3000 | 0.95 | 5 | 12/20/11 |
| Lighting Science Group, Corp | Definity | DFN 20 WW NFL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 330 | 7.85 | N/A | 25000 | 3000 | 0.94 | 5 | 11/12/10 |
| Lighting Science Group, Corp | Definity | DFN 25 NW | 7434000017 | G - Globe | E26/24 (Medium) | LED | Dimmable | 442 | 8.01 | N/A | 35000 | 4100 | 0.94 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 25 NW 120 | | G - Globe | E26/24 (Medium) | LED | Dimmable | 442 | 8.01 | N/A | 15000 | 4000 | 0.94 | 5 | 12/7/10 |
| Lighting Science Group, Corp | Definity | DFN 25 W27 | 7434000019 | G - Globe | E26/24 (Medium) | LED | Dimmable | 385 | 7.98 | N/A | 35000 | 2700 | 0.94 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 25 WW | 7434000008 | G - Globe | E26/24 (Medium) | LED | Dimmable | 442 | 8.18 | N/A | 35000 | 3000 | 0.94 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 25 WW 120 | | G - Globe | E26/24 (Medium) | LED | Dimmable | 442 | 8.18 | N/A | 15000 | 3000 | 0.94 | 5 | 11/17/10 |
| Lighting Science Group, Corp | Definity | DFN 30 NW FL | 7434000027 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 780 | 15.25 | N/A | 50000 | 4100 | 0.8 | 5 | 4/5/11 |
| Lighting Science Group, Corp | Definity | DFN 30 NW NFL | 7434000002 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 822 | 15.22 | N/A | 50000 | 4000 | 0.77 | 5 | 9/27/10 |
| Lighting Science Group, Corp | Definity | DFN 30 NW NFL | 7434000002 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 822 | 15.22 | N/A | 25000 | 4000 | 0.79 | 5 | 10/19/10 |
| Lighting Science Group, Corp | Definity | DFN 30 NW SP | 7434000026 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 825 | 15.32 | N/A | 50000 | 4100 | 0.77 | 5 | 4/5/11 |
| Lighting Science Group, Corp | Definity | DFN 30 W27 FL | 7434000033 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 721 | 15.37 | N/A | 25000 | 2700 | 0.78 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 30 W27 FL | 7434000033 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 722 | 15.37 | N/A | 25000 | 2700 | 0.78 | 5 | 1/14/11 |
| Lighting Science Group, Corp | Definity | DFN 30 W27 NFL | 7434000034 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 703 | 15.23 | N/A | 25000 | 2700 | 0.8 | 5 | 3/31/11 |
| Lighting Science Group, Corp | Definity | DFN 30 W27 NFL | 7434000034 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 702 | 15.23 | N/A | 25000 | 2700 | 0.8 | 5 | 1/14/11 |
| Lighting Science Group, Corp | Definity | DFN 30 W27 SP | 61600 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 713 | 15.18 | N/A | 25000 | 2700 | 0.8 | 5 | 4/5/11 |
| Lighting Science Group, Corp | Definity | DFN 30 WW FL | 7434000003 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 761 | 15.17 | N/A | 25000 | 3000 | 0.8 | 5 | 5/25/11 |
| Lighting Science Group, Corp | Definity | DFN 30 WW FL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 761 | 15.17 | N/A | 25000 | 3000 | 0.8 | 5 | 12/10/10 |
| Lighting Science Group, Corp | Definity | DFN 30 WW NFL | 7434000002 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 752 | 15.37 | N/A | 25000 | 3000 | 0.8 | 5 | 5/25/11 |
| Lighting Science Group, Corp | Definity | DFN 30 WW NFL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 752 | 15.37 | N/A | 25000 | 3000 | 0.8 | 5 | 12/13/10 |
| Lighting Science Group, Corp | Definity | DFN 30 WW SP | 7434000004 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 714 | 15.11 | N/A | 25000 | 3000 | 0.79 | 5 | 5/25/11 |
| Lighting Science Group, Corp | Definity | DFN 30 WW V2 FL | 61648 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1013 | 17.6 | N/A | 25000 | 3000 | 0.74 | 5 | 3/28/12 |
| Lighting Science Group, Corp | Definity | DFN 30 WW V2 SP | 61652 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1029 | 17.4 | N/A | 25000 | 3000 | 0.73 | 5 | 3/28/12 |
| Lighting Science Group, Corp | Definity | DFN 38 NW FL | 7434000036 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 937 | 18.37 | N/A | 50000 | 4100 | 0.75 | 5 | 10/7/10 |
| Lighting Science Group, Corp | Definity | DFN 38 NW FL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 937 | 18.37 | N/A | 25000 | 4000 | 0.76 | 5 | 10/28/10 |
| Lighting Science Group, Corp | Definity | DFN 38 NW NFL | 7434000007 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 970 | 18.07 | N/A | 50000 | 4100 | 0.78 | 5 | 10/7/10 |
| Lighting Science Group, Corp | Definity | DFN 38 NW NFL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 970 | 18.07 | N/A | 25000 | 4000 | 0.78 | 5 | 11/12/10 |
| Lighting Science Group, Corp | Definity | DFN 38 NW SP | 7434000035 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 994 | 18.33 | N/A | 50000 | 4100 | 0.78 | 5 | 12/17/10 |
| Lighting Science Group, Corp | Definity | DFN 38 NW SP 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 994 | 18.3 | N/A | 25000 | 4000 | 0.77 | 5 | 10/28/10 |
| Lighting Science Group, Corp | Definity | DFN 38 WW FL | 7434000006 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 891 | 18.2 | N/A | 25000 | 3000 | 0.78 | 5 | 4/6/11 |
| Lighting Science Group, Corp | Definity | DFN 38 WW NFL | 7434000005 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 895 | 18.22 | N/A | 25000 | 3000 | 0.75 | 5 | 9/21/10 |
| Lighting Science Group, Corp | Definity | DFN 38 WW NFL 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 904 | 18.22 | N/A | 25000 | 3000 | 0.75 | 5 | 9/27/10 |
| Lighting Science Group, Corp | Definity | DFN 38 WW SP | 7434000007 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 877 | 18.4 | N/A | 25000 | 3000 | 0.78 | 5 | 10/7/10 |
| Lighting Science Group, Corp | Definity | DFN 38 WW SP 120 | | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 850 | 18 | N/A | 25000 | 3000 | 0.78 | 5 | 10/12/10 |
| Lighting Science Group, Corp | Definity | DFN 38 WW V2 FL | 61619 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1322 | 24.478 | N/A | 25000 | 3000 | 0.72 | 5 | 4/5/12 |
| Lighting Science Group, Corp | Definity | DFN 38 WW V2 NFL | 61615 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1322 | 24.478 | N/A | 25000 | 3000 | 0.72 | 5 | 4/5/12 |
| Lighting Science Group, Corp | Definity | DFN 38 WW V2 SP | 61623 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 1322 | 24.478 | N/A | 25000 | 3000 | 0.72 | 5 | 4/5/12 |
| Lights of America | Everyday Living | 2824L-BXEL | 2824L-BXEL; 2824L-2VP-BXEL | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|------------------|------------------|---------------------------|------------------------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 11799 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 14 | N/A | 10000 | 2700 | | 2 | 2/4/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 11800 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 14 | N/A | 10000 | 2700 | | 2 | 2/4/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 11882 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 10000 | 2700 | | 2 | 3/18/08 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13080 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 4/7/08 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13172 (1-pk box) | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | 0.55 | 2 | 4/15/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13174 (1-pk box) | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 4/15/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13352 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 2700 | | 2 | 6/17/09 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13353 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 1320/25 | 8000 | 2700 | | 2 | 6/17/09 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13434 (2-pk box) | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 4/15/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13455 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 6/22/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13469 (1-pk box) | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 4/15/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13470 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 6/22/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13602 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 9 | 7/19/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13602 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | | 9 | 7/19/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 13668 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 6/22/10 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 30410136 | 11799_2; 11800_2 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.56 | 2 | 9/29/11 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 30410159 | 14151, 14152, 14164 | Bare-spiral | E26/24 (Medium) | CFL | | 1610 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 9/12/11 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 30410255 | 13383 | Bare-spiral | E26/24 (Medium) | CFL | | 1206 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 9/29/11 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 30411274 | 14272/1; 14459 | CA - Candle with angular tip | E12 | LED | Dimmable | 240 | 4.0 | N/A | 20000 | 3000 | 0.7 | 3 | 5/10/12 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 6482 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 9 | 2/20/07 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 6593 | 11978; 6593, 11326, 11980 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 10 | 4/30/07 |
| L'Image Home Products Inc., a licensee selling Sunbeam® branded products | Sunbeam | 6625 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 9 | 2/8/07 |
| Litetrionics International Inc. | Earthmate | E14521BLW | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 9 | 4/21/11 |
| Litetrionics International Inc. | Earthmate | E1452AK2LW | | Bare-spiral | E26/24 (Medium) | CFL | | 1000 | 15 | N/A | 10000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Earthmate | E2052AK2LW | | Bare-spiral | E26/24 (Medium) | CFL | | 1295 | 20 | N/A | 10000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Earthmate | E2352AJ | E2352AJ, E2352AJLW | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1650 | 23.0 | N/A | 10000 | 2700 | 0.96 | 9 | 3/8/12 |
| Litetrionics International Inc. | Earthmate | E2352AK2LW | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Earthmate | E2752AJLW | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1975 | 27 | N/A | 10000 | 2700 | | 9 | 4/21/11 |
| Litetrionics International Inc. | Earthmate | E3052AELW | | Bare-spiral | E26/24 (Medium) | CFL | | 2050 | 30 | N/A | 10000 | 2700 | | 9 | 4/21/11 |
| Litetrionics International Inc. | Earthmate | E3362ANLW | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Earthmate | ES1352AK | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 4/30/10 |
| Litetrionics International Inc. | Earthmate | ES3362AN | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | | 2 | 7/20/10 |
| Litetrionics International Inc. | harmony | SSS27 | | Bare-spiral | E26/24 (Medium) | CFL | | 2015 | 27 | N/A | 10000 | 2700 | | 1 | 1/9/04 |
| Litetrionics International Inc. | Harmony Lighting | SSS20 | | Bare-spiral | E26/24 (Medium) | CFL | | 1230 | 20.0 | N/A | 10000 | 2700 | | 1 | 5/1/03 |
| Litetrionics International Inc. | Harmony Lighting | SSS25 | | Bare-spiral | E26/24 (Medium) | CFL | | 1625 | 25.0 | N/A | 10000 | 2700 | | 1 | 5/1/03 |
| Litetrionics International Inc. | Lightwiz | E3052AELW | | Bare-spiral | E26/24 (Medium) | CFL | | 2050 | 30 | N/A | 10000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Lightwiz | H15027S | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 15.0 | N/A | 10000 | 2700 | | 5 | 11/1/03 |
| Litetrionics International Inc. | Lightwiz | H150M5 | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 15.0 | N/A | 10000 | 2700 | | 5 | 10/10/02 |
| Litetrionics International Inc. | Lightwiz | H25027S | | Bare-spiral | E26/24 (Medium) | CFL | | 1625 | 25.0 | N/A | 10000 | 2700 | | 5 | 11/1/03 |
| Litetrionics International Inc. | Lightwiz | H27027S | | Bare-spiral | E26/24 (Medium) | CFL | | 1995 | 27 | N/A | 10000 | 2700 | | 2 | 1/9/04 |
| Litetrionics International Inc. | Lightwiz | H30027S | | Bare-spiral | E26/24 (Medium) | CFL | | 2050 | 30 | N/A | 10000 | 2700 | | 2 | 1/21/03 |
| Litetrionics International Inc. | Lightwiz | H3327S-B | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2225 | N/A | 12/22/33 | 10000 | 2700 | | 2 | 3/6/07 |
| Litetrionics International Inc. | Litetrionics | E14521B | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/8/11 |
| Litetrionics International Inc. | Litetrionics | EL-13027 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 1 | 12/18/09 |
| Litetrionics International Inc. | Litetrionics | EL-13541 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | | 1 | 12/22/09 |
| Litetrionics International Inc. | Litetrionics | EL-13550 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 5000 | | 1 | 12/22/09 |
| Litetrionics International Inc. | Litetrionics | EL-20527 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 2700 | | 1 | 12/22/09 |
| Litetrionics International Inc. | Litetrionics | EL-20541 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 4100 | | 1 | 12/22/09 |
| Litetrionics International Inc. | Litetrionics | EL-20550 | | Bare-spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 5000 | | 1 | 12/22/09 |
| Litetrionics International Inc. | Litetrionics | EL-23527 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 1 | 3/17/08 |
| Litetrionics International Inc. | Litetrionics | ELB-13527 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 1 | 9/26/08 |
| Litetrionics International Inc. | Litetrionics | ELB-20527 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 2700 | | 1 | 9/26/08 |
| Litetrionics International Inc. | Litetrionics | ELB-23527 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 1 | 9/26/08 |
| Litetrionics International Inc. | Litetrionics | L-1382 | | Covered reflector | E26/24 (Medium) | CFL | | 775 | 15 | N/A | 8000 | 4100 | | 1 | 1/26/10 |
| Litetrionics International Inc. | Litetrionics | L-1385 | | Covered reflector | E26/24 (Medium) | CFL | | 775 | 15 | N/A | 8000 | 3500 | | 1 | 1/26/10 |
| Litetrionics International Inc. | Litetrionics | L-14527A19 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 1 | 4/3/09 |
| Litetrionics International Inc. | Litetrionics | L-14527G25 | | Covered globe | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 2700 | | 1 | 4/14/09 |
| Litetrionics International Inc. | Litetrionics | L-1471 | | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 2700 | | 1 | 10/21/09 |
| Litetrionics International Inc. | Litetrionics | L-1472 | | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 4100 | | 1 | 2/24/11 |
| Litetrionics International Inc. | Litetrionics | L-1572 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 4100 | | 1 | 10/21/09 |
| Litetrionics International Inc. | Litetrionics | L-23527D | L-23527D | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1650 | 23.0 | N/A | 10000 | 2700 | 0.96 | 1 | 3/8/12 |
| Litetrionics International Inc. | Litetrionics | L-23527R40 | | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 8000 | 2700 | | 2 | 7/8/08 |
| Litetrionics International Inc. | Litetrionics | L-27427 | | Bare-spiral | E26/24 (Medium) | CFL | | 2015 | 27 | N/A | 10000 | 2700 | 0.6 | 1 | 5/12/09 |
| Litetrionics International Inc. | Litetrionics | L-27527D | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 2000 | 27 | N/A | 10000 | 2700 | | 1 | 2/14/09 |
| Litetrionics International Inc. | Litetrionics | L-30427 | | Bare-spiral | E26/24 (Medium) | CFL | | 2050 | 30 | N/A | 15000 | 2700 | | 1 | 11/12/07 |
| Litetrionics International Inc. | Litetrionics | L-314 | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15.0 | N/A | 10000 | 2700 | | 1 | 11/3/03 |
| Litetrionics International Inc. | Litetrionics | L-33627 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2245 | N/A | 11/22/33 | 10000 | 2700 | | 1 | 11/12/07 |
| Litetrionics International Inc. | Litetrionics | L-400 | L-400 | Bare-spiral | E26/24 (Medium) | CFL | | 2015 | 27 | N/A | 10000 | 2700 | 0.6 | 2 | 2/1/07 |
| Litetrionics International Inc. | Litetrionics | LP10562FL4D | LP10562FL4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 603 | 10.45 | N/A | 25000 | 3000 | 0.97 | 5 | 1/30/12 |
| Litetrionics International Inc. | Litetrionics | LP10564FL4D | LP10564FL4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 594 | 10.49 | N/A | 25000 | 3000 | 0.97 | 5 | 2/9/12 |
| Litetrionics International Inc. | Litetrionics | LP10564SP4D | LP10564SP4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 594 | 10.49 | N/A | 25000 | 3000 | 0.97 | 5 | 2/9/12 |
| Litetrionics International Inc. | Litetrionics | LP10566FL4D | LP10566FL4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 585 | 9.17 | N/A | 25000 | 3000 | 0.95 | 5 | 1/30/12 |
| Litetrionics International Inc. | Litetrionics | LP15566FL4D | LP15566FL4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 929 | 14.22 | N/A | 25000 | 3000 | 0.98 | 5 | 1/30/12 |
| Litetrionics International Inc. | Litetrionics | LP15566SP4D | LP15566SP4D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 929 | 14.22 | N/A | 25000 | 3000 | 0.98 | 5 | 2/9/12 |
| Litetrionics International Inc. | Litetrionics | NL-10127 | NL-10127 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 635 | 10 | N/A | 10000 | 2700 | | 1 | 12/18/06 |
| Litetrionics International Inc. | Litetrionics | NL-10427 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 635 | 10 | N/A | 10000 | 2700 | | 1 | 11/12/07 |
| Litetrionics International Inc. | Litetrionics | NL-13127 | NL-13127 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 825 | 13 | N | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|------------------------|----------------|--------------------|---|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Low's Home Improvement | Bright Effects | 026679 | LBP15BR30/65K | Covered reflector | E2624 (Medium) | CFL | | 650 | 15 | N/A | 8000 | 9500 | | 2 | 10/2/09 |
| Low's Home Improvement | Bright Effects | 026683 | LBP23TM35K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | 0.56 | 2 | 9/30/09 |
| Low's Home Improvement | Bright Effects | 026684 | LBP18TM65K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 8000 | 6500 | | 2 | 10/2/09 |
| Low's Home Improvement | Bright Effects | 026685 | LBP18TM35K | Bare-spiral | E2624 (Medium) | CFL | | 1205 | 18 | N/A | 8000 | 3500 | 0.55 | 2 | 5/24/10 |
| Low's Home Improvement | Bright Effects | 073511 | L23TM4/35K | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 23 | N/A | 8000 | 3500 | 0.6 | 2 | 9/30/09 |
| Low's Home Improvement | Bright Effects | 073511 | L23TM4/35K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | 0.56 | 2 | 7/27/09 |
| Low's Home Improvement | Bright Effects | 077180 | L13T4/35K | Bare-spiral | E2624 (Medium) | CFL | | 835 | 13 | N/A | 8000 | 3500 | 0.58 | 2 | 9/30/09 |
| Low's Home Improvement | Bright Effects | 079653 | L18TM3/35K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1270 | 18 | N/A | 8000 | 3500 | 0.58 | 2 | 10/7/09 |
| Low's Home Improvement | Bright Effects | 079658 | L18TM4/35K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1270 | 18 | N/A | 8000 | 3500 | 0.58 | 2 | 10/7/09 |
| Low's Home Improvement | Bright Effects | 084878 | | Covered-Candle | E12 (Candelabra) | CFL | | 280 | 7 | N/A | 8000 | 2700 | 0.55 | 2 | 4/7/09 |
| Low's Home Improvement | Bright Effects | 124990 | LBP30T | Bare-spiral | E2624 (Medium) | CFL | | 2000 | 30 | N/A | 8000 | 2700 | | 2 | 2/10/06 |
| Low's Home Improvement | Bright Effects | 135653 | 135653 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 8/4/04 |
| Low's Home Improvement | Bright Effects | 146588 | 29071 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 8/4/04 |
| Low's Home Improvement | Bright Effects | 153972 | 153972, 29636, 29641 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 7 | 6/22/06 |
| Low's Home Improvement | Bright Effects | 153972L23TM4 | 153972, L23TM4, 252475, L23TM6/27K | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 9/13/07 |
| Low's Home Improvement | Bright Effects | 168725 | LBP18R402 | Covered reflector | E2624 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 2700 | | 2 | 8/27/10 |
| Low's Home Improvement | Bright Effects | 20845 | LBP13T2/27K | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 4/23/10 |
| Low's Home Improvement | Bright Effects | 210691 | LBP23TM2 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 2/10/06 |
| Low's Home Improvement | Bright Effects | 21692 | L13T2C4/27K, LBP13T2C4/27K | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 6/30/09 |
| Low's Home Improvement | Bright Effects | 22419 | LBP15BR302/27K(G) | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | 0.5 | 2 | 8/25/09 |
| Low's Home Improvement | Bright Effects | 22519 | LBP18R402/27K | Covered reflector | E2624 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 2700 | | 2 | 6/30/09 |
| Low's Home Improvement | Bright Effects | 23582 | LBP18TM2/27K, 252480/ LBP18TM2/27K | Bare-spiral | E2624 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 7/28/09 |
| Low's Home Improvement | Bright Effects | 236707 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 23 | N/A | 8000 | 2700 | | 2 | 3/13/06 |
| Low's Home Improvement | Bright Effects | 23790 | LBP23TM2/27K | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 6/28/10 |
| Low's Home Improvement | Bright Effects | 252003 | L13T6/27K | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 4/23/10 |
| Low's Home Improvement | Bright Effects | 252480 | L18TM6/27K | Bare-spiral | E2624 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | | 2 | 7/19/10 |
| Low's Home Improvement | Bright Effects | 275632/LBP12GTM2 | 275632, LBP12GTM2 | Covered globe | E2624 (Medium) | CFL | | 640 | 12 | N/A | 8000 | 2700 | | 2 | 9/13/07 |
| Low's Home Improvement | Bright Effects | 296863 | LBP18R40/35K | Covered reflector | E2624 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 3500 | 0.6 | 2 | 4/3/09 |
| Low's Home Improvement | Bright Effects | 296864 | LBP18R40/65K | Covered reflector | E2624 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 6500 | 0.57 | 2 | 10/7/09 |
| Low's Home Improvement | Bright Effects | 296869 | LBP12GTM2/35K | Covered globe | E2624 (Medium) | CFL | | 600 | 12 | N/A | 8000 | 3500 | 0.6 | 2 | 10/5/09 |
| Low's Home Improvement | Bright Effects | 296871 | LBP7C/35K | Covered-Candle | E2624 (Medium) | CFL | | 280 | 7 | N/A | 8000 | 3500 | 0.52 | 2 | 10/1/09 |
| Low's Home Improvement | Bright Effects | 296872 | LBP7C/35K | Covered-Candle | E12 (Candelabra) | CFL | | 280 | 7 | N/A | 8000 | 3500 | | 2 | 10/1/09 |
| Low's Home Improvement | Bright Effects | 296873 | LBP11R20TM35K | Covered reflector | E2624 (Medium) | CFL | | 400 | 11 | N/A | 8000 | 3500 | 0.58 | 2 | 4/3/09 |
| Low's Home Improvement | Bright Effects | 296875 | LBP11R20TM65K | Covered reflector | E2624 (Medium) | CFL | | 400 | 11 | N/A | 8000 | 6500 | 0.56 | 2 | 4/3/09 |
| Low's Home Improvement | Bright Effects | 296882/LBP23TM/65K | 076275/L23TM4/65K | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 6500 | | 2 | 3/27/09 |
| Low's Home Improvement | Bright Effects | 296884/LBP18TM/65K | 089559/L18TM4/65K | Bare-spiral | E2624 (Medium) | CFL | | 1170 | 18 | N/A | 8000 | 6500 | | 2 | 3/27/09 |
| Low's Home Improvement | Bright Effects | 296885 | LBP18TM35K(N) | Bare-spiral | E2624 (Medium) | CFL | | 1270 | 18 | N/A | 8000 | 3500 | 0.58 | 2 | 10/7/09 |
| Low's Home Improvement | Bright Effects | 296888 | LBP13T/35K | Bare-spiral | E2624 (Medium) | CFL | | 835 | 13 | N/A | 8000 | 3500 | 0.58 | 2 | 9/30/09 |
| Low's Home Improvement | Bright Effects | 296889 | LBP13T/65K(N) | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 6500 | 0.57 | 2 | 10/2/09 |
| Low's Home Improvement | Bright Effects | 296889/LB13T/65K | 079261/L13T4/65K | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 8000 | 6500 | | 2 | 3/27/09 |
| Low's Home Improvement | Bright Effects | 296889/LB13T/65K | 079261/L13T4/65K | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 6500 | | 2 | 3/27/09 |
| Low's Home Improvement | Bright Effects | 296890 | LBP50/150T/65K(E) | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2150 | N/A | 12/21/32 | 8000 | 6500 | | 2 | 10/7/10 |
| Low's Home Improvement | Bright Effects | 296891 | LBP50/150T/35K(E) | Bare-spiral | E2624 (Medium) | CFL | Three Way | 2262 | N/A | 12/21/32 | 8000 | 3500 | | 2 | 10/7/10 |
| Low's Home Improvement | Bright Effects | 46428 | 29072, 252003, L13T6-27K | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 4/6/07 |
| Low's Home Improvement | Bright Effects | 46428 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 3/13/06 |
| Low's Home Improvement | Bright Effects | 75316 | LBP18PAR2/36 | Covered reflector | E2624 (Medium) | CFL | | 950 | 18 | N/A | 8000 | 2700 | 0.67 | 2 | 5/6/04 |
| Low's Home Improvement | Bright Effects | 80201 | L13T(E) | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 9/22/04 |
| Low's Home Improvement | Bright Effects | 82382 | LBP16AM2(E) | Covered A-line | E2624 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | | 2 | 4/30/09 |
| Low's Home Improvement | Bright Effects | 95996 | | Covered A-line | E2624 (Medium) | CFL | | 800 | 15 | N/A | 6000 | 2700 | | 2 | 3/13/06 |
| Low's Home Improvement | Bright Effects | BE10T3/BW | 0296886 | Bare-spiral | E2624 (Medium) | CFL | | 550 | 10 | N/A | 8000 | 3500 | | 2 | 10/6/10 |
| Low's Home Improvement | Bright Effects | BE10T3/D | 296887 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 490 | 10 | N/A | 8000 | 6500 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE10T3/SW | 020928 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 520 | 10 | N/A | 8000 | 2700 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE10T3/SW | 0360376 | Bare-spiral | E2624 (Medium) | CFL | | 520 | 10 | N/A | 10000 | 2700 | 0.5 | 2 | 1/13/12 |
| Low's Home Improvement | Bright Effects | BE13T3/BW | 0296888, 0077180, 021026, 020945, 252003, 0306204 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 3500 | | 2 | 10/6/10 |
| Low's Home Improvement | Bright Effects | BE13T3/SW | 0296888, 0077180, 021026, 020945, 252003, 0306204 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 8000 | 2700 | 0.58 | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE15R30/SW | 022419, 0099816 | Covered reflector | E2624 (Medium) | CFL | | 720 | 15 | N/A | 8000 | 2700 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE15T3/D | 296889, 079261 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 8000 | 6500 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE20T3/BW | 0296885, 0079658 | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 3500 | | 2 | 10/6/10 |
| Low's Home Improvement | Bright Effects | BE20T3/D | 296884, 089959 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1150 | 20 | N/A | 8000 | 6500 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE20T3/SW | 023582, 252480 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 8000 | 2700 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE26PAR38/SW | 075232 | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 8000 | 2700 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE26T3/BW | 026883, 007351 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 26 | N/A | 8000 | 3500 | | 2 | 10/6/10 |
| Low's Home Improvement | Bright Effects | BE26T3/D | 296882, 076275 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 6500 | | 2 | 10/6/10 |
| Low's Home Improvement | Bright Effects | BE26T3/SW | 023790, 252475 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 2700 | | 2 | 12/1/08 |
| Low's Home Improvement | Bright Effects | BE26T3/SW | 030377 | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.5 | 2 | 11/8/12 |
| Low's Home Improvement | Bright Effects | LBP13T2/27K(N) | L13T6/27K(N), 252003, 020945 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 7/11/08 |
| Low's Home Improvement | Bright Effects | LBP13T2/263477 | 283477 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 11/1/08 |
| Low's Home Improvement | Bright Effects | LBP13T35K(E) | L13T4/35K(E), 077180, 296888 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 3500 | | 2 | 12/8/08 |
| Low's Home Improvement | Bright Effects | LBP18TM2/27K(N) | 023582, 252480 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | | 2 | 7/8/08 |
| Low's Home Improvement | Bright Effects | LBP18TM2/280589 | 280589 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | | 2 | 11/1/08 |
| Low's Home Improvement | Bright Effects | LBP23TM2/27K(N) | LBP23TM2/27K(N), 252475, 023790 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 7/11/08 |
| Low's Home Improvement | Bright Effects | LBP23TM35K(E) | L23TM4/35K(E), 073511, 296883 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | | 2 | 12/8/08 |
| Low's Home Improvement | Utilitech | 0209845 | LBP15T2/27K | Bare-spiral | E2624 (Medium) | CFL | Three Way | 900 | 13 | N/A | 10000 | 2700 | | 2 | 2/13/08 |
| Low's Home Improvement | Utilitech | 0209845 | LBP13T2/27K(N) | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/18/11 |
| Low's Home Improvement | Utilitech | 0209845 | LBP13T2/27K(N) | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 12/01/11 |
| Low's Home Improvement | Utilitech | 020928 | LBP9T2/27 | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|---------------|----------------|--------------------------------|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Low's Home Improvement | Utilitech | 030902 | LBP18AR38D/DALED | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 889 | 16.62 | N/A | 3000 | 3000 | 0.85 | 3 | 8/5/11 |
| Low's Home Improvement | Utilitech | 0340252 | LBP13T2/25K | Bare-spiral | E26/24 (Medium) | CFL | | 835 | 13 | N/A | 10000 | 3500 | | 2 | 8/24/11 |
| Low's Home Improvement | Utilitech | 0340252 | LBP13T2/25K | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3500 | | 2 | 3/4/11 |
| Low's Home Improvement | Utilitech | 0340280 | LBP13T2/25K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 2 | 1/20/11 |
| Low's Home Improvement | Utilitech | 0340280 | LBP13T2/25K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 5000 | | 2 | 2/18/11 |
| Low's Home Improvement | Utilitech | 0340286 | LBP23TM2/25K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 1/20/11 |
| Low's Home Improvement | Utilitech | 0340286 | LBP23TM2/25K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 2/18/11 |
| Low's Home Improvement | Utilitech | 0340289 | LBP23TM2/25K | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 8000 | 3500 | 0.6 | 2 | 8/25/11 |
| Low's Home Improvement | Utilitech | 0340289 | LBP23TM2/25K (N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | 0.56 | 2 | 9/1/11 |
| Low's Home Improvement | Utilitech | 0340289 | LBP23TM2/25K (N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | | 2 | 2/18/11 |
| Low's Home Improvement | Utilitech | 0340445 | LBP23TDM | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 12/22/10 |
| Low's Home Improvement | Utilitech | 0340448 | LBP15R30DM | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 720 | 15 | N/A | 6000 | 2700 | | 2 | 8/4/11 |
| Low's Home Improvement | Utilitech | 0345544 | L23TM4/5K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 1/20/11 |
| Low's Home Improvement | Utilitech | 0345544 | L23TM4/5K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 12/20/10 |
| Low's Home Improvement | Utilitech | 0345548 | L13T4/5K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 2 | 1/20/11 |
| Low's Home Improvement | Utilitech | 0345548 | L13T4/5K(N) | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 5000 | | 2 | 12/15/10 |
| Low's Home Improvement | Utilitech | 0345551 | L18TM4/5K (N) | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | | 2 | 3/24/11 |
| Low's Home Improvement | Utilitech | 0351531 | LBP7CF/35K | Covered-Candle | E12 (Candelabra) | CFL | | 260 | 7 | N/A | 8000 | 3500 | | 2 | 5/12/11 |
| Low's Home Improvement | Utilitech | 0351541 | LBP7CF2 | Covered-Candle | E12 (Candelabra) | CFL | | 250 | 7 | N/A | 8000 | 2700 | | 2 | 5/12/11 |
| Low's Home Improvement | Utilitech | 0351620 | LBP7FEF2 | Covered-Candle | E26/24 (Medium) | CFL | | 250 | 7 | N/A | 8000 | 2700 | | 2 | 5/12/11 |
| Low's Home Improvement | Utilitech | 296867 | UT213C4BW | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.0 | N/A | 12000 | 3500 | 0.57 | 11 | 4/13/12 |
| Low's Home Improvement | Utilitech | 338929 | UT213C4DL | Bare-spiral | E26/24 (medium) | CFL | | 750 | 13.0 | N/A | 10000 | 3500 | 0.56 | 11 | 3/19/12 |
| Low's Home Improvement | Utilitech | 344922 | UR312DL | Covered reflector | E26/24 (medium) | CFL | | 600 | 14.0 | N/A | 8000 | 5000 | 0.63 | 7 | 4/24/12 |
| Low's Home Improvement | Utilitech | 348995 | UR312DL | Covered reflector | E26/24 (medium) | CFL | | 600 | 14.0 | N/A | 8000 | 5000 | 0.63 | 7 | 4/13/12 |
| Low's Home Improvement | Utilitech | 35618 | LBP11R202/27K | Covered reflector | E26/24 (Medium) | CFL | | 430 | 11.0 | N/A | 8000 | 2700 | 0.55 | 2 | 3/28/11 |
| Low's Home Improvement | Utilitech | UT15R30/5W | 0296878 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 3500 | 0.5 | 2 | 14/12 |
| Low's Home Improvement | Utilitech | UT15R30/5W | 0022419_0099816 | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 8000 | 2700 | 0.5 | 2 | 14/12 |
| Low's Home Improvement | Utilitech | UT15T3/CW | 0331191 | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 4100 | 0.5 | 2 | 14/12 |
| Low's Home Improvement | Utilitech | UT26R38/SW | 0075232 | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 26 | N/A | 8000 | 2700 | 0.5 | 2 | 14/12 |
| Main Power Electrical (Guyang) Co., Ltd. | GY Main Power | MPL101M450 | MPL101M450 | Non-standard | E26/24 (Medium) | LED | | 485 | 8.0 | N/A | 25000 | 3000 | 0.87 | 3 | 1/30/12 |
| Main Power Electrical (Guyang) Co., Ltd. | GY Main Power | MPL103M600 | MPL103M600 | Non-standard | E26/24 (Medium) | LED | | 581 | 9.9 | N/A | 25000 | 3000 | 0.99 | 3 | 1/30/12 |
| Marote Lighting Industrial Co. Ltd. | Bri-Star | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Bri-Star | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 3/4/05 |
| Marote Lighting Industrial Co. Ltd. | Halo | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Halo | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 3/4/05 |
| Marote Lighting Industrial Co. Ltd. | Hi-Lux | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Hi-Lux | CL-15WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15.0 | N/A | 8000 | 2700 | 0.64 | 2 | 9/29/03 |
| Marote Lighting Industrial Co. Ltd. | Hi-Lux | CL-20WL | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 2700 | | 2 | 3/3/05 |
| Marote Lighting Industrial Co. Ltd. | Hi-Lux | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 1/13/05 |
| Marote Lighting Industrial Co. Ltd. | Lumina | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Lumina | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 3/4/05 |
| Marote Lighting Industrial Co. Ltd. | Marote | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Marote | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 3/4/05 |
| Marote Lighting Industrial Co. Ltd. | Splendor | CL-10WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 10 | N/A | 15000 | 2700 | | 2 | 10/1/03 |
| Marote Lighting Industrial Co. Ltd. | Splendor | CL-25WL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 25 | N/A | 12000 | 2700 | 0.66 | 2 | 3/4/05 |
| Maxlite | MaxLite | HCI15R30WW | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | | 2 | 12/30/10 |
| Maxlite | MaxLite | HCR2009WW | | Covered reflector | E26/24 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 2 | 12/30/10 |
| Maxlite | MaxLite | HCB11WW | 115776 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 11 | N/A | 10000 | 2700 | | 2 | 6/20/08 |
| Maxlite | MaxLite | HCB13CW | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCB13WW | 115783 | Covered A-line | E26/24 (Medium) | CFL | | 650 | 13 | N/A | 10000 | 2700 | | 2 | 7/3/08 |
| Maxlite | MaxLite | HCB13WW-144 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 8/30/11 |
| Maxlite | MaxLite | HCB20WW | | Covered A-line | E26/24 (Medium) | CFL | | 1050 | 20 | N/A | 10000 | 2700 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCB7WW | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | | 2 | 6/22/09 |
| Maxlite | MaxLite | HCB9WW | | Covered A-line | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | | 2 | 4/24/09 |
| Maxlite | MaxLite | HCC5WW | | Covered-Candle | E12 (Candelabra) | CFL | | 220 | 5 | N/A | 10000 | 2700 | 0.53 | 2 | 12/30/09 |
| Maxlite | MaxLite | HCG11WW | | Covered globe | E26/24 (Medium) | CFL | | 550 | 11 | N/A | 10000 | 2700 | 0.56 | 2 | 12/30/09 |
| Maxlite | MaxLite | HCG14WW | 115820, 115226 | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | | 2 | 7/3/08 |
| Maxlite | MaxLite | HCG9WW | | Covered globe | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | | 2 | 4/24/09 |
| Maxlite | MaxLite | HCR2009WW | | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 2700 | | 2 | 4/3/09 |
| Maxlite | MaxLite | HCR315FLD30 | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 600 | 15 | N/A | 8000 | 3000 | | 2 | 5/2/11 |
| Maxlite | MaxLite | HCR318WW | | Covered reflector | E26/24 (Medium) | CFL | | 600 | 15 | N/A | 10000 | 2700 | | 2 | 4/3/09 |
| Maxlite | MaxLite | HCR3820CW | 116612 | Covered reflector | E26/24 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 4100 | | 2 | 7/9/08 |
| Maxlite | MaxLite | HCR3820WW | | Covered reflector | E26/24 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 2700 | | 2 | 4/24/12 |
| Maxlite | MaxLite | HCR3820WW | | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 20 | N/A | 8000 | 2700 | 0.54 | 2 | 5/19/08 |
| Maxlite | MaxLite | HCR3823WW6-156 | | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 2 | 3/19/12 |
| Maxlite | MaxLite | HCS11T2WW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 740 | 11 | N/A | 10000 | 2700 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCS11WW | HCS114WW | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 690 | 11 | N/A | 10000 | 2700 | | 2 | 2/15/08 |
| Maxlite | MaxLite | HCS13CW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 2 | 4/24/09 |
| Maxlite | MaxLite | HCS13DL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCS13DL-144 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 5000 | 0.61 | 2 | 9/19/11 |
| Maxlite | MaxLite | HCS13T2CW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | | 2 | 4/24/09 |
| Maxlite | MaxLite | HCS13T2DL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 2 | 4/24/09 |
| Maxlite | MaxLite | HCS13T2WW | 116926 (HCS13T2WW6) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 9/2/08 |
| Maxlite | MaxLite | HCS13WW | HCS134WW6, HCS13WWTR, HCS13WW6 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 4/2/07 |
| Maxlite | MaxLite | HCS13WW-107 | HCS134WW-107 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/12/12 |
| Maxlite | MaxLite | HCS13WW-144 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 8/30/11 |
| Maxlite | MaxLite | HCS13WW6 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 7/6/11 |
| Maxlite | MaxLite | HCS14T2CW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 14 | N/A | 10000 | 4100 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCS14T2DL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | | 2 | 6/30/09 |
| Maxlite | MaxLite | HCS15D1WW | 115714 | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|--------------------|-----------------------------|---------------------------|------------------------------------|------------------------------------|-----------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Meijer Incorporated | Meijer | 687027 | 314306 | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 2 | 11/19/07 |
| Meijer Incorporated | Meijer | 688047 | 166393 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 11/19/07 |
| Meijer Incorporated | Meijer | 8760577 | 171140 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 11/19/07 |
| Meijer Incorporated | Meijer | ET09MGLIS | 2885027 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 2 | 12/14/10 |
| Meijer Incorporated | Meijer | ET13MSLDM | 2884978 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 10000 | 2700 | | 2 | 12/15/10 |
| Meijer Incorporated | Meijer | ET13MSLT2E | 2884951, 2884952, 2885036 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 4/11/12 |
| Meijer Incorporated | Meijer | ET13MSLT2E-35 | ET13MSLT2E-35 | Bare-spiral | Medium E26/24 | CFL | | 900 | 13.0 | N/A | 12000 | 3500 | 0.56 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET13MSLT2E-65 | 2884958, 2884962 | Bare-spiral | E26/24 (Medium) | CFL | | 860 | 13 | N/A | 12000 | 6500 | | 2 | 4/11/12 |
| Meijer Incorporated | Meijer | ET13MSLT2F | 2884951, 2885036, 2884952 | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 12000 | 2700 | | 2 | 12/14/10 |
| Meijer Incorporated | Meijer | ET13MSLT2F-41 | 2884954, 2884955 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | | 7 | 12/31/10 |
| Meijer Incorporated | Meijer | ET14MALCAN-IS | 2885031 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 12/14/10 |
| Meijer Incorporated | Meijer | ET16MRLL-IS | 2884975, 2885040 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | | 2 | 12/14/10 |
| Meijer Incorporated | Meijer | ET18MSLT2 | 2884966, 2885038, 2884963 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | | 2 | 12/13/10 |
| Meijer Incorporated | Meijer | ET18MSLT2E | ET18MSLT2E | Bare-spiral | Medium E26/24 | CFL | | 1250 | 18.0 | N/A | 12000 | 2700 | 0.57 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET18MSLT2E-35 | ET18MSLT2E-35 | Bare-spiral | Medium E26/24 | CFL | | 1250 | 18.0 | N/A | 12000 | 3500 | 0.56 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET18MSLT2E-65 | ET18MSLT2E-65 | Bare-spiral | Medium E26/24 | CFL | | 1200 | 18.0 | N/A | 12000 | 6500 | 0.56 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET23MSLT2 | 2884969, 2885039, 2884971 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 12/13/10 |
| Meijer Incorporated | Meijer | ET23MSLT2-65 | 2884973 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | | 2 | 12/13/10 |
| Meijer Incorporated | Meijer | ET23MSLT2E | ET23MSLT2E | Bare-spiral | Medium E26/24 | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET23MSLT2E-35 | ET23MSLT2E-35 | Bare-spiral | Medium E26/24 | CFL | | 1600 | 23.0 | N/A | 12000 | 3500 | 0.55 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET23MSLT2E-65 | ET23MSLT2E-65 | Bare-spiral | Medium E26/24 | CFL | | 1500 | 23.0 | N/A | 12000 | 6500 | 0.55 | 2 | 4/19/12 |
| Meijer Incorporated | Meijer | ET3W2S | 2885024 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1620 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 12/14/10 |
| Meijer Incorporated | Meijer | ET9MSLT2E | 2884929, 2884945 | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | | 2 | 4/11/12 |
| MSI SSL | MSI | IPAR30S27101N | | | | LED | | | | # | | | | | 1/31/12 |
| MSI SSL | MSI | IPAR30S27161N | | | | LED | | | | # | | | | | 1/31/12 |
| MSI SSL | MSI | IPAR30S27221N | | | | LED | | | | # | | | | | 1/31/12 |
| MSI SSL | MSI | IPAR3830161N | | | | LED | | | | # | | | | | 11/23/11 |
| MSI SSL | MSI, SSL | IPAR3830101D | IPAR3830101D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 785 | 16.25 | N/A | 25000 | 3000 | 0.98 | 5 | 2/7/12 |
| MSI SSL | MSI, SSL | IPAR3830161D | IPAR3830161D | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 757 | 16.264 | N/A | 25000 | 3000 | 0.98 | 5 | 3/16/12 |
| MSI SSL | PAR38 Non-Dimmable | IPAR3827221N | IPAR3827221N | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | | 592 | 12.04 | N/A | 25000 | 2700 | 0.9 | 5 | 5/10/11 |
| MSI SSL | PAR38 Non-Dimmable | IPAR3830101N | IPAR3830101N | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | | 651 | 12.3 | N/A | 25000 | 3000 | 0.9 | 5 | 4/18/11 |
| MSI SSL | PAR38 Non-Dimmable | IPAR3830221N | IPAR3830221N | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | | 636 | 12.38 | N/A | 25000 | 3000 | 0.92 | 5 | 5/10/11 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSMR16 140L 40K M60 | | aculamp | | LED | | | | # | | | | | 1/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSMR16 140L M60 | | aculamp | | LED | | | | # | | | | | 1/17/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 30K M24 | | aculamp | | LED | | | | # | | | | | 3/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 40K DIM M24 | | aculamp | | LED | | | | # | | | | | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 40K M24 | ALSP38 1200L 40K M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 1298 | 18.7 | N/A | 25000 | 4000 | 0.91 | 5 | 2/15/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 45 30K M24 | | aculamp | | LED | | | | # | | | | | 3/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 45 40K DIM M24 | | aculamp | | LED | | | | # | | | | | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 45 40K M24 | ALSP38 1200L 45 40K M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 1285 | 18.5 | N/A | 25000 | 4000 | 0.91 | 5 | 2/15/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 45 DIM M24 | | aculamp | | LED | | | | # | | | | | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L 45 M24 | ALSP38 1200L 45 M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 1305 | 18.5 | N/A | 25000 | 2700 | 0.91 | 5 | 2/15/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L DIM M24 | | aculamp | | LED | | | | # | | | | | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 1200L M24 | ALSP38 1200L M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 1242 | 18.5 | N/A | 25000 | 2700 | 0.91 | 5 | 2/15/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 900L 40K R9 M24 | ALSP38 900L 40K R9 M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 952 | 18.5 | N/A | 25000 | 4000 | 0.91 | 5 | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 900L GL24 R9 M24 | ALSP38 900L GL24 R9 M24 | aculamp | PAR - Parabolic Aluminum Reflector | GL24 | LED | 947 | 18.7 | N/A | 25000 | 2700 | 0.91 | 5 | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | ALSP38 900L R9 M24 | ALSP38 900L R9 M24 | aculamp | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | 947 | 18.7 | N/A | 25000 | 2700 | 0.91 | 5 | 2/20/12 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 24514 | | aculamp | Bare-spiral | E26/24 (Medium) | CFL | 940 | 14 | N/A | 8000 | 2700 | | 2 | 3/26/04 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 24514-ADIM | | aculamp | Bare-Mini-Spiral | E26/24 (Medium) | CFL | 800 | 14 | N/A | 8000 | 2700 | | 2 | 11/19/08 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 24516 | | aculamp | Bare-spiral | E26/24 (Medium) | CFL | 1200 | 18 | N/A | 8000 | 2700 | | 2 | 3/26/04 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 24516-ADIM | | aculamp | Bare-spiral | E26/24 (Medium) | CFL | 800 | 18 | N/A | 8000 | 2700 | | 2 | 4/20/09 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 24524-ADIM | | aculamp | Bare-Mini-Spiral | E26/24 (Medium) | CFL | 1490 | 24 | N/A | 8000 | 2700 | 0.77 | 2 | 3/30/09 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 32014-ADIM | | aculamp | Covered reflector | E26/24 (Medium) | CFL | 530 | 14 | N/A | 10000 | 2700 | 0.84 | 2 | 6/11/09 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 33016-ADIM | | aculamp | Covered reflector | E26/24 (Medium) | CFL | 700 | 16 | N/A | 8000 | 2700 | | 2 | 11/20/08 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 93019-ADIM | | aculamp | Covered reflector | E26/24 (Medium) | CFL | 780 | 19 | N/A | 8000 | 2700 | | 2 | 11/19/08 |
| Neonite Electronic & Lighting (H.K.) Ltd. | Neonite | 93820-ADIM | | aculamp | Covered reflector | E26/24 (Medium) | CFL | 900 | 20 | N/A | 8000 | 2700 | | 2 | 11/20/08 |
| Nexus Lighting Inc. | array | AACMMR162715 | | array | | LED | | | | # | | | | | 1/19/12 |
| Nexus Lighting Inc. | array | AACMMR162725 | | array | | LED | | | | # | | | | | 3/21/12 |
| Nexus Lighting Inc. | array | AACMMR163015 | | array | | LED | | | | # | | | | | 1/27/12 |
| Nexus Lighting Inc. | array | AACMMR163025 | | array | | LED | | | | # | | | | | 3/21/12 |
| Nexus Lighting Inc. | array | AE26R3083025 | | array | | LED | | | | # | | | | | 3/26/12 |
| Nexus Lighting Inc. | array | AE26R3083060 | | array | | LED | | | | # | | | | | 3/26/12 |
| Nexus Lighting Inc. | Array Lighting | AE26PAR38183025 | | array | | LED | | | | # | | | | | 3/15/11 |
| Nexus Lighting Inc. | Array Lighting | AE26R3083025 | | array | R - Reflector | E26/24 (Medium) | LED | 480 | 8.0 | N/A | 25000 | 3000 | 0.92 | 3 | 10/14/10 |
| Nexus Lighting Inc. | Array Lighting | AE26R3083060 | | array | R - Reflector | E26/24 (Medium) | LED | 486 | 8.1 | N/A | 25000 | 3000 | 0.93 | 3 | 10/14/10 |
| Niagara Conservation Corporation | EarthBrite | N413M | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 9/24/07 |
| Niagara Conservation Corporation | EarthBrite | N420M | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 2700 | | 2 | 1/10/07 |
| Niagara Conservation Corporation | EarthBrite | N423M | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 1/10/07 |
| Niagara Conservation Corporation | EarthBrite | N13WDIM-2700 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 8000 | 2700 | | 2 | 11/11/10 |
| Niagara Conservation Corporation | EarthBrite | N13WMST2-2700 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.56 | 2 | 1/5/12 |
| Niagara Conservation Corporation | EarthBrite | N14WA-2700 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | | 2 | 6/27/08 |
| Niagara Conservation Corporation | EarthBrite | N14WC-2700 | | Covered-Candle | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 12/28/10 |
| Niagara Conservation Corporation | EarthBrite | N14WG-2700 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | | 2 | 12/28/10 |
| Niagara Conservation Corporation | EarthBrite | N14WR20-2700 | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 10000 | 2700 | | 2 | 12/28/10 |
| Niagara Conservation Corporation | EarthBrite | N18WPAR30-3000 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 3000 | | 2 | 12/28/10 |
| Niagara Conservation Corporation | EarthBrite | N16WR30-2700 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | | 2 | 12/28/10 |
| Niagara Conservation Corporation | EarthBrite | N16WR30DIM-2700 | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 750 | 16 | N/A | 8000 | 2700 | | 2 | 5/26/11 |
| Niagara Conservation Corporation | EarthBrite | N18WDIM-2700 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|---------------|---|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| OptoLight | OptoLight | OP-T2-19W | OP-T2-19W4P | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19.0 | N/A | 10000 | 2700 | | 2 | 2/12/09 |
| OSRAM SYLVANIA | BUYERS CHOICE | 29678 | 29678 | Covered reflector | E2624 (medium) | CFL | | 750 | 16.0 | N/A | 8000 | 2700 | 0.9 | 7 | 10/19/11 |
| OSRAM SYLVANIA | BUYERS CHOICE | CF8ELG25RP/3PK/BUYERSCHOICE | | Covered globe | E2624 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 2 | 4/10/12 |
| OSRAM SYLVANIA | Sylvania | 29460 | 29460 | Bare-spiral | E2624 (medium) | CFL | | 1640 | 23.0 | N/A | 12000 | 2700 | 0.56 | 11 | 2/23/12 |
| OSRAM SYLVANIA | Sylvania | CE14ELTWIST827DIMRP (29669, 29669) | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 8000 | 2700 | | 2 | 3/27/09 |
| OSRAM SYLVANIA | Sylvania | CF10ELMICRO827BL21K (26957, 26957) | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 10 | N/A | 12000 | 2700 | | 11 | 3/11/10 |
| OSRAM SYLVANIA | Sylvania | CF10ELMICRO827RP2 (29401) | 29401 | Bare-spiral | E2624 (Medium) | CFL | | 600 | 10 | N/A | 12000 | 2700 | | 11 | 6/26/09 |
| OSRAM SYLVANIA | Sylvania | CF10ELMICRO827RP31K (26944, 26944) | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 10 | N/A | 10000 | 2700 | | 9 | 5/10/10 |
| OSRAM SYLVANIA | Sylvania | CF10ELMICRO827RP3 (27760) | 27760 | Bare-spiral | E2624 (Medium) | CFL | | 600 | 10 | N/A | 10000 | 2700 | | 9 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINI827BL6PLTJZ (2999, 2999) | 2999 | Bare-spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | | 2 | 8/10/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINI827BL6JZ (29694) | 29694 | Bare-spiral | E2624 (Medium) | CFL | | 660 | 11 | N/A | 10000 | 2700 | | 9 | 5/3/10 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINI830 (29378) | 29378 | Bare-spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 8000 | 3000 | | 1 | 7/1/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINITWIST8L6 (26994) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 3000 | 0.57 | 7 | 3/25/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINITWIST8RP (2991) | 2991 | Bare-spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 8000 | 3000 | | 7 | 7/15/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELMINITWIST8Y (29378) | 29378 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11.0 | N/A | 8000 | 2700 | | 1 | 8/10/07 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPER827MC/CP3 (2976, 2976) | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | | 9 | 7/15/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPER827RP (2976) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | 0.56 | 9 | 10/9/07 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPER827CDN (2000, 2000) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | | 9 | 6/24/09 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPER827RP2H (26921, 26921) | | Bare-spiral | E2624 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 9 | 4/26/10 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPERMINI/TBL (29766) | 29766 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11.0 | N/A | 10000 | 3000 | | 9 | 7/10/07 |
| OSRAM SYLVANIA | Sylvania | CF11ELSUPERMINI/TRP3 (29767, 29767) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 600 | 11.0 | N/A | 10000 | 3000 | | 7 | 7/3/07 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO2RP (29727) | 29727 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 3000 | 0.57 | 11 | 6/29/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827BL21K (26959, 26959) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 3/16/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827BL41K (26964, 26964), CF13ELMICRO827BL41K (26903) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 3/11/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827BL4 (26964) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 1/19/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827BL496/CS, CF13ELMICRO827BL4DIS | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 5/19/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827C/BL21K (26941, 26941), CF13ELMICRO827C/BL21K (26936) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | 0.56 | 11 | 6/1/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827C/BL21K (26955), CF13ELMICRO827C/BL21K (26901) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 3/17/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827C/BL2 (27760) | 27760 | Bare-spiral | E12 (Candelabra) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827C/RP2 (29734) | 29734 | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 8/6/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/BL21K (2 26938) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 11 | 9/30/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/BL21K (2 28935) | | Bare-spiral | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 11 | 6/8/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/RP21K (261 26922) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | 0.56 | 11 | 6/3/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/RP21K (261 28933) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 11 | 6/8/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/RP2 (29972, 29972, 29976) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 11 | 4/14/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827LS/RP2/CDN1 (29420) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 2700 | | 11 | 12/20/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827RP2/CDN1K (2 29430) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 6/15/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827RP31K (26943, 26943) | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | 0.56 | 9 | 5/28/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO827RP3 (27761) | 27761 | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 9 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835ECO1K (26986, 26986) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 3000 | 0.57 | 11 | 5/26/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835BL21K (26967, 26967) | | Bare-spiral | E2624 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 3000 | | 11 | 3/12/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835C/BL2 (27781) | 27781 | Bare-spiral | E12 (Candelabra) | CFL | | 820 | 13 | N/A | 12000 | 3500 | | 11 | 8/30/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835RP31K (26927, 26927) | | Bare-spiral | E2624 (Medium) | CFL | | 820 | 13 | N/A | 10000 | 3500 | | 9 | 8/23/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835RP3/CDN (27762, 27762) | | Bare-spiral | E2624 (Medium) | CFL | | 820 | 13 | N/A | 10000 | 3500 | | 9 | 7/27/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835BL2 (2 29759) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 11 | 5/21/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMICRO835BL21K (269 26932) | | Bare-spiral | E2624 (Medium) | CFL | | 820 | 13 | N/A | 12000 | 3500 | | 11 | 12/17/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827BL8/2M (29024) | 29024 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 4/1/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827BL8PLT2M (2908, 2908) | 2908 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.57 | 9 | 4/16/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827CVP (29149) | 29149 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 6/29/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827CVP/YX (29120) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 6/29/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827CVP/YX (29120) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13.0 | N/A | 8000 | 2700 | 0.58 | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827MC/RP2 (29609) | 29609 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/6/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827MC/RP3DIS (296 29610) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 6/30/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827TRP3 (29610) | 29610 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 3/27/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827YRP (29609) | 29609 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.63 | 7 | 3/27/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827YRP/3DIS (2961C) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/31/08 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI830 (29376) | 29376 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 3000 | | 1 | 7/1/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI830/YX (29376) | 29376 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 3000 | | 2 | 7/20/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835DAY/RP (29709) | 29709 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 3500 | | 2 | 4/2/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835DAY/RP (29781) | 29781 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 3500 | | 9 | 4/2/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835BL2 (29024) | 29024 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 7/24/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835RP31K (29107, 29107) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/31/08 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835RP3/CDN (27762, 27762) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/31/08 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835BL2 (2 29759) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/31/08 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI835BL21K (269 26932) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/31/08 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827BL8/CLUBPAL2M (29017) | | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 4/1/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827BL8PLT2M (2908, 2908) | 2908 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.57 | 9 | 4/16/10 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827CVP (29149) | 29149 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 6/29/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827CVP/YX (29120) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 6/29/11 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827MC/RP2 (29609) | 29609 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13.0 | N/A | 8000 | 2700 | 0.58 | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827MC/RP3DIS (296 29610) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/6/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827TRP3 (29610) | 29610 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 6/30/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827YRP (29609) | 29609 | Bare-spiral | E2624 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | 0.63 | 7 | 3/27/09 |
| OSRAM SYLVANIA | Sylvania | CF13ELMINI827YRP/3DIS (2961C) | | Bare-Mini-Spiral | E | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|----------|---|--------------------------|-------------------|----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| OSRAM SYLVANIA | Sylvania | CF14EL/G25R27/BLZ/H (28977) | 28977 | Covered globe | E2624 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 2700 | | 7 | 7/9/10 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/BL (29587) | 29587 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 6/30/09 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/BLZ/H (29562) | 29562 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/DIM/RP (28998) | 28998 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 500 | 14 | N/A | 8000 | 2700 | | 2 | 6/26/09 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/RP (29595) | | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 2 | 4/2/09 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/RP/CDN/ZJ (27801) | | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | 0.54 | 7 | 4/30/12 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R27/RP/ZJ (29760) | 29760 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 7/9/10 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20R30 (29634) | | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 3000 | | 1 | 4/2/09 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL1 (29587) | 29587 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14.0 | N/A | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL1 (29562) | | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 12/21/07 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL2/DISPLAY (29572) | 29572 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14.0 | N/A | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL2/DISPLAY/CDN (2-29448) | | Covered reflector | E2624 (Medium) | CFL | | 495 | 14.0 | N/A | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL4 (29774) | 29774 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14.0 | N/A | 8000 | 3000 | | 7 | 7/21/07 |
| OSRAM SYLVANIA | Sylvania | CF14EL/R20BL4 (29774) | 29774, 29857 | Covered reflector | E2624 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 9/30/09 |
| OSRAM SYLVANIA | Sylvania | CF14EL/TWIST827/DIM/BLNC (26-BLNC 26900) | 26900 | Bare-Mini-Spiral | E2624 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 8000 | 2700 | | 7 | 3/19/10 |
| OSRAM SYLVANIA | Sylvania | CF14EL/TWIST827/DIM/BLNC (26-BLNC 26900) | 26900 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/30/09 |
| OSRAM SYLVANIA | Sylvania | CF15EL/BR30DIM (29496, 29761) | | Covered reflector | E2624 (Medium) | CFL | | 600 | 15 | N/A | 6000 | 3000 | | 5 | 10/9/07 |
| OSRAM SYLVANIA | Sylvania | CF15EL/BR30DIM300K (29761) | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 600 | 15 | N/A | 6000 | 3000 | | 5 | 4/14/09 |
| OSRAM SYLVANIA | Sylvania | CF15EL/BR30DIM830 (29496) | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 600 | 15 | N/A | 6000 | 3000 | | 5 | 6/12/09 |
| OSRAM SYLVANIA | Sylvania | CF15EL/BR30MC(27614) | CF15EL/BR30MC(27614) | Covered reflector | E2624 (Medium) | CFL | | 560 | 15 | N/A | 6000 | 3000 | | 5 | 9/10/07 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR301BL6 (29565) | | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | | 7 | 11/2/05 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR301BL6/CDN/CS (2944) | | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | | 7 | 2/5/06 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR302700K (29591) | 29591 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 1 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30 (29591) | 29590 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | | 1 | 7/8/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30/BL (29440) | | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 5/15/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R827/BL3/PLT (29998) | 29998, inner SKU 29773 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 8/26/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R827/BL3/ZJ (29998) | 29998 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 4/16/10 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R827/DIS/CDN/ZJ | 27809 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 2 | 4/30/12 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R827/RP (29566) | 29566 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 4/29/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R827/RP/ZJ (28972) | 28972 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | 0.55 | 7 | 6/4/10 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R830/BL (29440) | 29440 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | | 7 | 7/8/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30R830/DIS (29293) | 29293 | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | | 7 | 7/8/09 |
| OSRAM SYLVANIA | Sylvania | CF16EL/BR30/BL3 (29773) | | Covered reflector | E2624 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 5/15/09 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI827/BL6/PLT/2M (299-29996) | | Bare-spiral | E2624 (Medium) | CFL | | 1220 | 19 | N/A | 10000 | 2700 | | 9 | 4/13/10 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI830/RP6 (29639) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 8000 | 3000 | | 7 | 5/19/09 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI/TWIST/1PK/RP/ZJ (296-29611) | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 8000 | 2700 | | 7 | 6/17/10 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI/TWIST/MC/1PK/RP (25-29611) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19.0 | N/A | 8000 | 3000 | | 7 | 2/5/06 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI/TWIST/MC/BL1 (2534-29347) | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 8000 | 3000 | | 7 | 7/6/09 |
| OSRAM SYLVANIA | Sylvania | CF19EL/MINI/TWIST/4/40 (29655) | 29655 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 8000 | 3000 | | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania | CF19EL/SUPER827/RP/ZH (28913) | 28913 | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 2700 | | 9 | 4/30/10 |
| OSRAM SYLVANIA | Sylvania | CF19EL/SUPER827/RP (29726) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 6/16/09 |
| OSRAM SYLVANIA | Sylvania | CF19EL/SUPER830 (29693) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3000 | | 9 | 11/15/07 |
| OSRAM SYLVANIA | Sylvania | CF20R40/3000 | | Covered reflector | E2624 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 3000 | | 7 | 7/13/09 |
| OSRAM SYLVANIA | Sylvania | CF20EL/R40R27 (29740) | | Covered reflector | E2624 (Medium) | CFL | | 900 | 20 | N/A | 8000 | 3000 | | 7 | 7/13/09 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO2RP (29728) | 29728 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 3000 | | 11 | 6/29/09 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/BL21K (26960, 26960) | 26960 | Bare-spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | | 11 | 3/19/10 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/RP/1K (26924, 26924) | 26924 | Bare-spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | | 11 | 6/24/10 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/RP/ZJ (29728) | 29728 | Bare-spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | 0.52 | 11 | 5/25/07 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/RP/CDN/1K (2-29459) | | Bare-spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 2700 | | 11 | 10/18/10 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/RP/31K (26925, 26925) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 10000 | 2700 | 0.52 | 9 | 6/11/10 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO827/RP/3 (27764) | 27764 | Bare-spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 10000 | 2700 | | 9 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF20EL/MICRO830/CO/1K (29898, 29898) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1280 | 20 | N/A | 12000 | 3000 | | 11 | 7/9/10 |
| OSRAM SYLVANIA | Sylvania | CF23BR40/3000 | 29772 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 3000 | 0.56 | 7 | 1/20/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R827/BL (29442) | 2970, 29442, 29706 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 6/30/09 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R827/BL3 (29463) | 29463 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 7/7/09 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R827/RP (29452) | 29452 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 7/7/09 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R827/RP/ZJ (26915) | 26915 | Covered reflector | E2624 (Medium) | CFL | | 1225 | 23 | N/A | 8000 | 2700 | | 7 | 6/4/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R827/RP/ZH (26915) | 26915 | Covered reflector | E2624 (Medium) | CFL | | 1225 | 23 | N/A | 8000 | 2700 | | 7 | 8/26/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40R830/BL (29706) | | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 12/21/07 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40BL1 (29442) | 29442 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40BL3 (29772) | 29772 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 3000 | | 7 | 1/20/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40BL3 (29772) | 29772 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 7/7/09 |
| OSRAM SYLVANIA | Sylvania | CF23EL/BR40BL3ZH (29772) | 29772 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/BL21K (26958, 26958) | 26958 | Bare-spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 2700 | | 11 | 3/12/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/BL41K (26963, 26963), CF23EL/MICRO827/BL41K (26902) | 26963 | Bare-spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 2700 | | 11 | 3/12/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/RP/21K (26939, 26939) | 26939 | Bare-spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 2700 | | 13 | 6/24/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/RP/2 (20029) | 20029 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 2700 | | 11 | 4/9/09 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/RP/31K (28976, 28976) | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 4/16/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/RP/3 (27767) | 27767 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO827/RP/3 (27768) | 27768 | Bare-spiral | E2624 (Medium) | CFL | | 1630 | 23 | N/A | 10000 | 3500 | | 9 | 7/25/11 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO835/BL21K (26961, 26961) | | Bare-spiral | E2624 (Medium) | CFL | | 1630 | 23 | N/A | 12000 | 3500 | | 11 | 3/16/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO835/RP/31K (26928, 26928) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1630 | 23 | N/A | 10000 | 3500 | | 9 | 8/23/10 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO835/BL21K (26961, 26961) | | Bare-spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 2700 | | 11 | 6/27/11 |
| OSRAM SYLVANIA | Sylvania | CF23EL/MICRO835/BL21K (26961, 26961) | | Bare-spir | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|----------|--------------------------------------|---|------------------------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| OSRAM SYLVANIA | Sylvania | CF30EL/TWIST830 (29395) | 29395 | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 10000 | 3000 | | 1 | 7/8/09 |
| OSRAM SYLVANIA | Sylvania | CF30EL/TWIST830 (29792) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 6000 | 3000 | | 5 | 10/10/07 |
| OSRAM SYLVANIA | Sylvania | CF30EL/TWIST830/DAYRIP (29793) | 29793 | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 10000 | 3500 | | 9 | 9/28/09 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/827/1K (29747) | 29747 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 6/21/11 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/827/BL3/1K (26845) | 26845 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 4/13/10 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/827/BL3/1K (29471) | 29471 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 5/18/10 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/827/PP (29913) | 29913 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Three Way | 2000 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 5/21/09 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/830/PP/1K (29913) | 29913 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 3000 | | 9 | 6/21/10 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/830/PP/CDN/1K | 27855 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 3000 | | 2 | 4/30/12 |
| OSRAM SYLVANIA | Sylvania | CF33EL/3WAY/TWIST827/BL/1K (2 28973) | 28973 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 4/8/10 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/BL/1K (26951) | 26951 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | | 9 | 3/10/10 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/BL (29481) | 29481 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | | 9 | 9/30/09 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/PP | 27836 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | | 2 | 4/18/12 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/PP/1K (29969) | 29969 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | 0.55 | 9 | 6/11/10 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/PP (29796) | 29796 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | | 9 | 10/1/09 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST827/PP/CDN/1K | 27836 | Bare-spiral | E26/24 (Medium) | CFL | | 2720 | 40 | N/A | 10000 | 2700 | | 2 | 4/30/12 |
| OSRAM SYLVANIA | Sylvania | CF40EL/TWIST830 (29796) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 6000 | 3000 | | 5 | 10/10/07 |
| OSRAM SYLVANIA | Sylvania | CF4EL/SUPER827/PP (29733) | 29733 | Bare-spiral | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | | 7 | 6/25/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/A15/827/BL2/J | 29791, 29963 | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 1 | 4/17/12 |
| OSRAM SYLVANIA | Sylvania | CF9EL/A15/827/PP2 (29546) | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 3/30/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/A15/827/PP2/CDN/ZJ | 27914 | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 4/30/12 |
| OSRAM SYLVANIA | Sylvania | CF9EL/FAN2BL (29526) | 29526 | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 7/7/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/3K/1BL (29495) | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 3000 | | 7 | 6/16/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/BL (29528) | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | 0.61 | 7 | 5/15/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/BL (29474) | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | 0.61 | 7 | 5/15/09 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/BLZH (28959) | 28959 | Covered globe | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 8000 | 2700 | | 7 | 5/18/10 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/BLZJ | 28959 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 2 | 4/9/12 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/ZH (29414) | 29414 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 7 | 4/8/11 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/827/ZJ | 29414 | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 2 | 4/10/12 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/830/BL (29474) | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 7 | 12/21/07 |
| OSRAM SYLVANIA | Sylvania | CF9EL/G25/BL3 (29616) | 29616, CF9EL/G25/BL3/CU/PALLET/ZJ 29732 | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 3000 | | 7 | 10/9/07 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/827/NFL25 | | | | LED | | | | | | | | | 3/12/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/827/WSP15 | | | | LED | | | | | | | | | 3/12/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/830/NFL25 | | | | LED | | | | | | | | | 3/13/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/830/NFL25H | | | | LED | | | | | | | | | 3/13/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/830/SP10 | | | | LED | | | | | | | | | 3/12/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR30/DIM/SG/830/WSP15 | | | | LED | | | | | | | | | 3/13/12 |
| OSRAM SYLVANIA | Sylvania | LED10PAR38/SG/830/WSP15 | | | | LED | | | | | | | | | 3/8/12 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0 | 78743 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0 | 78747 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0 | 78751 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0 | 78773 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0 | 78829 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0/CD | 78765 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0/CD | 78769 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/DIM/PP/930/F4.0/HVP | 78842 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 844 | 15.066 | N/A | 25000 | 3000 | 0.81 | 5 | 12/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/F4.0 | 78839 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 721 | 15.23 | N/A | 50000 | 3000 | 0.77 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25 | 78838 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 675 | 14.69 | N/A | 50000 | 3000 | 0.8 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78494 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 675 | 14.69 | N/A | 50000 | 3000 | 0.8 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78494 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 744 | 14.74 | N/A | 25000 | 3000 | 0.8 | 3 | 10/22/10 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78777 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 675 | 14.69 | N/A | 50000 | 3000 | 0.8 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78721 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 744 | 14.74 | N/A | 25000 | 3000 | 0.8 | 3 | 10/22/10 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78739 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 675 | 14.69 | N/A | 50000 | 3000 | 0.8 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25HV | 78686 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 720 | 14.78 | N/A | 25000 | 3000 | 0.78 | 3 | 11/19/10 |
| OSRAM SYLVANIA | Sylvania | LED15PAR30/LNDIM/830/NFL25 | 78685 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 744 | 14.74 | N/A | 25000 | 3000 | 0.8 | 3 | 10/22/10 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/827/SP10 | | | | LED | | | | | | | | | 3/12/12 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/827/WSP15 | | | | LED | | | | | | | | | 5/4/12 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/830/SP10 | | | | LED | | | | | | | | | 7/19/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/830/SP10HVP | | | | LED | | | | | | | | | 7/19/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/830/WSP12 | | | | LED | | | | | | | | | 7/19/11 |
| OSRAM SYLVANIA | Sylvania | LED15PAR38/SG/830/WSP15 | | | | LED | | | | | | | | | 7/19/11 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78746 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78772 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78768 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78750 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78828 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78841 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78742 | PAR - Parabolic Aluminum Reflector | GU24 | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED17PAR30/LNDIM/PP/930/NFL25 | 78764 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 943 | 16.16 | N/A | 25000 | 3000 | 0.75 | 5 | 3/9/12 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/827/F4.0 | | | | LED | | | | | | | | | 4/10/12 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/827/F4.0 | | | | LED | | | | | | | | | 8/1/11 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/827/F4.0/HVP | | | | LED | | | | | | | | | 8/1/11 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/827/NFL25 | | | | LED | | | | | | | | | 8/1/11 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/830/F4.0 | 78841 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 923 | 18.46 | N/A | 50000 | 3000 | 0.78 | 3 | 2/23/11 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/830/NFL25 | 78640 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 911 | 18.86 | N/A | 50000 | 3000 | 0.75 | 3 | 2/21/11 |
| OSRAM SYLVANIA | Sylvania | LED18PAR38/DIM/830/NFL25 | 78778 | PAR - Parabolic Aluminum Reflector | E26/2 | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------------------|-------------------|--|--|--|------------------|----------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMICROMINI2RP (29727) | 29727 | CF13ELMINITWIST/MC/BL/2/CDN (27582), CF13ELMINITWIST/MC/BL/3/CDN (27582) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 825 | 13.0 | N/A | 12000 | 2700 | | 11 | 5/25/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST11/MC/BL/CDN (27582) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13 | N/A | | 8000 | 3000 | | 6 | 4/16/04 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST12/12 (29531) | 29531 (2-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST (29148) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 2700 | | 7 | 1/22/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST11/BL (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 2/5/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 4/10/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | 0.63 | 7 | 5/12/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 2/5/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 12/10/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 3000 | | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13 | N/A | | 8000 | 2700 | | 1 | 6/2/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13ELMINITWIST/BL/CLUB (29148) | 29148 (3-pack) | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 8000 | 2700 | | 7 | 4/2/02 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13EL/SUPERMINI/BL/1 (2944) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 900 | 13 | N/A | | 10000 | 3000 | | 9 | 8/30/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13EL/SUPERMINI/3500K/BL (297 29713) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 13.0 | N/A | | 10000 | 3500 | | 9 | 4/28/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13EL/SUPERMINI/BL/CDN (2960 29602) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 850 | 13 | N/A | | 8000 | 3000 | | 7 | 2/6/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13EL/SUPERMINI/DAY/BL (294) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 900 | 13 | N/A | | 10000 | 3500 | | 9 | 5/26/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF13EL/SUPERMINI/V1BL (29524) 29524 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 900 | 13 | N/A | | 10000 | 3000 | | 9 | 11/7/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF14EL/19/3K/1/BL (29485) | | Covered A-line | E2624 (Medium) | CFL | 800 | 14.0 | N/A | | 8000 | 3000 | | 7 | 6/13/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF14EL/MINI/1/BL (20482) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 800 | 14.0 | N/A | | 10000 | 3000 | | 7 | 6/13/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF16EL/BR30 (29475) | 29475 (3-pack) | Covered reflector | E2624 (Medium) | CFL | 750 | 16 | N/A | | 8000 | 3000 | | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF16EL/BR30/2BL/CDN 12/CSS (294) | | Covered reflector | E2624 (Medium) | CFL | 750 | 16 | N/A | | 8000 | 3000 | | 7 | 2/5/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF16EL/BR30/2PK/12 (29589) | | Covered reflector | E2624 (Medium) | CFL | 750 | 16 | N/A | | 8000 | 3000 | | 7 | 11/2/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF16EL/BR30/27/CVP (29573) | | Covered reflector | E2624 (Medium) | CFL | 750 | 16 | N/A | | 8000 | 2700 | | 7 | 2/5/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF19EL/SUPERMINI/BL (29689) | 29689 | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1200 | 19.0 | N/A | | 10000 | 3000 | | 9 | 6/12/09 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMICROMINI2RP (29729) | 29729 | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1640 | 23 | N/A | | 12000 | 2700 | | 11 | 5/30/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMINITWIST/3500K/BL/15 (25 29661) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23.0 | N/A | | 8000 | 3500 | | 7 | 4/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMINITWIST/BL/CLUB (29148) | 29148 | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23.0 | N/A | | 8000 | 3000 | 0.61 | 7 | 5/12/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMINITWIST/DAY/BL/1 (294 29417) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23.0 | N/A | | 8000 | 3500 | | 6 | 10/10/04 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMINITWIST/MC/HPK/CP (25 29612) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23 | N/A | | 8000 | 3000 | | 5 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23ELMINITWIST/MC/3PK/CP (25 29613) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23 | N/A | | 8000 | 3000 | | 7 | 3/1/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23EL/PAR30/3 (29652) | 29652 | Covered reflector | E2624 (Medium) | CFL | 950 | 23 | N/A | | 8000 | 2700 | | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23EL/PAR30/BL/1 (29686) | | Covered reflector | E2624 (Medium) | CFL | 1200 | 23 | N/A | | 8000 | 3000 | | 7 | 12/2/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23EL/PAR30/BL/2/12 (29569) | 29569 | Covered reflector | E2624 (Medium) | CFL | 1200 | 23 | N/A | | 8000 | 3000 | | 7 | 8/30/06 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23EL/SUPERMINI/BL (29692) | 29692 | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23.0 | N/A | | 10000 | 3000 | | 6 | 4/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23EL/SUPERMINI/PP/3 (29694) | 29694 | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23 | N/A | | 10000 | 3000 | | 9 | 4/11/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF23WELMINITWIST/CLUB (29492 29492 (6-pack)) | | Bare-Mini-Spiral | E2624 (Medium) | CFL | 1600 | 23.0 | N/A | | 8000 | 3000 | 0.61 | 7 | 2/23/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF28EL/3WAY/830/BL/1 (29349) | | Bare-spiral | E2624 (Medium) | CFL | 1800 | N/A | 12/19/28 | | 10000 | 3000 | | 5 | 3/1/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF28EL/3WAY/TWIST/1/BL (29698) | 29698 | Bare-spiral | E2624 (Medium) | CFL | 1800 | N/A | 12/19/28 | | 10000 | 3000 | | 5 | 6/29/07 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF28EL/3WAY/TWIST/2/00K (2952) | | Bare-spiral | E2624 (Medium) | CFL | 1800 | N/A | 12/19/28 | | 10000 | 2700 | | 1 | 11/7/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF28EL/3WAY/TWIST/3/30/BL/1 (29) | | Bare-spiral | E2624 (Medium) | CFL | 1800 | N/A | 12/19/28 | | 10000 | 3000 | | 2 | 3/1/05 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF30EL/TWIST/2/00K (29415) | 29415 | Bare-spiral | E2624 (Medium) | CFL | 2000 | 30 | N/A | | 10000 | 2700 | | 1 | 3/24/04 |
| OSRAM SYLVANIA | Sylvania DULUX EL | CF8EL/FAN2BL (29526) | 29526 | Covered A-line | E2624 (Medium) | LED | 450 | 9 | N/A | | 8000 | 3000 | | 7 | 11/2/05 |
| Overdrive Electronics PVT. LTD. | Overdrive | 502 | | Non-standard | E2624 (Medium) | LED | 472 | 8.0 | N/A | | 25000 | 3000 | 0.73 | 3 | 4/13/12 |
| Pacific Coast Lighting | Tester | HCS13WWPCL | K7795 | Bare-spiral | E2624 (Medium) | CFL | 900 | 15 | N/A | | 10000 | 2700 | 0.56 | 2 | 1/8/10 |
| Pacific Coast Lighting | Tester | MLM25SWWPCL | K7793 | Bare-spiral | E2624 (Medium) | CFL | 1800 | 25 | N/A | | 10000 | 2700 | 0.55 | 2 | 12/18/09 |
| Philips Lighting Company | AmbientLED | 12E2A60 | BC12A19/AMB/2700-800 120V (409504) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 817 | 12.52 | N/A | | 25000 | 2700 | 0.78 | 3 | 6/13/11 |
| Philips Lighting Company | AmbientLED | 12E2A60-1 | BC12A19/AMB/2700-800 120V (409504) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 817 | 12.52 | N/A | | 25000 | 2700 | 0.78 | 3 | 6/13/11 |
| Philips Lighting Company | AmbientLED | 12E2A60-1 | BC12A19/AMB/2700-800 120V (409506) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 832 | 12.03 | N/A | | 25000 | 2700 | 0.78 | 6 | 12/20/11 |
| Philips Lighting Company | AmbientLED | 12E2A60-1 | BC12A19/AMB/2700-800 120V (410315) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 832 | 12.03 | N/A | | 25000 | 2700 | 0.78 | 6 | 12/20/11 |
| Philips Lighting Company | AmbientLED | 12E2A60-1 | BC12A19/AMB/2700-800 120V (410316) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 817 | 12.52 | N/A | | 25000 | 2700 | 0.78 | 3 | 6/13/11 |
| Philips Lighting Company | AmbientLED | 17E2P30/3L-E2 | | | | LED | | | | | | | | | 1/5/12 |
| Philips Lighting Company | AmbientLED | 17E2P30/3L-E2 | | | | LED | | | | | | | | | 1/5/12 |
| Philips Lighting Company | AmbientLED | 5.GU5.3MR16 | | | | LED | | | | | | | | | 4/18/12 |
| Philips Lighting Company | AmbientLED | 9E26A19DCAAAA | BC6A19/AMB/3000K DIM ES 120V (417055) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 508 | 8.77 | N/A | | 25000 | 2700 | 0.71 | 6 | 6/24/11 |
| Philips Lighting Company | AmbientLED | 9E26A19DCAAAA | BC6A19/AMB/3000K DIM ES 120V (417048) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 508 | 8.77 | N/A | | 25000 | 2700 | 0.71 | 6 | 6/24/11 |
| Philips Lighting Company | AmbientLED | Sku No. is 048677410285 | | | | LED | | | | | | | | | 10/12/11 |
| Philips Lighting Company | AmbientLED | Sku No. is 048677410292 | | | | LED | | | | | | | | | 10/12/11 |
| Philips Lighting Company | EcoSmart | E12T14 | 24916 | Bare-Spiral | E12 (Candelabra) | CFL | 876 | 12.42 | N/A | | 10000 | 2700 | 0.58 | 9 | 2/24/12 |
| Philips Lighting Company | EnduralLED | 11E2P30/3L | 11PAR30L/END/F25 2700 120V (409974) | PAR - Parabolic Aluminium Reflector | E2624 (Medium) | LED | 439 | 9.59 | N/A | | 50000 | 2700 | 0.84 | 3 | 3/8/11 |
| Philips Lighting Company | EnduralLED | 11E2P30/3L-E | 11PAR30L/END/F22 2700 DIM 6/1 (409120) | PAR - Parabolic Aluminium Reflector | E2624 (Medium) | LED | 511 | 10.21 | N/A | | 50000 | 2700 | 0.8 | 3 | 3/23/11 |
| Philips Lighting Company | EnduralLED | 11E2P30/3L-E | 11PAR30L/END/F22 3000 DIM/1 (408138) | PAR - Parabolic Aluminium Reflector | E2624 (Medium) | LED | 508 | 10.25 | N/A | | 40000 | 3000 | 0.81 | 3 | 3/23/11 |
| Philips Lighting Company | EnduralLED | 11E2P30/3S-E | 11PAR30S/END/F22 3000 DIM/1 (408104) | PAR - Parabolic Aluminium Reflector | E2624 (Medium) | LED | 512 | 10.36 | N/A | | 29000 | 3000 | 0.8 | 3 | 3/23/11 |
| Philips Lighting Company | EnduralLED | 11E2P30/3S-E | 11PAR30S/END/F25 2700 DIM/1 (408098) | PAR - Parabolic Aluminium Reflector | E2624 (Medium) | LED | 517 | 10.41 | N/A | | 25000 | 2700 | 0.8 | 3 | 3/23/11 |
| Philips Lighting Company | EnduralLED | 12E2A60 | 12A19/END/800LM/2700/120V/ DIMM (409946) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 817 | 12.52 | N/A | | 25000 | 2700 | 0.78 | 3 | 6/13/11 |
| Philips Lighting Company | EnduralLED | 12E2A60-1 | 12A19/END/800LM/2700/120V/ DIMM (409944) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 832 | 12.03 | N/A | | 25000 | 2700 | 0.78 | 3 | 12/20/11 |
| Philips Lighting Company | EnduralLED | 12E2A60-1 | 12A19/END/800LM/2700/120V/ DIMM (409946) | A - Arbitrary (standard incandescent shape) | E2624 (Medium) | LED | 817 | 12.52 | N/A | | 25000 | 2700 | 0.78 | 3 | 6/13/11 |
| Philips Lighting Company | EnduralLED | 12E2P30LDBAAAA | | | | LED | | | | | | | | | 1/10/12 |
| Philips Lighting Company | EnduralLED | 12E2P30LDBAABA | | | | LED | | | | | | | | | 1/5/12 |
| Philips Lighting Company | EnduralLED | 12E2P30LDBAAAA | | | | LED | | | | | | | | | 3/21/12 |
| Philips Lighting Company | EnduralLED | 12E2P30LDBAABA | | | | LED | | | | | | | | | 3/21/12 |
| Philips Lighting Company | EnduralLED | 12E2P30LDBAABA | 12PAR30L/END/S15 2700 DIM (414482) | PAR - Parabolic Aluminium Reflector | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--------------------------|--------------|------------------------|---|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Philips Lighting Company | Energy Saver | BC-ELmdT D2D 14W | 408918, 405852 | Bare-spiral | E26/24 (Medium) | CFL | | 820 | 14 | N/A | 8000 | 2700 | 0.54 | 7 | 9/23/09 |
| Philips Lighting Company | Energy Saver | BC-EL/O 14W Prisma 4/1 | 408918, 405852 | Covered-bulb | E26/24 (medium) | CFL | | 855 | 14.0 | N/A | 8000 | 2700 | 0.57 | 7 | 4/22/11 |
| Philips Lighting Company | Energy Saver | EL/O 14W Prisma | 408674, 417865 | Covered-post | E26/24 (medium) | CFL | | 896 | 13.22 | N/A | 8000 | 2700 | 0.6 | 7 | 3/29/12 |
| Philips Lighting Company | Energy Saver | ELA G25 T3 9W | 417352, 417345, 417337, 417558, 417543 | Covered globe | E26/24 (medium) | CFL | | 586 | 9.8 | N/A | 8000 | 2700 | 0.58 | 7 | 1/19/12 |
| Philips Lighting Company | Energy Saver | ELA G30 16W | 211060 | Covered globe | E26/24 (Medium) | CFL | | 980 | 16 | N/A | 10000 | 2700 | 0.58 | 9 | 1/13/08 |
| Philips Lighting Company | Energy Saver | ELA G40 23W | 211078 | Covered globe | E26/24 (Medium) | CFL | | 1560 | 23 | N/A | 8000 | 2700 | 0.55 | 7 | 1/13/08 |
| Philips Lighting Company | Energy Saver | ELA PAR30 16W 2pc | 405828, 405811 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 10000 | 2700 | 0.56 | 9 | 10/30/09 |
| Philips Lighting Company | Energy Saver | ELA PAR38 23 W | 416784, 419951 | Covered Reflector | E26/24 (medium) | CFL | | 1395 | 22.79 | N/A | 8000 | 2700 | 0.57 | 7 | 3/29/12 |
| Philips Lighting Company | Energy Saver | ELA PAR38 23W 2pc | 227918 | Covered Reflector | E26/24 (medium) | CFL | | 1300 | 23.0 | N/A | 8000 | 2700 | 0.57 | 7 | 4/12/12 |
| Philips Lighting Company | Energy Saver | ELA PAR38 DIM 20W | 146449, 150433 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 900 | 20 | N/A | 8000 | 2700 | 0.68 | 7 | 8/17/09 |
| Philips Lighting Company | Energy Saver | ELA PAR38 EDIM 20W | 420018 | Covered Reflector | E26/24 (medium) | CFL | Dimmable | 850 | 20.0 | N/A | 8000 | 2700 | 0.63 | 7 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELA R30 15W 3.5K | 418616 | Covered Reflector | E26/24 (medium) | CFL | | 750 | 15.0 | N/A | 8000 | 3500 | 0.6 | 7 | 4/12/12 |
| Philips Lighting Company | Energy Saver | ELA R30 15W 5K | 418749, 418137 | Covered-Reflector | E26/24 (medium) | CFL | | 782 | 15.17 | N/A | 8000 | 5000 | 0.55 | 7 | 3/29/12 |
| Philips Lighting Company | Energy Saver | ELA R30 DIM 18W | 150417, 137075, 413970 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 630 | 16 | N/A | 8000 | 2700 | 0.6 | 7 | 6/29/09 |
| Philips Lighting Company | Energy Saver | ELA R30 EDIM 18W | 419977, 419985 | Covered Reflector | E26/24 (medium) | CFL | Dimmable | 630 | 16.0 | N/A | 8000 | 2700 | 0.62 | 7 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELA R40 DIM 20W | 137083, 150425 | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 900 | 20 | N/A | 8000 | 2700 | 0.67 | 7 | 8/18/09 |
| Philips Lighting Company | Energy Saver | ELA R40 EDIM 20W | 419993, 420000 | Covered Reflector | E26/24 (medium) | CFL | Dimmable | 900 | 20.0 | N/A | 8000 | 2700 | 0.69 | 7 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELA SWP 14W | 417376, 419812, 419804, 417634, 417615 | Covered A-line | E26/24 (medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | 0.58 | 7 | 4/12/12 |
| Philips Lighting Company | Energy Saver | ELA SWP 20W | 200808 | Covered A-line | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 8000 | 2700 | 0.56 | 7 | 6/11/10 |
| Philips Lighting Company | Energy Saver | EL/Can T2 5W | 422295 | Covered Candle | E26/24 (medium) | CFL | | 215 | 5.0 | N/A | 8000 | 2700 | 0.67 | 7 | 4/12/12 |
| Philips Lighting Company | Energy Saver | EL/Can T2 9W | 417444, 417428, 417436, 417519 | Covered-Candle | E26/24 (medium) | CFL | | 485 | 9.88 | N/A | 8000 | 2700 | 0.6 | 7 | 3/29/12 |
| Philips Lighting Company | Energy Saver | EL/Genie 14W | 210534 | Bare-Triple Tube | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.56 | 7 | 1/13/08 |
| Philips Lighting Company | Energy Saver | EL/Can T2 5W | 422303, 422311, 422329, 417410, 417394, 417402, 417535 | Covered-Candle | E12 (Candelabra) | CFL | | 215 | 5.0 | N/A | 8000 | 2700 | 0.67 | 7 | 4/12/12 |
| Philips Lighting Company | Energy Saver | EL/Can T2 9W | 417535 | Covered-Candle | E12 (Candelabra) | CFL | | 485 | 9.88 | N/A | 8000 | 2700 | 0.6 | 7 | 3/29/12 |
| Philips Lighting Company | Energy Saver | ELmdT 13W 4k | 217588 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 4100 | 0.58 | 11 | 4/5/10 |
| Philips Lighting Company | Energy Saver | ELmdT 13W 5k | 217599 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 5000 | 0.56 | 11 | 5/21/10 |
| Philips Lighting Company | Energy Saver | ELmdT 18W 1% Dim | 420026, 420042 | Bare-Spiral | E26/24 (medium) | CFL | Dimmable | 913 | 14.49 | N/A | 10000 | 2700 | 0.63 | 9 | 1/12/12 |
| Philips Lighting Company | Energy Saver | ELmdT 20W 1% Dim A | 420034, 420050 | Bare-Spiral | E26/24 (medium) | CFL | Dimmable | 1184 | 18.97 | N/A | 10000 | 2700 | 0.65 | 9 | 1/12/12 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W | 408328, 415901, 415935, EL/mT2 13W 6/3 | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 12000 | 2700 | 0.58 | 11 | 12/23/09 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 3.9K | 414029 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 875 | 13.0 | N/A | 10000 | 3500 | 0.61 | 11 | 5/5/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 4.1K | 414037 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 834 | 13.0 | N/A | 10000 | 4100 | 0.6 | 9 | 8/4/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 5K | 414045 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 850 | 13.0 | N/A | 10000 | 5000 | 0.6 | 11 | 5/5/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 5K | 415943 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 850 | 13.0 | N/A | 10000 | 5000 | 0.6 | 11 | 5/20/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 6/1 | ELmdT2 13W 6/4, 415901, 415935 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 890 | 13.0 | N/A | 12000 | 2700 | 0.59 | 11 | 4/22/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 6/4 | 415927 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 890 | 13.0 | N/A | 12000 | 2700 | 0.59 | 11 | 2/9/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 13W 6.5K | 415927 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 880 | 13.0 | N/A | 10000 | 6500 | 0.59 | 11 | 5/20/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 18W | BC-ELmdT2 18W, 408567, 408306, ELmdT2 18W 6/3 | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | 0.58 | 11 | 1/12/10 |
| Philips Lighting Company | Energy Saver | ELmdT2 18W 6/1 | ELmdT2 18W 6/4 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1290 | 18.0 | N/A | 12000 | 2700 | 0.58 | 11 | 4/22/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 18W 6/4 | ELmdT2 18W 6/4 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1290 | 18.0 | N/A | 12000 | 2700 | 0.58 | 11 | 2/9/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W | BC-ELmdT2 23W, 408575, 408344, 415991, 415967, EL/mT2 23W 6/3 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 11 | 1/12/10 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W 3.9K | 414052 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1615 | 23.0 | N/A | 10000 | 3500 | 0.56 | 11 | 5/11/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W 4.1K | 414060 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1602 | 23.0 | N/A | 10000 | 4100 | 0.58 | 11 | 5/11/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W 5K | 414076, 415975, 416006 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1487 | 23.0 | N/A | 10000 | 5000 | 0.56 | 9 | 8/4/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W 6/1 | ELmdT2 23W 6/4, 415967, 415991 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1655 | 23.0 | N/A | 12000 | 2700 | 0.56 | 11 | 4/22/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W 6/4 | 415967 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1655 | 23.0 | N/A | 12000 | 2700 | 0.56 | 11 | 2/9/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 26W 4.1k | 414086 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1890 | 26.0 | N/A | 10000 | 4100 | 0.57 | 11 | 5/5/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 26W 5K | 414094 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1840 | 26.0 | N/A | 10000 | 5000 | 0.57 | 11 | 5/5/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 26W 6/1 | ELmdT2 26W 6/1 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 1855 | 26.0 | N/A | 12000 | 2700 | 0.57 | 11 | 4/22/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 23W LL | 227694, 227886, BC-ELmdT 23W LL, 156976 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.6 | 11 | 8/11/09 |
| Philips Lighting Company | Energy Saver | ELmdT 27W 4K LL | 147884 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1930 | 27 | N/A | 12000 | 4100 | 0.58 | 11 | 1/18/08 |
| Philips Lighting Company | Energy Saver | ELmdT 27W 5K LL | 147892 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1850 | 27 | N/A | 12000 | 5000 | 0.56 | 11 | 1/13/08 |
| Philips Lighting Company | Energy Saver | ELmdT2 9W 5K | 415885 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 545 | 9.0 | N/A | 10000 | 5000 | 0.58 | 11 | 5/5/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 9W 6/1 | ELmdT2 9W 6/4 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 515 | 9.0 | N/A | 12000 | 2700 | 0.56 | 11 | 4/22/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 9W 6/4 | ELmdT2 9W 6/4 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 515 | 9.0 | N/A | 12000 | 2700 | 0.56 | 11 | 2/9/11 |
| Philips Lighting Company | Energy Saver | ELmdT2 9W 6.5K | 415893 | Bare-Mini-Spiral | E26/24 (medium) | CFL | | 540 | 9.0 | N/A | 10000 | 6500 | 0.59 | 11 | 5/20/11 |
| Philips Lighting Company | Energy Saver | ELmdT 32W Dim | 407155 | Bare-Mini-Spiral | E26/24 (medium) | CFL | Dimmable | 2100 | 33.0 | N/A | 10000 | 2700 | 0.97 | 9 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELmdT 9W LL | 147934, 406181, BC-ELmdT 9W LL, 409198, ELmdT 9W LL 6/4 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.57 | 11 | 1/13/08 |
| Philips Lighting Company | Energy Saver | ELmdT 9W T2 | ELmdT 9W T2 | Bare-Spiral | E26/24 (Medium) | CFL | | 550 | 8.36 | N/A | 12000 | 2700 | 0.55 | 11 | 1/26/12 |
| Philips Lighting Company | Energy Saver | ELmdT BC 9W 2700K | 210880 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.53 | 9 | 4/24/09 |
| Philips Lighting Company | Energy Saver | ELmdT DIM 15W 6/1 | 407379, 406926 | Bare-Mini-Spiral | E26/24 (medium) | CFL | Dimmable | 900 | 15.0 | N/A | 10000 | 2700 | 0.67 | 9 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELmdT DIM 20W | 405845 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1150 | 20 | N/A | 10000 | 2700 | 0.68 | 9 | 10/30/09 |
| Philips Lighting Company | Energy Saver | ELO 14W PRISMA 6/1A | 407783 | Covered-post | E26/24 (medium) | CFL | | 840 | 14.0 | N/A | 10000 | 2700 | 0.57 | 9 | 12/16/11 |
| Philips Lighting Company | Energy Saver | ELO 18W | 135780 | Covered-post | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 2700 | 0.58 | 9 | 2/22/10 |
| Philips Lighting Company | Energy Saver | ELO 18W PRISMA | 405803 | Covered-post | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | 0.55 | 7 | 3/21/10 |
| Philips Lighting Company | Energy Saver | ES 11-23-34W 2700K | 406397 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2200 | N/A | 11/23/34 | 10000 | 2700 | 0.9 | 9 | 6/24/09 |
| Philips Lighting Company | Energy Saver | ES 13W 2700K | 233700, 234039, 242877, 247229, 247221 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.6 | 9 | 7/15/09 |
| Philips Lighting Company | Energy Saver | ES 13W 5000K | 233775, 234062, 242693 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 5000 | 0.63 | 9 | 9/14/09 |
| Philips Lighting Company | Energy Saver | ES 13W 6500K | 233841, 234056, 242701 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 6500 | 0.6 | 9 | 7/15/09 |
| Philips Lighting Company | Energy Saver | ES 14W A19 2700K | 235192, 234716, 247288 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.7 | 7 | 7/15/09 |
| Philips Lighting Company | Energy Saver | ES 14W G25 2700K</ | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---|-----------------------|----------------------------|--|-------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Philips Lighting Company | Philips Energy Saver | ELA PAR38 23W 2PC | 157164, 227916, 406413, 408922, 152769, 152777, 157016, 212191, 216580, 212159, 227744, 227751, BC-ELA R20 14w, 413245 | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | | 5 | 2/1/10 |
| Philips Lighting Company | Philips Energy Saver | ELA R20 14w | 212076, 221119, 227611, BC-EU A SWP 9W, 152728, 156991 | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | | 11 | 6/16/08 |
| Philips Lighting Company | Philips Energy Saver | ELA SWP 9w | 227454, 202894 | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 6/17/08 |
| Philips Lighting Company | Philips Energy Saver | EL/Can 9w | 210914, 208973, 202440, 156380, 210575, 222729, 216295, BC-EL/mtT 13W, 148031, 156654, 214346, 233056, 413310 | Covered-Candle | E26/24 (Medium) | CFL | | 420 | 9 | N/A | 8000 | 2700 | 0.58 | 5 | 7/18/08 |
| Philips Lighting Company | Philips Energy Saver | EL/mtD 13w | 227627, 227660, BC-EL/mtT 13w | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 9 | 6/17/08 |
| Philips Lighting Company | Philips Energy Saver | EL/mtD 13w LL | 227843 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 11 | 7/25/08 |
| Philips Lighting Company | Philips Energy Saver | EL/mtD 14w | BC-EL/mtT 13w, 227678, 227650 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 6/17/08 |
| Philips Lighting Company | Philips Energy Saver | EL/mtD 18w LL | 202961, 413690 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | 0.53 | 11 | 7/29/08 |
| Philips Lighting Company | Philips Energy Saver | EL/mtD 18w LL | 227637, 152892, 212464, 202853 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | 0.54 | 11 | 12/9/08 |
| Philips Lighting Company | Philips Energy Saver | EL/O 14w | 140426, 144162 | Covered-post | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.55 | 7 | 7/24/08 |
| Philips Lighting Company | Philips Energy Saver | EL/TW 34-26-18W | 235800 | Bare-Triple Tube | E26/24 (Medium) | CFL | Three Way | 2025 | N/A | 18/26/34 | 10000 | 2700 | 0.6 | 5 | 7/11/08 |
| Philips Lighting Company | Philips Energy Saver | ES 9W G16.5 2700K | 211938, 214066, 228056 | Covered globe | E26/24 (Medium) | CFL | | 380 | 9 | N/A | 8000 | 2700 | | 7 | 10/14/09 |
| Philips Lighting Company | Philips Energy Saver | Helix Twist EL3W 11-23-34w | 138040, 139115 (distaler), 135715 (Canada), 138040 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2200 | N/A | 11/23/34 | 10000 | 2700 | | 9 | 6/13/08 |
| Philips Lighting Company | Philips Marathon | EL/mtD 11W | 137158, 139469 (distaler), 160176 (Canada), 137158, 413966 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 6 | 1/1/04 |
| Philips Lighting Company | Philips Marathon | EL/mtD 27W | 156398, 229138, 156398 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | | 6 | 1/1/04 |
| Philips Lighting Company | Philips Marathon | EL/mtD 32W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2400 | 32 | N/A | 12000 | 2700 | 0.56 | 11 | 9/5/07 |
| Plurite International Corp. | PLUSRITE | CF11PAR20/SW | 4241 | Covered reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 10000 | 2700 | 0.6 | 2 | 2/1/10 |
| Plurite International Corp. | PLUSRITE | CF13ET2/SP/27K | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 8/1/11 |
| Plurite International Corp. | PLUSRITE | CF13ET3/SP/841 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 4100 | | 2 | 7/18/11 |
| Plurite International Corp. | PLUSRITE | CF13ET3/SP/SW | 4276 | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 12000 | 2700 | | 2 | 7/6/11 |
| Plurite International Corp. | PLUSRITE | CF18ET3/SP/SW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 2/5/08 |
| Plurite International Corp. | PLUSRITE | CF15PAR30/SW | 4244 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 2/1/10 |
| Plurite International Corp. | PLUSRITE | CF15R30DIM/SW | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 610 | 15 | N/A | 6000 | 2700 | | 2 | 5/5/08 |
| Plurite International Corp. | PLUSRITE | CF15R30/SW | 4215 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 2 | 4/25/08 |
| Plurite International Corp. | PLUSRITE | CF18ET2/SP/841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 2 | 3/23/12 |
| Plurite International Corp. | PLUSRITE | CF18ET2/SP/850 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 3/23/12 |
| Plurite International Corp. | PLUSRITE | CF18ET2/SP/SW | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 2700 | | 2 | 3/23/12 |
| Plurite International Corp. | PLUSRITE | CF18ET3/SP/841 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 2 | 8/18/10 |
| Plurite International Corp. | PLUSRITE | CF18ET3/SP/SW | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 8/18/10 |
| Plurite International Corp. | PLUSRITE | CF20ET2/SP/SW | 4325 | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 12000 | 2700 | 0.54 | 2 | 1/23/09 |
| Plurite International Corp. | PLUSRITE | CF20ET3/SP/SW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | 0.53 | 2 | 1/21/07 |
| Plurite International Corp. | PLUSRITE | CF23ET2/SP/850 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.52 | 2 | 1/21/11 |
| Plurite International Corp. | PLUSRITE | CF23ET2/SP/SW | 4235 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.59 | 2 | 1/23/09 |
| Plurite International Corp. | PLUSRITE | CF23ET3/SP/SW | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.52 | 2 | 10/11/11 |
| Plurite International Corp. | PLUSRITE | CF20ET3/SP/SW | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 2700 | | 2 | 2/5/08 |
| Plurite International Corp. | PLUSRITE | CF18ET2/SP/SW | 4223 | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | 0.55 | 2 | 1/23/09 |
| Plurite International Corp. | PLUSRITE | CF18G25/SW | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 11/6/08 |
| P.Q.L. Inc. | Superior Life | 7069 | 7069 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 12/6/06 |
| P.Q.L. Inc. | Superior Life | 71648 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | 0.58 | 2 | 6/27/08 |
| P.Q.L. Inc. | Superior Life | 71700 | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 700 | 16 | N/A | 8000 | 2700 | | 2 | 10/6/09 |
| P.Q.L. Inc. | Superior Life | 80304 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/24/10 |
| P.Q.L. Inc. | Superior Life | 80307 | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 2700 | 0.55 | 2 | 9/24/10 |
| P.Q.L. Inc. | Superior Life | 80310 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 9/24/10 |
| P.Q.L. Inc. | Superior Life | 80328 | 80328 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 990 | 15 | N/A | 10000 | 2700 | | 2 | 1/21/06 |
| P.Q.L. Inc. | Superior Life | 80329 | 80329 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 1/21/06 |
| P.Q.L. Inc. | Superior Life | 80330 | 80330 | Bare-spiral | E26/24 (Medium) | CFL | | 1823 | 27 | N/A | 10000 | 2700 | | 2 | 1/21/06 |
| P.Q.L. Inc. | Superior Life | 80346 | | Bare-spiral | E26/24 (Medium) | CFL | | 1810 | 26 | N/A | 10000 | 2700 | 0.57 | 2 | 9/24/10 |
| P.Q.L. Inc. | Superior Life | 81633 | | Bare-spiral | E26/24 (Medium) | CFL | | 2820 | 42 | N/A | 15000 | 2700 | 0.56 | 2 | 9/28/10 |
| P.Q.L. Inc. | Superior Life | 81673 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 2700 | 0.55 | 2 | 9/27/10 |
| P.Q.L. Inc. | Superior Life | 81675 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | 0.55 | 2 | 9/27/10 |
| P.Q.L. Inc. | Superior Life | 81691 | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 10000 | 2700 | | 2 | 12/8/10 |
| P.Q.L. Inc. | Superior Life | 91673 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 3000 | 0.56 | 2 | 9/27/10 |
| P.Q.L. Inc. | Superior Life | 91675 | | Covered reflector | E26/24 (Medium) | CFL | | 1280 | 23 | N/A | 10000 | 3000 | 0.56 | 2 | 9/27/10 |
| Purely Enterprises, LLC | Healthy CFL - Pel CFL | PA15 | PA15 | Bare-spiral | E26E24 (Medium) | CFL | | 900 | 13.62 | N/A | 10000 | 3500 | 0.55 | 3 | 10/13/11 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WP/AR30S/AL/827 | | Covered reflector | E26/24 (Medium) | CFL | | 575 | 11 | N/A | 8000 | 2700 | 0.53 | 2 | 1/28/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WP/AR30S/AL/830 | | Covered reflector | E26/24 (Medium) | CFL | | 560 | 11 | N/A | 8000 | 3000 | 0.52 | 2 | 8/26/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WP/AR30S/AL/841 | | Covered reflector | E26/24 (Medium) | CFL | | 560 | 11 | N/A | 8000 | 4100 | 0.53 | 2 | 1/28/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WP/AR30S/AL/850 | | Covered reflector | E26/24 (Medium) | CFL | | 525 | 11 | N/A | 8000 | 5000 | 0.53 | 2 | 8/26/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WR20/830 | | Covered reflector | E26/24 (Medium) | CFL | | 450 | 11 | N/A | 8000 | 3000 | 0.52 | 2 | 5/29/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF11WS/827 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | 0.58 | 2 | 4/24/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF13WA19/827 | | Covered A-line | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | 0.55 | 2 | 9/29/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF13WS/827 | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 13 | N/A | 10000 | 2700 | 0.54 | 2 | 4/14/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF13WS/HFP | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 910 | 13 | N/A | 8000 | 3000 | 0.74 | 2 | 12/12/08 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15W/G25/830 | | Covered reflector | E26/24 (Medium) | CFL | | 870 | 15 | N/A | 8000 | 3000 | 0.56 | 2 | 5/28/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/835 | | Covered reflector | E26/24 (Medium) | CFL | | 760 | 15 | N/A | 8000 | 3500 | 0.54 | 2 | 10/9/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/841 | | Covered reflector | E26/24 (Medium) | CFL | | 775 | 15 | N/A | 8000 | 4100 | 0.53 | 2 | 12/22/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/850 | | Covered reflector | E26/24 (Medium) | CFL | | 745 | 15 | N/A | 8000 | 5000 | 0.54 | 2 | 9/29/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/AL/830 | | Covered reflector | E26/24 (Medium) | CFL | | 730 | 15 | N/A | 8000 | 3000 | 0.53 | 2 | 8/26/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/AL/841 | | Covered reflector | E26/24 (Medium) | CFL | | 760 | 15 | N/A | 8000 | 4100 | 0.54 | 2 | 1/28/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WP/AR30L/AL/850 | | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 8000 | 5000 | 0.54 | 2 | 1/28/10 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WR30/827 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.54 | 2 | 11/3/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF15WS | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 10000 | 2700 | | 5 | 9/26/08 |
| Raywa Lighting and Electrical Corporation | Raywa | CF20WS/827 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 20 | N/A | 10000 | 2700 | 0.55 | 2 | 4/24/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF20WT/19/827 | | Covered-post | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 8000 | 2700 | 0.55 | 2 | 7/7/09 |
| Raywa Lighting and Electrical Corporation | Raywa | CF20WT/19/841 | | Covered-post | E26/24 (Medium) | CFL | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|----------------|-----------------|----------------------------|-------------------|------------------|------------|-------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Safeway Inc. | BRIGHT GREEN | ESL13TD4SAFE(N) | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 6500 | | 2 | 12/22/10 |
| Safeway Inc. | BRIGHT GREEN | ESL19TMD4SAFE | | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 8000 | 6500 | | 2 | 10/18/10 |
| Safeway Inc. | BRIGHT GREEN | ESL23TMD4SAFE | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/18/10 |
| Safeway Inc. | BRIGHT GREEN | ESL23TMD4SAFE | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 6500 | | 2 | 10/18/10 |
| Safeway Inc. | Safeway Inc. | BPESL13T2SAFE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 11/29/06 |
| Samsung LED Corporation | Samsung | SI-MB061AB0US | | | | LED | | | | | | | | | 9/8/11 |
| Samsung LED Corporation | Samsung | SI-PBV071AB0US | | | | LED | | | | | | | | | 11/11/11 |
| Samsung LED Corporation | Samsung | SI-PBV151BB0US | | | | LED | | | | | | | | | 10/24/11 |
| Samsung LED Corporation | Samsung | SI-PBV181DB0US | | | | LED | | | | | | | | | 10/24/11 |
| Samsung LED Corporation | Samsung | STIMLWB300601AB | | | | LED | | | | | | | | | 9/8/11 |
| Samsung LED Corporation | Samsung | STIPLWB300711AB | | | | LED | | | | | | | | | 11/11/11 |
| Samsung LED Corporation | Samsung | STIPLWB301511BB | | | | LED | | | | | | | | | 10/24/11 |
| Samsung LED Corporation | Samsung | STIPLWB301811D8 | | | | LED | | | | | | | | | 10/24/11 |
| SATCONUVO | American Light | MS0927 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 2 | 8/7/08 |
| SATCONUVO | American Light | MS0950 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 570 | 9 | N/A | 10000 | 2700 | 0.59 | 2 | 9/2/09 |
| SATCONUVO | American Light | MS1027 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 8/7/08 |
| SATCONUVO | American Light | MS11350 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 5000 | 0.58 | 2 | 7/22/09 |
| SATCONUVO | American Light | MS11350AP | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 5000 | 0.58 | 2 | 7/22/09 |
| SATCONUVO | American Light | MS11527 | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 12000 | 2700 | | 2 | 8/7/08 |
| SATCONUVO | American Light | MS11827 | MS118273P | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1140 | 18 | N/A | 12000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | American Light | MS23227 | MS232273P | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 2 | 9/1/09 |
| SATCONUVO | American Light | MS23250 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/21/09 |
| SATCONUVO | American Light | MS23503P | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/21/09 |
| SATCONUVO | Satco | S5401 | | Bare-spiral | E26/24 (Medium) | CFL | | 1330 | 20 | N/A | 12000 | 2700 | | 2 | 7/19/10 |
| SATCONUVO | Satco | S5529 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 9/21/10 |
| SATCONUVO | Satco | S5554 | S7254 | Covered reflector | E26/24 (Medium) | CFL | | 350 | 11 | N/A | 10000 | 2700 | 0.58 | 2 | 1/24/12 |
| SATCONUVO | Satco | S6238 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 12000 | 3500 | | 2 | 3/21/11 |
| SATCONUVO | Satco | S6275 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | | 2 | 7/19/10 |
| SATCONUVO | Satco | S6284 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 3500 | | 2 | 3/21/11 |
| SATCONUVO | Satco | S7201 | S7279 | Covered reflector | E26/24 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 2700 | | 2 | 12/20/07 |
| SATCONUVO | Satco | S7202 | | Covered reflector | E26/24 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 4100 | | 2 | 1/18/11 |
| SATCONUVO | Satco | S7204 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 2 | 9/21/09 |
| SATCONUVO | Satco | S7205 | | Covered reflector | E26/24 (Medium) | CFL | | 720 | 15 | N/A | 10000 | 4100 | | 2 | 1/18/11 |
| SATCONUVO | Satco | S7211 | S5504 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7212 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 2 | 4/4/08 |
| SATCONUVO | Satco | S7213 | S5506 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 570 | 9 | N/A | 10000 | 5000 | 0.59 | 2 | 9/2/09 |
| SATCONUVO | Satco | S7214 | | Bare-spiral | E26/24 (Medium) | CFL | | 730 | 11 | N/A | 10000 | 2700 | | 2 | 2/7/11 |
| SATCONUVO | Satco | S7217 | S5516, S5547, S6235, S6277 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7218 | S6235 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 4100 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7219 | S6237, S5518, S5549 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 12000 | 5000 | 0.58 | 2 | 7/22/09 |
| SATCONUVO | Satco | S7221 | S5519 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 12000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7222 | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 10000 | 4100 | | 2 | 12/16/10 |
| SATCONUVO | Satco | S7224 | S5523, S5541, S6271, S6278 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1140 | 18 | N/A | 12000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7225 | S6272 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 2 | 6/30/09 |
| SATCONUVO | Satco | S7226 | S6273, S5525, S5543 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 5000 | | 2 | 9/21/09 |
| SATCONUVO | Satco | S7227 | S5528, S5544, S6274, S6279 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7228 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 4100 | | 2 | 6/12/09 |
| SATCONUVO | Satco | S7229 | S6276, S5528, S5546 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 5000 | | 2 | 7/21/09 |
| SATCONUVO | Satco | S7231 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | | 2 | 9/21/10 |
| SATCONUVO | Satco | S7232 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 4100 | | 2 | 2/7/11 |
| SATCONUVO | Satco | S7234 | | Bare-spiral | E26/24 (Medium) | CFL | | 1330 | 20 | N/A | 12000 | 2700 | | 2 | 7/19/10 |
| SATCONUVO | Satco | S7241 | | Covered reflector | E26/24 (Medium) | CFL | | 1090 | 23 | N/A | 10000 | 2700 | | 2 | 12/20/07 |
| SATCONUVO | Satco | S7247 | S6557, S7278 | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 2700 | | 2 | 12/20/07 |
| SATCONUVO | Satco | S7248 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 4100 | | 2 | 1/18/11 |
| SATCONUVO | Satco | S7251 | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 610 | 15 | N/A | 10000 | 2700 | | 2 | 4/4/08 |
| SATCONUVO | Satco | S7261 | S5501 | Bare-spiral | E26/24 (Medium) | CFL | | 280 | 5 | N/A | 10000 | 2700 | | 2 | 10/28/10 |
| SATCONUVO | Satco | S7264 | | Bare-spiral | E12 (Candelabra) | CFL | | 280 | 5 | N/A | 10000 | 2700 | | 2 | 10/28/10 |
| SATCONUVO | Satco | S7275 | | Covered reflector | E26/24 (Medium) | CFL | | 1070 | 23 | N/A | 10000 | 4100 | | 2 | 1/18/11 |
| SATCONUVO | Satco | S7281 | S5564 | Covered A-line | E26/24 (Medium) | CFL | | 410 | 7 | N/A | 12000 | 2700 | | 2 | 4/4/08 |
| SATCONUVO | Satco | S7282 | | Covered A-line | E26/24 (Medium) | CFL | | 400 | 7 | N/A | 10000 | 4100 | | 2 | 9/21/09 |
| SATCONUVO | Satco | S7284 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 6000 | 2700 | | 2 | 5/26/08 |
| SATCONUVO | Satco | S7287 | S5572 | Covered A-line | E26/24 (Medium) | CFL | | 540 | 11 | N/A | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7291 | S5575 | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 2 | 7/24/09 |
| SATCONUVO | Satco | S7392 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 4100 | | 2 | 7/21/09 |
| SATCONUVO | Satco | S7301 | | Covered globe | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7304 | | Covered globe | E26/24 (Medium) | CFL | | 620 | 15 | N/A | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7331 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2000 | 32 | N/A | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7334 | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 10000 | 2700 | | 2 | 5/20/08 |
| SATCONUVO | Satco | S7341 | S5592 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 2 | 12/17/07 |
| SATCONUVO | Satco | S7351 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 4/4/08 |
| SATCONUVO | Satco | S7352 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 4/4/08 |
| SATCONUVO | Satco | S7361 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 2 | 2/27/09 |
| SATCONUVO | Satco | S7362 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 550 | 9 | N/A | 12000 | 4100 | | 2 | 2/27/09 |
| SATCONUVO | Satco | S7363 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 570 | 9 | N/A | 10000 | 5000 | 0.59 | 2 | 9/2/09 |
| SATCONUVO | Satco | S7364 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 900 | 13 | N/A | 12000 | 2700 | | 2 | 2/27/09 |
| SATCONUVO | Satco | S7365 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 880 | 13 | N/A | 12000 | 4100 | | 2 | 2/27/09 |
| SATCONUVO | Satco | S7366 | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 880 | 13 | N/A | 12000 | 5000 | 0.58 | 2 | 7/22/09 |
| SATCONUVO | Satco | S7401 | | Covered reflector | E26/24 (Medium) | CFL | | 430 | 13 | N/A | 10000 | 2700 | | 2 | 1/18/11 |
| Shanghai Chuan-Shi Technical Corporation, Ltd. | Trunk | 3W 28W | 3W 28W | Bare-spiral | E26/24 (medium) | CFL | Three WayDimmable | | N/A | 27.8/19.0/0.0 | 10000 | 2700 | | 2 | 11/17/11 |
| Shanghai Chuan-Shi Technical Corporation, Ltd. | Trunk | 3W DIM 30W | 3W DIM 30W | Bare-spiral | E26/24 (medium) | CFL | Three WayDimmable | | N/A | 29.0/22.0/0.0 | 10000 | 3000 | 0.58 | 2 | 11/17/11 |
| Shanghai Chuan-Shi Technical Corporation, Ltd. | Trunk | BR30TR15W 3000K | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 638 | 15 | N/A | 8000 | 3000 | 0.87 | 7 | 11/13/08 |
| Shanghai Chuan-Shi Technical Corporation, Ltd. | Trunk | BR40 23W | | Covered reflector | E26/24 (Medium) | CFL | | 1150 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 10/20/09 |
| Shanghai Chuan-Shi Technical Corporation, Ltd. | Trunk | PAR38 23W | | Covered reflector | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-------------------------|-----------------------|----------------------------|-------------------------------------|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/25/30K/21W/1250/8K/ES | | | | LED | | | | # | | | | | 12/15/11 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/25/30K/21W/1100/GY/ES | | | | LED | | | | # | | | | | 12/15/11 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/25/30K/21W/1100/WH/ES | | | | LED | | | | # | | | | | 12/15/11 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1100/8K/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1100/GY/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1100/WH/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1250/8K/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1250/GY/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solais Lighting, Inc. | Solais Lighting, Inc. | LR38/40/30K/21W/1250/WH/ES | | | | LED | | | | # | | | | | 1/25/12 |
| Solterra | Solterra | YK507 23W R40 2700K | 10130; 10131; 10132; 10133 | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.59 | 2 | 4/30/10 |
| Solterra | Solterra | YK508 32-T 2700K | 10100; 10101; 10102; 10103 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 13/23/32 | 12000 | 2700 | | 2 | 6/23/10 |
| Solterra | Solterra | YK511 13W 2700K | 10001; 10002; 10003; 10004 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 4/30/10 |
| Solterra | Solterra | YK511 13W 3500K | 10010; 10011; 10012; 10013 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 3500 | 0.59 | 2 | 4/30/10 |
| Solterra | Solterra | YK512 19W 2700K | 10040; 10041; 10042; 10043 | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 12000 | 2700 | 0.54 | 2 | 4/30/10 |
| Solterra | Solterra | YK512 19W 3500K | 10050; 10051; 10052; 10053 | Bare-spiral | E26/24 (Medium) | CFL | | 1400 | 19 | N/A | 14000 | 3500 | 0.55 | 2 | 4/30/10 |
| Solterra | Solterra | YK512 23W 2700K | 10070; 10071; 10072; 10073 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.56 | 2 | 4/30/10 |
| Solterra | Solterra | YK512 23W 3500K | 10080; 10081; 10082; 10083 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | 0.57 | 2 | 4/30/10 |
| Solterra | Solterra | YK512 23W 4100K | 10090; 10091; 10092; 10093 | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 4100 | 0.58 | 2 | 4/30/10 |
| Standard Products, Inc. | E-Lume | 14141 | CF1327K/SPIRAL/E26/ELUME | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 7/24/08 |
| Standard Products, Inc. | E-Lume | 14143 | CF1527K/SPIRAL/E26/ELUME | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 4/21/10 |
| Standard Products, Inc. | E-Lume | 14148 | CF2027K/SPIRAL/E26/ELUME | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1250 | 20 | N/A | 10000 | 2700 | | 2 | 12/21/10 |
| Standard Products, Inc. | E-Lume | 14154 | CF2327K/SPIRAL/E26/ELUME | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/21/10 |
| Standard Products, Inc. | E-Lume | 58642 | CF1330K/SPIRAL/E26/ELUME | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | 0.58 | 2 | 12/21/10 |
| Standard Products, Inc. | E-Lume | 58643 | CF1327K/SPIRAL/E26/ELUME 4P | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 4/18/10 |
| Standard Products, Inc. | E-Lume | 58644 | CF1330K/SPIRAL/E26/ELUME 4P | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | 0.58 | 2 | 12/21/10 |
| Standard Products, Inc. | E-Lume | 58711 | CF1350K/SPIRAL/E26/ELUME 4P | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 860 | 13 | N/A | 10000 | 5000 | 0.58 | 2 | 12/21/10 |
| Standard Products, Inc. | E-Lume | 58876 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.5 | 2 | 9/11/10 |
| Standard Products, Inc. | E-Lume | 58877 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.5 | 2 | 9/11/10 |
| Standard Products, Inc. | E-Lume | 61020 | CF9127K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61021 | CF13127K/SPIRAL/E26/ELUME 4P | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 7/5/11 |
| Standard Products, Inc. | E-Lume | 61022 | CF13127K/SPIRAL/E26/ELUME 12P | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 7/5/11 |
| Standard Products, Inc. | E-Lume | 61023 | CF13127K/SPIRAL/E26/ELUME 12P | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 9/7/11 |
| Standard Products, Inc. | E-Lume | 61026 | CF13127K/SPIRAL/E26/ELUME 4P | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 3500 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61027 | CF13127K/SPIRAL/E26/ELUME 4P | Bare-spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 4100 | | 2 | 7/5/11 |
| Standard Products, Inc. | E-Lume | 61028 | CF13127K/SPIRAL/E26/ELUME 4P | Bare-spiral | E26/24 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 5000 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61029 | CF2027K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 1010 | 15 | N/A | 10000 | 2700 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61031 | CF2027K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 1330 | 20 | N/A | 10000 | 2700 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61032 | CF2327K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61034 | CF2327K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 7/11/11 |
| Standard Products, Inc. | E-Lume | 61035 | CF2327K/SPIRAL/E26/ELUME | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/11/11 |
| Standard Products, Inc. | FlexLED | 59902 | LED/PAR20/8W/FL40K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 342 | 8.0 | N/A | 25000 | 3000 | 0.97 | 5 | 3/22/12 |
| Standard Products, Inc. | FlexLED | 59903 | LED/PAR30L/15W/FL40K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 384 | 8.0 | N/A | 25000 | 4000 | 0.98 | 5 | 3/21/12 |
| Standard Products, Inc. | FlexLED | 59906 | LED/PAR30L/15W/FL30K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 789 | 15.0 | N/A | 25000 | 3000 | 0.81 | 5 | 3/22/12 |
| Standard Products, Inc. | FlexLED | 59907 | LED/PAR38/18W/FL40K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 632 | 15.0 | N/A | 25000 | 4000 | 0.77 | 5 | 3/21/12 |
| Standard Products, Inc. | FlexLED | 59912 | LED/PAR38/18W/FL40K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 907 | 18.943 | N/A | 25000 | 3000 | 0.74 | 5 | 3/11/12 |
| Standard Products, Inc. | FlexLED | 59913 | LED/PAR38/18W/FL40K/25M/25/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 979 | 18.7 | N/A | 25000 | 4000 | 0.74 | 5 | 3/29/12 |
| Standard Products, Inc. | FlexLED | 60036 | LED/MR16/8W/FL30K/12W/25M/25/D/FLEX | MR - Multifaceted reflector | GUS.3 | LED | | 286 | 5.7 | N/A | 25000 | 3000 | 1 | 3 | 3/27/12 |
| Standard Products, Inc. | FlexLED | 60037 | LED/MR16/8W/FL41K/12W/25M/25/D/FLEX | MR - Multifaceted reflector | GUS.3 | LED | | 301 | 5.6 | N/A | 25000 | 4000 | 1 | 3 | 3/27/12 |
| Standard Products, Inc. | FlexLED | 61193 | LED/PAR38/18W/FL30K/50M/40/D/FLEX | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 949 | 18.05 | N/A | 25000 | 3000 | 0.78 | 5 | 3/11/12 |
| Standard Products, Inc. | Standard | 14013 | CF2341K/PAR38/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 4100 | | 2 | 2/24/09 |
| Standard Products, Inc. | Standard | 14014 | CF2350K/PAR38/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 5000 | | 2 | 2/24/09 |
| Standard Products, Inc. | Standard | 14015 | CF1530K/PAR30L/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 3000 | | 2 | 10/21/09 |
| Standard Products, Inc. | Standard | 14026 | CF1535K/PAR30L/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 3500 | | 2 | 10/21/09 |
| Standard Products, Inc. | Standard | 14027 | CF1544K/PAR30L/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 4100 | 0.53 | 2 | 2/16/10 |
| Standard Products, Inc. | Standard | 14028 | CF1550K/PAR30L/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 5000 | | 2 | 10/21/09 |
| Standard Products, Inc. | Standard | 14100 | CF927K/PAR20/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 280 | 9 | N/A | 8000 | 2700 | | 2 | 2/24/09 |
| Standard Products, Inc. | Standard | 14101 | CF930K/PAR20/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 3000 | 0.56 | 2 | 2/17/10 |
| Standard Products, Inc. | Standard | 14103 | CF941K/PAR20/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 4100 | 0.56 | 2 | 2/17/10 |
| Standard Products, Inc. | Standard | 14139 | CF1127K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 2700 | | 2 | 3/5/10 |
| Standard Products, Inc. | Standard | 14140 | CF1327K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 6/5/09 |
| Standard Products, Inc. | Standard | 14142 | CF1527K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 15 | N/A | 10000 | 2700 | | 2 | 6/25/09 |
| Standard Products, Inc. | Standard | 14147 | CF2027K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 20 | N/A | 10000 | 2700 | | 2 | 1/17/05 |
| Standard Products, Inc. | Standard | 14153 | CF2327K/SPIRAL/E26/STD | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/11/08 |
| Standard Products, Inc. | Standard | 14164 | CF2327K/BR40/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 8000 | 2700 | | 2 | 3/25/09 |
| Standard Products, Inc. | Standard | 66270 | CF15HPF27K/SPIRAL/E26/STD | Covered-post | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 8000 | 2700 | | 2 | 7/20/09 |
| Standard Products, Inc. | Standard | 57861 | CF927K/CANDLE/E12/STD | Covered-Candle | E12 (Candelabra) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 8/11/08 |
| Standard Products, Inc. | Standard | 58392 | CF927K/CANDLE/E12/STD | Covered-Candle | E12 (Candelabra) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 3/9/10 |
| Standard Products, Inc. | Standard | 58394 | CF1427K/A19/E26/STD | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 6/27/08 |
| Standard Products, Inc. | Standard | 58394 | CF1427K/A19/E26/STD | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 3/9/10 |
| Standard Products, Inc. | Standard | 58397 | CF1427K/R20/E26/STD | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | | 2 | 8/11/08 |
| Standard Products, Inc. | Standard | 58401 | CF20HPF27K/SPIRAL/E26/STD | Covered-post | E26/24 (Medium) | CFL | | 1350 | 20 | N/A | 8000 | 4100 | | 2 | 7/20/09 |
| Standard Products, Inc. | Standard | 58404 | CF1127K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 8000 | 2700 | | 2 | 8/11/08 |
| Standard Products, Inc. | Standard | 58423 | CF427K/SPIRAL/E26/STD | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | | 2 | 8/11/08 |
| Standard Products, Inc. | Standard | 58434 | CF927K/CANDLE/E26/STD | Covered-Candle | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 3/9/10 |
| Standard Products, Inc | | | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------------------|---------|-----------------------|------------------------------|-------------------|----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Sunpark Electronics Corporation | Sunpark | SP20W-50 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | | 2 | 7/28/08 |
| Sunpark Electronics Corporation | Sunpark | SP23W-27 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 7/28/08 |
| Sunpark Electronics Corporation | Sunpark | SP23W-41 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 7/28/08 |
| Sunpark Electronics Corporation | Sunpark | SP23W-50 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 7/28/08 |
| Sunpark Electronics Corporation | Sunpark | SP26 3WAY LS34 | | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1700 | N/A | 11/20/26 | 10000 | 3500 | | 2 | 6/29/09 |
| Sunpark Electronics Corporation | Sunpark | SP26W-27 | 4295 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 2700 | 0.59 | 2 | 9/8/08 |
| Sunpark Electronics Corporation | Sunpark | SP9W-27 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 2 | 7/28/08 |
| Sunpark Electronics Corporation | Sunpark | SP9W-41 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | | 2 | 7/29/08 |
| Sunpark Electronics Corporation | Sunpark | SP9W-60 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 5000 | | 2 | 7/29/08 |
| Sunpark Electronics Corporation | Sunpark | SP-R20-11W-27 | | Covered reflector | E2624 (Medium) | CFL | | 400 | 11 | N/A | 10000 | 2700 | | 2 | 9/3/10 |
| Sunpark Electronics Corporation | Sunpark | SP-R30-14W-27 | | Covered reflector | E2624 (Medium) | CFL | | 700 | 14 | N/A | 10000 | 2700 | | 2 | 9/3/10 |
| Sunpark Electronics Corporation | Sunpark | SP-R30-14W-41 | | Covered reflector | E2624 (Medium) | CFL | | 700 | 14 | N/A | 10000 | 4100 | | 2 | 9/3/10 |
| Sunpark Electronics Corporation | Sunpark | SP-R40-23W-27 | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 9/3/10 |
| Sunpark Electronics Corporation | Sunpark | SP-R40-23W-41 | | Covered reflector | E2624 (Medium) | CFL | | 1100 | 23 | N/A | 10000 | 4100 | | 2 | 9/3/10 |
| Sunpark Electronics Corporation | Sunpark | T2-13W 2700K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-13W 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-13W 5000K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-20W 2700K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-20W 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-20W 5000K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-23W 2700K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-23W 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-23W 5000K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-9W 2700K | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 2700 | 0.57 | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-9W 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 4100 | 0.57 | 2 | 4/11/10 |
| Sunpark Electronics Corporation | Sunpark | T2-9W 5000K | | Bare-spiral | E2624 (Medium) | CFL | | 600 | 9 | N/A | 10000 | 5000 | 0.57 | 2 | 4/11/10 |
| Sunrise Lighting | Sunrise | DE-28 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1670 | 25 | N/A | 10000 | 2700 | | 2 | 12/18/09 |
| Sunrise Lighting | Sunrise | DES-18R | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 940 | 18 | N/A | 8000 | 2700 | 0.55 | 2 | 7/7/09 |
| Sunrise Lighting | Sunrise | DES-25 | DES-25 | Covered reflector | E2624 (Medium) | CFL | | 1283 | 25.0 | N/A | 10000 | 2700 | 0.56 | 2 | 1/13/12 |
| Sunrise Lighting | Sunrise | SGF-13 | | Covered A-line | E2624 (Medium) | CFL | Dimmable | 855 | 13 | N/A | 10000 | 2700 | 0.56 | 2 | 12/22/09 |
| Sunrise Lighting | Sunrise | SGF-14 | | Covered A-line | E2624 (Medium) | CFL | Dimmable | 855 | 14 | N/A | 10000 | 2700 | 0.56 | 2 | 12/22/09 |
| Sunrise Lighting | Sunrise | SGF-20 | | Covered A-line | E2624 (Medium) | CFL | | 1350 | 20 | N/A | 10000 | 2700 | 0.57 | 2 | 1/19/11 |
| Sunrise Lighting | Sunrise | SSE-13/T2 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 782 | 13 | N/A | 10000 | 2700 | 0.58 | 7 | 7/20/09 |
| Sunrise Lighting | Sunrise | SSE-15/T-2 | SSE-15/T-2 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1124 | 14.88 | N/A | 10000 | 2700 | 0.53 | 1 | 12/21/12 |
| Sunrise Lighting | Sunrise | SSE-15/T2 | | Bare-spiral | E2624 (Medium) | CFL | | 935 | 15.0 | N/A | 10000 | 2700 | | 2 | 1/23/08 |
| Sunrise Lighting | Sunrise | SSE-20/T-2 | SSE-20/T-2 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1410 | 20.0 | N/A | 10000 | 2700 | 0.54 | 2 | 10/26/09 |
| Sunrise Lighting | Sunrise | SSE-20/T2 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1410 | 19.6 | N/A | 10000 | 2700 | 0.54 | 1 | 12/21/12 |
| Sunrise Lighting | Sunrise | SSE-23 | | Bare-spiral | E2624 (Medium) | CFL | | 1625 | 23 | N/A | 10000 | 2700 | | 2 | 2/15/08 |
| Sunrise Lighting | Sunrise | SSE-24/T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1674 | 24 | N/A | 10000 | 2700 | 0.58 | 2 | 7/7/09 |
| Sunrise Lighting | Sunrise | STG-11 | | Covered globe | E2624 (Medium) | CFL | | 635 | 11 | N/A | 8000 | 2700 | 0.54 | 7 | 4/22/09 |
| Sunrise Lighting | SUNRISE | SSE-11/T2 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 680 | 11 | N/A | 10000 | 2700 | 0.57 | 7 | 7/24/09 |
| Sunrise Lighting | SUNRISE | SSE-20/T2 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1450 | 20 | N/A | 10000 | 2700 | | 2 | 1/25/08 |
| Sunrise Lighting | SUNRISE | SSE-23/T2 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1678 | 23 | N/A | 10000 | 2700 | | 2 | 1/25/08 |
| Sunshine Lighting | RJN | SM20/E41K | 90-352-120 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | | 2 | 4/3/09 |
| Sunshine Lighting | RJN | SM23/E41K | 90-352-130 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 4/3/09 |
| Sunshine Lighting | RJN | SM9/E41K | 90-352-100 | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 4100 | | 2 | 4/3/09 |
| Sunshine Lighting | Sunlite | SD15R30E/27K DIMMABLE | 0521-SU | Covered reflector | E2624 (Medium) | CFL | Dimmable | 750 | 15 | N/A | 8000 | 2700 | | 2 | 12/4/08 |
| Sunshine Lighting | Sunlite | SL11R20E/27K | 0830-SU | Covered reflector | E2624 (Medium) | CFL | | 340 | 11 | N/A | 10000 | 2700 | | 1 | 1/14/11 |
| Sunshine Lighting | Sunlite | SL14R20E/27K | 6575-SU | Covered reflector | E2624 (Medium) | CFL | | 500 | 14 | N/A | 10000 | 2700 | | 2 | 12/22/10 |
| Sunshine Lighting | Sunlite | SL15PAR30/A/E/30K | | Covered reflector | E2624 (Medium) | CFL | | 730 | 15 | N/A | 8000 | 3000 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL15PAR30/A/E/41K | 0861-SU | Covered reflector | E2624 (Medium) | CFL | | 725 | 15 | N/A | 8000 | 4100 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL15PAR30/A/E/50K | 0862-SU | Covered reflector | E2624 (Medium) | CFL | | 725 | 15 | N/A | 8000 | 5000 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL15PAR30/E/41K | 05361-SU | Covered reflector | E2624 (Medium) | CFL | | 725 | 15 | N/A | 8000 | 4100 | | 2 | 3/11/10 |
| Sunshine Lighting | Sunlite | SL15PAR30/E/50K | 05364-SU | Covered reflector | E2624 (Medium) | CFL | | 690 | 15 | N/A | 8000 | 5000 | | 2 | 3/11/10 |
| Sunshine Lighting | Sunlite | SL15R30E/41K | 0841-SU | Covered reflector | E2624 (Medium) | CFL | | 700 | 15 | N/A | 10000 | 4100 | | 1 | 1/14/11 |
| Sunshine Lighting | Sunlite | SL23E/27K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 6/3/09 |
| Sunshine Lighting | Sunlite | SL23E/41K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 6/3/09 |
| Sunshine Lighting | Sunlite | SL23PAR38/A/E/30K | 0870-SU | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3000 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL23PAR38/A/E/41K | 0871-SU | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 4100 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL23PAR38/E/41K | 05331-SU | Covered reflector | E2624 (Medium) | CFL | | 1210 | 23 | N/A | 8000 | 4100 | | 2 | 3/11/10 |
| Sunshine Lighting | Sunlite | SL23PAR40E/27K | 05386-SU | Covered reflector | E2624 (Medium) | CFL | | 1300 | 23 | N/A | 8000 | 2700 | | 2 | 4/6/09 |
| Sunshine Lighting | Sunlite | SL25E/30W/27K | 05379-SU, SL25E/30W/27K/CD1 | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 6/14/08 |
| Sunshine Lighting | Sunlite | SL26E/27K | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 2700 | | 2 | 6/3/09 |
| Sunshine Lighting | Sunlite | SL26E/27K | 05545-SU | Bare-spiral | E2624 (Medium) | CFL | | 2250 | 32 | N/A | 8000 | 2700 | | 1 | 7/21/11 |
| Sunshine Lighting | Sunlite | SL42E/27K | 05596-SU | Bare-spiral | E2624 (Medium) | CFL | | 2800 | 42 | N/A | 12000 | 2700 | | 2 | 4/10/08 |
| Sunshine Lighting | Sunlite | SL9PAR20/A/E/30K | 08950-SU | Covered reflector | E2624 (Medium) | CFL | | 320 | 9 | N/A | 8000 | 3000 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SL9PAR20/A/E/50K | 08951-SU | Covered reflector | E2624 (Medium) | CFL | | 320 | 9 | N/A | 8000 | 5000 | | 1 | 1/11/11 |
| Sunshine Lighting | Sunlite | SLB14E/27K | 05307-SU | Covered A-line | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 6/27/08 |
| Sunshine Lighting | Sunlite | SLG14E/27K | 05349-SU | Covered globe | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/6/09 |
| Sunshine Lighting | Sunlite | SLG9E/27K | 05348-SU | Covered globe | E2624 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | | 2 | 4/6/09 |
| Sunshine Lighting | Sunlite | SM13/E27K | 05421-SU, 05425-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/23/09 |
| Sunshine Lighting | Sunlite | SM15/E27K | 05203-SU | Bare-spiral | E2624 (Medium) | CFL | | 990 | 15 | N/A | 10000 | 2700 | | 2 | 12/22/10 |
| Sunshine Lighting | Sunlite | SM15/E27K | 05204-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | 0.5 | 2 | 12/22/09 |
| Sunshine Lighting | Sunlite | SM23/E41K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 6/3/09 |
| Sunshine Lighting | Sunlite | SMS10E/27K | 00605-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 640 | 10 | N/A | 10000 | 2700 | | 2 | 1/24/07 |
| Sunshine Lighting | Sunlite | SMS11E/27K | 00712-SU | Bare-spiral | E2624 (Medium) | CFL | | 730 | 11 | N/A | 10000 | 2700 | 0.56 | 2 | 9/12/11 |
| Sunshine Lighting | Sunlite | SMS13E/27K | 00609-SU, 00706-SU, 00607-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 5 | 6/30/08 |
| Sunshine Lighting | Sunlite | SMS13E/41K | 00702-SU, 00707-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | | 9 | 7/1/08 |
| Sunshine Lighting | Sunlite | SMS13JE/35K | 00801-SU | Bare-spiral | E2624 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 3500 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS13JE/41K | 00802-SU | Bare-spiral | E2624 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 4100 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS13JE/50K | 00803-SU | Bare-spiral | E2624 (Medium) | CFL | | 880 | 13 | N/A | 10000 | 5000 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS13JE/65K | 00804-SU | Bare-spiral | E2624 (Medium) | CFL | | 840 | 13 | N/A | 10000 | 6500 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS15E/27K | 00615-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | | 2 | 1/24/07 |
| Sunshine Lighting | Sunlite | SMS18E/27K | 00647-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 2 | 3/12/09 |
| Sunshine Lighting | Sunlite | SMS18E/41K | 00648-SU | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | | 2 | 3/12/09 |
| Sunshine Lighting | Sunlite | SMS18E/50K | 00810-SU | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS18JE/35K | 00811-SU | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 3500 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS18JE/41K | 00812-SU | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 18 | N/A | 10000 | 4100 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS18JE/50K | 00813-SU | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 5000 | | 1 | 1/12/11 |
| Sunshine Lighting | Sunlite | SMS18JE/65 | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|-------------|--------------|--------------------------|-------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL23T3 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 2/3/09 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-23W | SSL-23 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 7 | 7/20/07 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-23WH/L | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1400 | 23 | N/A | 10000 | 2700 | | 2 | 6/9/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-23WH/L | 4-pack | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 9/13/07 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-R40-23W | | Covered reflector | E26/24 (Medium) | CFL | | 930 | 23 | N/A | 6000 | 2700 | | 2 | 4/28/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T2113W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | | 2 | 5/7/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T2114W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 6/23/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T2220W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 1/22/09 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T2223W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 10000 | 2700 | | 2 | 1/22/09 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T219W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 8000 | 2700 | | 2 | 6/23/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T3113W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 8/13/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T320W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 8/13/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T323W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 8/13/08 |
| Sun & Stars Lighting, Inc. | Sun & Stars | SSL-T440W | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 10000 | 2700 | | 2 | 3/31/11 |
| SUPERVALU, Inc. | HomeLife | 44752 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 7/6/09 |
| SUPERVALU, Inc. | HomeLife | 44763 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 8/8/09 |
| SUPERVALU, Inc. | HomeLife | 45648 | 45648 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 7/6/09 |
| SUPERVALU, Inc. | HomeLife | 46241 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 8/8/09 |
| SUPERVALU, Inc. | HomeLife | 46243 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 7/6/09 |
| Technical Consumer Products, Inc. | DuraBright | 118D689143 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 3/8/11 |
| Technical Consumer Products, Inc. | DuraBright | 68909 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.59 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68909 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 600 | 9.0 | N/A | 10000 | 2700 | | 7 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 68914 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68914 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14.0 | N/A | 10000 | 2700 | 0.58 | 6 | 5/25/03 |
| Technical Consumer Products, Inc. | DuraBright | 689142 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 12/16/03 |
| Technical Consumer Products, Inc. | DuraBright | 689142 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 9/12/08 |
| Technical Consumer Products, Inc. | DuraBright | 689143 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68914B10 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 9/22/10 |
| Technical Consumer Products, Inc. | DuraBright | 68914B2 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 4/8/09 |
| Technical Consumer Products, Inc. | DuraBright | 68914B6 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 4/8/09 |
| Technical Consumer Products, Inc. | DuraBright | 68914DL | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 68914DL3 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 68914DLB | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 2 | 4/8/09 |
| Technical Consumer Products, Inc. | DuraBright | 68919 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.6 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68919 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19.0 | N/A | 10000 | 2700 | | 6 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 689192 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19.0 | N/A | 10000 | 2700 | 0.6 | 9 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 68919DL | 68919DL2 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 5000 | 0.6 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 8/13/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 12/16/03 |
| Technical Consumer Products, Inc. | DuraBright | 689232 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 8/13/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923B10 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 2/23/11 |
| Technical Consumer Products, Inc. | DuraBright | 68923B2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/7/09 |
| Technical Consumer Products, Inc. | DuraBright | 68923B4 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/7/09 |
| Technical Consumer Products, Inc. | DuraBright | 68923DIM | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Dimmable | 1400 | 23 | N/A | 10000 | 2700 | | 9 | 8/12/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923DL | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.62 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923DL2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.62 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 68923DLB | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 4/7/09 |
| Technical Consumer Products, Inc. | DuraBright | 68932 | | Bare-spiral | E26/24 (Medium) | CFL | | 2100 | 32 | N/A | 10000 | 2700 | | 2 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 68942 | | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 9 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 68942 | | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42.0 | N/A | 10000 | 2700 | | 6 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 689T132 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 9 | 3/8/11 |
| Technical Consumer Products, Inc. | DuraBright | 69014 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | 0.63 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 690143 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | 0.63 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 690192 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 3500 | 0.59 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 69023 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | 0.6 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 690232 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | 0.6 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | DuraBright | 69032 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 14/20/32 | 10000 | 2700 | | 9 | 4/24/09 |
| Technical Consumer Products, Inc. | DuraBright | 69032B | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 14/19/32 | 10000 | 2700 | | 9 | 7/31/09 |
| Technical Consumer Products, Inc. | DuraBright | 69114 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 6 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 691142 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 6 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 691143 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 1 | 2/23/11 |
| Technical Consumer Products, Inc. | DuraBright | 69114BW2 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | | 7 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 694092 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 69409B2 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 4/7/09 |
| Technical Consumer Products, Inc. | DuraBright | 69414 | | Covered A-line | E26/24 (Medium) | CFL | | 700 | 14.0 | N/A | 8000 | 2700 | | 7 | 4/4/07 |
| Technical Consumer Products, Inc. | DuraBright | 69414 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 9 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 694142 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 9 | 10/7/08 |
| Technical Consumer Products, Inc. | DuraBright | 694143 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 9 | 2/23/11 |
| Technical Consumer Products, Inc. | DuraBright | 69414B2 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/7/09 |
| Technical Consumer Products, Inc. | DuraBright | 6R3014 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14.0 | N/A | 8000 | 2700 | | 7 | 1/13/06 |
| Technical Consumer Products, Inc. | DuraBright | 6R30142 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14.0 | N/A | 8000 | 2700 | | 7 | 1/13/06 |
| Technical Consumer Products, Inc. | DuraBright | 6R3014B2 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | 0.6 | 7 | 1/8/10 |
| Technical Consumer Products, Inc. | DuraBright | 6R3014B4 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 9/9/10 |
| Technical Consumer Products, Inc. | DuraBright | 6T213B2 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 9 | 6/9/09 |
| Technical Consumer Products, Inc. | DuraBright | 6T223B2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 6/9/09 |
| Technical Consumer Products, Inc. | DuraBright | 76023 | 760232 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 1 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 760232 | 760232 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 1 | 6/15/03 |
| Technical Consumer Products, Inc. | DuraBright | 760232 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 9 | 12/20/04 |
| Technical Consumer Products, Inc. | DuraBright | 7P3823 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 12/1/06 |
| Technical Consumer Products, Inc. | DuraBright | 7P3823B2 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 6/11/09 |
| Technical Consumer Products, Inc. | Dura | | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|------------------|--------------|-------------------------------|-------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Technical Consumer Products, Inc. | Fresh2 | 689142F2 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 1/25/12 |
| Technical Consumer Products, Inc. | Fresh2 | 68914F2 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 10/12/11 |
| Technical Consumer Products, Inc. | Fresh2 | 68923F2 | 689232F2 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 10/5/11 |
| Technical Consumer Products, Inc. | Lightstyles | 689232B | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/17/12 |
| Technical Consumer Products, Inc. | OUC | 8010190UC | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.59 | 2 | 6/8/10 |
| Technical Consumer Products, Inc. | Ribbon Nutrition | RH10027 | RH10027, RH10027S | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 8/17/07 |
| Technical Consumer Products, Inc. | Ribbon Nutrition | RH7527 | RH7527 | Covered reflector | E26/24 (Medium) | CFL | | 650 | 16 | N/A | 8000 | 2700 | | 7 | 8/17/07 |
| Technical Consumer Products, Inc. | Spring Light | 801009 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Technical Consumer Products, Inc. | Spring Light | 8010093 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | | 9 | 11/5/07 |
| Technical Consumer Products, Inc. | Spring Light | 801009353 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 440 | 9 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 80100941 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 5000 | 0.6 | 1 | 1/15/10 |
| Technical Consumer Products, Inc. | Spring Light | 80100950 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 5000 | 0.6 | 9 | 3/9/09 |
| Technical Consumer Products, Inc. | Spring Light | 801009503 | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 10000 | 5000 | 0.6 | 9 | 3/9/09 |
| Technical Consumer Products, Inc. | Spring Light | 801014 | 8010143, 80143 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 11/25/08 |
| Technical Consumer Products, Inc. | Spring Light | 8010143 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 11/5/07 |
| Technical Consumer Products, Inc. | Spring Light | 80101435 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 11/5/07 |
| Technical Consumer Products, Inc. | Spring Light | 80101441 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 4100 | | 9 | 6/12/08 |
| Technical Consumer Products, Inc. | Spring Light | 801014413 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 4100 | | 9 | 2/23/11 |
| Technical Consumer Products, Inc. | Spring Light | 80101450 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | | 9 | 10/3/08 |
| Technical Consumer Products, Inc. | Spring Light | 801014503 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 10/3/08 |
| Technical Consumer Products, Inc. | Spring Light | 801014GP | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 7/23/09 |
| Technical Consumer Products, Inc. | Spring Light | 801019 | | Bare-spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Technical Consumer Products, Inc. | Spring Light | 8010193 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 2700 | | 9 | 11/27/07 |
| Technical Consumer Products, Inc. | Spring Light | 80101935 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 3500 | | 9 | 3/6/09 |
| Technical Consumer Products, Inc. | Spring Light | 801019353 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 10000 | 3500 | | 1 | 3/6/09 |
| Technical Consumer Products, Inc. | Spring Light | 80101941 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 4100 | 0.59 | 2 | 1/15/10 |
| Technical Consumer Products, Inc. | Spring Light | 801019413 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 4100 | 0.59 | 2 | 1/15/10 |
| Technical Consumer Products, Inc. | Spring Light | 80101950 | 801019503 | Bare-spiral | E26/24 (Medium) | CFL | | 1225 | 19 | N/A | 10000 | 5000 | | 9 | 9/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 801023 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 1/7/08 |
| Technical Consumer Products, Inc. | Spring Light | 8010232FE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 9/15/09 |
| Technical Consumer Products, Inc. | Spring Light | 8010233 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 11/5/07 |
| Technical Consumer Products, Inc. | Spring Light | 80102335 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | | 1 | 11/25/08 |
| Technical Consumer Products, Inc. | Spring Light | 801023353 | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 1 | 11/25/08 |
| Technical Consumer Products, Inc. | Spring Light | 80102341 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.6 | 1 | 12/21/09 |
| Technical Consumer Products, Inc. | Spring Light | 801023413 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.6 | 1 | 12/21/09 |
| Technical Consumer Products, Inc. | Spring Light | 80102350 | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 5000 | | 9 | 10/3/08 |
| Technical Consumer Products, Inc. | Spring Light | 801023503 | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 5000 | | 9 | 10/3/08 |
| Technical Consumer Products, Inc. | Spring Light | 801027 | 801027, 8010273 | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | | 9 | 1/11/08 |
| Technical Consumer Products, Inc. | Spring Light | 801027 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | | 9 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 8010273 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | | 9 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 80102739K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1850 | 27 | N/A | 10000 | 3500 | | 2 | 1/15/10 |
| Technical Consumer Products, Inc. | Spring Light | 80102750 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 5000 | 0.59 | 9 | 3/9/09 |
| Technical Consumer Products, Inc. | Spring Light | 801027503 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 5000 | 0.59 | 9 | 3/9/09 |
| Technical Consumer Products, Inc. | Spring Light | 8011412 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.63 | 2 | 2/16/10 |
| Technical Consumer Products, Inc. | Spring Light | 8012312 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.63 | 2 | 2/16/10 |
| Technical Consumer Products, Inc. | Spring Light | 8012712 | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 2700 | 0.61 | 2 | 2/16/10 |
| Technical Consumer Products, Inc. | Spring Light | 8014353 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8014353PGE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8014353SCE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8014353PGE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 801435SCE | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 80143SMUD | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 801832 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1950 | N/A | 14/19/32 | 10000 | 2700 | | 9 | 5/13/09 |
| Technical Consumer Products, Inc. | Spring Light | 80193 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 80193PGE | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 80193SCE | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 80193SMUD | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 802014 | | Covered reflector | E26/24 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 8020142 | | Covered reflector | E26/24 (Medium) | CFL | | 495 | 14 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 80233 | 80233PGE, 80233SMUD, 80233SCE | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 2/26/08 |
| Technical Consumer Products, Inc. | Spring Light | 8023353 | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8023353PGE | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8023353SCE | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8023353SMUD | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 803014 | 8030142 | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 8030142 | 8030142 | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 80301435 | | Covered reflector | E26/24 (Medium) | CFL | | 600 | 14 | N/A | 8000 | 3500 | 0.63 | 9 | 11/25/08 |
| Technical Consumer Products, Inc. | Spring Light | 804023 | | Covered reflector | E26/24 (Medium) | CFL | | 1150 | 23 | N/A | 8000 | 2700 | | 7 | 3/17/10 |
| Technical Consumer Products, Inc. | Spring Light | 804023 | | Covered reflector | E26/24 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 805023 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 8050232 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 1/23/08 |
| Technical Consumer Products, Inc. | Spring Light | 8060092 | | Covered globe | E26/24 (Medium) | CFL | | 525 | 9 | N/A | 8000 | 2700 | 0.54 | 7 | 6/18/08 |
| Technical Consumer Products, Inc. | Spring Light | 806009352 | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 3500 | 0.6 | 7 | 5/7/09 |
| Technical Consumer Products, Inc. | Spring Light | 8060142 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 11/6/07 |
| Technical Consumer Products, Inc. | Spring Light | 806142 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 806142PGE | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 806142SCE | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 806142SMUD | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/28/08 |
| Technical Consumer Products, Inc. | Spring Light | 8070092 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 1/10/08 |
| Technical Consumer Products, Inc. | Spring Light | 8070092 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700</ | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|-------|--------------|--------------------------|-------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Technical Consumer Products, Inc. | TCP | 11309 | | Covered A-line | E26/24 (Medium) | CFL | | 475 | 9.0 | N/A | 8000 | 2700 | | 1 | 7/24/02 |
| Technical Consumer Products, Inc. | TCP | 11316 | | Covered A-line | E26/24 (Medium) | CFL | | 900 | 18.0 | N/A | 8000 | 2700 | 0.62 | 1 | 3/8/09 |
| Technical Consumer Products, Inc. | TCP | 1131631K | | Covered A-line | E26/24 (Medium) | CFL | | 900 | 16 | N/A | 8000 | 3000 | 0.62 | 1 | 7/7/09 |
| Technical Consumer Products, Inc. | TCP | 11319 | | Covered A-line | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 2700 | 0.61 | 7 | 7/17/08 |
| Technical Consumer Products, Inc. | TCP | 1131931K | | Covered A-line | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 3000 | 0.6 | 1 | 7/7/09 |
| Technical Consumer Products, Inc. | TCP | 18220 | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 20.0 | N/A | 10000 | 2700 | | 1 | 7/13/01 |
| Technical Consumer Products, Inc. | TCP | 18911 | 98911 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 650 | 11.0 | N/A | 10000 | 2700 | 0.6 | 1 | 6/20/01 |
| Technical Consumer Products, Inc. | TCP | 18919 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19.0 | N/A | 10000 | 2700 | | 2 | 6/12/02 |
| Technical Consumer Products, Inc. | TCP | 19032 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 141/9/32 | 10000 | 2700 | 0.57 | 1 | 1/19/08 |
| Technical Consumer Products, Inc. | TCP | 1903239K | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2500 | N/A | 141/9/32 | 10000 | 3500 | 0.57 | 2 | 9/22/10 |
| Technical Consumer Products, Inc. | TCP | 1ES13 | 1ES131P | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.23 | N/A | 10000 | 2700 | 0.63 | 9 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1ES133 | 1ES133 | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.0 | N/A | 10000 | 2700 | 0.63 | 2 | 4/27/11 |
| Technical Consumer Products, Inc. | TCP | 1ES13360 | 1ES13360 | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.0 | N/A | 10000 | 2700 | 0.63 | 2 | 6/20/11 |
| Technical Consumer Products, Inc. | TCP | 1ES233 | 1ES233 | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.61 | 2 | 6/17/11 |
| Technical Consumer Products, Inc. | TCP | 1ES23336 | 1ES23336 | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.61 | 2 | 6/17/11 |
| Technical Consumer Products, Inc. | TCP | 1G2504 | | Bare-spiral | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | 0.61 | 1 | 6/25/09 |
| Technical Consumer Products, Inc. | TCP | 1G2509 | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9.0 | N/A | 8000 | 2700 | | 1 | 6/13/02 |
| Technical Consumer Products, Inc. | TCP | 1G250931K | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 3000 | 0.61 | 1 | 3/9/09 |
| Technical Consumer Products, Inc. | TCP | 1G250935K | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 3500 | 0.6 | 1 | 5/7/09 |
| Technical Consumer Products, Inc. | TCP | 1G250941K | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 4100 | 0.6 | 1 | 9/9/10 |
| Technical Consumer Products, Inc. | TCP | 1G250951K | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 2700 | 0.6 | 7 | 6/25/09 |
| Technical Consumer Products, Inc. | TCP | 1G300935K | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 3500 | 0.61 | 7 | 9/23/10 |
| Technical Consumer Products, Inc. | TCP | 1G300941K | | Covered globe | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 4100 | 0.61 | 1 | 1/21/10 |
| Technical Consumer Products, Inc. | TCP | 1G3014 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | 0.61 | 1 | 7/24/02 |
| Technical Consumer Products, Inc. | TCP | 1G301431K | 1G301431K | Covered globe | E26/24 (medium) | CFL | | 800 | 14.74 | N/A | 8000 | 3000 | 0.61 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1G301431K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3000 | 0.61 | 1 | 12/8/10 |
| Technical Consumer Products, Inc. | TCP | 1G301451K | 1G301451K | Covered globe | E26/24 (medium) | CFL | | 800 | 14.85 | N/A | 8000 | 5000 | 0.62 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1G301451K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | 0.64 | 1 | 12/15/10 |
| Technical Consumer Products, Inc. | TCP | 1G3019 | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 2700 | 0.6 | 2 | 11/25/08 |
| Technical Consumer Products, Inc. | TCP | 1G301931K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 3000 | 0.6 | 1 | 12/1/09 |
| Technical Consumer Products, Inc. | TCP | 1G301935K | 1G301935K | Covered globe | E26/24 (medium) | CFL | | 1100 | 19.0 | N/A | 8000 | 3500 | 0.61 | 7 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 1G301941K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 4100 | 0.61 | 1 | 12/2/10 |
| Technical Consumer Products, Inc. | TCP | 1G301951K | 1G301951K | Covered globe | E26/24 (medium) | CFL | | 1000 | 19.32 | N/A | 8000 | 5000 | 0.61 | 1 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 1G301951K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 5000 | | 1 | 12/16/10 |
| Technical Consumer Products, Inc. | TCP | 1G302341K | 1G302341K | Covered globe | E26/24 (medium) | CFL | | 1300 | 23.0 | N/A | 8000 | 4100 | 0.62 | 1 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 1G401431K | | Covered globe | E26/24 (Medium) | CFL | | 875 | 14 | N/A | 8000 | 3000 | 0.62 | 1 | 1/21/10 |
| Technical Consumer Products, Inc. | TCP | 1G401435K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.61 | 1 | 10/6/10 |
| Technical Consumer Products, Inc. | TCP | 1G401441K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 4100 | 0.62 | 1 | 10/6/10 |
| Technical Consumer Products, Inc. | TCP | 1G401451K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | | 1 | 10/1/10 |
| Technical Consumer Products, Inc. | TCP | 1G4019 | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 2700 | 0.61 | 1 | 12/1/09 |
| Technical Consumer Products, Inc. | TCP | 1G401931K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 3000 | 0.61 | 1 | 1/25/10 |
| Technical Consumer Products, Inc. | TCP | 1G401935K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 3500 | 0.61 | 1 | 12/1/09 |
| Technical Consumer Products, Inc. | TCP | 1G401941K | | Covered globe | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 4100 | 0.61 | 1 | 11/22/10 |
| Technical Consumer Products, Inc. | TCP | 1G401951K | 1G401951K | Covered globe | E26/24 (medium) | CFL | | 1000 | 19.32 | N/A | 8000 | 5000 | 0.61 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1G402341K | 1G402341K | Covered globe | E26/24 (medium) | CFL | | 1400 | 23.0 | N/A | 8000 | 4100 | 0.62 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1P3016 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | 0.55 | 1 | 12/3/10 |
| Technical Consumer Products, Inc. | TCP | 1P301651K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 5000 | 0.61 | 1 | 12/3/10 |
| Technical Consumer Products, Inc. | TCP | 1P3816 | | Covered reflector | E26/24 (Medium) | CFL | | 850 | 16.0 | N/A | 8000 | 2700 | 0.62 | 1 | 11/25/08 |
| Technical Consumer Products, Inc. | TCP | 1P381631K | | Covered reflector | E26/24 (Medium) | CFL | | 850 | 16 | N/A | 8000 | 3000 | 0.55 | 1 | 10/22/09 |
| Technical Consumer Products, Inc. | TCP | 1P381641K | | Covered reflector | E26/24 (Medium) | CFL | | 850 | 16 | N/A | 8000 | 4100 | 0.61 | 1 | 11/2/09 |
| Technical Consumer Products, Inc. | TCP | 1P3823 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | 0.61 | 1 | 10/11/04 |
| Technical Consumer Products, Inc. | TCP | 1P382335K | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3500 | 0.56 | 1 | 10/25/10 |
| Technical Consumer Products, Inc. | TCP | 1R2009 | | Covered reflector | E26/24 (Medium) | CFL | | 400 | 9 | N/A | 8000 | 2700 | | 1 | 8/1/05 |
| Technical Consumer Products, Inc. | TCP | 1R200931K | | Covered reflector | E26/24 (Medium) | CFL | | 300 | 9 | N/A | 8000 | 3000 | 0.59 | 1 | 12/22/10 |
| Technical Consumer Products, Inc. | TCP | 1R2014 | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14.0 | N/A | 8000 | 2700 | 0.59 | 1 | 7/24/02 |
| Technical Consumer Products, Inc. | TCP | 1R201431K | | Covered reflector | E26/24 (Medium) | CFL | | 450 | 14 | N/A | 8000 | 3000 | 0.59 | 1 | 12/2/10 |
| Technical Consumer Products, Inc. | TCP | 1R201441K | | Covered reflector | E26/24 (Medium) | CFL | | 450 | 14 | N/A | 8000 | 4100 | 0.59 | 1 | 5/13/09 |
| Technical Consumer Products, Inc. | TCP | 1R4016 | 6R4016 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16.0 | N/A | 8000 | 2700 | 0.56 | 1 | 11/24/08 |
| Technical Consumer Products, Inc. | TCP | 1R4019 | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19.0 | N/A | 8000 | 2700 | | 1 | 6/13/02 |
| Technical Consumer Products, Inc. | TCP | 1R401935K | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 3500 | 0.61 | 1 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP | 1R4023 | | Covered reflector | E26/24 (Medium) | CFL | | 1150 | 23 | N/A | 8000 | 2700 | 0.62 | 1 | 10/11/04 |
| Technical Consumer Products, Inc. | TCP | 1T2004 | | Covered-post | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | | 1 | 9/1/04 |
| Technical Consumer Products, Inc. | TCP | 1T200451K | | Covered-post | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 5000 | 0.58 | 1 | 1/15/10 |
| Technical Consumer Products, Inc. | TCP | 1T2009 | | Covered-post | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 2700 | 0.62 | 1 | 7/23/09 |
| Technical Consumer Products, Inc. | TCP | 1T200941K | | Covered-post | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 4100 | 0.6 | 1 | 1/8/10 |
| Technical Consumer Products, Inc. | TCP | 1T200951K | | Covered-post | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 5000 | 0.61 | 1 | 12/2/10 |
| Technical Consumer Products, Inc. | TCP | 1T2014 | | Covered-post | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.55 | 7 | 6/11/08 |
| Technical Consumer Products, Inc. | TCP | 1T201441K | | Covered-post | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 4100 | 0.61 | 1 | 11/22/10 |
| Technical Consumer Products, Inc. | TCP | 1T201451K | | Covered-post | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | 0.61 | 1 | 12/2/10 |
| Technical Consumer Products, Inc. | TCP | 1T2409 | | Covered-post | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 2700 | 0.61 | 7 | 5/23/08 |
| Technical Consumer Products, Inc. | TCP | 1T2414 | | Covered-post | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 2700 | 0.61 | 1 | 3/9/09 |
| Technical Consumer Products, Inc. | TCP | 1T241431K | | Covered-post | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 3000 | 0.6 | 1 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP | 1T241441K | | Covered-post | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 8000 | 4100 | 0.61 | 1 | 10/15/10 |
| Technical Consumer Products, Inc. | TCP | 1T2419 | | Covered-post | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 2700 | 0.59 | 1 | 8/24/10 |
| Technical Consumer Products, Inc. | TCP | 1T241931K | 1T241931K | Covered-post | E26/24 (medium) | CFL | | 1000 | 19.0 | N/A | 8000 | 3000 | 0.6 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 1T241935K | | Covered-post | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 8000 | 3500 | 0.6 | 1 | 1/15/10 |
| Technical Consumer Products, Inc. | TCP | 1T241941K | 1T241941K 1.6MG HG | Covered-post | E26/24 (medium) | CFL | | 1100 | 19.0 | N/A | 8000 | 4100 | 0.6 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 21314 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 1 | 10/18/06 |
| Technical Consumer Products, Inc. | TCP | 2131431K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3000 | 0.61 | 2 | 9/21/09 |
| Technical Consumer Products, Inc. | TCP | 2131435K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.61 | 2 | 12/15/08 |
| Technical Consumer Products, Inc. | TCP | 2131441K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 4100 | 0.6 | 1 | 3/9/09 |
| Technical Consumer Products, Inc. | TCP | 2131465K | | Covered A-line | E26/24 (Medium) | CFL | | 750 | 14 | N/A | 8000 | 6500 | 0.61 | 1 | 10/22/09 |
| Technical Consumer Products, Inc. | TCP | 21314PERM | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.6 | 1 | 9/17/07 |
| Technical Consumer Products, Inc. | TCP | 28904 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | | 1 | 12/1/04 |
| Technical Consumer Products, Inc. | TCP | 289047 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 250 | 4 | N/A | 8000 | 2700 | 0.61 | 1 | 12/20/04 |
| Technical Consumer Products, Inc. | TCP | 28909 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | | 2 | 9/28/05 |
| Technical Consumer Products, Inc. | TCP | 2890951K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 12000 | 5000 | | 9 | 3/17/10 |
| Technical Consumer Products, Inc. | TCP | 28913 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.6 | 1 | 11/25/08 |
| Technical Consumer Products, Inc. | TCP | 28914F2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 2700 | | 1 | 8/7/09 |
| Technical Consumer Products, Inc. | TCP | 28918 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|-------|----------------|--------------------------|-------------------|------------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Technical Consumer Products, Inc. | TCP | 2891835K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 12000 | 3500 | 0.59 | 1 | 5/13/09 |
| Technical Consumer Products, Inc. | TCP | 2891835K | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 3500 | | 1 | 9/23/08 |
| Technical Consumer Products, Inc. | TCP | 2891850K | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | 5000 | | 1 | 9/23/08 |
| Technical Consumer Products, Inc. | TCP | 2891851K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 12000 | 5000 | 0.59 | 1 | 4/15/09 |
| Technical Consumer Products, Inc. | TCP | 28923 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 2 | 11/22/03 |
| Technical Consumer Products, Inc. | TCP | 2892335K | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 12000 | 3500 | 0.61 | 1 | 9/23/08 |
| Technical Consumer Products, Inc. | TCP | 2892341K | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 12000 | 4100 | 0.6 | 1 | 4/9/09 |
| Technical Consumer Products, Inc. | TCP | 28923F2 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 1 | 7/31/09 |
| Technical Consumer Products, Inc. | TCP | 28927M | | Bare-spiral | E26/24 (Medium) | CFL | | 1850 | 27 | N/A | 10000 | 2700 | | 2 | 12/28/04 |
| Technical Consumer Products, Inc. | TCP | 28927M31K | | Bare-spiral | E26/24 (Medium) | CFL | | 1850 | 27 | N/A | 12000 | 3000 | 0.57 | 1 | 4/9/09 |
| Technical Consumer Products, Inc. | TCP | 28927M35K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1850 | 27 | N/A | 12000 | 3500 | 0.57 | 1 | 1/13/10 |
| Technical Consumer Products, Inc. | TCP | 28930M | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2000 | 30 | N/A | 10000 | 2700 | 0.59 | 1 | 5/14/09 |
| Technical Consumer Products, Inc. | TCP | 28942 | | Bare-spiral | E26/24 (Medium) | CFL | | 2700 | 42 | N/A | 10000 | 2700 | 0.59 | 2 | 6/18/08 |
| Technical Consumer Products, Inc. | TCP | 28942M | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | 0.6 | 1 | 10/29/09 |
| Technical Consumer Products, Inc. | TCP | 28968 | | Bare-spiral | E26/24 (Medium) | CFL | | 4200 | 68 | N/A | 10000 | 2700 | 0.61 | 1 | 6/25/09 |
| Technical Consumer Products, Inc. | TCP | 28968RP | | Bare-spiral | E26/24 (Medium) | CFL | | 4200 | 68 | N/A | 10000 | 2700 | 0.6 | 9 | 15/12 |
| Technical Consumer Products, Inc. | TCP | 2G2514 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 7 | 10/18/06 |
| Technical Consumer Products, Inc. | TCP | 2G251431K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3000 | 0.61 | 1 | 7/21/10 |
| Technical Consumer Products, Inc. | TCP | 2G251435K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.61 | 1 | 9/19/08 |
| Technical Consumer Products, Inc. | TCP | 2G251451K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | 0.61 | 1 | 8/17/10 |
| Technical Consumer Products, Inc. | TCP | 2G2514PERM | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.61 | 7 | 12/21/11 |
| Technical Consumer Products, Inc. | TCP | 2P3819 | | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 19.0 | N/A | 8000 | 2700 | 0.61 | 2 | 1/21/10 |
| Technical Consumer Products, Inc. | TCP | 2P381935K | | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 19 | N/A | 8000 | 3500 | | 1 | 9/8/10 |
| Technical Consumer Products, Inc. | TCP | 2P381941K | | Covered reflector | E26/24 (Medium) | CFL | | 1000 | 19 | N/A | 8000 | 4100 | 0.59 | 1 | 12/21/09 |
| Technical Consumer Products, Inc. | TCP | 2R3014 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | 0.63 | 1 | 14/12 |
| Technical Consumer Products, Inc. | TCP | 2R301435K | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 3500 | 0.63 | 7 | 11/25/08 |
| Technical Consumer Products, Inc. | TCP | 2R301451K | 2R301451K | Covered reflector | E26/24 (medium) | CFL | | 650 | 14.0 | N/A | 8000 | 5000 | 0.63 | 7 | 4/6/12 |
| Technical Consumer Products, Inc. | TCP | 2R3014 BULK 48 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14.0 | N/A | 8000 | 2700 | | 1 | 7/8/05 |
| Technical Consumer Products, Inc. | TCP | 2R3016 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16.0 | N/A | 8000 | 2700 | 0.55 | 1 | 12/30/05 |
| Technical Consumer Products, Inc. | TCP | 2R301631K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3000 | 0.61 | 1 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP | 2R301635K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 3500 | 0.61 | 1 | 1/21/10 |
| Technical Consumer Products, Inc. | TCP | 2R301641K | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 4100 | 0.62 | 1 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP | 2R301651K | 2R301651K | Covered reflector | E26/24 (medium) | CFL | | 700 | 16.0 | N/A | 8000 | 5000 | 0.54 | 1 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 2R3016DIM | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 650 | 16 | N/A | 8000 | 2700 | 0.96 | 1 | 6/28/10 |
| Technical Consumer Products, Inc. | TCP | 2R3016DIM35K | 2R3016DIM35K | Covered reflector | E26/24 (medium) | CFL | Dimmable | 600 | 16.0 | N/A | 8000 | 3500 | 0.96 | 7 | 9/8/11 |
| Technical Consumer Products, Inc. | TCP | 2R3016DIM35K | 2R3016DIM35K | Covered reflector | E26/24 (medium) | CFL | Dimmable | 600 | 16.0 | N/A | 8000 | 3500 | 0.96 | 7 | 7/28/11 |
| Technical Consumer Products, Inc. | TCP | 33113SP35K | 33113SP35K | Bare-spiral | GU24 | CFL | | 750 | 13.0 | N/A | 10000 | 3500 | 0.6 | 3 | 11/30/11 |
| Technical Consumer Products, Inc. | TCP | 40114 | 40114 | Bare-spiral | E26/24 (medium) | CFL | | 850 | 14.0 | N/A | 10000 | 2700 | 0.93 | 1 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 4011435K | 4011435K | Bare-spiral | E26/24 (medium) | CFL | Dimmable | 850 | 14.2 | N/A | 12000 | 3500 | 0.94 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 4012335K | 4012335K | Bare-spiral | E26/24 (medium) | CFL | Dimmable | 1400 | 23.29 | N/A | 10000 | 3500 | 0.96 | 2 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 4012341K | 4012341K | Bare-spiral | E26/24 (medium) | CFL | Dimmable | 1400 | 23.41 | N/A | 10000 | 4100 | 0.96 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 48805 | | Bare-spiral | E26/24 (Medium) | CFL | | 300 | 5 | N/A | 12000 | 2700 | 0.62 | 2 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP | 48905C | 48905C | Bare-spiral | E26/24 (medium) | CFL | | 300 | 5.24 | N/A | 12000 | 2700 | 0.62 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 4890935K | 4890935K | Bare-spiral | E26/24 (medium) | CFL | | 600 | 9.0 | N/A | 12000 | 3500 | 0.6 | 2 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 48909C | 48909C | Bare-spiral | E26/24 (medium) | CFL | | 600 | 9.0 | N/A | 12000 | 2700 | 0.61 | 2 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 4891850K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 12000 | 5000 | 0.6 | 2 | 8/17/10 |
| Technical Consumer Products, Inc. | TCP | 4892335K | 4892335K | Bare-spiral | E26/24 (medium) | CFL | | 1650 | 23.5 | N/A | 12000 | 3500 | 0.62 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 4892341K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 4100 | 0.61 | 2 | 8/17/10 |
| Technical Consumer Products, Inc. | TCP | 4892350K | 4892350K | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 5000 | 0.59 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | 48923US | 48923US, 48923US12 | Bare-spiral | E26/24 (medium) | CFL | | 1650 | 23.0 | N/A | 12000 | 2700 | 0.62 | 11 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 4G2514 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.64 | 1 | 7/7/09 |
| Technical Consumer Products, Inc. | TCP | 4G2514A35K | 4G2514A35K | Covered-Globe | Medium E26/24 (medium) | CFL | | 800 | 14.0 | N/A | 8000 | 3500 | 0.64 | 7 | 7/6/11 |
| Technical Consumer Products, Inc. | TCP | 4R3014 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 1 | 7/7/09 |
| Technical Consumer Products, Inc. | TCP | 4R3014A30K | 4R3014A30K | Covered reflector | E26/24 (medium) | CFL | | 650 | 14.0 | N/A | 8000 | 3000 | 0.59 | 7 | 9/8/11 |
| Technical Consumer Products, Inc. | TCP | 4R3014A35K | 62148 | Covered reflector | E26/24 (medium) | CFL | | 650 | 14.0 | N/A | 8000 | 3500 | 0.59 | 7 | 3/12/12 |
| Technical Consumer Products, Inc. | TCP | 4T209 | 4T209 | Bare-spiral | E26/24 (medium) | CFL | | 550 | 9.0 | N/A | 8000 | 5000 | 0.54 | 11 | 4/13/12 |
| Technical Consumer Products, Inc. | TCP | 4T213 | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 1 | 7/31/09 |
| Technical Consumer Products, Inc. | TCP | 4T21335K | 4T21335K, 6PT213BWC | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.0 | N/A | 12000 | 3500 | 0.62 | 2 | 3/21/11 |
| Technical Consumer Products, Inc. | TCP | 4T21341K | 4T21341K | Bare-spiral | E26/24 (medium) | CFL | | 750 | 14.0 | N/A | 12000 | 4100 | 0.56 | 11 | 4/13/12 |
| Technical Consumer Products, Inc. | TCP | 4T213C35K | 4T213C35K | Bare-spiral | E26/24 (medium) | CFL | | 800 | 13.0 | N/A | 12000 | 3500 | 0.63 | 2 | 4/14/11 |
| Technical Consumer Products, Inc. | TCP | 4T223 | | Bare-spiral | E26/24 (Medium) | CFL | | 1625 | 23 | N/A | 12000 | 2700 | | 1 | 7/31/09 |
| Technical Consumer Products, Inc. | TCP | 5A8092 | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | 0.61 | 2 | 12/5/08 |
| Technical Consumer Products, Inc. | TCP | 50814235K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.6 | 2 | 12/15/08 |
| Technical Consumer Products, Inc. | TCP | 5M819 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.6 | 2 | 12/15/08 |
| Technical Consumer Products, Inc. | TCP | 5M82750K | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 6000 | 0.58 | 2 | 12/15/08 |
| Technical Consumer Products, Inc. | TCP | 688092 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 2/13/12 |
| Technical Consumer Products, Inc. | TCP | 689093 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.59 | 9 | 8/20/08 |
| Technical Consumer Products, Inc. | TCP | 689094 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 8/30/11 |
| Technical Consumer Products, Inc. | TCP | 689144 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 12/5/11 |
| Technical Consumer Products, Inc. | TCP | 68914B24 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 8/16/11 |
| Technical Consumer Products, Inc. | TCP | 68914CWB4 | 68914CWB4, 68914CWB10 | Bare-spiral | E26/24 (medium) | CFL | | 900 | 14.0 | N/A | 10000 | 4100 | 0.63 | 9 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 68914DIM | 68914DIM | Bare-spiral | E26/24 (medium) | CFL | | 850 | 14.0 | N/A | 10000 | 2700 | 0.93 | 9 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 68914DL2 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 12/5/11 |
| Technical Consumer Products, Inc. | TCP | 68914DLB10 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 6000 | | 2 | 4/8/11 |
| Technical Consumer Products, Inc. | TCP | 68914KOMEN | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.58 | 9 | 12/21/11 |
| Technical Consumer Products, Inc. | TCP | 689193 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 2 | 3/7/12 |
| Technical Consumer Products, Inc. | TCP | 689233 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 12/15/11 |
| Technical Consumer Products, Inc. | TCP | 689234 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 12/21/11 |
| Technical Consumer Products, Inc. | TCP | 68923B24 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 9/7/11 |
| Technical Consumer Products, Inc. | TCP | 68923CWB4 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.6 | 9 | 9/14/11 |
| Technical Consumer Products, Inc. | TCP | 68923DLB10 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 3/24/11 |
| Technical Consumer Products, Inc. | TCP | 68923DLB4 | 68923DLB6 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.62 | 9 | 10/13/11 |
| Technical Consumer Products, Inc. | TCP | 68942ED | 68942ED | Bare-spiral | E26/24 (medium) | CFL | | 2900 | 42.0 | N/A | 10000 | 2700 | 0.59 | 9 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 68968 | | Bare-spiral | E26/24 (Medium) | CFL | | 4200 | 68 | N/A | 10000 | 2700 | | 2 | 3/20/12 |
| Technical Consumer Products, Inc. | TCP | 689509 | 689509 | Bare-spiral | E26/24 (medium) | CFL | Dimmable | 550 | 9.0 | N/A | 12000 | 2700 | 0.6 | 11 | 9/8/11 |
| Technical Consumer Products, Inc. | TCP | 689509DL | 689509DL | Bare-spiral | E26/24 (medium) | CFL | | 550 | 9.0 | N/A | 12000 | 6000 | 0.61 | 9 | 9/8/11 |
| Technical Consumer Products, Inc. | TCP | 689514 | 689514, 6895142, 6895144 | Bare-spiral | E26/24 (medium) | CFL | | 900 | 14.0 | N/A | 12000 | 2700 | 0.63 | 11 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP | 689514BW | 689514BW | Bare-spiral | E26/24 (medium) | CFL | | 850 | 14.0 | N/A | 12000 | 3500</ | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|-----------------------------|-----------------|--------------------------|-------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Technical Consumer Products, Inc. | TCP | RLP209W30K | | | | LED | | | | # | | | | | 27/12 |
| Technical Consumer Products, Inc. | TCP | RLP3014W30K | | | | LED | | | | # | | | | | 10/10/11 |
| Technical Consumer Products, Inc. | TCP | RLP3817W30K | | | | LED | | | | # | | | | | 11/4/11 |
| Technical Consumer Products, Inc. | TCP | TCPA14IB | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 5/3/10 |
| Technical Consumer Products, Inc. | TCP | TCPA14IB2BC | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 3/11/10 |
| Technical Consumer Products, Inc. | TCP | TCPA14IBB2 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 9/15/10 |
| Technical Consumer Products, Inc. | TCP | TCPG2514IB | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 5/3/10 |
| Technical Consumer Products, Inc. | TCP | TCPG2514IB2TP | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 6/1/10 |
| Technical Consumer Products, Inc. | TCP | TCPG2514IBB2 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3014IB | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 2 | 5/3/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3014IB2 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 5/4/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3014IB2BC | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 9/22/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3014IB2TP | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 6/1/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3014IBB2 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 2 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP | TCPR3016DIM | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 650 | 16 | N/A | 8000 | 2700 | | 7 | 9/23/10 |
| Technical Consumer Products, Inc. | TCP | TCP509 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.61 | 9 | 12/30/10 |
| Technical Consumer Products, Inc. | TCP | TCP509BW | TCP509BW | Bare-spiral | E26/24 (medium) | CFL | | 550 | 9.0 | N/A | 10000 | 3500 | 0.61 | 9 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | TCP509DL | TCP509DL | Bare-spiral | E26/24 (medium) | CFL | | 550 | 9.07 | N/A | 10000 | 5000 | 0.61 | 2 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | TCP514 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.63 | 9 | 9/22/10 |
| Technical Consumer Products, Inc. | TCP | TCP514BC | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 7 | 3/11/10 |
| Technical Consumer Products, Inc. | TCP | TCP514DL | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | 0.64 | 9 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP | TCP523 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 9/8/10 |
| Technical Consumer Products, Inc. | TCP | TCP5232 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 5/4/10 |
| Technical Consumer Products, Inc. | TCP | TCP5234BC | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 3/17/10 |
| Technical Consumer Products, Inc. | TCP | TCP523BW | TCP523BW | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.6 | N/A | 10000 | 3500 | 0.62 | 9 | 3/1/11 |
| Technical Consumer Products, Inc. | TCP | TCP72134BC | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 7 | 3/11/10 |
| Technical Consumer Products, Inc. | TCP | TCP72234BC | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 7 | 3/11/10 |
| Technical Consumer Products, Inc. | TCP | UB14 BULK 48 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14.0 | N/A | 10000 | 2700 | | 1 | 4/1/04 |
| Technical Consumer Products, Inc. | TCP DuraBright | 11BD691143 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/23/11 |
| Technical Consumer Products, Inc. | TCP DuraBright | 11BD694143 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/23/11 |
| Technical Consumer Products, Inc. | TCP DuraBright | 11BD6R30143 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 7/28/11 |
| Technical Consumer Products, Inc. | TCP DuraBright | 11BD6R3016DIM2 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 16 | N/A | 8000 | 2700 | | 7 | 3/8/11 |
| Technical Consumer Products, Inc. | TCP INC | 1G4014 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.61 | 2 | 4/18/08 |
| Technical Consumer Products, Inc. | TCP Lightstyles | 69114IBB2 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.64 | 7 | 12/16/11 |
| Technical Consumer Products, Inc. | TCP Lightstyles | TCP523DIM2BC | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | 0.96 | 9 | 12/15/11 |
| Technical Consumer Products, Inc. | TCP - Powerlum | 6PT213CD | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 9 | 7/31/09 |
| Technical Consumer Products, Inc. | TCP - Pro | 2R4019DIM30K | | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 900 | 19 | N/A | 8000 | 3000 | 0.95 | 1 | 12/22/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 40114 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 850 | 14 | N/A | 10000 | 2700 | | 1 | 6/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4011430K | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 10000 | 3000 | 0.93 | 1 | 12/22/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4011441K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | | 1 | 12/21/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4011450K | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 10000 | 5000 | 0.94 | 1 | 12/22/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 40123 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | 0.96 | 1 | 6/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 41314 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.64 | 1 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4890530K | | Bare-spiral | E26/24 (Medium) | CFL | | 300 | 5 | N/A | 12000 | 3000 | 0.62 | 2 | 12/16/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 48809 | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 12000 | 2700 | 0.6 | 2 | 8/31/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4890941K | | Bare-spiral | E26/24 (Medium) | CFL | | 600 | 9 | N/A | 12000 | 4100 | 0.6 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4890965K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 6500 | 0.6 | 2 | 12/16/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 48813 | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 13 | N/A | 12000 | 2700 | 0.63 | 2 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891330K | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 13 | N/A | 12000 | 3000 | 0.63 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891333K | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 13 | N/A | 12000 | 3500 | 0.63 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4881341K | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 13 | N/A | 12000 | 4100 | 0.63 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891350K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 5000 | 0.63 | 2 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891365K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 6500 | 0.58 | 2 | 8/17/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 48813C | | Bare-spiral | E26/24 (Medium) | CFL | | 925 | 13 | N/A | 12000 | 2700 | 0.63 | 2 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 48918 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 12000 | 4100 | 0.61 | 1 | 2/16/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891830K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 12000 | 3000 | 0.6 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891835K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 12000 | 3500 | 0.58 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4891841K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 12000 | 4100 | 0.6 | 2 | 7/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 48923 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 2700 | 0.62 | 2 | 12/1/10 |
| Technical Consumer Products, Inc. | TCP - Pro | 4T213GP | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 2700 | | 2 | 7/29/11 |
| Technical Consumer Products, Inc. | TCP Pro | 4012335K | 4012335K | Bare-spiral | E26/24 (medium) | CFL | | 1450 | 23.0 | N/A | 10000 | 3500 | 0.96 | 10 | 5/9/12 |
| Technical Consumer Products, Inc. | TCP Set the Mood | 6T322DIMMSTM | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | 0.96 | 9 | 12/15/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 80100912 | | Bare-spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | | 2 | 2/18/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 80100935 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 3500 | | 9 | 2/28/08 |
| Technical Consumer Products, Inc. | TCP Springlight | 801014AAM0 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 3/24/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 801014PERM | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 5/9/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 801019PERM | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 3/14/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 801023AAM0 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 3/24/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 801023PERM | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 3/14/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 8011912 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 2 | 2/18/11 |
| Technical Consumer Products, Inc. | TCP Springlight | 806014 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 3/20/12 |
| Technical Consumer Products, Inc. | TCP Springlight | 807014 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 3/22/12 |
| Technical Consumer Products, Inc. | Technical Consumer Products | 5G8092 | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | 0.61 | 2 | 12/5/08 |
| Technical Consumer Products, Inc. | Technical Consumer Products | 5M81435K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | 0.59 | 2 | 12/5/08 |
| Technical Consumer Products, Inc. | Technical Consumer Products | 5M81935K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | 0.54 | 2 | 12/5/08 |
| Technical Consumer Products, Inc. | Technical Consumer Products | 68914DLB8 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | 0.63 | 9 | 10/25/11 |
| Test Rite International Co., Ltd. | SUNSPOT | BLQA13-T3 3500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 3500 | | 7 | 12/17/09 |
| Test Rite International Co., Ltd. | SUNSPOT | BLQA13-T3 8500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 750 | 13 | N/A | 8000 | 6500 | | 2 | 6/19/09 |
| Test Rite International Co., Ltd. | SUNSPOT | LL84352W | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 12000 | 4100 | | 2 | 1/13/11 |
| Test Rite International Co., Ltd. | SUNSPOT | LL84561W | | Bare-spiral | E26/24 (Medium) | CFL | | 1760 | 26 | N/A | 8000 | 3500 | | 2 | 1/13/11 |
| Test Rite International Co., Ltd. | SUNSPOT | LL88351G | | Covered reflector | E26/24 (Medium) | CFL | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|---------------------|-----------------------|--------------------------|------------------------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| The Home Depot | Commercial Electric | 774-707 | | Covered bullet | E26/24 (Medium) | CFL | | 700 | 14.0 | N/A | 8000 | 2700 | | 6 | 6/13/02 |
| The Home Depot | Commercial Electric | 784-374 | 784-374/3 (3-pack) | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 6 | 6/13/02 |
| The Home Depot | Commercial Electric | 835-427 | | Covered A-line | E26/24 (Medium) | CFL | | 700 | 16.0 | N/A | 6000 | 2700 | 0.62 | 1 | 2/10/02 |
| The Home Depot | ecostar | 148-030 (ESSM81935K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | 0.55 | 2 | 12/15/08 |
| The Home Depot | ecostar | 148-164 (ESSM81450K) | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 148-545 (ESSM094RS) | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.61 | 2 | 5/7/10 |
| The Home Depot | ecostar | 148-545 (ESSM094) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 149-508 | ESSM82385K | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 9 | 7/28/11 |
| The Home Depot | ecostar | 150-062 (ESSM8192) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 150-127 (ESSM81435K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 158-653 (ESSR3142) | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 158-653 (ESSR31482) | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | 0.63 | 7 | 6/1/10 |
| The Home Depot | ecostar | 159-979 (ESSP9232) | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 160-374 (ESSR31435K) | | Covered reflector | E26/24 (Medium) | CFL | | 600 | 14 | N/A | 8000 | 3500 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 160-588 | ESS9032 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 1419/32 | 10000 | 2700 | | 9 | 8/4/10 |
| The Home Depot | ecostar | 160-676 (ESSM814435K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 160-740 (ESSM82235K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 161-167 (ESSM814450K) | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 161-301 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 12/15/08 |
| The Home Depot | ecostar | 161-301 (ESSM8232) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 190-729 | ESSM819235K | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | | 9 | 9/15/10 |
| The Home Depot | ecostar | 191-055 (ESSM819250K) | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 5000 | | 9 | 12/21/09 |
| The Home Depot | ecostar | 195-981 | ESSP9886 | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 2700 | | 7 | 8/25/10 |
| The Home Depot | ecostar | 207-798 (ESSR314) | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 238-743 | ESSM814C235K | Bare-spiral | E12 (Candelabra) | CFL | | 850 | 14 | N/A | 10000 | 3500 | 0.63 | 9 | 8/17/10 |
| The Home Depot | ecostar | 238-743 | ESSM814C235K | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 3500 | 0.63 | 9 | 8/17/10 |
| The Home Depot | ecostar | 238-809 | ESSM814C250K | Bare-spiral | E12 (Candelabra) | CFL | | 900 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 9/2/10 |
| The Home Depot | ecostar | 238-809 | ESSM814C250K | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 9/2/10 |
| The Home Depot | ecostar | 238-875 | ESSM814DIM2 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 850 | 14 | N/A | 10000 | 2700 | | 9 | 8/25/10 |
| The Home Depot | ecostar | 239-073 | ESSR4192 | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 2700 | | 7 | 8/24/10 |
| The Home Depot | ecostar | 257-073 | ESSR41986 | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 2700 | | 7 | 8/25/10 |
| The Home Depot | ecostar | 288-506 | ESSM823DIM2 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | | 9 | 8/16/11 |
| The Home Depot | ecostar | 322-539 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 4/14/10 |
| The Home Depot | ecostar | 324-981 | ESSM8144RS | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 3/17/10 |
| The Home Depot | ecostar | 325-278 | ESSR31482 | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 2/16/10 |
| The Home Depot | ecostar | 362-283 | ESSM10123 | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1400 | 23 | N/A | 10000 | 2700 | | 9 | 7/31/08 |
| The Home Depot | ecostar | 362-283 | ESSM23D | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1500 | 23 | N/A | 10000 | 2700 | | 9 | 9/8/10 |
| The Home Depot | ecostar | 375-720 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2200 | N/A | 1322/30 | 10000 | 3000 | | 2 | 12/28/09 |
| The Home Depot | ecostar | 405-101 | ESSM194RS | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 10000 | 2700 | | 9 | 11/15/10 |
| The Home Depot | ecostar | 408-101 | ESSM8194 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 4/24/09 |
| The Home Depot | ecostar | 423-599 (ESSM8144) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 423-599 (ESSM8144RS) | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 12000 | 2700 | 0.63 | 2 | 6/7/10 |
| The Home Depot | ecostar | 428-106 | BPESL11R20/DME5M | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 380 | 11 | N/A | 8000 | 2700 | | 2 | 6/30/09 |
| The Home Depot | ecostar | 475-110 | ESSM234RS; ESSM8234 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.61 | 9 | 4/24/09 |
| The Home Depot | ecostar | 530-236 | ESSR315DIM | Covered reflector | E26/24 (Medium) | CFL | Dimmable | 650 | 15 | N/A | 8000 | 2700 | | 7 | 9/23/10 |
| The Home Depot | ecostar | 530-565 (SR214) | | Covered reflector | E26/24 (Medium) | CFL | | 465 | 14 | N/A | 8000 | 2700 | | 2 | 12/15/08 |
| The Home Depot | ecostar | 565-172 | ESSR314235K | Covered reflector | E26/24 (Medium) | CFL | | 600 | 14 | N/A | 8000 | 3500 | | 9 | 4/24/09 |
| The Home Depot | ecostar | 567-365 | ESS23B12 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 8/25/10 |
| The Home Depot | ecostar | 598-163 (ESSA814235K) | ESSA814235K | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | | 7 | 2/11/09 |
| The Home Depot | ecostar | 599-262 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | | 2 | 12/15/08 |
| The Home Depot | ecostar | 599-526 (ESSM827250K) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 5000 | 0.58 | 9 | 12/15/08 |
| The Home Depot | ecostar | 688-792 | ESSM8144CAN | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/16/10 |
| The Home Depot | ecostar | 681-136 | ESSM81412C | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 12/3/10 |
| The Home Depot | ecostar | 681-137 | ESSR314886C | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 12/15/10 |
| The Home Depot | ecostar | 738-704 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 12/15/08 |
| The Home Depot | ecostar | 738-704 (ESSM823) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 772-429 (ESSM81950K) | | Bare-spiral | E26/24 (Medium) | CFL | | 1100 | 19 | N/A | 10000 | 5000 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 772-720 | ESSM842 | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 772-739 (ESSM819) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 772-869 (ESSM814) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 772-879 (ESSM819) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 1/30/09 |
| The Home Depot | ecostar | 785-800 (ESSM81412) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 4/8/09 |
| The Home Depot | ecostar | 788-240 (ESSM81410) | ESSM81410 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.64 | 9 | 7/31/08 |
| The Home Depot | ecostar | 791-552 (ESSR3146) | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | | 7 | 4/9/09 |
| The Home Depot | ecostar | 963-699 (ESSA8392) | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 964-196 | ESSG8142B | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 12/15/08 |
| The Home Depot | ecostar | 964-790 (ESSG8092) | | Covered globe | E26/24 (Medium) | CFL | | 525 | 9 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | 967-034 (ESSA8142) | ESSA8142B | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 1/30/09 |
| The Home Depot | ecostar | ECS 16 WW FL | 866-920 | MR - Multifaceted reflector | GUS.3 | LED | Dimmable | 272 | 5.9 | N/A | 25000 | 3000 | 1 | 3 | 1/6/11 |
| The Home Depot | ecostar | ECS 25 WW | 866-788 | G - Globe | E26/24 (Medium) | LED | Dimmable | 405 | 7.83 | N/A | 15000 | 3000 | 0.94 | 5 | 1/13/11 |
| The Home Depot | ecostar | ECS 30 WW FL | 866-392 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 719 | 15.37 | N/A | 25000 | 3000 | 0.78 | 5 | 1/6/11 |
| The Home Depot | ecostar | ECS 38 WW FL | 866-194 | PAR - Parabolic Aluminum Reflector | E26/24 (Medium) | LED | Dimmable | 883 | 18.71 | N/A | 25000 | 3000 | 0.75 | 5 | 1/6/11 |
| The Home Depot | ecostar | ESSG814650K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | | 7 | 5/9/11 |
| The Home Depot | ecostar | ESSM809238K (250-321) | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 10000 | 3500 | | 9 | 4/24/09 |
| The Home Depot | ecostar | ESSM8141250K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 2/18/11 |
| The Home Depot | ecostar | ESSM81423KFREE | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | | 2 | 2/18/11 |
| The Home Depot | ecostar | ESSM814G | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 9 | 2/23/11 |
| The Home Depot | ecostar | ESSR2142 (598-833) | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | | 7 | 12/15/08 |
| The Home Depot | ecostar | ESSR3140M2 (490-929) | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------|----------|------------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| The Home Depot | EcoSmart | ES8M14R50K (148-164) | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 10/18/11 |
| The Home Depot | EcoSmart | ES8M88 (599-031) | | Bare-spiral | E26/24 (Medium) | CFL | | 4200 | 68 | N/A | 10000 | 2700 | 0.61 | 9 | 1/5/12 |
| The Home Depot | EcoSmart | ES90032 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 14/19/32 | 10000 | 2700 | | 2 | 5/3/12 |
| The Home Depot | EcoSmart | ES9A6092 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | 0.61 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9A14235K (599-183) | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.6 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9A1421B | 967-034 | Covered A-line | E26/24 (medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | 0.64 | 7 | 4/6/12 |
| The Home Depot | EcoSmart | ES9D607C3 | ES9D607C3 | Covered-Candle | E12 (Candelabra) | CFL | | 350 | 7.0 | N/A | 8000 | 2700 | 0.64 | 7 | 4/6/12 |
| The Home Depot | EcoSmart | ES9G8092 | | Covered globe | E26/24 (Medium) | CFL | | 525 | 9 | N/A | 8000 | 2700 | 0.61 | 9 | 12/14/11 |
| The Home Depot | EcoSmart | ES9G814235K | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.6 | 7 | 12/14/11 |
| The Home Depot | EcoSmart | ES9G814250K | 599-493 | Covered globe | E26/24 (medium) | CFL | | 800 | 14.0 | N/A | 8000 | 5000 | 0.6 | 7 | 4/24/12 |
| The Home Depot | EcoSmart | ES9G81421B | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 2/13/12 |
| The Home Depot | EcoSmart | ES9M1412 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | 0.64 | 9 | 12/15/11 |
| The Home Depot | EcoSmart | ES9M144RS | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 12000 | 2700 | 0.63 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M212 (967-365) | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.6 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M80250K | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 9.0 | N/A | 10000 | 3500 | 0.53 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M80250K | ES9M80250K | Bare-spiral | E26/24 (medium) | CFL | | 450 | 9.0 | N/A | 10000 | 5000 | 0.6 | 9 | 4/6/12 |
| The Home Depot | EcoSmart | ES9M8094 (145-545) | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.53 | 9 | 1/5/12 |
| The Home Depot | EcoSmart | ES9M81435K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | 0.59 | 9 | 12/12/11 |
| The Home Depot | EcoSmart | ES9M814435K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 3500 | 0.59 | 9 | 12/12/11 |
| The Home Depot | EcoSmart | ES9M814450K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 1/5/12 |
| The Home Depot | EcoSmart | ES9M81450K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | 0.63 | 9 | 12/5/11 |
| The Home Depot | EcoSmart | ES9M814C2 (240-916) | | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 4/25/12 |
| The Home Depot | EcoSmart | ES9M814C2 (240-916) | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 5/10/12 |
| The Home Depot | EcoSmart | ES9M814C235K (238-743) | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 3500 | 0.63 | 9 | 1/25/12 |
| The Home Depot | EcoSmart | ES9M814C250K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 9 | 2/13/12 |
| The Home Depot | EcoSmart | ES9M814DIM2 | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 850 | 14 | N/A | 10000 | 2700 | 0.93 | 9 | 12/5/11 |
| The Home Depot | EcoSmart | ES9M819235K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | 0.54 | 9 | 12/12/11 |
| The Home Depot | EcoSmart | ES9M819250K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 5000 | 0.6 | 9 | 12/12/11 |
| The Home Depot | EcoSmart | ES9M8194 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.6 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M823235K (160-740) | | Bare-spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 2/14/12 |
| The Home Depot | EcoSmart | ES9M8234 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.6 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M823435K | 186-353 | Bare-spiral | E26/24 (medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 3500 | 0.6 | 9 | 4/6/12 |
| The Home Depot | EcoSmart | ES9M827250K (599-526) | | Bare-spiral | E26/24 (Medium) | CFL | | 1750 | 27 | N/A | 10000 | 6000 | 0.58 | 9 | 12/13/11 |
| The Home Depot | EcoSmart | ES9M842 | | Bare-spiral | E26/24 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 9 | 2/13/12 |
| The Home Depot | EcoSmart | ES9P8232 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | 0.61 | 7 | 12/9/11 |
| The Home Depot | EcoSmart | ES9R2142 (598-833) | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | 0.59 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9R3143 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | 0.63 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9R314235K (965-172) | | Covered reflector | E26/24 (Medium) | CFL | | 600 | 14 | N/A | 8000 | 3500 | 0.63 | 7 | 1/4/12 |
| The Home Depot | EcoSmart | ES9R31402 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 14 | N/A | 8000 | 2700 | 0.63 | 7 | 12/9/11 |
| The Home Depot | EcoSmart | ES9R4198 | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 2700 | 0.55 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9R4192 | | Covered reflector | E26/24 (Medium) | CFL | | 950 | 19 | N/A | 8000 | 2700 | 0.55 | 7 | 12/13/11 |
| The Home Depot | EcoSmart | ES9R4232 (780-756) | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | 0.62 | 7 | 12/13/11 |
| The Home Depot | nvision | 148-305 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 148-545 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 150-062 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 150-127 | 5M81435K; 5M814VAR | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 10000 | 3500 | | 9 | 10/18/06 |
| The Home Depot | nvision | 152-521 | | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 158-653 (5R3142) | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14.0 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 159-979 (5P8232) | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 160-374 (5R31435K) | 5R31435K | Covered reflector | E26/24 (Medium) | CFL | | 600 | 14 | N/A | 8000 | 3500 | | 7 | 12/31/06 |
| The Home Depot | nvision | 160-678 | 5M814435K | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 10000 | 3500 | | 9 | 10/18/06 |
| The Home Depot | nvision | 160-740 (5M823235K) | 5M823235K | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 11/2/06 |
| The Home Depot | nvision | 161-235 (5M80535K) | 5M80535K | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 10000 | 3500 | | 9 | 12/31/06 |
| The Home Depot | nvision | 161-301 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 161-340 (5M82335K) | 5M82335K | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1500 | 23 | N/A | 10000 | 3500 | | 9 | 11/2/06 |
| The Home Depot | nvision | 166-795 (5R3144) | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 207-798 (5R314) | | Covered reflector | E26/24 (Medium) | CFL | | 640 | 14 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 207-810 (5R423) | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 230-555 | | Covered reflector | E26/24 (Medium) | CFL | | 465 | 14.0 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 292-460 (5M8148) | 292-460 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14.0 | N/A | 10000 | 2700 | | 9 | 10/18/06 |
| The Home Depot | nvision | 362-293 / 5M10123 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | Dimmable | 1400 | 23 | N/A | 10000 | 2700 | 0.56 | 9 | 5/16/06 |
| The Home Depot | nvision | 423-599 (5M814) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14.0 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 530-555 (5R214) | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | | 5 | 2/28/09 |
| The Home Depot | nvision | 558-255 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 591-830 (5M8234) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 598-833 (5R2142) | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 14 | N/A | 8000 | 2700 | | 5 | 2/28/09 |
| The Home Depot | nvision | 599-262 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | 0.6 | 7 | 12/15/08 |
| The Home Depot | nvision | 599-262 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 3500 | | 2 | 12/15/08 |
| The Home Depot | nvision | 5M8234 | 591-830 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 9 | 10/18/06 |
| The Home Depot | nvision | 5P8234 | 590-472 | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23.0 | N/A | 8000 | 2700 | | 7 | 10/18/06 |
| The Home Depot | nvision | 738-704 (5M823) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 771-428 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 772-739 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19.0 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 772-869 (5M814) | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 14.0 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 772-897 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9.0 | N/A | 10000 | 2700 | | 9 | 5/10/06 |
| The Home Depot | nvision | 774-332 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14.0 | N/A | 8000 | 2700 | | 7 | 5/10/06 |
| The Home Depot | nvision | 963-699 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 4/3/07 |
| The Home Depot | nvision | 964-196 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 4/3/07 |
| The Home Depot | nvision | 964-790 | 5G8092 | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 2 | 4/3/07 |
| The Home Depot | nvision | | | | | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|----------------|--------------------------------|---------------------------|--|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Topaz Lighting | CXL TOPAZ | CF23/SMS/60-46 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.58 | 2 | 12/31/09 |
| Topaz Lighting | CXL TOPAZ | CF23/SMS/65-46 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 6500 | | 2 | 11/28/10 |
| Topaz Lighting | CXL TOPAZ | CF27/SMS/27-ES | CF27/SMS/27-33 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1825 | 27 | N/A | 10000 | 2700 | | 2 | 11/21/07 |
| Topaz Lighting | CXL TOPAZ | CF32/SMS/27-33 | | Bare-spiral | E26/24 (Medium) | CFL | | 2250 | 32 | N/A | 8000 | 2700 | | 2 | 8/20/10 |
| Topaz Lighting | CXL TOPAZ | CF5/SMS/27-46 | | Bare-spiral | E26/24 (Medium) | CFL | | 270 | 5 | N/A | 10000 | 2700 | | 2 | 11/30/10 |
| Topaz Lighting | CXL TOPAZ | CF7/CTW/27-46 | | Covered-Candle | E26/24 (Medium) | CFL | | 320 | 7 | N/A | 10000 | 2700 | | 2 | 2/17/10 |
| Topaz Lighting | CXL TOPAZ | CF9/ETW/27-33 | | Covered-Candle | E26/24 (Medium) | CFL | | 420 | 9 | N/A | 8000 | 2700 | | 2 | 8/3/09 |
| Topaz Lighting | CXL TOPAZ | CF8/SMS/27-46 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 2700 | | 2 | 2/17/10 |
| Topaz Lighting | CXL TOPAZ | CF9/SMS/27-33 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 8/20/10 |
| Topaz Lighting | CXL TOPAZ | CF9/SMS/27E12-46 | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 2 | 7/10/09 |
| Topaz Lighting | TOPAZ-CXL | CF15/SMS/27-43 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | 0.55 | 2 | 8/7/09 |
| Topaz Lighting | TOPAZ-CXL | CF15/R30/27-43 | | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15 | N/A | 10000 | 2700 | 0.55 | 2 | 8/7/09 |
| Topaz Lighting | TOPAZ-CXL | CF9/SMS41-43 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | 0.57 | 2 | 8/7/09 |
| Topstar International | Topstar | CFLT3MSB-26W | CFLT3MSB-26W | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 26.0 | N/A | 10000 | 2700 | 0.55 | 2 | 7/21/11 |
| Toshiba International Corporation | Toshiba | LDAB0827WE6US | 8A19/27FZ-UP | A - Arbitrary standard incandescent shape) | E26/24 (Medium) | LED | | 530 | 7.38 | N/A | 25000 | 2700 | 0.89 | 5 | 4/12/12 |
| Toshiba International Corporation | Toshiba | LDAB0827WE6USD | 8A19/27F-UP, 8A19/27F-URB | A - Arbitrary standard incandescent shape) | E26/24 (Medium) | LED | Dimmable | 490 | 8.17 | N/A | 25000 | 2700 | 0.76 | 5 | 2/3/12 |
| Toshiba International Corporation | Toshiba | LDAB0840WE6US | 8A19/40FZ-UP | A - Arbitrary standard incandescent shape) | E26/24 (Medium) | LED | | 580 | 7.38 | N/A | 25000 | 4000 | 0.89 | 5 | 4/12/12 |
| Toshiba International Corporation | Toshiba | LDAB0840WE6USD | 8A19/40F-UP | A - Arbitrary standard incandescent shape) | E26/24 (Medium) | LED | Dimmable | 530 | 8.14 | N/A | 25000 | 4000 | 0.76 | 5 | 2/3/12 |
| Toshiba International Corporation | Toshiba | LDRA0727NU6US | | LED | | | | | | | | | | | 12/1/12 |
| Toshiba International Corporation | Toshiba | LDRA0727NU6USD | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA0730NU6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA0730NU6USD | | LED | | | | | | | | | | | 11/28/11 |
| Toshiba International Corporation | Toshiba | LDRA0730NU6USD | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA0740NU6US | | LED | | | | | | | | | | | 11/28/11 |
| Toshiba International Corporation | Toshiba | LDRA0740NU6USD | | LED | | | | | | | | | | | 11/28/11 |
| Toshiba International Corporation | Toshiba | LDRA0927WE6US | | LED | | | | | | | | | | | 1/5/12 |
| Toshiba International Corporation | Toshiba | LDRA0927WE6USD | | LED | | | | | | | | | | | 11/28/11 |
| Toshiba International Corporation | Toshiba | LDRA0930WE6US | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA0930WE6USD | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1627WE6US | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1627WE6USD | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA1627WE6USDL | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA1627WE6USD | | LED | | | | | | | | | | | 2/23/12 |
| Toshiba International Corporation | Toshiba | LDRA1627WE6USDL | | LED | | | | | | | | | | | 2/14/12 |
| Toshiba International Corporation | Toshiba | LDRA1630ME6US | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1630ME6USDL | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1630NE6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA1630NE6USDL | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1630WE6US | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1630WE6USDL | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1640ME6US | | LED | | | | | | | | | | | 3/9/12 |
| Toshiba International Corporation | Toshiba | LDRA1640ME6USDL | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA1640NE6US | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA1640NE6USDL | | LED | | | | | | | | | | | 11/21/11 |
| Toshiba International Corporation | Toshiba | LDRA2027ME6US | | LED | | | | | | | | | | | 1/5/12 |
| Toshiba International Corporation | Toshiba | LDRA2027ME6USD2 | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2027WE6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2027WE6USD | | LED | | | | | | | | | | | 1/5/12 |
| Toshiba International Corporation | Toshiba | LDRA2027WE6USD2 | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2030ME6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2030ME6USD | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2030WE6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2030WE6USD | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2030WE6USD2 | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2035ME6US | | LED | | | | | | | | | | | 11/11/12 |
| Toshiba International Corporation | Toshiba | LDRA2035ME6USD | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2035NE6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2035NE6USD | | LED | | | | | | | | | | | 11/11/12 |
| Toshiba International Corporation | Toshiba | LDRA2035WE6US | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2035WE6USD | | LED | | | | | | | | | | | 11/11/12 |
| Toshiba International Corporation | Toshiba | LDRA2040ME6US | | LED | | | | | | | | | | | 11/11/12 |
| Toshiba International Corporation | Toshiba | LDRA2040ME6USD | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2040NE6US | | LED | | | | | | | | | | | 11/18/11 |
| Toshiba International Corporation | Toshiba | LDRA2040NE6USD | | LED | | | | | | | | | | | 11/11/12 |
| Toshiba International Corporation | Toshiba | LDRA2040WE6US | | LED | | | | | | | | | | | 3/2/12 |
| Toshiba International Corporation | Toshiba | LDRA2040WE6USD2 | | LED | | | | | | | | | | | 3/2/12 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/MINI/SPIRAL/BL/2/BUYERS | 29131 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13.0 | N/A | 8000 | 2700 | | 6 | 7/10/07 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/MINI/SPIRAL/BL/BCZJ | (290 29088 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 6/28/10 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/827/RP6 | (23404) | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 4/1/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP2/BUYERSCHO | 29408 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 6/29/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP2/BUYERSCHO | 29408 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/8/10 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP2/BUYERSCHO | 29408 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 7/7/11 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP6/BUYERSCHO | 29404 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 4/16/10 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP6/BUYERSCHO | 29404 | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 8000 | 2700 | | 7 | 7/7/11 |
| Transport & Distribution, Inc. | Buyer's Choice | CF13EL/SPIRAL/RP6/BUYERSCHO | 29404 | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 7 | 1/26/10 |
| Transport & Distribution, Inc. | Buyer's Choice | CF16EL/R30/RP/BUYERSCHOICE | 29678 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 6/15/11 |
| Transport & Distribution, Inc. | Buyer's Choice | CF16EL/R30/RP/BUYERSCHOICE | 29655 | Covered reflector | E26/24 (Medium) | CFL | | 750 | 16 | N/A | 8000 | 2700 | | 7 | 6/15/11 |
| Transport & Distribution, Inc. | Buyer's Choice | CF23EL/BR/6/RP/BUYERSCHOICE | 29662 | Covered reflector | E26/24 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 2700 | | 7 | 8/6/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF23EL/MINI/SPIRAL/BC/2700K/BL | 29607 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 7 | 6/2/07 |
| Transport & Distribution, Inc. | Buyer's Choice | CF23EL/SPIRAL/RP5/BUYERSCHO | 29570 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 9 | 8/10/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF23EL/SPIRAL/RP6/BUYERSCHO | 29403 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 5 | 6/25/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF33EL/3WAY/RP/BUYERSCHOICE | 29915 | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 12/22/33 | 10000 | 2700 | | 9 | 3/31/10 |
| Transport & Distribution, Inc. | Buyer's Choice | CF9EL/G25/RP/3PK/BUYERSCHOICE | 29679 | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 7 | 10/22/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF9EL/G25/RP/BUYERSCHOICE (2 | 29960 | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 7 | 10/22/09 |
| Transport & Distribution, Inc. | Buyer's Choice | CF9EL/G25/RP/BUYERSCHOICE(Z | 29960 | Covered globe | E26/24 (Medium) | CFL | | 495 | 9 | N/A | 8000 | 2700 | | 7 | 7/30/10 |
| Transport & Distribution, Inc. | Premier Value | CF13EL/MINI/SPIRAL/827/PREMIER | 02623 | Bare-spiral | E26/24 (Medium) | CFL | | 875 | 13 | N/A | 8000 | 2700 | | 7 | 8/26/10 |
| True Value Company | Westpointe | 784247 | | Covered globe | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 9 | 10/11/07 |
| True Value Company | Westpointe | 784274 | | Covered reflector | E26/24 (Medium) | CFL | | 610 | 15 | N/A | 10000 | 2700 | | 5 | 10/11/07 |
| True Value Company | Westpointe | 784282 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | | 9 | 10/12/07 |
| True Value Company | Westpointe | 784296 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 10000 | 2700 | | 9 | 10/2/07 |
| True Value Company | Westpointe | 784304 | 784304 | Bare-spiral | Medium E26/24 | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/19/12 |
| True Value Company | Westpointe | 784304 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 10/2/07 |
| True Value Company | Westpointe | 784316 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 2700 | | 9 | 10/2/07 |
| True Value Company | Westpointe | 784373 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 12/20/26 | 10000 | 2700 | | 9 | 10/12/07 |
| True Value Company | Westpointe | 784387 | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2600 | N/A | 15/26/40 | 10000 | 2700 | | 9 | 10/12/07 |
| True Value Company | Westpointe | 784415 | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 4100 | | 9 | 10/2/07 |
| True Value Company | Westpointe | 784423 | 784423 | Bare-spiral | Medium E26/24 | CFL | | 1200 | 18.0 | N/A | 12000 | 6500 | 0.56 | 2 | 4/19/12 |
| True Value Company | Westpointe | 784423 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 8000 | 4100 | | 2 | 7/31/08 |
| True Value Company | Westpointe | 784458 | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 2700 | | 9 | 10/12/07 |
| True Value Company | Westpointe | 784464 | 784464 | Bare-spiral | Medium E26/24 | CFL | | 1500 | 23.0 | N/A | 15000 | 6500 | 0.55 | 2 | 4/19/12 |
| True Value Company | Westpointe | 784486 | | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 13 | N/A | 1000 | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|---------------------------|------------|---------------------|--|-------------------|----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| True Value Company | Westpointe | WP14SDIM | 117441 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 800 | 14 | N/A | 8000 | 2700 | | 7 | 3/2/10 |
| True Value Company | Westpointe | WP15FP3S | 117437 | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 3000 | | 7 | 12/30/10 |
| True Value Company | Westpointe | WP16SR3DIM | 784274 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 700 | 16 | N/A | 8000 | 2700 | | 7 | 3/5/10 |
| True Value Company | Westpointe | WP18MSLT2 | 784316, 784613 | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 18 | N/A | 12000 | 2700 | | 11 | 12/22/09 |
| True Value Company | Westpointe | WP18MSLT2E-65 | WP18MSLT2E-65 | Bare-spiral | Medium E2624 | CFL | | 1200 | 18.0 | N/A | 12000 | 6500 | 0.56 | 2 | 4/19/12 |
| True Value Company | Westpointe | WP19SFF3DIM | 117445 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 780 | 19 | N/A | 8000 | 2700 | | 7 | 3/5/10 |
| True Value Company | Westpointe | WP20SFF38DIM | 117446 | Covered reflector | E2624 (Medium) | CFL | Dimmable | 900 | 20 | N/A | 8000 | 2700 | | 7 | 3/5/10 |
| True Value Company | Westpointe | WP23FP38S | 117438 | Covered reflector | E2624 (Medium) | CFL | | 1250 | 23 | N/A | 8000 | 3000 | | 7 | 12/30/10 |
| True Value Company | Westpointe | WP23MSLT2 | 784304, 784605 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 12/8/09 |
| True Value Company | Westpointe | WP23MSLT2E-65 | 784635, 784464 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | | 11 | 4/5/10 |
| True Value Company | Westpointe | WP23MSLT2E | WP23MSLT2E | Bare-spiral | Medium E2624 | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/19/12 |
| True Value Company | Westpointe | WP23MSLT2E-65 | WP23MSLT2E-65 | Bare-spiral | Medium E2624 | CFL | | 1500 | 23.0 | N/A | 12000 | 6500 | 0.55 | 2 | 4/19/12 |
| True Value Company | Westpointe | WP24SDIM | 784254 | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1490 | 24 | N/A | 8000 | 2700 | | 7 | 3/5/10 |
| True Value Company | Westpointe | WP24MSL | 784365 | Bare-spiral | E2624 (Medium) | CFL | | 2800 | 42 | N/A | 10000 | 2700 | | 9 | 12/8/09 |
| True Value Company | Westpointe | WP24MSL | | Covered globe | E2624 (Medium) | CFL | | 500 | 9 | N/A | 8000 | 2700 | | 7 | 12/22/09 |
| True Value Company | Westpointe | WP24MSLT2E | 117429, 784456 | Bare-spiral | E2624 (Medium) | CFL | | 540 | 9 | N/A | 12000 | 2700 | | 2 | 5/10/12 |
| Turolight Inc. | EDGE | EDGE-T213W27 | | Bare-spiral | E2624 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | | 2 | 5/7/12 |
| Turolight Inc. | EDGE | TL-EDGE11 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 740 | 11 | N/A | 10000 | 2700 | | 1 | 12/5/08 |
| Turolight Inc. | Genesis | GEOM15 | | Bare-spiral | E2624 (Medium) | CFL | | 980 | 15 | N/A | 10000 | 2700 | | 1 | 9/28/05 |
| Turolight Inc. | Genesis | GEOM20 | | Bare-spiral | E2624 (Medium) | CFL | | 1230 | 20 | N/A | 10000 | 2700 | | 1 | 9/28/05 |
| Turolight Inc. | Turolight | TL-EDGE14-2700K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE14-3000K | | Bare-spiral | E2624 (Medium) | CFL | | 875 | 14 | N/A | 10000 | 3000 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE14-3500K | | Bare-spiral | E2624 (Medium) | CFL | | 885 | 14 | N/A | 10000 | 3500 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE14-4100K | | Bare-spiral | E2624 (Medium) | CFL | | 830 | 14 | N/A | 10000 | 4100 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE14-5000K | | Bare-spiral | E2624 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE23-2700K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE23-3000K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3000 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE23-3500K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE23-4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 1 | 9/1/10 |
| Turolight Inc. | Turolight | TL-EDGE23-5000K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 1 | 9/1/10 |
| U Lighting America | ULA | SDF-23W | SDF23W1P-R40DIM, SDF23W2P-R40DIM | Covered reflector | E2624 (Medium) | CFL | Dimmable | 1080 | 23 | N/A | 8000 | 2700 | 0.97 | 2 | 1/24/11 |
| U Lighting America | ULA | SDR-20W | SDR20W2P-R30DIM | Covered reflector | E2624 (Medium) | CFL | Dimmable | 970 | 20 | N/A | 8000 | 2700 | 0.97 | 2 | 1/24/11 |
| U Lighting America | ULA | SDR-23W | SDR23W2P-R30DIM | Covered reflector | E2624 (Medium) | CFL | Dimmable | 1150 | 23 | N/A | 8000 | 2700 | | 2 | 9/26/07 |
| U Lighting America | ULA | SDS-13W | SDS13W-2P | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 800 | 13 | N/A | 8000 | 2700 | 0.97 | 2 | 12/31/10 |
| U Lighting America | ULA | SFU23W-4P | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 10/8/10 |
| U Lighting America | ULA | SPS-15W | SPS-15W2P | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1100 | 15 | N/A | 8000 | 2700 | 0.97 | 2 | 12/3/09 |
| U Lighting America | ULA | STS-15W | STS15W-1P, STS15W-4P | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1100 | 15 | N/A | 8000 | 2700 | | 5 | 5/18/07 |
| U Lighting America | ULA | STS-23W2P | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 7/24/09 |
| U Lighting America | U Lighting | SDS-23W | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 3/10/06 |
| U Lighting Group Co., Ltd | ULA | SUA-15W | SUA15W2P-A19, SUA15W4P-A19, SUA15W2P-A19 | Covered A-line | E2624 (Medium) | CFL | | 807 | 15 | N/A | 8000 | 2700 | 0.97 | 2 | 4/8/10 |
| Uninex | K-LITE | KL19142 | KL8834, KL1993, KL8834B, KL1993B | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 5 | 1/13/10 |
| Uninex | K-LITE | KL19142-41 | KL8834-4, KL1993-41B | Bare-spiral | E2624 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 4100 | | 5 | 3/31/11 |
| Uninex | K-LITE | KL1915 | KL1992, KL8833, KL8833B, KL8833B, KL1992B | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 19 | N/A | 10000 | 2700 | | 5 | 10/30/06 |
| Uninex | K-LITE | KL1919 | KL1992, KL8833, KL8833B, KL8833B, KL1992B | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | 0.53 | 2 | 12/31/07 |
| Uninex | K-LITE | KL1923 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1650 | 23 | N/A | 10000 | 2700 | | 5 | 10/30/06 |
| Uninex | K-LITE | KL19232-35 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | | 2 | 10/7/09 |
| Uninex | K-LITE | KL19232-50 | KL1991-50B | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 10/7/09 |
| Uninex | K-LITE | KL1923T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 1/9/09 |
| Uninex | K-LITE | KL1931 | KL1931B | Bare-spiral | E2624 (Medium) | CFL | | 2100 | 32 | N/A | 10000 | 2700 | | 2 | 2/28/12 |
| Uninex | K-LITE | KL1991-27 | KL1991-27 | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.58 | 2 | 9/22/11 |
| Uninex | K-LITE | KL1991-50 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 9 | 7/5/11 |
| Uninex | K-LITE | KL1991B | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.58 | 2 | 9/22/11 |
| Uninex | K-LITE | KL8800 | KL8800B, KL8800C, KL8800E | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1700 | N/A | 1120/26 | 10000 | 3500 | 0.56 | 5 | 6/29/09 |
| Uninex | K-LITE | KL8902 | KL8902B | Covered reflector | E2624 (Medium) | CFL | | 730 | 15 | N/A | 8000 | 2700 | | 5 | 10/25/10 |
| Uninex | K-LITE | KL8906 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1100 | 15 | N/A | 8000 | 2700 | | 2 | 1/27/09 |
| Uninex | K-LITE | KL8907 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 1/27/09 |
| Uninex | K-LITE | KL8811 | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 750 | 15 | N/A | 8000 | 2700 | | 2 | 1/27/09 |
| Uninex | K-LITE | KL8820 | KL8832, KL8833, KL8834, KL8834-1, KL8835, KL8835B, KL8835B | Covered A-line | E2624 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 10/8/09 |
| Uninex | K-LITE | KL8821 | KL8821B | Covered globe | E2624 (Medium) | CFL | | 475 | 9 | N/A | 8000 | 2700 | | 2 | 2/28/12 |
| Uninex | K-LITE | KL8829 | | Bare-spiral | E2624 (Medium) | CFL | Dimmable | 1650 | 23 | N/A | 10000 | 2700 | | 2 | 10/7/09 |
| Uninex | K-LITE | KL8830 | | Covered reflector | E2624 (Medium) | CFL | Dimmable | 700 | 15 | N/A | 8000 | 2700 | | 2 | 10/7/09 |
| Uninex | K-LITE | KL8831 | | Covered reflector | E2624 (Medium) | CFL | | 1000 | 20 | N/A | 8000 | 2700 | | 2 | 10/8/09 |
| Uninex | K-LITE | KL8832 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 7 | 5/25/11 |
| Uninex | K-LITE | KL8832-50 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 7 | 7/8/11 |
| Uninex | K-LITE | KL8836 | KL8836B, KL8836B | Covered A-line | E2624 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | | 2 | 2/17/12 |
| Uninex | K-LITE | KL8837 | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 2 | 2/27/12 |
| VChoice Inc. | VChoice | VC-R30-15-27-1 | | Covered reflector | E2624 (Medium) | CFL | | 750 | 15 | N/A | 8000 | 2700 | | 5 | 9/17/10 |
| VChoice Inc. | VChoice | VC-R40-23-27-1 | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 5 | 9/17/10 |
| VChoice Inc. | VChoice | VC-SP-09-27-1 | | Bare-spiral | E2624 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 7 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-11/20/26-27-1 | | Bare-spiral | E2624 (Medium) | CFL | Three Way | 1620 | N/A | 1120/26 | 10000 | 2700 | | 7 | 9/13/10 |
| VChoice Inc. | VChoice | VC-SP-13-27-1 | VC-SP-13-27-4 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 8 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-13-50-1 | | Bare-spiral | E2624 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 5000 | | 7 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-14-27-1 | VC-SP-14-27-4 | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 8 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-14-50-1 | | Bare-spiral | E2624 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | | 7 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-18-27-1 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | | 8 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-18-50-1 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 5000 | | 7 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-19-27-1 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 12000 | 2700 | | 8 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-19-50-1 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 5000 | | 7 | 9/9/10 |
| VChoice Inc. | VChoice | VC-SP-23-27-6 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|-----------------------------------|------------------|--------------------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| VIVA GREENLIGHTING CO LTD. | VIVA | SA15 | | Covered A-line | E26/24 (Medium) | CFL | | 850 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 2/25/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SA9 | | Covered A-line | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 3000 | 0.57 | 2 | 8/19/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SA9/827 | | Covered A-line | E26/24 (Medium) | CFL | | 510 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 5/8/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SB20 | | Covered-post | E26/24 (Medium) | CFL | | 1180 | 20 | N/A | 10000 | 2700 | 0.56 | 2 | 2/25/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SBA16D | | Covered A-line | E26/24 (Medium) | CFL | Dimmable | 900 | 16 | N/A | 10000 | 3000 | 0.5 | 2 | 2/11/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SBR16D | | Covered reflector | E26/24 (Medium) | CFL | | 780 | 16 | N/A | 12000 | 3000 | 0.55 | 2 | 5/1/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SBS1350-3000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | 0.61 | 2 | 8/21/07 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SBS18D | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 1200 | 18 | N/A | 10000 | 2700 | 0.62 | 2 | 2/11/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SG14 | | Covered globe | E26/24 (Medium) | CFL | | 890 | 14 | N/A | 10000 | 3000 | 0.57 | 2 | 8/19/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SG14/827 | | Covered globe | E26/24 (Medium) | CFL | | 870 | 14 | N/A | 10000 | 2700 | 0.56 | 2 | 3/6/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SG15 | | Covered globe | E26/24 (Medium) | CFL | | 870 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 2/25/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SG9 | | Covered globe | E26/24 (Medium) | CFL | | 590 | 9 | N/A | 10000 | 3000 | 0.57 | 2 | 8/19/08 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SG9/827 | | Covered globe | E26/24 (Medium) | CFL | | 590 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 5/8/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP11/827 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 680 | 11 | N/A | 10000 | 2700 | | 2 | 3/15/05 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP135 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3000 | | 2 | 1/26/05 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP135/827 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 892 | 13 | N/A | 10000 | 2700 | 0.59 | 2 | 8/7/09 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP135/835 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 3500 | | 2 | 1/26/07 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP135/835 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3500 | | 2 | 10/2/07 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP195 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3000 | | 2 | 3/7/05 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP195/830 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3000 | | 2 | 6/19/06 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP195/835 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | | 2 | 2/23/05 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP235 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 2700 | 0.58 | 2 | 1/25/10 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP235/835 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | | 2 | 6/22/05 |
| VIVA GREENLIGHTING CO LTD. | VIVA | SP95 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 540 | 9 | N/A | 10000 | 3000 | | 2 | 2/7/07 |
| Wakem/Food Corp/ShopRite | ShopRite | 26469 (CF13EL/SPIRAL/827/SHOPF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 9 | 3/11/09 |
| Wakem/Food Corp/ShopRite | ShopRite | 26470 (CF18EL/SPIRAL/827/SHOPF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 2700 | | 9 | 3/11/09 |
| Wakem/Food Corp/ShopRite | ShopRite | 26471 (CF23EL/SPIRAL/827/SHOPF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 9 | 3/11/09 |
| Walgreen Co. | Living Solutions | 416543 | ESL13T14/WGLS (H) | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/23/12 |
| Walgreen Co. | Living Solutions | 416912 | BPESSL23TM/WGLS | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 3/20/12 |
| Walgreen Co. | Living Solutions | 416913 | BPESSL18TM/WGLS | Bare-spiral | E26/24 (Medium) | CFL | | 1170 | 18 | N/A | 10000 | 2700 | | 2 | 3/20/12 |
| Walgreen Co. | Living Solutions | 416914 | BPESSL13T/WGLS | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 3/20/12 |
| Wal-Mart Stores, Inc. | Great Value | FLE20HT32/SW10K | 11259 | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 9/20/10 |
| Wal-Mart Stores, Inc. | Great Value | GVA092 | GVA092 | Covered A-line | E26/24 (medium) | CFL | | 450 | 9.0 | N/A | 8000 | 2700 | 0.6 | 7 | 4/12/12 |
| Wal-Mart Stores, Inc. | Great Value | GVA142 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GVA192 | GVA192 | Covered A-line | E26/24 (Medium) | CFL | | 1200 | 19.0 | N/A | 8000 | 2700 | 0.62 | 7 | 4/24/12 |
| Wal-Mart Stores, Inc. | Great Value | GVD093 | GVD093 | Covered-Candle | E12 (Candelebra) | CFL | | 425 | 9.0 | N/A | 8000 | 2700 | 0.61 | 7 | 4/24/12 |
| Wal-Mart Stores, Inc. | Great Value | GVD093DL | GVD093DL | Covered-Candle | E12 (Candelebra) | CFL | | 425 | 9.0 | N/A | 8000 | 5000 | 0.61 | 7 | 4/30/12 |
| Wal-Mart Stores, Inc. | Great Value | GVD093DL | GVD093DL | Covered-Candle | E12 (Candelebra) | CFL | | 425 | 9.0 | N/A | 8000 | 5000 | 0.61 | 7 | 5/9/12 |
| Wal-Mart Stores, Inc. | Great Value | GVD09C3DL | GVD09C3DL | Covered-Candle | E12 (Candelebra) | CFL | | 425 | 9.0 | N/A | 8000 | 6000 | 0.61 | 7 | 4/24/12 |
| Wal-Mart Stores, Inc. | Great Value | GVD09C3DL | GVD09C3DL | Covered-Candle | E12 (Candelebra) | CFL | | 425 | 9.0 | N/A | 8000 | 6000 | 0.61 | 7 | 4/30/12 |
| Wal-Mart Stores, Inc. | Great Value | GVG092 | 69109 | Covered globe | E26/24 (medium) | CFL | | 525 | 9.0 | N/A | 8000 | 2700 | 0.61 | 7 | 4/30/12 |
| Wal-Mart Stores, Inc. | Great Value | GVG092 | 69109 | Covered globe | E26/24 (medium) | CFL | | 525 | 9.0 | N/A | 8000 | 2700 | 0.61 | 7 | 5/9/12 |
| Wal-Mart Stores, Inc. | Great Value | GVG092DL | | Covered globe | E26/24 (Medium) | CFL | | 525 | 9 | N/A | 8000 | 5000 | | 7 | 4/17/12 |
| Wal-Mart Stores, Inc. | Great Value | GVG142 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 2 | 4/17/12 |
| Wal-Mart Stores, Inc. | Great Value | GVG142DL | | Covered globe | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 5000 | | 2 | 4/17/12 |
| Wal-Mart Stores, Inc. | Great Value | GVR3142 | GVR3142 | Covered reflector | E26/24 (medium) | CFL | | 650 | 14.0 | N/A | 8000 | 2700 | 0.63 | 7 | 5/9/12 |
| Wal-Mart Stores, Inc. | Great Value | GVR3142DL | GVR3142DL | Covered reflector | E26/24 (medium) | CFL | | 600 | 14.0 | N/A | 8000 | 5000 | 0.63 | 7 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5094 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 2 | 4/3/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5094DL | GV5094DL | Bare-spiral | E26/24 (medium) | CFL | | 450 | 9.0 | N/A | 10000 | 6000 | 0.6 | 3 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV514 | GV5144, GV51412 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 2700 | | 2 | 4/11/12 |
| Wal-Mart Stores, Inc. | Great Value | GV514DL | GV5144DL | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 10000 | 5000 | | 2 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5194 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 2700 | | 2 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5194DL | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 5000 | | 19 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5234 | GV5234 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 4/13/12 |
| Wal-Mart Stores, Inc. | Great Value | GV5234DL | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 4/13/12 |
| WANGLO ENTERPRISES (CANADA) LTD. | NIKKO | T2 SSS-13W | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | | 2 | 10/6/10 |
| WANGLO ENTERPRISES (CANADA) LTD. | NIKKO | T2 SSS-15W | | Bare-spiral | E26/24 (Medium) | CFL | | 908 | 15 | N/A | 10000 | 2700 | | 2 | 10/6/10 |
| Wegmans Food Markets, Inc. | Wegmans | WCS0132 | WCS0134 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 2/24/09 |
| Wegmans Food Markets, Inc. | Wegmans | WCS0232 | WCS0234 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 2/24/09 |
| Western Family Foods, Inc. | Western Family | 12733-A-FEIT/BPESSL30/100TFW | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 1600 | N/A | 13/20/25 | 8000 | 2700 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | 12734-A-FEIT/BPESSL15R30TMMW | | Covered reflector | E26/24 (Medium) | CFL | | 630 | 15 | N/A | 8000 | 2700 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | 12734-B-FEIT | ESL15BR30T | Covered reflector | E26/24 (Medium) | CFL | | 750 | 15.0 | N/A | 8000 | 2700 | 0.53 | 2 | 4/14/11 |
| Western Family Foods, Inc. | Western Family | 12735-A-FEIT/BPESSL13T/D/WF | | Bare-Mini-Spiral | E12 (Candelebra) | CFL | | 800 | 13 | N/A | 8000 | 6500 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | 12735-A-FEIT/BPESSL13T/D/WF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 6500 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | 12737-A-FEIT/ESL13T/4/WF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | 12738-A-FEIT/ESL13T/4/WF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 6/17/08 |
| Western Family Foods, Inc. | Western Family | BPESSL13T/WF | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 8000 | 2700 | | 2 | 3/12/04 |
| Western Family Foods, Inc. | Western Family | BPESSL23TMD/WF | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 6500 | | 2 | 10/2/07 |
| Western Family Foods, Inc. | Western Family | BPESSL23TMD/WF | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 2700 | | 2 | 3/12/04 |
| Westinghouse Lighting Corporation | Westinghouse | 36609 | 26/MNITWIST/27 | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 2700 | 0.52 | 2 | 10/10/05 |
| Westinghouse Lighting Corporation | Westinghouse | 36660 | 36660 | Bare-spiral | E26/24 (Medium) | CFL | | 830 | 14 | N/A | 10000 | 4100 | | 2 | 7/1/11 |
| Westinghouse Lighting Corporation | Westinghouse | 36670 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 720 | 5 | N/A | 10000 | 2700 | | 2 | 6/9/09 |
| Westinghouse Lighting Corporation | Westinghouse | 36694 | | Covered reflector | E26/24 (Medium) | CFL | | 275 | 15 | N/A | 8000 | 4100 | | 2 | 12/22/10 |
| Westinghouse Lighting Corporation | Westinghouse | 36695 | | Covered reflector | E26/24 (Medium) | CFL | | 690 | 15 | N/A | 8000 | 5000 | | 2 | 12/22/10 |
| Westinghouse Lighting Corporation | Westinghouse | 36697 | | Covered reflector | E26/24 (Medium) | CFL | | 1165 | 23 | N/A | 8000 | 4100 | 0.5 | 2 | 4/22/10 |
| Westinghouse Lighting Corporation | Westinghouse | 36714 | | Covered reflector | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 8000 | 3000 | | 2 | 3/11/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37900 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.57 | 2 | 6/22/11 |
| Westinghouse Lighting Corporation | Westinghouse | 37801 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | | 7 | 9/30/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37817 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 2100 | 32 | N/A | 10000 | 2700 | | 2 | 9/10/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37934 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 8/3/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37837 | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 9 | N/A | 10000 | 2700 | | 2 | 8/3/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37941 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 3500 | | 2 | 9/23/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37942 | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 3500 | | 2 | 9/23/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37943 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 10000 | 6500 | 0.58 | 2 | 2/18/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37944 | | Bare-spiral | E26/24 (Medium) | CFL | | 840 | 13 | N/A | 10000 | 6500 | 0.52 | 2 | 2/18/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37945 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 8/3/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37946 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 7/17/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37947 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 8/3/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37948 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 8/3/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37949 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 10000 | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|--------------|---------------------------|---|------------------------------|----------------------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Westinghouse Lighting Corporation | Westinghouse | 37970 | | Covered reflector | E26/24 (Medium) | CFL | | 650 | 15 | N/A | 8000 | 2700 | | 2 | 7/24/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37971 | | Covered reflector | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 2700 | | 2 | 9/10/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37979 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 2700 | | 2 | 9/10/09 |
| Westinghouse Lighting Corporation | Westinghouse | 37985 | | Covered reflector | E26/24 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 3000 | 0.54 | 2 | 2/18/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37986 | | Covered reflector | E26/24 (Medium) | CFL | | 1200 | 23 | N/A | 8000 | 3000 | 0.57 | 2 | 2/18/10 |
| Westinghouse Lighting Corporation | Westinghouse | 37987 | | Covered reflector | E26/24 (Medium) | CFL | | 320 | 9 | N/A | 8000 | 3000 | 0.57 | 2 | 2/18/10 |
| Westinghouse Lighting Corporation | Westinghouse | 38001 | | Covered globe | E26/24 (Medium) | CFL | | 820 | 15 | N/A | 10000 | 2700 | | 2 | 2/16/11 |
| Westinghouse Lighting Corporation | Westinghouse | 38002 | | Covered globe | E26/24 (Medium) | CFL | | 820 | 15 | N/A | 10000 | 2700 | | 2 | 9/10/09 |
| Westinghouse Lighting Corporation | Westinghouse | 38003 | | Covered globe | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 8000 | 3500 | | 2 | 9/15/09 |
| Westinghouse Lighting Corporation | Westinghouse | 38007 | 38008 | Covered globe | E26/24 (Medium) Medium E26/24 | CFL | | 450 | 9 | N/A | 8000 | 2700 | | 2 | 6/3/11 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPAR120-18W(6500K) | HLPAR120-18W(6500K) | Covered reflector | E26/24 (medium) | CFL | | 1021 | 18.5 | N/A | 10000 | 6500 | 0.53 | 2 | 4/12/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPAR38-18P(2700K) | HLPAR38-18P(2700K) | Indoor Covered-reflector CFL | Medium E26/24 (medium) | CFL | | 1000 | 18.0 | N/A | 12000 | 2700 | 0.56 | 2 | 4/25/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPAR38-23P(1/2 2700K)1/2 | HLPAR38-23P(2700K)1/2 | Covered reflector | Medium E26/24 (medium) | CFL | | 1361 | 23.9 | N/A | 15000 | 2700 | 0.59 | 2 | 4/12/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPEA-15W | HLPEA-15W 2700K | Covered (no reflector) | E26 | CFL | | 850 | 15.0 | N/A | 15000 | 2700 | 0.53 | 2 | 5/3/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPEA-7W | HLPEA-7W | Covered (no reflector) | E26 | CFL | | 290 | 7.0 | N/A | 10000 | 2700 | 0.54 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPEA-15W(MINI)(6500K) | HLPEA-15W(MINI)(6500K) | Covered (no reflector) | Medium E26/24 (medium) | CFL | | 800 | 15.0 | N/A | 12000 | 6500 | 0.6 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLPEI-11W(1/2 2700K)1/2 | HLPEI-11W(1/2 2700K)1/2 | Covered globe | E26/24 (medium) | CFL | | 612 | 11.15 | N/A | 15000 | 2700 | 0.59 | 2 | 4/4/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRE120-23W(3500K) | HLRE120-23W(3500K) | Indoor Covered-reflector CFL | Medium E26/24 (medium) | CFL | | 1250 | 23.0 | N/A | 10000 | 3500 | 0.56 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRE120-23W(6500K) | HLRE120-23W(6500K) | Covered reflector | Medium E26/24 (medium) | CFL | | 1100 | 23.0 | N/A | 10000 | 6500 | 0.56 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRE30-15A(2700K) | HLRE30-15A(2700K) | Covered reflector | Medium E26/24 (medium) | CFL | | 800 | 15.0 | N/A | 10000 | 2700 | 0.52 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRE30-15T(2700K) | HLRE30-15T(2700K) | Covered-reflector | Medium E26/24 (medium) | CFL | | 780 | 15.0 | N/A | 16000 | 2700 | 0.54 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRE30-15W(3500K) | HLRE30-15W(3500K) | Covered-reflector | Medium E26/24 (medium) | CFL | | 800 | 15.0 | N/A | 10000 | 3500 | 0.53 | 2 | 4/23/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT2-13W(2700K) | HLRCT2-13W(2700K) | Bare-spiral | E12 | CFL | | 890 | 13.0 | N/A | 10000 | 2700 | 0.57 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-13B(6500K) | HLRCT3-13B(6500K) | Bare-spiral | E26/24 (medium) | CFL | | 911 | 14.23 | N/A | 12000 | 6500 | 0.62 | 2 | 3/9/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-13W(MINI)(2700K) | HLRCT3-13W(MINI)(2700K) | Bare-Mini-spiral | E26 | CFL | | 950 | 13.0 | N/A | 15000 | 2700 | 0.57 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-18S(2700K) | HLRCT3-18S(2700K) | Bare-spiral | E26 | CFL | | 1300 | 18.2 | N/A | 10000 | 2700 | 0.58 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-18S(3500K) | HLRCT3-18S(3500K) | Bare-spiral | E26 | CFL | | 1350 | 18.0 | N/A | 10000 | 3500 | 0.57 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-18S(4100K) | HLRCT3-18S(4100K) | Bare-spiral | E26 | CFL | | 1300 | 18.0 | N/A | 10000 | 4100 | 0.57 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-18W 3500K | HLRCT3-18W 3500K | Bare-spiral | E26/24 (medium) | CFL | | 1250 | 18.0 | N/A | 10000 | 3500 | 0.55 | 2 | 11/4/11 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-23(MINI)6500K | HLRCT3-23(MINI)6500K | Bare-Mini-spiral | E26 | CFL | | 1500 | 23.0 | N/A | 16000 | 6500 | 0.56 | 2 | 5/1/12 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | HLRCT3-9 (mini) | | Bare-Mini-spiral | E26/24 (Medium) | CFL | | 590 | 9 | N/A | 8000 | 2700 | | 2 | 7/29/05 |
| Xiamen Hi-Light Lighting Co. Ltd. | Hi-Light | | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 6000 | 2700 | | 5 | 3/17/06 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-G25A-9W | | Covered globe | E26/24 (Medium) | CFL | | 470 | 9 | N/A | 8000 | 2700 | 0.56 | 2 | 3/12/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-GU-14W/27 | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 14 | N/A | 8000 | 2700 | 0.57 | 2 | 1/19/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-GU-18W | | Covered A-line | E26/24 (Medium) | CFL | | 1100 | 18 | N/A | 8000 | 2700 | 0.59 | 2 | 1/12/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-GU-7W/27 | | Covered A-line | E26/24 (Medium) | CFL | | 380 | 7 | N/A | 8000 | 2700 | 0.58 | 2 | 12/6/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-GU-9W/30 | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 8000 | 5000 | 0.57 | 2 | 1/20/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-13W | FE-IIS-13W/WV | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13.0 | N/A | 12000 | 2700 | | 2 | 7/31/05 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-13W/50 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | 0.55 | 2 | 10/23/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-15W | FE-IIS-15W/WT | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 15.0 | N/A | 12000 | 2700 | | 2 | 7/31/05 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-18W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 12000 | 2700 | 0.54 | 2 | 3/6/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-18W/50 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 18 | N/A | 10000 | 5000 | 0.55 | 2 | 10/23/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-23W | FE-IIS-23W/WT, FE-IIS-23W/WS, FE-IIS-23W/WV | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 2700 | | 2 | 7/31/05 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-23W/27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 15000 | 2700 | 0.56 | 2 | 12/29/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-23W/50 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.56 | 2 | 10/23/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-26W/27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 26 | N/A | 12000 | 2700 | 0.55 | 2 | 1/12/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-30W | | Bare-spiral | E26/24 (Medium) | CFL | | 2100 | 30 | N/A | 10000 | 2700 | 0.55 | 2 | 10/20/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IIS-9W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 12000 | 2700 | 0.58 | 2 | 3/6/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-11W | FE-IISB-11W/WV, FE-IISB-11W/WS | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 740 | 11 | N/A | 10000 | 2700 | | 2 | 4/18/07 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-13W | FE-IISB-13W/WV | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 13 | N/A | 15000 | 2700 | 0.56 | 2 | 11/4/08 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-13W/30 | | Bare-spiral | E26/24 (Medium) | CFL | | 870 | 13 | N/A | 10000 | 3000 | 0.58 | 2 | 10/23/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/27 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 12000 | 2700 | 0.59 | 2 | 1/6/10 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/30 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 875 | 14 | N/A | 12000 | 3000 | 0.6 | 2 | 10/15/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/35 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 885 | 14 | N/A | 12000 | 3500 | 0.59 | 2 | 10/15/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/41 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 830 | 14 | N/A | 10000 | 4100 | 0.59 | 2 | 3/12/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/50 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 850 | 14 | N/A | 10000 | 5000 | | 2 | 6/18/08 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-14W/65 | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 6500 | 0.6 | 2 | 1/19/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-18W/30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 3000 | 0.57 | 2 | 10/23/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 15000 | 2700 | 0.53 | 2 | 10/5/07 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W/30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3000 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W/35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1275 | 19 | N/A | 12000 | 3000 | 0.56 | 2 | 10/15/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W/35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 3500 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W/41 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 4100 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-19W/50 | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 19 | N/A | 10000 | 5000 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | 0.54 | 2 | 1/4/10 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/27K | FE-IISB-23W/27K | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23.0 | N/A | 12000 | 2700 | 0.58 | 2 | 9/9/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/30 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 3000 | 0.56 | 2 | 10/15/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/35 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/41 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/50 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.5 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-23W/65 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 6500 | 0.57 | 2 | 1/19/11 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-26W | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 15000 | 2700 | | 2 | 10/5/07 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-26W/41 | | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 4100 | 0.5 | 2 | 7/8/09 |
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-IISB-9W | FE-IISB-9W/WV | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|----------|----------------------|--------------------------|---------------------|-------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Xiamen Longstar Lighting Company, Ltd. | Longstar | FE-US-20W | FE-US-20W/VV | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | | 2 | 8/31/07 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLCA3U15B | | Bare-Tripole Tube | E26/24 (Medium) | CFL | | 850 | 15.0 | N/A | 8000 | 2700 | 0.51 | 2 | 3/12/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLCA3U20B | | Bare-Tripole Tube | E26/24 (Medium) | CFL | | 1240 | 20 | N/A | 8000 | 2700 | 0.56 | 2 | 6/11/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLCA4U27 | | Bare-quadruple tube | E26/24 (Medium) | CFL | | 1705 | 27 | N/A | 8000 | 2700 | 0.52 | 2 | 5/26/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA06-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 215 | 5 | N/A | 10000 | 2700 | 0.55 | 2 | 12/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA06-T2Q | | Covered globe | E26/24 (Medium) | CFL | | 450 | 9 | N/A | 10000 | 2700 | 0.58 | 2 | 1/19/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA10-T2Q | | Covered A-line | E26/24 (Medium) | CFL | | 505 | 11 | N/A | 10000 | 2700 | | 2 | 1/26/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA10-T2Q 6500K | | Covered A-line | E26/24 (Medium) | CFL | | 460 | 10 | N/A | 10000 | 6500 | 0.57 | 2 | 4/13/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA10-T2Q 6500K E12 | | Covered A-line | E12 (Candelabra) | CFL | | 460 | 10 | N/A | 10000 | 6500 | 0.57 | 2 | 5/7/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA10-T2Q E12 | | Covered A-line | E26/24 (Medium) | CFL | | 505 | 10 | N/A | 10000 | 2700 | 0.57 | 2 | 12/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA11-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 450 | 11 | N/A | 10000 | 2700 | | 2 | 3/19/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA13-T2Q | | Covered A-line | E26/24 (Medium) | CFL | | 600 | 13 | N/A | 10000 | 2700 | 0.55 | 9 | 9/3/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA15B-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 810 | 15.0 | N/A | 10000 | 2700 | 0.52 | 2 | 3/4/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA15B-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 880 | 15 | N/A | 8000 | 2700 | 0.58 | 2 | 1/20/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA15C-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 825 | 15 | N/A | 10000 | 2700 | | 2 | 10/18/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLDA20-T3Q | | Covered A-line | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 10000 | 2700 | | 2 | 10/16/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA09-T3P | | Covered-Candle | E26/24 (Medium) | CFL | | 400 | 9 | N/A | 8000 | 2700 | 0.55 | 2 | 5/7/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA09-T3P E12 | | Covered-Candle | E12 (Candelabra) | CFL | | 400 | 9 | N/A | 8000 | 2700 | 0.55 | 2 | 5/7/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U05B | | Covered-Candle | E26/24 (Medium) | CFL | | 200 | 5 | N/A | 8000 | 2700 | 0.55 | 2 | 1/28/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U05B E12 | | Covered-Candle | E12 (Candelabra) | CFL | | 200 | 5 | N/A | 8000 | 2700 | 0.55 | 2 | 4/9/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U05-E12 | | Covered-Candle | E12 (Candelabra) | CFL | | 200 | 5 | N/A | 6000 | 2700 | 0.53 | 2 | 1/19/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U05-E26 | | Covered-Candle | E26/24 (Medium) | CFL | | 200 | 5 | N/A | 6000 | 2700 | | 2 | 6/16/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U07-E12 | | Covered-Candle | E12 (Candelabra) | CFL | | 370 | 7 | N/A | 6000 | 2700 | 0.57 | 2 | 1/20/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U07-E26 | | Covered-Candle | E26/24 (Medium) | CFL | | 370 | 7.0 | N/A | 6000 | 2700 | | 2 | 8/26/03 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U09B | | Covered-Candle | E26/24 (Medium) | CFL | | 430 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 6/10/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U09B E12 | | Covered-Candle | E26/24 (Medium) | CFL | | 430 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 6/10/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U09-E12 | | Covered-Candle | E12 (Candelabra) | CFL | | 430 | 9 | N/A | 6000 | 2700 | 0.55 | 2 | 12/1/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U09-E12 | | Covered-Candle | E26/24 (Medium) | CFL | | 430 | 9 | N/A | 6000 | 2700 | 0.55 | 2 | 12/1/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLFA2U09-E26 | | Covered-Candle | E26/24 (Medium) | CFL | | 430 | 9 | N/A | 6000 | 2700 | | 2 | 6/16/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA10-T2Q | | Covered globe | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 10000 | 2700 | 0.56 | 2 | 9/3/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA10-T2Q 6500K | | Covered globe | E26/24 (Medium) | CFL | | 450 | 10 | N/A | 10000 | 6500 | 0.56 | 2 | 1/15/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA11-T3Q | | Covered globe | E26/24 (Medium) | CFL | | 450 | 11 | N/A | 10000 | 2700 | | 2 | 3/4/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA15B-T3Q | | Covered globe | E26/24 (Medium) | CFL | | 740 | 15 | N/A | 10000 | 2700 | 0.52 | 2 | 3/4/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA15C-T3Q | | Covered globe | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | | 2 | 10/17/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLGA20-T3Q | | Covered globe | E26/24 (Medium) | CFL | | 1050 | 20 | N/A | 6000 | 2700 | 0.57 | 2 | 1/19/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLHA10-T2Q | | Covered bullet | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 10000 | 2700 | | 2 | 10/17/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLHA20B-T3Q | | Covered bullet | E26/24 (Medium) | CFL | | 1100 | 20 | N/A | 10000 | 2700 | | 2 | 10/18/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLHA20-T3Q | | Covered bullet | E26/24 (Medium) | CFL | | 1050 | 20 | N/A | 6000 | 2700 | | 2 | 6/16/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLHA26-T3Q | | Covered bullet | E26/24 (Medium) | CFL | | 1350 | 26 | N/A | 10000 | 2700 | | 2 | 10/18/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLHA3U11-POST | | Covered-post | E26/24 (Medium) | CFL | | 500 | 11 | N/A | 6000 | 2700 | 0.59 | 2 | 12/22/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLJA3U11-R20 | | Covered-reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 8000 | 2700 | | 2 | 12/29/04 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA08-T2 | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 8 | N/A | 12000 | 2700 | 0.56 | 2 | 1/19/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA08-T2 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 8 | N/A | 12000 | 4100 | 0.57 | 2 | 1/14/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA08-T2 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 430 | 8 | N/A | 12000 | 6500 | 0.56 | 2 | 1/18/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 2700 | | 2 | 5/1/02 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 10K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.56 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 2700 | 0.59 | 2 | 10/27/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 3500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 3500 | | 2 | 10/2/08 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 8000 | 4100 | 0.58 | 2 | 8/14/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 4000K 10K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | 0.5 | 2 | 10/22/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 6500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 8000 | 6500 | | 2 | 12/1/06 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 6500K 10K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 6500 | 0.56 | 2 | 10/22/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 A | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.58 | 2 | 5/26/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 A 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 3500 | 0.59 | 2 | 6/15/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 A 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | 0.6 | 2 | 5/20/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA09-T3 A 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 520 | 9 | N/A | 10000 | 6500 | 0.58 | 2 | 5/26/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10B-T2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 8000 | 2700 | | 5 | 1/3/08 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10B-T2 4000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 8000 | 4100 | | 5 | 1/14/08 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10B-T2 6500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 8000 | 6500 | | 5 | 1/14/08 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10C-T3 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 12000 | 2700 | | 2 | 3/17/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10D-T3 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 530 | 10 | N/A | 8000 | 2700 | 0.55 | 2 | 10/27/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10D-T3 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 530 | 10 | N/A | 8000 | 4100 | | 5 | 9/9/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10D-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 8000 | 6500 | | 5 | 9/9/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10E-T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 530 | 10 | N/A | 12000 | 2700 | 0.56 | 2 | 9/4/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10E-T3 4000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 530 | 10 | N/A | 12000 | 4100 | 0.57 | 2 | 7/24/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10E-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 12000 | 6500 | 0.55 | 11 | 9/2/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T2 | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 12000 | 2700 | | 2 | 9/4/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T2 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 580 | 10 | N/A | 12000 | 4100 | 0.56 | 11 | 9/4/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T2 6500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 12000 | 6500 | 0.56 | 2 | 7/27/09 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T3 | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 12000 | 2700 | 0.58 | 2 | 10/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T3 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 10 | N/A | 12000 | 4100 | 0.57 | 2 | 10/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA10-T3 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 12000 | 6500 | 0.57 | 2 | 10/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA11B-R20 | | Covered-reflector | E26/24 (Medium) | CFL | | 400 | 11 | N/A | 10000 | 2700 | | 2 | 12/1/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA11B-R20 6500K | | Covered-reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 10000 | 6500 | 0.56 | 2 | 1/15/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA11-R20 | | Covered-reflector | E26/24 (Medium) | CFL | | 380 | 11 | N/A | 10000 | 2700 | | 2 | 4/16/10 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA12-T2P | | Bare-spiral | E26/24 (Medium) | CFL | | 750 | 12 | N/A | 12000 | 2700 | 0.61 | 2 | 1/13/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA12-T2P 4000K | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 12 | N/A | 12000 | 4100 | 0.61 | 2 | 1/19/11 |
| Xiamen Topstar Lighting Co., Ltd. | Topstar | BLQA12-T2P 6500K | | Bare-spiral | E26/24 (Medium)</ | | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|----------------------------------|---------|---------------------|--------------------------|-------------------|----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA18D-T3 4000K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1000 | 15 | N/A | 8000 | 4100 | 0.57 | 2 | 7/27/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA18D-T3 6500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 8000 | 4100 | 0.57 | 2 | 7/28/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA18E-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 920 | 15 | N/A | 8000 | 2700 | 0.57 | 2 | 1/28/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-POST | | Covered-post | E2624 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 9/3/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-R30 | | Covered reflector | E2624 (Medium) | CFL | | 720 | 15.0 | N/A | 8000 | 2700 | | 4 | 1/29/04 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-R30 3500K | | Covered reflector | E2624 (Medium) | CFL | | 700 | 15 | N/A | 8000 | 3500 | 0.56 | 2 | 9/30/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-R30 6500K | | Covered reflector | E2624 (Medium) | CFL | | 650 | 15 | N/A | 8000 | 6500 | 0.57 | 2 | 9/30/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T2 | | Bare-spiral | E2624 (Medium) | CFL | | 935 | 14 | N/A | 12000 | 2700 | | 2 | 3/25/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T2 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 935 | 14 | N/A | 12000 | 4100 | 0.53 | 2 | 5/5/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 14 | N/A | 8000 | 2700 | 0.57 | 2 | 4/15/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 10K | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 2700 | 0.56 | 2 | 8/14/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 14 | N/A | 8000 | 4100 | 0.56 | 2 | 8/14/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 4000K 10K | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 4100 | 0.56 | 2 | 8/14/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 6500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 8000 | 6500 | 0.57 | 2 | 9/30/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 6500K 10K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 6500 | 0.57 | 2 | 9/30/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 A | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 14 | N/A | 10000 | 2700 | 0.57 | 2 | 5/20/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 A 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 950 | 14 | N/A | 10000 | 4100 | 0.57 | 2 | 5/20/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA15-T3 A 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 900 | 14 | N/A | 10000 | 6500 | 0.57 | 2 | 5/24/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20B-T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 8000 | 2700 | 0.57 | 2 | 7/28/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20B-T2 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1190 | 20 | N/A | 8000 | 6500 | 0.56 | 2 | 8/14/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C1-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 2700 | 0.56 | 2 | 10/5/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C1-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 4100 | 0.56 | 2 | 10/12/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C1-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 6500 | 0.56 | 2 | 10/5/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 2700 | 0.54 | 2 | 3/31/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 6500 | 0.55 | 2 | 3/31/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C-T3 6500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1200 | 20 | N/A | 12000 | 2700 | | 2 | 6/28/05 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20C-T3 A | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 16000 | 2700 | 0.54 | 2 | 1/14/11 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20D-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 2700 | 0.55 | 2 | 7/17/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20D-T3 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 12000 | 4100 | 0.55 | 11 | 9/4/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20D-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 12000 | 6500 | 0.55 | 2 | 9/22/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20E-T3 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 2700 | | 2 | 3/11/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20E-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 4100 | 0.56 | 2 | 9/9/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20E-T3 5000K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 8000 | 5000 | | 2 | 5/24/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20E-T3 6500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 8000 | 6500 | | 5 | 1/15/08 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20F-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1260 | 20 | N/A | 8000 | 2700 | 0.56 | 2 | 1/28/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 2700 | 0.55 | 11 | 9/2/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T2 4000K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1250 | 20 | N/A | 12000 | 4100 | 0.55 | 2 | 10/27/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T2 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1190 | 20 | N/A | 12000 | 6500 | 0.52 | 11 | 9/2/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20.0 | N/A | 8000 | 2700 | | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 10K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | 0.56 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 3500K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 3500 | 0.59 | 2 | 10/23/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 3500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 3500 | | 2 | 10/2/08 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 8000 | 4100 | 0.55 | 2 | 8/17/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 4000K 10K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 4100 | 0.56 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 8000 | 6500 | 0.55 | 2 | 8/17/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 6500K 10K | | Bare-spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 10000 | 6500 | 0.56 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 A | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | 0.55 | 2 | 5/24/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 A 3500K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 3500 | 0.57 | 2 | 6/15/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 A 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 4100 | 0.55 | 2 | 5/20/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA20-T3 A 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1235 | 20 | N/A | 10000 | 6500 | 0.55 | 2 | 5/24/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23C1-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 23 | N/A | 12000 | 2700 | | 2 | 3/31/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23C3-T3 | BLQA23C3-T3 | Bare-spiral | E2624 (medium) | CFL | | 1678 | 23.0 | N/A | 10000 | 2700 | 0.58 | 2 | 3/8/12 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23C-T3 | BLQA23C-T3 | Bare-spiral | E2624 (medium) | CFL | | 1620 | 26.0 | N/A | 10000 | 2700 | 0.57 | 2 | 10/3/11 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23D-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 23 | N/A | 12000 | 2700 | 0.56 | 2 | 9/22/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23D-T3 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1640 | 23 | N/A | 12000 | 4100 | 0.56 | 2 | 9/21/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23-PAR38 | | Covered reflector | E2624 (Medium) | CFL | | 1140 | 24 | N/A | 10000 | 2700 | | 2 | 5/7/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA23-PAR38 3000K | BLQA23-PAR38 3000K | Covered reflector | E2624 (medium) | CFL | | 1160 | 24.0 | N/A | 10000 | 3000 | 0.58 | 2 | 3/9/12 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-PAR38 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 10000 | 2700 | | 2 | 12/31/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-PAR38 3500K | | Covered reflector | E2624 (Medium) | CFL | | 1250 | 26 | N/A | 10000 | 3500 | 0.58 | 2 | 6/11/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-PAR38 6500K | | Covered reflector | E2624 (Medium) | CFL | | 1200 | 26 | N/A | 10000 | 6500 | 0.57 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-R40 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 10000 | 2700 | | 2 | 12/28/04 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 8000 | 2700 | 0.6 | 2 | 7/28/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28B-T2 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1600 | 26 | N/A | 8000 | 6500 | 0.6 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28C1-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 12000 | 2700 | | 2 | 3/17/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28C2-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 12000 | 2700 | 0.6 | 2 | 10/21/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28C2-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1690 | 26 | N/A | 12000 | 4100 | 0.6 | 2 | 12/7/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28C2-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1610 | 26 | N/A | 12000 | 6500 | 0.6 | 2 | 12/7/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28D-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 2700 | 0.57 | 2 | 9/21/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28D-T3 4100K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 12000 | 4100 | 0.58 | 2 | 9/21/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28D-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1660 | 26 | N/A | 12000 | 6500 | 0.58 | 2 | 9/22/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28E-T3 | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 2700 | | 5 | 11/16/07 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28E-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 4100 | 0.58 | 2 | 9/9/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28E-T3 6500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1660 | 26 | N/A | 8000 | 6500 | | 5 | 1/15/08 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28F-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1700 | 26 | N/A | 8000 | 2700 | 0.57 | 2 | 3/12/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28-PAR38 | | Covered reflector | E2624 (Medium) | CFL | | 1300 | 26 | N/A | 8000 | 2700 | | 2 | 2/4/10 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28-T2 | | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 12000 | 2700 | 0.58 | 2 | 9/23/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA28-T2 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1625 | 26 | N/A | 12000 | 6500 | 0.58 | 2 | 9/22/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26.0 | N/A | 8000 | 2700 | | 2 | 12/29/04 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 10K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | | 2 | 7/1/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 3500K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 3500 | 0.58 | 2 | 10/23/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 3500K | | Bare-Mini-Spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 3500 | | 2 | 10/2/08 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 4000K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 8000 | 4100 | 0.58 | 2 | 8/17/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 4000K 10K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 4100 | 0.57 | 2 | 9/21/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 6500K | | Bare-spiral | E2624 (Medium) | CFL | | 1650 | 26 | N/A | 8000 | 6500 | | 2 | 8/1/08 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 A | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 2700 | 0.58 | 2 | 8/18/09 |
| Xiamen Topstar Lighting Co. Ltd. | Topstar | BLQA26-T3 A 3500K | | Bare-spiral | E2624 (Medium) | CFL | | 1750 | 26 | N/A | 10000 | 3500 | 0.58 | 2 | 5/24/ |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--|------------|-------------------|--------------------------|-------------------|------------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE117 10W 2700K | | Covered globe | E26/24 (Medium) | CFL | | 500 | 10 | N/A | 10000 | 2700 | 0.57 | 2 | 16/11 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE117 15W | | Covered globe | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | 0.58 | 2 | 12/22/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE151-S-27W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 2000 | 27 | N/A | 10000 | 2700 | 0.59 | 2 | 10/14/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE231 11S 2700K | | Covered A-line | E26/24 (Medium) | CFL | | 600 | 11 | N/A | 10000 | 2700 | 0.54 | 2 | 9/30/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE242 3823 2700K | | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 9/16/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | FE275 13S 2700K | | Covered A-line | E26/24 (Medium) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.55 | 2 | 9/30/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK101 11W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 720 | 11 | N/A | 10000 | 2700 | 0.54 | 2 | 12/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK101 11W 3000K | | Bare-spiral | E26/24 (Medium) | CFL | | 720 | 11 | N/A | 10000 | 3000 | | 2 | 12/10/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK101 11W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 730 | 11 | N/A | 10000 | 3500 | 0.53 | 2 | 11/23/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK101 15W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 15 | N/A | 10000 | 2700 | 0.62 | 2 | 12/21/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 13W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 2700 | 0.55 | 2 | 10/22/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 13W 3000K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 3000 | 0.55 | 2 | 10/22/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 13W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 12000 | 3500 | 0.55 | 2 | 10/22/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 13W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 12000 | 6500 | 0.6 | 2 | 10/22/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 7W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 2700 | 0.59 | 2 | 12/21/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK172 7W 3000K | | Bare-spiral | E26/24 (Medium) | CFL | | 450 | 7 | N/A | 10000 | 3000 | 0.58 | 2 | 12/10/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK501 10W | | Bare-spiral | E26/24 (Medium) | CFL | | 660 | 10 | N/A | 10000 | 2700 | 0.58 | 2 | 12/31/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK501 13W | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 10000 | 2700 | 0.6 | 2 | 12/31/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK501A 10W | | Bare-spiral | E26/24 (Medium) | CFL | | 660 | 10 | N/A | 15000 | 2700 | 0.58 | 2 | 3/16/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK501A 13W | | Bare-spiral | E26/24 (Medium) | CFL | | 850 | 13 | N/A | 15000 | 2700 | 0.6 | 2 | 4/1/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK502 20W | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 15000 | 2700 | 0.57 | 2 | 11/5/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK502 23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1620 | 23 | N/A | 10000 | 2700 | 0.58 | 2 | 11/5/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK502A 20W | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 15000 | 2700 | 0.57 | 2 | 5/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK502A 23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1620 | 23 | N/A | 15000 | 2700 | 0.58 | 2 | 5/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK506 15W | | Covered reflector | E26/24 (Medium) | CFL | | 800 | 15 | N/A | 10000 | 2700 | 0.58 | 2 | 9/16/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK506 18W | | Bare-spiral | E26/24 (Medium) | CFL | | 820 | 16 | N/A | 10000 | 2700 | 0.58 | 2 | 2/13/12 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK507 23W | | Covered reflector | E26/24 (Medium) | CFL | | 1300 | 23 | N/A | 10000 | 2700 | 0.59 | 2 | 9/16/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK508 32W-T | | Bare-spiral | E26/24 (Medium) | CFL | Three Way | 2150 | N/A | 13/23/32 | 12000 | 2700 | 0.56 | 2 | 5/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK509 13W-D | | Bare-spiral | E26/24 (Medium) | CFL | Dimmable | 900 | 13 | N/A | 12000 | 2700 | 0.67 | 2 | 5/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK509 23W-D | | Bare-spiral | E26/24 (Medium) | CFL | | 1605 | 23 | N/A | 12000 | 2700 | 0.72 | 2 | 4/1/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK510 11W | | Covered A-line | E12 (Candelabra) | CFL | | 600 | 11 | N/A | 10000 | 2700 | 0.54 | 2 | 9/30/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK510 13W | | Covered A-line | E12 (Candelabra) | CFL | | 800 | 13 | N/A | 10000 | 2700 | 0.55 | 2 | 9/30/09 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK511 13W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | 0.61 | 2 | 9/20/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK511 13W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 5000 | 0.61 | 2 | 12/13/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 19W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 10000 | 2700 | 0.55 | 2 | 6/29/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 19W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 10000 | 5000 | 0.55 | 2 | 11/23/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 19W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1210 | 19 | N/A | 10000 | 6500 | 0.55 | 2 | 11/23/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 6/29/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 23W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.57 | 2 | 16/11 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 23W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 6500 | 0.57 | 2 | 11/23/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK512 27W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1800 | 27 | N/A | 10000 | 2700 | 0.59 | 2 | 9/7/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK515 23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 11/23/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK521 10W | | Bare-spiral | E26/24 (Medium) | CFL | | 660 | 10 | N/A | 10000 | 2700 | 0.58 | 2 | 9/1/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK521 13W | | Bare-spiral | E26/24 (Medium) | CFL | | 825 | 13 | N/A | 10000 | 2700 | 0.6 | 2 | 9/2/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK522 19W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1250 | 19 | N/A | 10000 | 2700 | 0.56 | 2 | 9/2/10 |
| Xiamen Yankon Energetic Lighting Co., Ltd. | YANKON | YK522 23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.58 | 2 | 9/7/10 |
| Yantai Haolibeit Lighting Co., Ltd. | RED100 | A21 | A21 | Covered A-line | E26/E24 (Medium) | CFL | | 1200 | 19.28 | N/A | 10000 | 2700 | 0.56 | 2 | 10/24/11 |
| Yantai Haolibeit Lighting Co., Ltd. | RED100 | G30 | G30 | Covered globe | E26/E24 (Medium) | CFL | | 1200 | 19.99 | N/A | 10000 | 2700 | 0.56 | 2 | 10/24/11 |
| Yantai Haolibeit Lighting Co., Ltd. | RED100 | R40 | R40 | Covered reflector | E26/E24 (Medium) | CFL | | 1200 | 23.0 | N/A | 10000 | 2700 | 0.57 | 2 | 10/18/11 |
| Yantai Haolibeit Lighting Co., Ltd. | RED100 | Twist | Twist | Bare-spiral | E26/E24 (Medium) | CFL | | 1600 | 21.77 | N/A | 10000 | 2700 | 0.59 | 2 | 10/24/11 |
| Zhejiang Joian Lighting Co., Ltd. | BLUE | SPS13W | JY004-SPS13W; 052-5120-0 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 850 | 13.0 | N/A | 10000 | 2700 | 0.6 | 1 | 7/25/11 |
| Zhejiang Joian Lighting Co., Ltd. | BLUE | SPS23W | JY005-SPS23W; 052-5121-8 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 1500 | 23.0 | N/A | 10000 | 2700 | 0.56 | 1 | 7/25/11 |
| Zhejiang Joian Lighting Co., Ltd. | BLUE | SPS9W | JY003-SPS9W; 052-5128-4 | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 600 | 9.0 | N/A | 10000 | 2700 | 0.56 | 1 | 7/25/11 |
| Zhejiang Joian Lighting Co., Ltd. | Blueplanet | SPZ35 | 052-5121-8; 052-5510-28 | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 21.84 | N/A | 10000 | 2700 | 0.56 | 2 | 3/9/12 |
| Zhejiang Joian Lighting Co., Ltd. | LEA-SUN | SP121-23W (E26) | JY001-SPZ3W | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 1600 | 23.0 | N/A | 10000 | 2700 | 0.56 | 2 | 7/25/11 |
| Zhejiang Joian Lighting Co., Ltd. | LEA-SUN | SP121-20W (E26) | JY002-SPZ6W | Bare-Mini-Spiral | E12 (Candelabra) | CFL | | 1600 | 20.0 | N/A | 10000 | 2700 | 0.59 | 2 | 7/25/11 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESC-5W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 250 | 5 | N/A | 10000 | 2700 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESC-5W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 250 | 5 | N/A | 10000 | 2700 | 0.56 | 2 | 2/4/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESC-9W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESC-9W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 2/4/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESD-5W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 250 | 5 | N/A | 10000 | 2700 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESD-5W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 250 | 5 | N/A | 10000 | 2700 | 0.56 | 2 | 2/4/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESD-9W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESD-9W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 2/4/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.6 | 2 | 11/19/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-23W | | Bare-spiral | E26/24 (Medium) | CFL | | 1612 | 23 | N/A | 10000 | 2700 | 0.56 | 2 | 11/22/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.5 | 2 | 8/5/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.5 | 2 | 8/5/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | 0.57 | 2 | 10/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-13W-5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | 0.58 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-15W-2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 2700 | 0.57 | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESH-15W-2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL</ | | | | | | | | | |

| ENERGY STAR Partner | Brand | Model Number | Retail Product Number(s) | Bulb Type | Base Type | Technology | Special Features | Light Output (lumens) | Wattage (watts) | Three Way Wattage (watts) | Bulb Life (hours) | Color Temperature (kelvin) | Power Factor | Warranty (years) | Date Qualified |
|--------------------------------|------------------|------------------|--------------------------|------------------|-----------------|------------|------------------|-----------------------|-----------------|---------------------------|-------------------|----------------------------|--------------|------------------|----------------|
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-15W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 4100 | | 2 | 10/25/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-15W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 4100 | 0.5 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-15W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 5000 | | 2 | 10/25/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-15W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 5000 | 0.5 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-18W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1218 | 18 | N/A | 10000 | 2700 | 0.58 | 2 | 10/22/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-18W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1218 | 18 | N/A | 10000 | 3500 | 0.57 | 2 | 12/20/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-18W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1218 | 18 | N/A | 10000 | 6500 | 0.56 | 2 | 12/20/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1218 | 20 | N/A | 10000 | 2700 | | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 2700 | 0.54 | 2 | 3/26/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | 0.54 | 2 | 3/31/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | | 2 | 11/2/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | 0.58 | 2 | 3/31/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | | 2 | 11/2/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.55 | 2 | 3/31/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | 0.56 | 2 | 12/20/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 11/2/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | | 2 | 5/27/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | | 2 | 11/2/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 5000 | 0.5 | 2 | 5/27/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1550 | 23 | N/A | 10000 | 6500 | 0.56 | 2 | 12/22/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 2700 | | 2 | 11/9/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 2700 | 0.5 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 4100 | | 2 | 11/9/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 4100 | 0.5 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 5000 | | 2 | 11/10/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-26W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 1650 | 26 | N/A | 10000 | 5000 | 0.5 | 2 | 8/4/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 2700K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 3/13/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 567 | 9 | N/A | 10000 | 3500 | 0.54 | 2 | 12/21/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 4100K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 4100 | 0.57 | 2 | 3/13/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 5000 | | 2 | 11/1/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 5000K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 5000 | 0.56 | 2 | 2/25/08 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 6500 | 0.55 | 2 | 12/20/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-13W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.57 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-13W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3500 | 0.57 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-13W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 810 | 13 | N/A | 10000 | 6500 | 0.57 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-15W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1000 | 15 | N/A | 10000 | 2700 | 0.55 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-20W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 2700 | 0.58 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-20W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 20 | N/A | 10000 | 3500 | 0.58 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-20W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | 0.57 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-20W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | 0.58 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-20W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 6500 | 0.57 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-23W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3500 | 0.56 | 9 | 8/12/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-23W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1520 | 23 | N/A | 10000 | 6500 | 0.56 | 2 | 9/9/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-26W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1700 | 26 | N/A | 10000 | 2700 | | 9 | 7/13/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-9W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 2700 | | 9 | 7/13/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-9W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 3500 | 0.54 | 9 | 7/13/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESS-9W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 6500 | 0.55 | 9 | 7/13/09 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-13W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | 0.58 | 2 | 9/10/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-13W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 3500 | 0.58 | 2 | 7/20/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-13W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 4100 | 0.56 | 2 | 8/18/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-13W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 5000 | 0.56 | 2 | 1/12/11 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-15W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 4100 | 0.56 | 2 | 8/27/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-15W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 950 | 15 | N/A | 10000 | 5000 | 0.56 | 2 | 8/27/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-18W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 4100 | 0.57 | 2 | 8/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESX-18W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 18 | N/A | 10000 | 5000 | 0.57 | 2 | 8/27/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 3500 | 0.57 | 2 | 7/21/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 4100 | 0.57 | 2 | 8/16/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-20W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1200 | 20 | N/A | 10000 | 5000 | 0.57 | 2 | 8/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 2700 | 0.57 | 2 | 8/25/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-23W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 4100 | 0.56 | 2 | 8/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 578 | 9 | N/A | 10000 | 2700 | 0.55 | 2 | 7/21/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 556 | 9 | N/A | 10000 | 4100 | 0.55 | 2 | 8/26/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 567 | 9 | N/A | 10000 | 5000 | 0.55 | 2 | 7/21/10 |
| Zhe Jiang NVC Lamp Co., Ltd. | NVC | ESP-9W 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 550 | 9 | N/A | 10000 | 6500 | 0.55 | 2 | 7/20/10 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151A 19S 5000K | | Bare-spiral | E26/24 (Medium) | CFL | | 1150 | 19 | N/A | 12000 | 5000 | 0.54 | 11 | 1/10/11 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151A 23S 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1450 | 23 | N/A | 12000 | 6500 | 0.56 | 11 | 1/10/11 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151-S-19 | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 10000 | 3000 | | 2 | 12/30/04 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151-S-19 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1300 | 19 | N/A | 8000 | 3500 | | 2 | 9/15/05 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151-S-23 | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 10000 | 3000 | | 2 | 12/21/04 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151-S-23 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 1600 | 23 | N/A | 8000 | 3500 | | 2 | 9/15/05 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE151-S-27 | | Bare-spiral | E26/24 (Medium) | CFL | | 1900 | 23 | N/A | 10000 | 3000 | | 2 | 12/30/04 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE153-13S | E153-13SW-VB10 | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 10000 | 2700 | | 2 | 9/15/05 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE153-13S 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 3500 | | 5 | 9/15/05 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE162 40S | | Bare-spiral | E26/24 (Medium) | CFL | | 2600 | 40 | N/A | 8000 | 2700 | | 5 | 6/12/06 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE172 13S 3500K | | Bare-Mini-Spiral | E26/24 (Medium) | CFL | | 900 | 13 | N/A | 8000 | 3500 | | 5 | 6/9/06 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE172A 7S 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 375 | 7 | N/A | 12000 | 2700 | 0.54 | 11 | 1/11/11 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE213 13S 6500K | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 13 | N/A | 12000 | 6500 | 0.54 | 11 | 1/10/11 |
| Zhejiang Yankon Group Co., Ltd | Yankon | FE84-S 13W | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 13.0 | N/A | 10000 | 2700 | | 7 | 9/28/01 |
| Zhejiang Yankon Group Co., Ltd | Yankon Energetic | FE101B 11S 2700K | | Bare-spiral | E26/24 (Medium) | CFL | | 800 | 11 | N/A | 12000 | 2700 | 0.52 | 7 | 7/2/09 |
| Zhejiang Yankon Group Co., Ltd | Yankon Energetic | FE101B 11S 3000K | | Bare-spiral | E26/24 (Medium) | CFL | | 789 | 11 | N/A | 10000 | 3000 | | 7 | 7/15/09 |
| Zhejiang Yankon Group Co., Ltd | Yankon Energetic | FE101B 11S 3500K | | Bare-spiral | E26/24 (Medium) | CFL | | 700 | 11 | N/A | 10000 | 3500 | 0.52 | 7 | 9/3/09 |
| Zhejiang Yankon Group Co., Ltd | Yankon Energetic | FE101B 11S 4100K | | Bare-spiral | E26/24 (Medium) | CFL | | 720 | 11 | N/A | 10000 | 4100 | 0.52 | | |

Definitions for Column Headers

| Performance Characteristic | Definitions |
|----------------------------------|--|
| Brand and Model Number | <p>How a particular lamp is identified. Retailers identify products they stock using the brand and model number. Some products may also be identified with a name or SKU, which is different from the brand or model number.</p> <p>Model numbers often contain wildcard characters, such as *, #, and X, that are placeholders for non-energy attributes, such as color.</p> |
| Retail Product Number | <p>In addition to model numbers manufacturers and retailers often use a retail number to identify products or packaging configurations. It is commonly a five (5) or six (6) digit number located on the front of the packaging or near the UPC code. This information provides the item number used by specific retailers or provides additional product numbers of multi-packs of the original qualified product (e.g. - AM09 (4-pack)).</p> |
| Bulb Type | <p>The lamp shape: bare-spiral, globe, bulged reflector (BR), elliptical reflector (ER), etc.</p> |
| Base Type | <p>Base type of the lamp: Screw base (E26, E17, etc.), bayonet bases, multiple pin bases (GU24, GU10).</p> |
| Technology | <p>The technology of the lamp: compact fluorescent light bulbs (CFL) and light emitting diode (LED).</p> |
| Special Features | <p>Most fixtures are designed to operate on an on/off switch. However, some fixtures have been designed with features to perform in specialized applications, such as with dimmers, three-way, or photo cell controls. Special features and compatibility with controls should be clearly marked on the product packaging, cut sheet or web site for the product.</p> |
| Light Output (lumens) | <p>A lumen is a unit of measure of the luminous flux or quantity of light emitted by a source or light bulb.</p> |
| Wattage/Three-way wattage | <p>The electric power a light bulb needs to operate is designated by watts (W).</p> |
| Bulb Life | <p>Bulb life is a rating of the estimated time (shown here in hours) a light bulb will last based on continuous testing at a laboratory. For example, to gain a 10,000-hour rating, 50% of the test samples must continue to operate to 10,000 hours or more.</p> |

| Performance Characteristic | Definitions |
|------------------------------------|---|
| Color Temperature (kelvin) | A description of the "color" of a light source measured by the Kelvin (K) scale. CFLs are available in a range of color temperatures. Lower Kelvin temperatures (2700-3000K) mean the light has a warmer (red-yellow) color, while higher Kelvin temperatures (4100-6500K) mean the light has a cooler (bluer) color. |
| Color Rendering Index (CRI) | Measure of the degree of color shift objects undergo when illuminated by the light source as compared with the color of those same objects when illuminated by a reference source of comparable color temperature. |
| Power Factor | The ratio of real power that flows to the lamp versus the amount of power actually consumed. A lamp with a lower power factor will draw more current than a lamp with a higher power factor for the same amount of useful power transferred. |
| Warranty | The number of years the lamp is covered under the warranty. |
| Date Qualified | The date the fixture was qualified as ENERGY STAR. |

Key Efficiency Criteria

| Performance Characteristic | Specification CFLs | Specification Integrated LED Lamps |
|--|---|--|
| Efficacy (Total lumen output divided by input wattage) | Bare lamp: Lamp power < 10W: 50 lm/watt 10W ≤ Lamp power < 15: 55 lm/watt Lamp power ≥ 15W: 65 lm/watt | Bare lamp: Lamp power < 10: 50 lm/watt 10 ≤ Lamp power : 55 lm/watt Decorative lamp: 50 lm/watt Directional: 40 lm/watt-45 lm/watt |
| Minimum Rated Life | Medium screw-base Covered, Globe and Outdoor reflector CFLs: ≥ 6,000 hours Bare medium screw-base CFLs and GU24-base covered, dimmable, and reflector Lamps: ≥ 8,000 hours GU24 Bare Lamps: ≥ 10,000 hours | Decorative: ≥70% Lumen Maintenance at 15,000 hours All others: ≥70% Lumen Maintenance at 25,000 hours |
| Correlated Color Temperature | Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, 4100K, 5000K, or 6500K. | Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, or 4000K. |
| Warranty | Warranty or limited warranty statement must cover at least a minimum of 24 months, or 2 years, from date of purchase based on no less than 3 hours per day of use. | A warranty must be provided for lamps, covering material repair or replacement for a minimum of three (3) years from the date of purchase. |
| Power Factor | ≥ 0.5 | For lamp power ≤ 5W and for low voltage lamps, no minimum power factor is required. For lamp power >5W, power factor must be ≥0.70 Note: Power factor must be measured at rated voltage. |
| CRI | An Average of the 10 samples tested must be greater than 80, and no more than 3 individual samples can have a CRI less than 77. | Minimum CRI (Ra) of 80. |