

ENERGY STAR Ventilating Fans Product List

List Posted on July 24, 2013

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

* Where a range of as-tested airflow, efficacy, or sound level values is reported, this indicates that in the case of a range hood, multiple configurations are available, and in the case of a bathroom or utility room fan, or an in-line ventilating fan, the fan has more than one speed.

** It is standard industry practice to round down airflow to the nearest 10 cfm when publishing this metric in product directories as the Airflow Certified Rating. For this reason, Airflow Certified Rating and As-Tested Airflow may occasionally differ on this list. In the case of a range hood, Airflow Certified Rating represents performance at working speed, while in the case of a bathroom or utility room fan, or an in-line ventilating fan, it represents maximum speed.

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ080ES		Bathroom/Utility Room	1	94	3.0	0.3	80											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ080ES_0924201200000_1002048
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ090ES		Bathroom/Utility Room	1	94	3.0	0.3	90											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ090ES_0924201200000_1002049
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ110ES		Bathroom/Utility Room	1	114	3.2	0.6	110											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ110ES_0924201200000_1002050
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ120ES		Bathroom/Utility Room	1	124	3.9	1.2	120											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ120ES_0924201200000_1002051
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ150ES		Bathroom/Utility Room	1	156	3.8	1.1	150											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ150ES_0924201200000_1002052
Acme Engineering & Manufacturing Corp.	ACME	VQ	VQ80ESL		Bathroom/Utility Room	1	80	2.8	1.1	80											9/1/2012	9/24/2012	United States, Canada	ES_1120488_VQ80ESL_0924201200000_1002053
Aero Pure LLC	AERO PURE	AP110G	AP110G1		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G1_0510201200000_1001990
Aero Pure LLC	AERO PURE	AP110G	AP110G2		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G2_0510201200000_1001989
Aero Pure LLC	AERO PURE	AP110G	AP110G3		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G3_0510201200000_1001988
Aero Pure LLC	AERO PURE	AP110G	AP110G4		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G4_0510201200000_1001987
Aero Pure LLC	AERO PURE	AP110G	AP110G5		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G5_0510201200000_1001986
Aero Pure LLC	AERO PURE	AP110G	AP110G6		Bathroom/Utility Room	1	113	2.8	2.0	110											11/1/2010	5/10/2012	United States, Canada	ES_1097660_AP110G6_0510201200000_1001985
Aero Pure LLC	AERO PURE	AP70G	AP70G2		Bathroom/Utility Room	1	78	2.2	1.0	70											11/1/2010	8/26/2012	United States, Canada	ES_1097660_AP70G2_0826201200000_1002067
Aero Pure LLC	AERO PURE	AP70G	AP70G6		Bathroom/Utility Room	1	78	2.2	1.0	70											11/1/2010	8/26/2012	United States, Canada	ES_1097660_AP70G6_0826201200000_1002063
Aero Pure LLC	AERO PURE	SBF110G	SBF110G1		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G1_0327201200000_1001688
Aero Pure LLC	AERO PURE	SBF110G	SBF110G2		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G2_0327201200000_1001689
Aero Pure LLC	AERO PURE	SBF110G	SBF110G3		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G3_0327201200000_1001690
Aero Pure LLC	AERO PURE	SBF110G	SBF110G4		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G4_0327201200000_1001691
Aero Pure LLC	AERO PURE	SBF110G	SBF110G5		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G5_0327201200000_1001692
Aero Pure LLC	AERO PURE	SBF110G	SBF110G6		Bathroom/Utility Room	1	114	4.1	0.7	110											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF110G6_0327201200000_1001693
Aero Pure LLC	AERO PURE	SBF80G	SBF80G1		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G1_0327201200000_1001682
Aero Pure LLC	AERO PURE	SBF80G	SBF80G2		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G2_0327201200000_1001683
Aero Pure LLC	AERO PURE	SBF80G	SBF80G3		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G3_0327201200000_1001684
Aero Pure LLC	AERO PURE	SBF80G	SBF80G4		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G4_0327201200000_1001685
Aero Pure LLC	AERO PURE	SBF80G	SBF80G5		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G5_0327201200000_1001686
Aero Pure LLC	AERO PURE	SBF80G	SBF80G6		Bathroom/Utility Room	1	82	3.6	0.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1097660_SBF80G6_0327201200000_1001687
Air-King, Ltd.	Air King	AIF4X	AIF4X		Bathroom/Utility Room	1	92	4.9		90											4/1/2012	4/10/2012	United States, Canada	ES_30227_AIF4X_0410201200000_0_3000547
Air-King, Ltd.	Air King	AIF6Y	AIF6Y		Bathroom/Utility Room	1	239	3.4		230											4/1/2012	4/10/2012	United States, Canada	ES_30227_AIF6Y_0410201200000_0_3000548
Air-King, Ltd.	Air King	AIF8X	AIF8X		Bathroom/Utility Room	1	369	3.2		360											4/1/2012	3/27/2012	United States, Canada	ES_30227_AIF8X_0327201200000_0_3000549
Air-King, Ltd.	Air King	AIK14X	AIK14X		Bathroom/Utility Room	1	92	4.9		90											4/1/2012	4/10/2012	United States, Canada	ES_30227_AIK14X_0410201200000_0_3000543
Air-King, Ltd.	Air King	AIK16X	AIK16X		Bathroom/Utility Room	1	202	3.4		200											4/1/2012	3/27/2012	United States, Canada	ES_30227_AIK16X_0327201200000_0_3000545
Air-King, Ltd.	Air King	AK100D	AK100D		Bathroom/Utility Room	2	51 - 101	1.9 - 3.3	0.5 - 1.5	100, 50											4/1/2012	3/27/2012	United States, Canada	ES_30227_AK100D_0327201200000_00_1001853
Air-King, Ltd.	Air King	AK100LS	AK100LD		Bathroom/Utility Room	1	101	3.8	1.0	100											11/1/2012	11/10/2012	United States, Canada	ES_30227_AK100LD_1110201200000_00_1002097
Air-King, Ltd.	Air King	AK100LS	AK100LS		Bathroom/Utility Room	1	101	3.8	1.0	100											11/1/2012	11/10/2012	United States, Canada	ES_30227_AK100LS_1110201200000_00_1002097
Air-King, Ltd.	Air King	AK110LS	AK110LS		Bathroom/Utility Room	1	110	4.0	1.4	110											11/1/2012	11/10/2012	United States, Canada	ES_30227_AK110LS_1110201200000_00_1002098
Air-King, Ltd.	Air King	AK110PN	AK110PN		Bathroom/Utility Room	1	101	3.3	1.5	100											4/1/2012	3/27/2012	United States, Canada	ES_30227_AK110PN_0327201200000_00_1001854
Air-King, Ltd.	Air King	AK150LS	AK150LS		Bathroom/Utility Room	1	151	4.4	0.8	150											4/1/2012	3/27/2012	United States, Canada	ES_30227_AK150LS_0327201200000_00_1001841
Air-King, Ltd.	Air King	AK200LS	AK200LS		Bathroom/Utility Room	1	203	3.3	1.4	200											4/1/2012	3/27/2012	United States, Canada	ES_30227_AK200LS_0327201200000_00_1001856

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier	
Air-King, Ltd.	Air King	FRAK90	FRAK90		Bathroom/Utility Room	1	101	3.3	1.5	90												4/1/2012	3/27/2012	United States, Canada	ES_30227_FRAK90_03272012000_1001840
Air-King, Ltd.	Air King	LH30SS	LH30SS		Range Hood with Lighting	2	159 - 163	3.8 - 4.0	1.5 - 1.5	150, 150	Fluorescent	1380	17.16	80	0.5	2700K	82	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States, Canada	ES_30227_LH30SS_0410201200000_4501705	
Air-King, Ltd.	Air King	LH36SS	LH36SS		Range Hood with Lighting	2	159 - 163	3.8 - 4.0	1.5 - 1.5	150, 150	Fluorescent	1380	17.16	80	0.5	2700K	82	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States, Canada	ES_30227_LH36SS_0410201200000_4501702	
Airzone Fans Inc.	Airzone	PA1100V	PA1100V		Bathroom/Utility Room	1	114	4.4	1.0	110												3/20/2012	11/10/2012	United States	ES_1119494_PA1100V_1110201200000_1001957
Airzone Fans Inc.	Airzone	PA1100VLE	PA1100VLE		Bathroom/Utility Room with Lighting	1	113	4.4	1.0	110	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		3/20/2012	11/10/2012	United States	ES_1119494_PA1100VLE_1110201200000_1001958	
Airzone Fans Inc.	Airzone	SE	SE110		Bathroom/Utility Room	1	114	3.2	0.6	110												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE110_1110201200000_1002108
Airzone Fans Inc.	Airzone	SE	SE110H		Bathroom/Utility Room	1	114	3.2	0.6	110												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE110H_1110201200000_1002109
Airzone Fans Inc.	Airzone	SE	SE110X		Bathroom/Utility Room	1	114	3.2	0.6	110												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE110X_1110201200000_1002110
Airzone Fans Inc.	Airzone	SE	SE120		Bathroom/Utility Room	1	124	3.4	1.2	120												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE120_1110201200000_1002111
Airzone Fans Inc.	Airzone	SE	SE80		Bathroom/Utility Room	1	96	2.9	0.7	90												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE80_1110201200000_1002105
Airzone Fans Inc.	Airzone	SE	SE90		Bathroom/Utility Room	1	96	2.9	0.7	90												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE90_1110201200000_1002106
Airzone Fans Inc.	Airzone	SE	SE90H		Bathroom/Utility Room	1	96	2.9	0.7	90												5/1/2012	11/10/2012	United States, Canada	ES_1119494_SE90H_1110201200000_1002107
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	BVS120		Bathroom/Utility Room	1	152	3.7		150												9/22/2008	3/27/2012	United States, Canada	ES_1021854_BVS120_0327201200000_3000458
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	BVS200		Bathroom/Utility Room	1	235	3.5		230												11/21/2007	3/27/2012	United States, Canada	ES_1021854_BVS200_0327201200000_3000459
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	DSVS100		Bathroom/Utility Room	1	112	3.0		110												12/14/2007	3/27/2012	United States, Canada	ES_1021854_DSVS100_0327201200000_3000460
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	FSVS100		Bathroom/Utility Room	1	11	3.0		110												11/21/2007	3/27/2012	United States, Canada	ES_1021854_FSVS100_0327201200000_3000461
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS100		Bathroom/Utility Room	1	88	4.2		80												8/29/2008	3/27/2012	United States, Canada	ES_1021854_MPVS100_0327201200000_3000462
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS120		Bathroom/Utility Room	1	128	3.4		120												11/21/2007	3/27/2012	United States, Canada	ES_1021854_MPVS120_0327201200000_3000464
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS150		Bathroom/Utility Room	1	172	4.3		170												9/22/2008	3/27/2012	United States, Canada	ES_1021854_MPVS150_0327201200000_3000463
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	MPVS200		Bathroom/Utility Room	1	257	4.1		250												11/21/2007	3/27/2012	United States, Canada	ES_1021854_MPVS200_0327201200000_3000465
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS4		Bathroom/Utility Room	1	82	3.8		80												12/14/2007	3/27/2012	United States, Canada	ES_1021854_VS4_0327201200000_3000466
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS4MAX		Bathroom/Utility Room	1	122	3.2		120												11/21/2007	3/27/2012	United States, Canada	ES_1021854_VS4MAX_0327201200000_3000467
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS6		Bathroom/Utility Room	1	177	4.4		170												9/17/2008	3/27/2012	United States, Canada	ES_1021854_VS6_0327201200000_3000468
American ALDES Ventilation Corporation	American ALDES	Ventergy Series	VS6MAX		Bathroom/Utility Room	1	261	4.1		260												11/21/2007	3/27/2012	United States, Canada	ES_1021854_VS6MAX_0327201200000_3000469
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT100PRO		In-line (multi-port)	2	121 - 184	3.1 - 3.8		180, 120												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT100PRO_0401201300000_3000603
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT100Silent		In-line (multi-port)	2	67 - 108	3.1 - 3.9		100, 60												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT100Silent_0401201300000_3000604
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT125PRO		In-line (multi-port)	2	192 - 250	4.0 - 4.1		250, 190												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT125PRO_0401201300000_3000605
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT125Silent		In-line (multi-port)	2	79 - 161	3.3 - 4.5		160, 70												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT125Silent_0401201300000_3000606
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT150		In-line (multi-port)	2	73 - 216	2.6 - 3.9		210, 70												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT150_0401201300000_3000607
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT150PRO		In-line (multi-port)	2	278 - 355	1.4 - 3.7		350, 270												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT150PRO_0401201300000_3000608
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT150S		In-line (multi-port)	2	215 - 298	3.1 - 3.4		290, 210												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT150S_0401201300000_3000609
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT150Silent		In-line (multi-port)	2	192 - 299	3.6 - 4.5		290, 190												3/1/2013	4/1/2013	United States, Canada	ES_1111025_TT150Silent_0401201300000_3000610
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT200		Bathroom/Utility Room	2	350 - 432	4.0 - 5.2		430, 290												4/1/2012	3/27/2012	United States, Canada	ES_1111025_TT200_0327201200000_3000567
Bodor Vents LLC, DBA Ventilation Systems	Vents	TT	TT315		Bathroom/Utility Room	2	770 - 999	2.9 - 3.3		990, 770												4/15/2009	3/27/2012	United States, Canada	ES_1111025_TT315_0327201200000_3000568
Bodor Vents LLC, DBA Ventilation Systems	Vents	VK	VK200		Bathroom/Utility Room	1	544	3.9		540												4/15/2009	3/27/2012	United States, Canada	ES_1111025_VK200_0327201200000_3000570
Bodor Vents LLC, DBA Ventilation Systems	Vents	VK	VK315		Bathroom/Utility Room	1	772	2.9		770												4/15/2010	3/27/2012	United States, Canada	ES_1111025_VK315_0327201200000_3000569
Broan-NuTone LLC	Best	P195ES	P195ES2SB		Range Hood with Lighting	1	130	2.9	0.5	120	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		11/1/2012	11/10/2012	United States	ES_1016667_744P195ES2SB_1110201200000_4501765	
Broan-NuTone LLC	Best	P195ES	P195ES70SB		Range Hood with Lighting	1	134	3.1	0.3	130	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		11/1/2012	11/10/2012	United States	ES_1016667_744P195ES70SB_1110201200000_4501767	
Broan-NuTone LLC	Broan	744FL	744FL		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	Fluorescent	716	16.3	44.3	0.62	2700K	83	10,000	Non-Dimmable		11/1/2012	10/25/2012	United States	ES_1016667_744FL_1025201200000_1002089	
Broan-NuTone LLC	Broan	Recessed Fan Light	744LED		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	LED	827	13.64	60.6	0.79	2700K	81	25,000	Non-Dimmable		2/1/2013	2/1/2013	United States	ES_1016667_744LED_0201201300000_1002191	
Broan-NuTone LLC	Broan	744SFL	744SFL		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	Fluorescent	716	16.3	44.3	0.62	2700K	83	10,000	Non-Dimmable		11/1/2012	10/25/2012	United States	ES_1016667_744SFL_1025201200000_1002091	
Broan-NuTone LLC	Broan	770	770		Bathroom/Utility Room	1	64	3.5	1.5	50												7/1/2011	3/27/2012	United States	ES_1016667_770_0327201200000_0_1001801

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Broan-NuTone LLC	Broan	778WH	778WH		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States	ES_1016667_778 WH_04102012000000_1001605
Broan-NuTone LLC	Broan	778WH	778WH		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	1/10/2013	United States	ES_1016667_778 WH_01102013000000_1002119
Broan-NuTone LLC	Broan	784	784		Bathroom/Utility Room	1	80	3.1	2.0	80											12/1/2010	3/27/2012	United States	ES_1016667_784_03272012000000_1001820
Broan-NuTone LLC	Broan	APE Series	APE130SS		Range Hood with Lighting	2	202 - 209	2.8 - 3.0	0.7 - 0.9	200, 200	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		8/1/2012	8/27/2012	United States	E130SS_08272012000000_4501752
Broan-NuTone LLC	Broan	Heavy Duty Series	HD50		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	3/27/2012	United States	ES_1016667_HD50_03272012000000_1001802
Broan-NuTone LLC	Broan	Heavy Duty Series	HD50=RDH with HD80RDF		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	4/10/2012	United States	HD80RDF_04102012000000_1001941
Broan-NuTone LLC	Broan	LP80	LP80 - 3" Duct		Bathroom/Utility Room	1	70	2.7	1.3	70											6/1/2012	6/11/2012	United States	Duct_06112012000000_1001999
Broan-NuTone LLC	Broan	LP80	LP80 - 4" Duct		Bathroom/Utility Room	1	81	3.1	1.1	80											6/1/2012	6/11/2012	United States	Duct_06112012000000_1001999
Broan-NuTone LLC	Broan	PME300	PME300		Range Hood with Lighting	1	130	2.9	0.5	120	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		6/1/2011	11/10/2012	United States	ES_1016667_PM E300_11102012000000_4501766
Broan-NuTone LLC	Broan	QDE Series	QDE30BL		Range Hood with Lighting	2	129 - 138	3.5 - 3.8	0.8 - 1.1	120, 130	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		10/1/2009	4/10/2012	United States	ES_1016667_QD E30BL_04102012000000_4501675
Broan-NuTone LLC	Broan	QDE Series	QDE30SS		Range Hood with Lighting	2	129 - 138	3.5 - 3.8	0.8 - 1.1	120, 130	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		10/1/2009	4/10/2012	United States	ES_1016667_QD E30SS_04102012000000_4501676
Broan-NuTone LLC	Broan	QDE Series	QDE30WW		Range Hood with Lighting	2	129 - 138	3.5 - 3.8	0.8 - 1.1	120, 130	Fluorescent	1729	26.44	65.4	0.6	2700K	82	10,000	Non-Dimmable		10/1/2009	4/10/2012	United States	E30WW_04102012000000_4501677
Broan-NuTone LLC	Broan	QSE Series	QSE130BL		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	E130BL_09242012000000_4501757
Broan-NuTone LLC	Broan	QSE Series	QSE130SS		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	E130SS_09242012000000_4501756
Broan-NuTone LLC	Broan	QSE Series	QSE130WW		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	E130WW_09242012000000_4501757
Broan-NuTone LLC	Broan	QT Series	QT110E		Bathroom/Utility Room	1	110	3.0	1.0	110											1/1/2012	3/27/2012	United States	ES_1016667 QT110E_03272012000000_1001641
Broan-NuTone LLC	Broan	QT Series	QT110LE		Bathroom/Utility Room with Lighting	1	110	3.0	1.0	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		1/1/2012	3/27/2012	United States	ES_1016667 QT110LE_03272012000000_1001651
Broan-NuTone LLC	Broan	QT Series	QT130E - 4" Duct		Bathroom/Utility Room	1	139	2.8	2.0	130											4/1/2011	3/27/2012	United States	Duct_03272012000000_1001636
Broan-NuTone LLC	Broan	QT Series	QT130E - 6" Round Duct		Bathroom/Utility Room	1	163	3.3	1.5	130											4/1/2011	3/27/2012	United States	Duct_03272012000000_1001636
Broan-NuTone LLC	Broan	QT Series	QT130LE - 4" Duct		Bathroom/Utility Room with Lighting	1	139	2.8	2.0	130	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		1/1/2012	3/27/2012	United States	Duct_03272012000000_1001637
Broan-NuTone LLC	Broan	QT Series	QT130LE - 6" Round Duct		Bathroom/Utility Room with Lighting	1	163	3.3	1.5	130	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		1/1/2012	3/27/2012	United States	Duct_03272012000000_1001637
Broan-NuTone LLC	Broan	QT Series	QT140E - 4" Duct		Bathroom/Utility Room	1	139	2.8	2.0	130											6/1/2012	6/11/2012	United States	Duct_06112012000000_1002001
Broan-NuTone LLC	Broan	QT Series	QT140E - 6" Round Duct		Bathroom/Utility Room	1	163	3.3	1.5	140											6/1/2012	6/11/2012	United States	Duct_06112012000000_1002001
Broan-NuTone LLC	Broan	QT Series	QT140LE - 4" Duct		Bathroom/Utility Room with Lighting	1	130	2.8	1.0	130	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		6/1/2012	6/11/2012	United States	Duct_06112012000000_1002002
Broan-NuTone LLC	Broan	QT Series	QT140LE - 6" Duct		Bathroom/Utility Room with Lighting	1	148	3.1	1.5	140	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		6/1/2012	6/11/2012	United States	Duct_06112012000000_1002002
Broan-NuTone LLC	Broan	QT Series	QT80E		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States	ES_1016667 QT80E_03272012000000_1001810
Broan-NuTone LLC	Broan	QT Series	QT90E		Bathroom/Utility Room	1	110	3.0	1.5	90											8/6/2010	3/27/2012	United States	ES_1016667 QT90E_03272012000000_1001640
Broan-NuTone LLC	Broan	QT Series	QTR080		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States	ES_1016667 QTRE080_03272012000000_1001809
Broan-NuTone LLC	Broan	QT Series	QTR080C2S		Bathroom/Utility Room	2	41 - 80	3.2 - 3.2	0.0 - 0.8	80, 40											4/1/2011	3/27/2012	United States	RE080C2S_03272012000000_1001805
Broan-NuTone LLC	Broan	QT Series	QTR080FLT		Bathroom/Utility Room with Lighting	1	83	2.9	0.8	80	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		6/1/2010	3/27/2012	United States	RE080FLT_03272012000000_1001830
Broan-NuTone LLC	Broan	QT Series	QTR080FLT=QTXR000HL with QTR080FLT		Bathroom/Utility Room with Lighting	1	83	2.9	0.8	80	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		6/1/2010	4/10/2012	United States	QTR080FLT_04102012000000_1001953
Broan-NuTone LLC	Broan	QT Series	QTR080=QTXR000HF with QTR080F		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	4/10/2012	United States	QTR080F_04102012000000_1001945
Broan-NuTone LLC	Broan	QT Series	QTR080R		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States	RE080R_03272012000000_1001815
Broan-NuTone LLC	Broan	QT Series	QTR080S		Bathroom/Utility Room	1	110	3.0	1.5	100											2/20/2009	3/27/2012	United States	RE100S_03272012000000_1001644
Broan-NuTone LLC	Broan	QT Series	QTR080S=HQTS4 with QTR080S		Bathroom/Utility Room	1	110	3.0	1.5	100											2/20/2009	6/11/2012	United States	QTR080S_HQTS4_1201200000_1001956
Broan-NuTone LLC	Broan	QT Series	QTR110		Bathroom/Utility Room	1	110	3.0	1.3	110											12/1/2010	3/27/2012	United States	ES_1016667 QTRE110_03272012000000_1001639
Broan-NuTone LLC	Broan	QT Series	QTR110FLT		Bathroom/Utility Room with Lighting	1	110	3.0	1.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/1/2010	3/27/2012	United States	RE110FLT_03272012000000_1001654
Broan-NuTone LLC	Broan	QT Series	QTR110FLT=QTXR000HL with QTR110FLT		Bathroom/Utility Room with Lighting	1	110	3.0	1.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		12/1/2010	4/10/2012	United States	QTR110FLT_04102012000000_1001951
Broan-NuTone LLC	Broan	QT Series	QTR110=QTXR000HF with QTR110F		Bathroom/Utility Room	1	110	3.0	1.3	110											12/1/2010	4/10/2012	United States	QTR110F_04102012000000_1001948
Broan-NuTone LLC	Broan	QT Series	QTXE050		Bathroom/Utility Room	1	70	3.5	0.3	50											4/1/2012	4/10/2012	United States	ES_1016667 QTXE050_04102012000000_1001933
Broan-NuTone LLC	Broan	QT Series	QTXE080		Bathroom/Utility Room	1	80	3.4	0.3	80											3/1/2009	3/27/2012	United States	ES_1016667 QTXE080_03272012000000_1001607
Broan-NuTone LLC	Broan	QT Series	QTXE080FLT		Bathroom/Utility Room with Lighting	1	80	3.4	0.3	80	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/1/2009	3/27/2012	United States	QTXE080FLT_03272012000000_1001612

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Broan-NuTone LLC	Broan (Canada)	Heavy Duty Series	HD50C		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	3/27/2012	United States, Canada	ES_1016667_HD50C_03272012000000_1001621
Broan-NuTone LLC	Broan (Canada)	Heavy Duty Series	HD50C=DXH600 with FHD50C		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	4/10/2012	United States, Canada	FHD50C_04102012000000_1001942
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE070C		Bathroom/Utility Room	1	83	2.9	0.8	70											6/1/2010	3/27/2012	United States, Canada	RE070C_03272012000000_1001812
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE070C+HOTXR000C with FQTRE070C		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	4/10/2012	United States	FQTRE070C_04102012000000_101944
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE070FLC		Bathroom/Utility Room with Lighting	1	75	2.8	0.8	70	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		12/1/2012	11/26/2012	United States, Canada	RE070FLC_11262012000000_1002116
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE075C		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States, Canada	RE075C_03272012000000_1001813
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE080C		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States, Canada	RE080C_03272012000000_1001814
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE080C2S		Bathroom/Utility Room	2	41 - 80	3.2 - 3.2	0.0 - 0.8	80, 40											4/1/2011	3/27/2012	United States, Canada	RE080C2S_03272012000000_1001804
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE080C+HOTXR000C with FQTRE080C		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	4/10/2012	United States	FQTRE080C_04102012000000_101946
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE080RF		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2012	6/26/2012	United States, Canada	RE080RF_06262012000000_1002041
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE090C		Bathroom/Utility Room	1	91	3.3	1.0	90											5/1/2009	3/27/2012	United States, Canada	RE090C_03272012000000_1001631
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE090C+HOTXR000C with FQTRE090C		Bathroom/Utility Room	1	91	3.3	1.0	90											5/1/2009	4/10/2012	United States, Canada	FQTRE090C_04102012000000_101940
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE090FLC		Bathroom/Utility Room with Lighting	1	91	3.4	1.0	90	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		5/1/2009	3/27/2012	United States, Canada	RE090FLC_03272012000000_1001633
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE100H		Bathroom/Utility Room	1	110	3.0	1.5	100											2/20/2009	3/27/2012	United States, Canada	RE100H_03272012000000_1001643
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110C		Bathroom/Utility Room	1	110	3.0	1.3	110											12/1/2010	3/27/2012	United States, Canada	RE110C_03272012000000_1001645
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110C+HOTXR000C with FQTRE110C		Bathroom/Utility Room	1	110	3.0	1.3	110											12/1/2010	4/10/2012	United States, Canada	FQTRE110C_04102012000000_101949
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110FLC		Bathroom/Utility Room with Lighting	1	110	3.0	1.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/1/2010	3/27/2012	United States, Canada	RE110FLC_03272012000000_1001653
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE110RF		Bathroom/Utility Room	1	110	3.0	1.3	110											6/1/2012	6/26/2012	United States, Canada	RE110RF_06262012000000_1002043
Broan-NuTone LLC	Broan (Canada)	QT Series	QTRE2080WC		Bathroom/Utility Room	2	41 - 80	3.2 - 3.2	0.0 - 0.8	80, 40											4/1/2011	3/27/2012	United States, Canada	RE2080WC_03272012000000_1001806
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE050C		Bathroom/Utility Room	1	70	3.5	0.3	50											4/1/2012	4/10/2012	United States, Canada	XE050C_04102012000000_1001834
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE080C		Bathroom/Utility Room	1	80	3.4	0.3	80											3/1/2009	3/27/2012	United States, Canada	XE080C_03272012000000_1001608
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE090C		Bathroom/Utility Room	1	97	3.6	0.6	90											9/1/2009	3/27/2012	United States, Canada	XE090C_03272012000000_1001649
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE090C+HOTXE with FQTXE090C		Bathroom/Utility Room	1	97	3.6	0.6	90											9/1/2009	4/10/2012	United States, Canada	FQTXE090C_04102012000000_101955
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE110C		Bathroom/Utility Room	1	110	3.2	0.7	110											3/1/2009	3/27/2012	United States, Canada	XE110C_03272012000000_1001819
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE110C+HOTXE with FQTXE110C		Bathroom/Utility Room	1	110	3.2	0.7	110											3/1/2009	4/10/2012	United States, Canada	FQTXE110C_04102012000000_101939
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE110H		Bathroom/Utility Room	1	110	3.3	0.7	110											3/1/2009	3/27/2012	United States, Canada	XE110H_03272012000000_1001620
Broan-NuTone LLC	Broan (Canada)	QT Series	QTXE150C		Bathroom/Utility Room	1	155	3.0	1.4	150											2/1/2010	3/27/2012	United States, Canada	XE150C_03272012000000_1001615
Broan-NuTone LLC	Broan (Canada)	Ultra	XB110C		Bathroom/Utility Room	1	110	14.2	0.1	110											3/15/2012	2/26/2012	United States, Canada	ES_1016667_XB110C_02262012000000_1001522
Broan-NuTone LLC	Broan (Canada)	Ultra	XB110HC		Bathroom/Utility Room	1	110	14.2	0.1	110											9/1/2012	1/10/2013	United States, Canada	ES_1016667_XB110HC_01102013000000_1002150
Broan-NuTone LLC	Broan (Canada)	Ultra	XB110LC		Bathroom/Utility Room with Lighting	1	110	12.6	0.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	ES_1016667_XB110LC_03272012000000_1001526
Broan-NuTone LLC	Broan (Canada)	Ultra	XB50C - 4" Duct		Bathroom/Utility Room	1	50	9.8	0.3	50											3/15/2012	2/26/2012	United States, Canada	Duct_02262012000000_1001520
Broan-NuTone LLC	Broan (Canada)	Ultra	XB50C - 6" Round Duct		Bathroom/Utility Room	1	59	11.8	0.2	50											3/15/2012	2/26/2012	United States, Canada	Duct_02262012000000_1001520
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90C - 4" Duct		Bathroom/Utility Room	1	70	10.2	0.4	70											3/15/2012	2/26/2012	United States, Canada	Duct_02262012000000_1001521
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90C - 6" Round Duct		Bathroom/Utility Room	1	90	14.0	0.1	90											3/15/2012	2/26/2012	United States, Canada	Duct_02262012000000_1001521
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90HC - 4" Duct		Bathroom/Utility Room	1	91	9.5	0.5	90											9/1/2012	1/10/2013	United States, Canada	OHC - 4" Duct_01102013000000_1002175
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90HC - 6" Duct		Bathroom/Utility Room	1	90	13.6	0.1	90											9/1/2012	1/10/2013	United States, Canada	OHC - 6" Duct_01102013000000_1002175
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90LC - 4" Duct		Bathroom/Utility Room with Lighting	1	75	10.4	0.3	70	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	OLC_4" Duct_03272012000000_1001525
Broan-NuTone LLC	Broan (Canada)	Ultra	XB90LC - 6" Round Duct		Bathroom/Utility Room with Lighting	1	90	13.8	0.2	90	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	OLC_6" Round Duct_03272012000000_1001525
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB110C		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											3/15/2012	2/26/2012	United States, Canada	ES_1016667_ZB110C_02262012000000_1001524
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB110HC		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZB110HC_01102013000000_1002155
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB110LC		Bathroom/Utility Room with Lighting	3 or more	30 - 110	9.1 - 13.5	0.1 - 0.3	110, 70, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	ES_1016667_ZB110LC_03272012000000_1001528
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB110MC		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZB110MC_01102013000000_1002156

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB110MLC		Bathroom/Utility Room with Lighting	3 or more	30 - 110	9.1 - 13.5	0.1 - 0.3	110, 70, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZB110MLC_0110201300000_1002165
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90C - 4" Duct		Bathroom/Utility Room	3 or more	43 - 70	9.7 - 10.3	0.2 - 0.4	70, 50, 30											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001523
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90C - 6" Round Duct		Bathroom/Utility Room	3 or more	30 - 90	9.0 - 14.0	0.0 - 0.1	90, 60, 30											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001523
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90HC - 4" Duct		Bathroom/Utility Room	3 or more	41 - 91	9.5 - 10.9	0.1 - 0.5	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002169
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90HC - 6" Duct		Bathroom/Utility Room	3 or more	40 - 90	11.6 - 13.7	0.0 - 0.1	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002169
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90LC - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	40 - 75	8.9 - 10.4	0.2 - 0.3	70, 50, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	Duct_0327201200000_1001527
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90LC - 6" Round Duct		Bathroom/Utility Room with Lighting	3 or more	30 - 90	9.0 - 13.8	0.1 - 0.2	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	Duct_0327201200000_1001527
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90MC - 4" Duct		Bathroom/Utility Room	3 or more	41 - 91	9.5 - 10.9	0.1 - 0.5	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	OMC - 4" Duct_0110201300000_1002170
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90MC - 6" Duct		Bathroom/Utility Room	3 or more	40 - 90	11.6 - 13.7	0.0 - 0.1	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002170
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90MLC - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	36 - 90	9.4 - 10.6	0.1 - 0.5	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002177
Broan-NuTone LLC	Broan (Canada)	Ultra	ZB90MLC - 6" Duct		Bathroom/Utility Room with Lighting	3 or more	35 - 90	10.2 - 12.7	0.0 - 0.2	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002177
Broan-NuTone LLC	Kenmore	QSE Series	55802		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	ES_1016667_55802_09242012000_4501759
Broan-NuTone LLC	Kenmore	QSE Series	55803		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	ES_1016667_55803_09242012000_4501760
Broan-NuTone LLC	Kenmore	QSE Series	55809		Range Hood with Lighting	2	114 - 143	2.9 - 3.7	1.4 - 2.2	110, 130, 140	Fluorescent	1637	23.01	71.1	0.84	2700K	80	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States, Canada	ES_1016667_55809_09242012000_4501761
Broan-NuTone LLC	Nutone	50NT	50NT		Bathroom/Utility Room	1	64	3.5	1.5	50											7/1/2011	3/27/2012	United States	ES_1016667_50NT_0327201200000_1001800
Broan-NuTone LLC	Nutone	744FLNT	744FLNT		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	Fluorescent	716	16.3	44.3	0.62	2700K	83	10,000	Non-Dimmable		11/1/2012	10/25/2012	United States	ES_1016667_744FLNT_1025201200000_1002090
Broan-NuTone LLC	Nutone	Recessed Fan Light	744LEDNT		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	LED	827	13.64	60.6	0.79	2700K	81	25,000	Non-Dimmable		2/1/2013	2/1/2013	United States	ES_1016667_744LEDNT_0201201300000_1002192
Broan-NuTone LLC	Nutone	744SFLNT	744SFLNT		Bathroom/Utility Room with Lighting	1	73	2.1	1.5	70	Fluorescent	716	16.3	44.3	0.62	2700K	83	10,000	Non-Dimmable		11/1/2012	10/25/2012	United States	ES_1016667_744SFLNT_1025201200000_1002092
Broan-NuTone LLC	Nutone	772RBNT	772RBNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	1/10/2013	United States	ES_1016667_772RBNT_0110201300000_1002118
Broan-NuTone LLC	Nutone	772RBNT	772RBNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/19/2012	4/10/2012	United States	ES_1016667_772RBNT_0410201200000_1001550
Broan-NuTone LLC	Nutone	773BNNT	773BNNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	1/10/2013	United States	ES_1016667_773BNNT_0110201300000_1002123
Broan-NuTone LLC	Nutone	773BNNT	773BNNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/19/2012	4/10/2012	United States	ES_1016667_773BNNT_0410201200000_1001552
Broan-NuTone LLC	Nutone	778WHNT	778WHNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States	ES_1016667_778WHNT_0410201200000_1001606
Broan-NuTone LLC	Nutone	778WHNT	778WHNT		Bathroom/Utility Room with Lighting	1	82	3.2	2.0	80	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	1/10/2013	United States	ES_1016667_778WHNT_0110201300000_1002120
Broan-NuTone LLC	Nutone	781WHNT	781WHNT		Bathroom/Utility Room with Lighting	1	103	2.8	1.5	100	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		5/1/2012	4/25/2012	United States	ES_1016667_781WHNT_0425201200000_1001554
Broan-NuTone LLC	Nutone	781WHNT	781WHNT		Bathroom/Utility Room with Lighting	1	103	2.8	1.5	100	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		5/1/2012	1/10/2013	United States	ES_1016667_781WHNT_0110201300000_1002121
Broan-NuTone LLC	Nutone	788CHNT	788CHNT		Bathroom/Utility Room with Lighting	1	103	2.8	1.5	100	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		4/1/2012	1/10/2013	United States	ES_1016667_788CHNT_0110201300000_1002122
Broan-NuTone LLC	Nutone	788CHNT	788CHNT		Bathroom/Utility Room with Lighting	1	103	2.8	1.5	100	Fluorescent	900	12.93	69.8	0.6	3000K	84	10,000	Non-Dimmable		5/1/2012	4/25/2012	United States	ES_1016667_788CHNT_0425201200000_1001553
Broan-NuTone LLC	Nutone	80NT	80NT		Bathroom/Utility Room	1	80	3.1	2.0	80											12/1/2010	3/27/2012	United States	ES_1016667_80NT_0327201200000_1001819
Broan-NuTone LLC	Nutone	Heavy Duty Series	HD50NT		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	3/27/2012	United States	ES_1016667_HD50NT_0327201200000_1001803
Broan-NuTone LLC	Nutone	Heavy Duty Series	HD50NT=RDA with HD50RDB		Bathroom/Utility Room	1	57	2.1	1.5	50											8/28/2009	4/10/2012	United States	HD50RDB_0410201200000_1001943
Broan-NuTone LLC	Nutone	In-Line Series	ILF130		Bathroom/Utility Room	1	120	6.9		120											7/1/2011	3/27/2012	United States	ES_1016667_ILF130_0327201200000_3000571
Broan-NuTone LLC	Nutone	In-Line Series	ILF250		Bathroom/Utility Room	1	239	3.5		230											7/1/2011	3/27/2012	United States	ES_1016667_ILF250_0327201200000_3000573
Broan-NuTone LLC	Nutone	In-Line Series	ILF360		Bathroom/Utility Room	1	369	3.1		360											7/1/2011	3/27/2012	United States	ES_1016667_ILF360_0327201200000_3000575
Broan-NuTone LLC	Nutone	Inline fans	ILFK130		Bathroom/Utility Room	1	120	6.8		120											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK130_0301201300000_3000597
Broan-NuTone LLC	Nutone	Inline fans	ILFK250		Bathroom/Utility Room	1	239	3.4		230											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK250_0301201300000_3000599
Broan-NuTone LLC	Nutone	Inline fans	ILFK2502		Bathroom/Utility Room	1	239	3.4		230											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK2502_0301201300000_3000601
Broan-NuTone LLC	Nutone	LPN80	LPN80 - 3" Duct		Bathroom/Utility Room	1	70	2.7	1.3	70											6/1/2012	6/11/2012	United States	Duct_0811201200000_1002000
Broan-NuTone LLC	Nutone	LPN80	LPN80 - 4" Duct		Bathroom/Utility Room	1	81	3.1	1.1	80											6/1/2012	6/11/2012	United States	Duct_0811201200000_1002000
Broan-NuTone LLC	Nutone	QT Series	QTN110E		Bathroom/Utility Room	1	110	3.0	1.0	110											1/1/2012	3/27/2012	United States	ES_1016667_QTN110E_0327201200000_1001642
Broan-NuTone LLC	Nutone	QT Series	QTN110LE		Bathroom/Utility Room with Lighting	1	110	3.0	1.0	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		1/1/2012	3/27/2012	United States	N110LE_0327201200000_1001652
Broan-NuTone LLC	Nutone	QT Series	QTN130E - 4" Duct		Bathroom/Utility Room	1	139	2.8	2.0	130											4/1/2011	3/27/2012	United States	Duct_0327201200000_1001635

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Broan-NuTone LLC	Nutone	Ultra	ZN110ML		Bathroom/Utility Room with Lighting	3 or more	30 - 110	9.1 - 13.5	0.1 - 0.3	110, 70, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States	ES_1016667_ZN110ML_0110201300000_1002167
Broan-NuTone LLC	Nutone	Ultra	ZN80 - 4" Duct		Bathroom/Utility Room	3 or more	43 - 65	9.7 - 10.3	0.2 - 0.3	60, 40, 30											3/15/2012	2/26/2012	United States	Duct_0226201200000_1001532
Broan-NuTone LLC	Nutone	Ultra	ZN80 - 6" Round Duct		Bathroom/Utility Room	3 or more	30 - 80	9.0 - 13.7	0.0 - 0.1	80, 50, 30											3/15/2012	2/26/2012	United States	Duct_0226201200000_1001532
Broan-NuTone LLC	Nutone	Ultra	ZN80L - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	40 - 64	8.9 - 10.0	0.2 - 0.3	60, 40, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States	Duct_0327201200000_1001537
Broan-NuTone LLC	Nutone	Ultra	ZN80L - 6" Round Duct		Bathroom/Utility Room with Lighting	3 or more	30 - 80	9.1 - 13.3	0.0 - 0.1	80, 50, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States	Duct_0327201200000_1001537
Broan-NuTone LLC	Nutone	Ultra	ZN80M - 4" Duct		Bathroom/Utility Room	3 or more	41 - 80	10.4 - 10.5	0.1 - 0.3	80, 50, 30											9/1/2012	1/10/2013	United States	Duct_0110201300000_1002174
Broan-NuTone LLC	Nutone	Ultra	ZN80M - 6" Duct		Bathroom/Utility Room	3 or more	40 - 81	11.6 - 13.8	0.0 - 0.1	80, 50, 30											9/1/2012	1/10/2013	United States	Duct_0110201300000_1002174
Broan-NuTone LLC	Nutone	Ultra	ZN80ML - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	36 - 81	10.6 - 11.0	0.1 - 0.3	80, 50, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States	Duct_0110201300000_1002180
Broan-NuTone LLC	Nutone	Ultra	ZN80ML - 6" Duct		Bathroom/Utility Room with Lighting	3 or more	35 - 81	10.0 - 13.4	0.0 - 0.1	80, 50, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States	Duct_0110201300000_1002180
Broan-NuTone LLC	NuTone (Canada)	In-Line Series	ILF130		Bathroom/Utility Room	1	120	6.9		120											7/1/2011	3/27/2012	United States, Canada	ES_1016667_ILF130_0327201200000_3000572
Broan-NuTone LLC	NuTone (Canada)	In-Line Series	ILF250		Bathroom/Utility Room	1	239	3.5		230											7/1/2011	3/27/2012	United States, Canada	ES_1016667_ILF250_0327201200000_3000574
Broan-NuTone LLC	NuTone (Canada)	In-Line Series	ILF360		Bathroom/Utility Room	1	369	3.1		360											7/1/2011	3/27/2012	United States, Canada	ES_1016667_ILF360_0327201200000_3000576
Broan-NuTone LLC	NuTone (Canada)	Inline fans	ILFK130		Bathroom/Utility Room	1	120	6.8		120											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK130_0301201300000_3000598
Broan-NuTone LLC	NuTone (Canada)	Inline fans	ILFK250		Bathroom/Utility Room	1	239	3.4		230											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK250_0301201300000_3000600
Broan-NuTone LLC	NuTone (Canada)	Inline fans	ILFK2502		Bathroom/Utility Room	1	239	3.4		230											2/1/2013	3/1/2013	United States, Canada	ES_1016667_ILFK2502_0301201300000_3000602
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN070C		Bathroom/Utility Room	1	83	2.9	0.8	70											6/1/2010	3/27/2012	United States, Canada	REN070C_0327201200000_1001816
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN070FLC		Bathroom/Utility Room with Lighting	1	75	2.8	0.8	70	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		12/1/2012	11/26/2012	United States, Canada	REN070FLC_1126201200000_100217
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN080C		Bathroom/Utility Room	1	83	2.9	0.8	80											6/1/2010	3/27/2012	United States, Canada	REN080C_0327201200000_1001816
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN080C2S		Bathroom/Utility Room	2	41 - 80	3.2 - 3.2	0.0 - 0.8	80, 40											4/1/2011	3/27/2012	United States, Canada	REN080C2S_0327201200000_1001807
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN090C		Bathroom/Utility Room	1	91	3.3	1.0	90											5/1/2009	3/27/2012	United States, Canada	REN090C_0327201200000_1001632
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN090FLC		Bathroom/Utility Room with Lighting	1	91	3.4	1.0	90	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		5/1/2009	3/27/2012	United States, Canada	REN090FLC_0327201200000_1001634
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN100H		Bathroom/Utility Room	1	110	3.0	1.5	100											2/20/2009	3/27/2012	United States, Canada	REN100H_0327201200000_1001646
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN110C		Bathroom/Utility Room	1	110	3.0	1.3	110											12/1/2010	3/27/2012	United States, Canada	REN110C_0327201200000_1001648
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN110FLC		Bathroom/Utility Room with Lighting	1	110	3.0	1.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/1/2010	4/1/2012	United States, Canada	REN110FLC_0401201200000_1001655
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTREN2080WC		Bathroom/Utility Room	2	41 - 80	3.2 - 3.2	0.0 - 0.8	80, 40											4/1/2011	3/27/2012	United States, Canada	REN2080WC_0327201200000_1001808
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN050C		Bathroom/Utility Room	1	70	3.5	0.3	50											4/1/2012	4/10/2012	United States, Canada	XEN050C_0410201200000_1001936
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN080C		Bathroom/Utility Room	1	80	3.4	0.3	80											3/1/2009	3/27/2012	United States, Canada	XEN080C_0327201200000_1001610
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN090C		Bathroom/Utility Room	1	97	3.6	0.6	90											9/1/2009	3/27/2012	United States, Canada	XEN090C_0327201200000_1001650
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN110C		Bathroom/Utility Room	1	110	3.3	0.7	110											3/1/2009	3/27/2012	United States, Canada	XEN110C_0327201200000_1001624
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN110H		Bathroom/Utility Room	1	110	3.3	0.7	110											3/1/2009	3/27/2012	United States, Canada	XEN110H_0327201200000_1001629
Broan-NuTone LLC	NuTone (Canada)	QT Series	QTXEN150C		Bathroom/Utility Room	1	155	3.0	1.4	150											2/1/2010	3/27/2012	United States, Canada	XEN150C_0327201200000_1001617
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN110C		Bathroom/Utility Room	1	110	14.2	0.1	110											3/15/2012	2/26/2012	United States, Canada	ES_1016667_XN110C_0226201200000_1001541
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN110HC		Bathroom/Utility Room	1	110	14.2	0.1	110											9/1/2012	1/10/2013	United States, Canada	ES_1016667_XN110HC_0110201300000_1002152
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN110LC		Bathroom/Utility Room with Lighting	1	110	12.6	0.3	110	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	2/26/2012	United States, Canada	ES_1016667_XN110LC_0226201200000_1001547
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN50C - 4" Duct		Bathroom/Utility Room	1	50	9.8	0.3	50											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001539
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN50C - 6" Round Duct		Bathroom/Utility Room	1	59	11.8	0.2	50											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001539
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90C - 4" Duct		Bathroom/Utility Room	1	70	10.2	0.4	70											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001540
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90C - 6" Round Duct		Bathroom/Utility Room	1	90	14.0	0.1	90											3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001540
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90HC - 4" Duct		Bathroom/Utility Room	1	91	9.5	0.5	90											9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002176
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90HC - 6" Duct		Bathroom/Utility Room	1	90	13.6	0.1	90											9/1/2012	1/10/2013	United States, Canada	Duct_0110201300000_1002176
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90LC - 4" Duct		Bathroom/Utility Room with Lighting	1	75	10.4	0.3	70	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001544
Broan-NuTone LLC	NuTone (Canada)	Ultra	XN90LC - 6" Round Duct		Bathroom/Utility Room with Lighting	1	90	13.8	0.2	90	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	2/26/2012	United States, Canada	Duct_0226201200000_1001544

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN110C		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											3/15/2012	2/28/2012	United States, Canada	ES_1016667_ZN110C_022620120000000_1001543
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN110HC		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110HC_011020130000000_1002159
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN110LC		Bathroom/Utility Room with Lighting	3 or more	30 - 110	9.0 - 13.5	0.1 - 0.3	110, 70, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	ES_1016667_ZN110LC_032720120000000_1001546
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN110MC		Bathroom/Utility Room	3 or more	30 - 110	9.0 - 14.2	0.0 - 0.1	110, 70, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110MC_011020130000000_1002160
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN110MLC		Bathroom/Utility Room with Lighting	3 or more	30 - 110	9.1 - 13.5	0.1 - 0.3	110, 70, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110MLC_011020130000000_1002168
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90C - 4" Duct		Bathroom/Utility Room	3 or more	43 - 70	9.7 - 10.3	0.2 - 0.4	70, 50, 30											3/15/2012	2/28/2012	United States, Canada	ES_1016667_ZN110C_022620120000000_1001542
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90C - 6" Round Duct		Bathroom/Utility Room	3 or more	30 - 90	9.0 - 14.0	0.0 - 0.1	90, 60, 30											3/15/2012	2/28/2012	United States, Canada	ES_1016667_ZN110C_022620120000000_1001542
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90HC - 4" Duct		Bathroom/Utility Room	3 or more	41 - 91	9.5 - 10.9	0.1 - 0.5	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002171
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90HC - 6" Duct		Bathroom/Utility Room	3 or more	40 - 90	11.6 - 13.7	0.0 - 0.1	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002171
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90LC - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	40 - 75	8.8 - 10.4	0.2 - 0.3	70, 50, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	ES_1016667_ZN110C_022620120000000_1001545
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90LC - 6" Round Duct		Bathroom/Utility Room with Lighting	3 or more	30 - 90	9.9 - 13.8	0.1 - 0.2	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		3/15/2012	3/27/2012	United States, Canada	ES_1016667_ZN110C_022620120000000_1001545
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90MC - 4" Duct		Bathroom/Utility Room	3 or more	41 - 91	9.5 - 10.9	0.1 - 0.5	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002172
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90MC - 6" Duct		Bathroom/Utility Room	3 or more	40 - 90	11.6 - 13.7	0.0 - 0.1	90, 60, 30											9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002172
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90MLC - 4" Duct		Bathroom/Utility Room with Lighting	3 or more	36 - 90	9.4 - 10.6	0.1 - 0.5	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002178
Broan-NuTone LLC	NuTone (Canada)	Ultra	ZN90MLC - 6" Duct		Bathroom/Utility Room with Lighting	3 or more	35 - 90	10.2 - 12.7	0.0 - 0.2	90, 60, 30	Fluorescent	1200	18.17	75.2	0.6	3500K	82	10,000	Non-Dimmable		9/1/2012	1/10/2013	United States, Canada	ES_1016667_ZN110C_022620120000000_1002178
Continental Fan Manufacturing Inc.	CFM	TBF120	TBF120		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	5/10/2012	United States, Canada	ES_1044036_TBF120_051020120000000_1001991
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR100		Bathroom/Utility Room	1	100	7.9	1.4	100											3/1/2013	4/1/2013	United States	ES_1019376_GB R100_040120130000000_1002207
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR100L		Bathroom/Utility Room with Lighting	1	101	7.2	1.2	100	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable		3/1/2013	4/1/2013	United States	ES_1019376_GB R100L_040120130000000_1002208
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR50		Bathroom/Utility Room	1	51	13.4	0.3	50											1/1/2013	2/1/2013	United States	ES_1019376_GB R50_020120130000000_1002181
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR50L		Bathroom/Utility Room with Lighting	1	51	11.3	0.3	50	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable		1/1/2013	2/1/2013	United States	ES_1019376_GB R50L_020120130000000_1002182
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR80		Bathroom/Utility Room	1	80	7.6	0.6	80											1/1/2013	2/1/2013	United States	ES_1019376_GB R80_020120130000000_1002183
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR80L		Bathroom/Utility Room with Lighting	1	80	7.3	0.8	80	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable		1/1/2013	2/1/2013	United States	ES_1019376_GB R80L_020120130000000_1002184
Delta Electronics Inc.	Delta	BreezGreenBuilder	GBR80LED		Bathroom/Utility Room with Lighting	1	81	7.0	0.8	80	LED	791	11.03	71.7	0.98	2700K	83	36,200	Non-Dimmable		3/1/2013	4/1/2013	United States	ES_1019376_GB R80LED_040120130000000_1002209
Delta Electronics Inc.	Delta	BreezSignature	SIG110		Bathroom/Utility Room	1	110	8.7	0.3	110											1/1/2013	1/10/2013	United States	ES_1019376_SIG110_011020130000000_1002138
Delta Electronics Inc.	Delta	BreezSignature	SIG110D		Bathroom/Utility Room	3 or more	61 - 110	8.7 - 9.9	0.0 - 0.3	110, 80, 60											1/1/2013	1/10/2013	United States	ES_1019376_SIG110D_011020130000000_1002139
Delta Electronics Inc.	Delta	BreezSignature	SIG110H		Bathroom/Utility Room	3 or more	61 - 110	8.7 - 9.9	0.0 - 0.3	110, 80, 60											1/1/2013	1/10/2013	United States	ES_1019376_SIG110H_011020130000000_1002140
Delta Electronics Inc.	Delta	BreezSignature	SIG80		Bathroom/Utility Room	1	80	9.8	0.0	80											1/1/2013	1/10/2013	United States	ES_1019376_SIG80_011020130000000_1002141
Delta Electronics Inc.	Delta	BreezSignature	SIG80M		Bathroom/Utility Room	3 or more	42 - 80	8.4 - 9.9	0.0 - 0.3	80, 60, 40											1/1/2013	1/10/2013	United States	ES_1019376_SIG80M_011020130000000_1002142
Delta Electronics Inc.	Delta	BreezSlim	SLM50		Bathroom/Utility Room	1	58	9.0	1.0	50											1/1/2013	1/10/2013	United States	ES_1019376_SLM50_011020130000000_1002129
Delta Electronics Inc.	Delta	BreezSlim	SLM70		Bathroom/Utility Room	1	76	5.8	2.0	70											1/1/2013	1/10/2013	United States	ES_1019376_SLM70_011020130000000_1002128
Delta Electronics Inc.	Delta	BreezSmart	SMT130		Bathroom/Utility Room	1	133	11.3	0.0	130											2/1/2013	2/1/2013	United States	ES_1019376_SMT130_020120130000000_1002185
Delta Electronics Inc.	Delta	BreezSmart	SMT130H		Bathroom/Utility Room	3 or more	55 - 133	9.8 - 11.3	0.0 - 0.0	130, 50, 70											2/1/2013	2/1/2013	United States	ES_1019376_SMT130H_020120130000000_1002188
Delta Electronics Inc.	Delta	BreezSmart	SMT130M		Bathroom/Utility Room	3 or more	55 - 133	9.8 - 11.3	0.0 - 0.0	130, 50, 70											2/1/2013	2/1/2013	United States	ES_1019376_SMT130M_020120130000000_1002187
Delta Electronics Inc.	Delta	BreezSmart	SMT150		Bathroom/Utility Room	1	151	8.9	0.3	150											2/1/2013	2/1/2013	United States	ES_1019376_SMT150_020120130000000_1002188
Delta Electronics Inc.	Delta	BreezSmart	SMT150D		Bathroom/Utility Room	3 or more	74 - 151	8.9 - 11.5	0.0 - 0.3	150, 70, 90											2/1/2013	2/1/2013	United States	ES_1019376_SMT150D_020120130000000_1002189
Delta Electronics Inc.	Delta	BreezSlim	VFB050B3A1		Bathroom/Utility Room	1	58	8.8	1.0	50											1/1/2011	3/27/2012	United States	ES_1019376_VFB050B3A1_032720120000000_1001555
Delta Electronics Inc.	Delta	BreezGreenBuilder	VFB050CA1		Bathroom/Utility Room	1	52	13.3	0.2	50											1/1/2012	3/12/2012	United States	ES_1019376_VFB050CA1_031220120000000_1001570
Delta Electronics Inc.	Delta	BreezGreenBuilder	VFB050C4L1		Bathroom/Utility Room with Lighting	1	53	12.2	0.2	50	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable		11/1/2012	11/10/2012	United States	ES_1019376_VFB050C4L1_111020120000000_1002087
Delta Electronics Inc.	Delta	BreezSlim	VFB070B3A1		Bathroom/Utility Room	1	76	5.8	2.0	70											1/1/2011	3/27/2012	United States	ES_1019376_VFB070B3A1_032720120000000_1001556
Delta Electronics Inc.	Delta	BreezSlim	VFB070B3X1		Bathroom/Utility Room	2	58 - 76	5.8 - 8.8	1.0 - 2.0	70, 50											1/1/2011	3/27/2012	United States	ES_1019376_VFB070B3X1_032720120000000_1001825
Delta Electronics Inc.	Delta	BreezGreenBuilder	VFB080CA1		Bathroom/Utility Room	1	82	10.4	0.8	80											3/15/2012	3/12/2012	United States	ES_1019376_VFB080CA1_031220120000000_1001571
Delta Electronics Inc.	Delta	BreezGreenBuilder	VFB080C4L1		Bathroom/Utility Room with Lighting	1	81	9.2	0.8	80	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable		11/1/2012	11/10/2012	United States	ES_1019376_VFB080C4L1_111020120000000_1002088

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier	
Delta Electronics Inc.	Delta	BreezSignature	VFB25AC		Bathroom/Utility Room	1	80	11.1	0.1	80												1/1/2011	3/12/2012	United States	ES_1019376_VFB25AC_0312201200000_1001573
Delta Electronics Inc.	Delta	BreezSignature	VFB25ACH		Bathroom/Utility Room	1	80	11.1	0.1	80												1/1/2011	3/12/2012	United States	ES_1019376_VFB25ACH_0312201200000_1001574
Delta Electronics Inc.	Delta	BreezSignature	VFB25AD		Bathroom/Utility Room	1	111	7.8	1.0	110												1/1/2011	2/29/2012	United States	ES_1019376_VFB25AD_0229201200000_1001575
Delta Electronics Inc.	Delta	BreezSignature	VFB25ADH		Bathroom/Utility Room	1	111	7.8	1.0	110												1/1/2011	3/12/2012	United States	ES_1019376_VFB25ADH_0312201200000_1001576
Delta Electronics Inc.	Delta	BreezSignature	VFB25ADL		Bathroom/Utility Room with Lighting	1	110	7.1	1.1	110	Fluorescent	1849	23.78	78	0.6	2700K	82	10,000	Non-Dimmable			11/1/2012	11/10/2012	United States	ES_1019376_VFB25ADL_1110201200000_1002086
Delta Electronics Inc.	Delta	BreezSignature	VFB25AEH		Bathroom/Utility Room	1	135	7.2	1.3	130												1/1/2011	3/12/2012	United States	ES_1019376_VFB25AEH_0312201200000_1001577
Delta Electronics Inc.	Delta	BreezSignature	VFB25AX		Bathroom/Utility Room	2	80 - 113	7.1 - 10.7	0.5 - 1.0	110, 80												1/1/2011	3/12/2012	United States	ES_1019376_VFB25AX_0312201200000_1001572
FanAm, Inc.	FanAm	EDB409	EDB409		Bathroom/Utility Room	1	281	3.0		280												3/15/2011	2/26/2012	United States, Canada	ES_1036058_EDB409_0226201200000_3000410
FanAm, Inc.	FanAm	R100	R100		Bathroom/Utility Room	1	120	3.5		120												12/20/2006	2/26/2012	United States, Canada	ES_1036058_R100_0226201200000_3000411
FanAm, Inc.	FanAm	R150	R150		Bathroom/Utility Room	1	323	3.1		320												12/20/2006	2/26/2012	United States, Canada	ES_1036058_R150_0226201200000_3000407
FanAm, Inc.	FanAm	R200	R200		Bathroom/Utility Room	1	404	3.2		400												12/20/2006	2/26/2012	United States, Canada	ES_1036058_R200_0226201200000_3000408
FanAm, Inc.	FanAm	R315	R315		Bathroom/Utility Room	1	812	3.0		810												12/20/2006	2/26/2012	United States, Canada	ES_1036058_R315_0226201200000_3000409
GE Appliances	GE	BFL80UQ	BFL80UQ		Bathroom/Utility Room with Lighting	1	80	2.9	1.0	80	Fluorescent	1849	23.8	78	0.6	2700K	82	10,000	Non-Dimmable			4/1/2012	4/25/2012	United States	ES_1119301_BFL80UQ_0425201200000_1001674
GE Appliances	GE	JVE40	JVE40DTBB		Range Hood with Lighting	1	116 - 123	3.7 - 3.9	1.2 - 1.3	110, 120	Fluorescent	1024	14.1	72.8	0.56	2700K	82	10,000	Non-Dimmable			9/1/2011	4/25/2012	United States	ES_1119301_JVE40DTBB_0425201200000_4501715
GE Appliances	GE	JVE40	JVE40DTWW		Range Hood with Lighting	1	116 - 123	3.7 - 3.9	1.2 - 1.3	110, 120	Fluorescent	1024	14.1	72.8	0.56	2700K	82	10,000	Non-Dimmable			9/1/2011	4/25/2012	United States	ES_1119301_JVE40DTWW_0425201200000_4501714
GE Appliances	GE	JVE40	JVE40STSS		Range Hood with Lighting	1	116 - 123	3.7 - 3.9	1.2 - 1.3	110, 120	Fluorescent	1024	14.1	72.8	0.56	2700K	82	10,000	Non-Dimmable			9/1/2011	4/25/2012	United States	ES_1119301_JVE40STSS_0425201200000_4501716
Greenheck Fan Corporation	Greenheck	SP-A	SP-A110		Bathroom/Utility Room	1	121	3.8	0.1 - 0.8	120											4/1/2012	4/19/2012	United States	ES_1003326_SP-A110_12142012143848_2364079	
Greenheck Fan Corporation	Greenheck	SP-A	SP-A110FL		Bathroom/Utility Room with Lighting	1	121	3.8	0.8	121	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A110FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A125		Bathroom/Utility Room	1	136	4.3	0.1 - 0.7	130												4/1/2012	4/19/2012	United States	ES_1003326_SP-A125_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A125FL		Bathroom/Utility Room with Lighting	1	136	4.3	0.7	136	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A125FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A190		Bathroom/Utility Room	1	197	3.8	0.1 - 2.1	190												1/1/2010	4/13/2012	United States	ES_1003326_SP-A190_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A190FL		Bathroom/Utility Room with Lighting	1	197	3.8	2.1	197	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A190FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A200		Bathroom/Utility Room	1	238	4.1	0.1 - 1.4	230												1/1/2010	4/13/2012	United States	ES_1003326_SP-A200_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A200FL		Bathroom/Utility Room with Lighting	1	238	4.1	1.4	238	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A200FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A250		Bathroom/Utility Room	1	250	3.4	0.1 - 1.5	250												1/1/2010	4/13/2012	United States	ES_1003326_SP-A250_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A250FL		Bathroom/Utility Room with Lighting	1	250	3.4	1.5	250	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A250FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A290		Bathroom/Utility Room	1	294	3.0	0.1 - 2.5	290												1/1/2010	4/19/2012	United States	ES_1003326_SP-A290_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A290FL		Bathroom/Utility Room with Lighting	1	294	3.0	2.5	294	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A290FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A50		Bathroom/Utility Room	1	52	2.3	0 - 0.1	50												1/1/2010	4/13/2012	United States	ES_1003326_SP-A50_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A50FL		Bathroom/Utility Room with Lighting	1	52	2.3	0	52	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A50FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A70		Bathroom/Utility Room	1	71	2.7	0 - 0.1	70												1/1/2010	4/19/2012	United States	ES_1003326_SP-A70_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A70FL		Bathroom/Utility Room with Lighting	1	71	2.7	0	71	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A70FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-A	SP-A90		Bathroom/Utility Room	1	88	2.7	0.1 - 0.1	80												1/1/2010	4/19/2012	United States	ES_1003326_SP-A90_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-A	SP-A90FL		Bathroom/Utility Room with Lighting	1	88	2.7	0.1	88	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-A90FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-B	SP-B50		Bathroom/Utility Room	1	65	1.7	0.1 - 0.4	60												1/1/2010	4/13/2012	United States	ES_1003326_SP-B50_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-B	SP-B50FL		Bathroom/Utility Room with Lighting	1	65	1.7	0.3	65	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-B50FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-B	SP-B70		Bathroom/Utility Room	1	74	1.8	0.1 - 0.6	70												1/1/2010	4/13/2012	United States	ES_1003326_SP-B70_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-B	SP-B70FL		Bathroom/Utility Room with Lighting	1	74	1.8	0.6	74	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-B70FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-B	SP-B80		Bathroom/Utility Room	1	87	1.8	0.1 - 0.7	80												1/1/2010	4/19/2012	United States	ES_1003326_SP-B80_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-B	SP-B80FL		Bathroom/Utility Room with Lighting	1	87	1.8	0.7	87	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-B80FL_05292013135728_7999551
Greenheck Fan Corporation	Greenheck	SP-B	SP-B90		Bathroom/Utility Room	1	89	1.7	0.1 - 0.9	80												1/1/2010	4/19/2012	United States	ES_1003326_SP-B90_12142012143848_2364079
Greenheck Fan Corporation	Greenheck	SP-B	SP-B90FL		Bathroom/Utility Room with Lighting	1	89	1.7	0.9	89	Fluorescent	1800	27	73.4	0.5	2700K	82	10,000	Non-Dimmable			4/1/2010	8/30/2012	United States	ES_1003326_SP-B90FL_05292013135728_7999551

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Guangdong Genuin Electric Co., Ltd.	GNN	BPT1202A	BPT1202A		Bathroom/Utility Room	1	55	2.2	1.0	50											5/1/2004	4/1/2012	United States, Canada	ES_1061275_BPT1202A_0401201200000_1001744
Guangdong Genuin Electric Co., Ltd.	GNN	BPT1514A1	BPT1514A1		Bathroom/Utility Room	1	80	2.3	1.0	80											1/1/2005	4/1/2012	United States, Canada	ES_1061275_BPT1514A1_0401201200000_1001746
Guangdong Genuin Electric Co., Ltd.	GNN	BPT1524A	BPT1524A		Bathroom/Utility Room	1	118	4.1	1.5	110											5/1/2006	4/1/2012	United States, Canada	ES_1061275_BPT1524A_0401201200000_1001747
Guangdong Genuin Electric Co., Ltd.	GNN	BPT1524A1	BPT1524A1		Bathroom/Utility Room	1	112	2.6	1.5	110											8/1/2005	4/1/2012	United States, Canada	ES_1061275_BPT1524A1_0401201200000_1001748
Guangdong Genuin Electric Co., Ltd.	GNN	BPT1844A	BPT1844A		Bathroom/Utility Room	1	184	4.2	1.5	180											5/1/2006	4/1/2012	United States, Canada	ES_1061275_BPT1844A_0401201200000_1001750
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G1(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001771
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G2(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001770
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G3(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001769
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G4(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001768
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G5(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001767
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF69G (LowSpeed)	AF69G6(LowSpeed)		Bathroom/Utility Room	1	56	2.5	1.3	50											5/15/2012	6/11/2012	United States, Canada	ES_1061201200000_0_1001766
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G1		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G1_0425201200000_1001963
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G2		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G2_0425201200000_1001964
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G3		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G3_0425201200000_1001965
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G4		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G4_0425201200000_1001966
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G5		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G5_0425201200000_1001967
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AF912G	AF912G6		Bathroom/Utility Room	2	78 - 113	2.2 - 2.8	1.0 - 2.0	110, 70											9/1/2008	4/25/2012	United States, Canada	ES_1040217_AF912G6_0425201200000_1001968
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G1		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G1_0327201200000_1001743
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G2		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G2_0327201200000_1001742
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G3		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G3_0327201200000_1001741
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G4		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G4_0327201200000_1001740
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G5		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G5_0327201200000_1001739
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS110G	AFS110G6		Bathroom/Utility Room	1	114	4.1	0.7	110											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS110G6_0327201200000_1001738
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G1		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G1_0327201200000_1001737
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G2		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G2_0327201200000_1001736
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G3		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G3_0327201200000_1001735
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G4		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G4_0327201200000_1001734
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G5		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G5_0327201200000_1001733
Hangzhou AUPU Bathroom & Kitchen Technology Co. Ltd.	AUPU	AFS80G	AFS80G6		Bathroom/Utility Room	1	82	3.6	0.3	80											4/8/2010	3/27/2012	United States, Canada	ES_1040217_AFS80G6_0327201200000_1001732
Hardware Innovations LLC	Westinghouse	SEZ70	SEZ70		Bathroom/Utility Room	1	73	2.8	1.5	70											2/15/2013	7/1/2013	United States, Canada	ES_1118005_SEZ70_0701201300000_1002230
Hardware Innovations LLC	Westinghouse	SLX11013	SLX11013		Bathroom/Utility Room	1	110	3.8	1.3	110											2/15/2013	7/1/2013	United States, Canada	ES_1118005_SLX11013_0701201300000_1002232
Hardware Innovations LLC	Westinghouse	SLX9007	SLX9007		Bathroom/Utility Room	1	97	4.0	0.7	90											2/15/2013	7/1/2013	United States, Canada	ES_1118005_SLX9007_0701201300000_1002231
Homewerks Worldwide LLC	Hoover	712503	712503		Bathroom/Utility Room with Lighting	1	102	3.3	1.2	100	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/10/2012	United States	ES_1117510_712503_0510201200000_1001867
Homewerks Worldwide LLC	Hoover	712702	712702		Bathroom/Utility Room	1	58	8.8	1.0	50											1/1/2011	4/25/2012	United States	ES_1117510_712702_0425201200000_1001560
Homewerks Worldwide LLC	Hoover	712703	712703		Bathroom/Utility Room	1	76	5.8	2.0	70											1/1/2011	4/25/2012	United States	ES_1117510_712703_0425201200000_1001559
Homewerks Worldwide LLC	Hoover	712704	712704		Bathroom/Utility Room	1	80	11.1	0.1	80											9/1/2011	4/25/2012	United States	ES_1117510_712704_0425201200000_1001576
Homewerks Worldwide LLC	Hoover	712705	712705		Bathroom/Utility Room	1	112	3.3	0.8	110											7/1/2009	4/25/2012	United States	ES_1117510_712705_0425201200000_1001707
Homewerks Worldwide LLC	Hoover	712802	712802		Bathroom/Utility Room with Lighting	1	118	3.7	1.2	110	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/10/2012	United States	ES_1117510_712802_0510201200000_1001868
Infiniteltech Inc.	Infiniteltech	IT050F	IT050F1		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050F1_0327201200000_1001731
Infiniteltech Inc.	Infiniteltech	IT050F	IT050F2		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050F2_0327201200000_1001730
Infiniteltech Inc.	Infiniteltech	IT050F	IT050FG1		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050FG1_0327201200000_1001729
Infiniteltech Inc.	Infiniteltech	IT050F	IT050FG2		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050FG2_0327201200000_1001728

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Infitech Inc.	Infitech	IT050F	IT050FG3		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050FG3_0327201200000_1001727
Infitech Inc.	Infitech	IT050F	IT050FG4		Bathroom/Utility Room	1	56	2.5	1.3	50											12/1/2010	3/27/2012	United States, Canada	ES_1113299_IT050FG4_0327201200000_1001726
Infitech Inc.	Infitech	IT080F	IT080F1		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080F1_0510201200000_1001984
Infitech Inc.	Infitech	IT080F	IT080F2		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080F2_0510201200000_1001983
Infitech Inc.	Infitech	IT080F	IT080FG1		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080FG1_0510201200000_1001982
Infitech Inc.	Infitech	IT080F	IT080FG2		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080FG2_0510201200000_1001981
Infitech Inc.	Infitech	IT080F	IT080FG3		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080FG3_0510201200000_1001980
Infitech Inc.	Infitech	IT080F	IT080FG4		Bathroom/Utility Room	1	78	2.2	1.0	70											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT080FG4_0510201200000_1001979
Infitech Inc.	Infitech	IT110F	IT110F1		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110F1_0510201200000_1001978
Infitech Inc.	Infitech	IT110F	IT110F2		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110F2_0510201200000_1001977
Infitech Inc.	Infitech	IT110F	IT110FG1		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110FG1_0510201200000_1001976
Infitech Inc.	Infitech	IT110F	IT110FG2		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110FG2_0510201200000_1001975
Infitech Inc.	Infitech	IT110F	IT110FG3		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110FG3_0510201200000_1001974
Infitech Inc.	Infitech	IT110F	IT110FG4		Bathroom/Utility Room	1	113	2.8	2.0	110											12/1/2010	5/10/2012	United States, Canada	ES_1113299_IT110FG4_0510201200000_1001973
Infitech Inc.	Infitech	ITS080F	ITS080F1		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080F1_0327201200000_1001725
Infitech Inc.	Infitech	ITS080F	ITS080F2		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080F2_0327201200000_1001724
Infitech Inc.	Infitech	ITS080F	ITS080FG1		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080FG1_0327201200000_1001723
Infitech Inc.	Infitech	ITS080F	ITS080FG2		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080FG2_0327201200000_1001722
Infitech Inc.	Infitech	ITS080F	ITS080FG3		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080FG3_0327201200000_1001721
Infitech Inc.	Infitech	ITS080F	ITS080FG4		Bathroom/Utility Room	1	82	3.6	0.3	80											6/11/2009	3/27/2012	United States, Canada	ES_1113299_ITS080FG4_0327201200000_1001720
Infitech Inc.	Infitech	ITS110F	ITS110F1		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110F1_0327201200000_1001719
Infitech Inc.	Infitech	ITS110F	ITS110F2		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110F2_0327201200000_1001718
Infitech Inc.	Infitech	ITS110F	ITS110FG1		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110FG1_0327201200000_1001717
Infitech Inc.	Infitech	ITS110F	ITS110FG2		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110FG2_0327201200000_1001716
Infitech Inc.	Infitech	ITS110F	ITS110FG3		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110FG3_0327201200000_1001715
Infitech Inc.	Infitech	ITS110F	ITS110FG4		Bathroom/Utility Room	1	114	4.1	0.7	110											7/21/2009	3/27/2012	United States, Canada	ES_1113299_ITS110FG4_0327201200000_1001714
King of Fans	King of Fans	BF110	BF110		Bathroom/Utility Room	1	112	3.3	0.8	110											7/1/2009	4/10/2012	United States	ES_43452_BF110_0410201200000_1001704
King of Fans	King of Fans	BF110L	BF110L		Bathroom/Utility Room with Lighting	1	118	3.7	1.2	110	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/10/2012	United States	ES_43452_BF110L_0510201200000_1001872
King of Fans	King of Fans	BF70	BF70		Bathroom/Utility Room with Lighting	1	70	2.1	1.2	70	Fluorescent	900	13.83	71	0.62	2700K	82	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States	ES_43452_BF70_0924201200000_1002069
King of Fans	King of Fans	BF70	BF70		Bathroom/Utility Room with Lighting	1	70	2.1	1.3	70	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable	Changed lamp and requalified 9/24/2012	7/1/2009	5/10/2012	United States	ES_43452_BF70_0510201200000_1001989
King of Fans	King of Fans	BF80	BF80		Bathroom/Utility Room	1	93	4.2	1.0	80											9/1/2009	4/10/2012	United States	ES_43452_BF80_0410201200000_1001703
King of Fans	King of Fans	BF80L	BF80L		Bathroom/Utility Room with Lighting	1	93	3.4	1.0	80	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable	Changed lamp and requalified 9/24/2012	9/1/2009	5/10/2012	United States	ES_43452_BF80L_0510201200000_1001870
King of Fans	King of Fans	BF80L	BF80L		Bathroom/Utility Room with Lighting	1	93	3.4	1.0	80	Fluorescent	900	13.83	71	0.62	2700K	82	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States	ES_43452_BF80L_0924201200000_1002072
King of Fans	King of Fans	BF90	BF90		Bathroom/Utility Room with Lighting	1	102	3.3	1.2	100	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/10/2012	United States	ES_43452_BF90_0510201200000_1001871
K-STAR International Group Inc.	K-Star	KV110A	KV110A		Bathroom/Utility Room	1	114	4.4	1.0	110											3/20/2012	5/25/2012	United States	ES_1120463_KV110A_0525201200000_1001961
Lowe's Home Improvement	Harbor Breeze	379396	379396		Bathroom/Utility Room	1	76	5.8	2.0	70											1/1/2012	6/11/2012	United States	ES_1114486_379396_0611201200000_1001558
Lowe's Home Improvement	Harbor Breeze	710501L	710501L		Bathroom/Utility Room with Lighting	1	102	3.3	1.2	100	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/25/2012	United States	ES_1114486_710501L_0525201200000_1001865
Lowe's Home Improvement	Harbor Breeze	710701L	710701L		Bathroom/Utility Room	1	112	3.3	0.8	110											7/1/2009	5/25/2012	United States	ES_1114486_710701L_0525201200000_1001706
Lowe's Home Improvement	Harbor Breeze	710801L	710801L		Bathroom/Utility Room with Lighting	1	118	3.7	1.2	110	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable		7/1/2009	5/25/2012	United States	ES_1114486_710801L_0525201200000_1001866
Lowe's Home Improvement	Harbor Breeze	711103L	711103L		Bathroom/Utility Room	1	76	5.8	2.0	70											1/1/2012	6/11/2012	United States	ES_1114486_711103L_0611201200000_1001557
Lowe's Home Improvement	Utilitech	379192	379192		Bathroom/Utility Room	1	80	11.0	0.1	80											4/1/2013	4/1/2013	United States	ES_1114486_379192_0401201300000_1002212
Lowe's Home Improvement	Utilitech	713101	713101		Bathroom/Utility Room	1	80	11.0	0.1	80											4/1/2013	4/1/2013	United States	ES_1114486_713101_0401201300000_1002211

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Maico Italia S.p.A.	elicent	AXC	AXC100AES		Bathroom/Utility Room	1	133	3.2		130											2/1/2010	5/25/2012	United States	C100AES_052520 1200000_30005 77
Maico Italia S.p.A.	elicent	AXC	AXC125AES		Bathroom/Utility Room	1	156	3.6		150											2/1/2010	5/25/2012	United States	C125AES_052520 1200000_30005 78
Maico Italia S.p.A.	elicent	AXC	AXC150AES		Bathroom/Utility Room	1	191	4.2		190											2/1/2010	5/25/2012	United States	C150AES_052520 1200000_30005 79
Maico Italia S.p.A.	elicent	AXC	AXC150BES		Bathroom/Utility Room	1	261	3.0		260											2/1/2010	5/25/2012	United States	C150BES_052520 1200000_30005 80
Maico Italia S.p.A.	elicent	AXC	AXC200AES		Bathroom/Utility Room	1	308	3.7		300											2/1/2010	5/25/2012	United States	C200AES_052520 1200000_30005 81
Maico Italia S.p.A.	elicent	AXC	AXC250ES		Bathroom/Utility Room	1	557	2.9		550											2/1/2010	5/25/2012	United States	C250ES_0525201 2000000_300058 2
Maico Italia S.p.A.	elicent	AXC	AXC300AES		Bathroom/Utility Room	1	703	3.5		700											2/1/2010	5/25/2012	United States	C300AES_052520 1200000_30005 83
Maico Italia S.p.A.	elicent	AXC	AXC300BES		Bathroom/Utility Room	1	913	3.0		910											2/1/2010	5/25/2012	United States	C300BES_052520 1200000_30005 84
Marley Engineered Products	Marley	8080ES	8080ES		Bathroom/Utility Room	1	88	2.8	1.0	80											4/1/2012	4/10/2012	United States, Canada	ES_1034150_808 0ES_0410201200 0000_1001887
Marley Engineered Products	Marley	8140ES	8140ES		Bathroom/Utility Room	1	142	3.0	2.5	140											4/1/2012	4/10/2012	United States, Canada	ES_1034150_814 0ES_0410201200 0000_1001849
Martech Marketing	Abreezo	Delux80	Delux80		Bathroom/Utility Room	1	85	1.9	0.9	80											10/17/2007	7/1/2013	United States, Canada	ES_1040838_Del ux80_0701201300 0000_1002228
Orbit Industries	Orbit	OD100	OD100		Bathroom/Utility Room	1	100	3.4	1.2	100											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 100_0327201200 0000_1001697
Orbit Industries	Orbit	OD110	OD110		Bathroom/Utility Room	1	111	3.6	1.5	110											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 110_0327201200 0000_1001698
Orbit Industries	Orbit	OD120	OD120		Bathroom/Utility Room	1	122	3.8	2.0	120											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 120_0327201200 0000_1001699
Orbit Industries	Orbit	OD50	OD50		Bathroom/Utility Room	1	52	1.6	0.1	50											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 50_03272012000 000_1001694
Orbit Industries	Orbit	OD80	OD80		Bathroom/Utility Room	1	86	3.1	0.8	80											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 80_03272012000 000_1001695
Orbit Industries	Orbit	OD90	OD90		Bathroom/Utility Room	1	90	3.2	1.0	90											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OD 90_03272012000 000_1001696
Orbit Industries	Orbit	OEP80	OEP80		Bathroom/Utility Room	1	80	2.6	1.3	80											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OE P80_0327201200 0000_1001700
Orbit Industries	Orbit	OEP90	OEP90		Bathroom/Utility Room	1	94	3.8	1.0	90											5/1/2010	3/27/2012	United States, Canada	ES_1027026_OE P90_0327201200 0000_1001701
Ostberg Americas Inc.	Ostberg	CK	CK10A		Bathroom/Utility Room	1	538	4.3		530											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK1 0A_03272012000 000_3000555
Ostberg Americas Inc.	Ostberg	CK	CK10C		Bathroom/Utility Room	1	668	3.6		660											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK1 0C_03272012000 000_3000556
Ostberg Americas Inc.	Ostberg	CK	CK12B		Bathroom/Utility Room	1	851	4.2		850											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK1 2B_03272012000 000_3000557
Ostberg Americas Inc.	Ostberg	CK	CK12C		Bathroom/Utility Room	1	904	3.7		900											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK1 2C_03272012000 000_3000558
Ostberg Americas Inc.	Ostberg	CK	CK5C		Bathroom/Utility Room	1	219	2.8		210											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK5 C_032720120000 00_3000550
Ostberg Americas Inc.	Ostberg	CK	CK6B		Bathroom/Utility Room	1	253	3.3		250											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK6 B_032720120000 00_3000551
Ostberg Americas Inc.	Ostberg	CK	CK6C		Bathroom/Utility Room	1	444	3.3		440											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK6 C_032720120000 00_3000552
Ostberg Americas Inc.	Ostberg	CK	CK8A		Bathroom/Utility Room	1	564	4.3		560											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK8 A_032720120000 00_3000553
Ostberg Americas Inc.	Ostberg	CK	CK8B		Bathroom/Utility Room	1	589	3.2		580											4/1/2012	3/27/2012	United States, Canada	ES_1098276_CK8 B_032720120000 00_3000554
Ostberg Americas Inc.	Ostberg	LPKB	LPKB5A		Bathroom/Utility Room	1	137	2.9		130											4/1/2012	3/27/2012	United States, Canada	ES_1098276_LPK B5A_0327201200 0000_3000559
Ostberg Americas Inc.	Ostberg	LPKB	LPKB5B		Bathroom/Utility Room	1	208	2.9		200											4/1/2012	3/27/2012	United States, Canada	ES_1098276_LPK B5B_0327201200 0000_3000560
Ostberg Americas Inc.	Ostberg	LPKB	LPKB6B		Bathroom/Utility Room	1	220	2.8		210											4/1/2012	3/27/2012	United States, Canada	ES_1098276_LPK B6B_0327201200 0000_3000561
Ostberg Americas Inc.	Ostberg	LPKB	LPKB8A		Bathroom/Utility Room	1	464	3.2		460											4/1/2012	3/27/2012	United States, Canada	ES_1098276_LPK B8A_0327201200 0000_3000562
Panasonic	Panasonic	WhisperFit	FV05VF2 - 3" Duct		Bathroom/Utility Room	1	50	3.4	0.5	50											1/25/2006	3/27/2012	United States, Canada	ES_1001582_Duct F2 - 3" Duct_0327201200 0000_1001582
Panasonic	Panasonic	WhisperFit	FV05VF2 - 4" Duct		Bathroom/Utility Room	1	58	3.9	0.4	50											1/25/2006	3/27/2012	United States, Canada	ES_1001582_Duct F2 - 4" Duct_0327201200 0000_1001582
Panasonic	Panasonic	WhisperFit Lite	FV05VFL3 - 3" Duct		Bathroom/Utility Room with Lighting	1	50	3.1	1.0	50	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		4/1/2012	5/10/2012	United States, Canada	ES_1001832_Duct FL3 - 3" Duct_0510201200 0000_1001832
Panasonic	Panasonic	WhisperFit Lite	FV05VFL3 - 4" Duct		Bathroom/Utility Room with Lighting	1	55	3.5	0.9	50	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		4/1/2012	5/10/2012	United States, Canada	ES_1001832_Duct FL3 - 4" Duct_0510201200 0000_1001832
Panasonic	Panasonic	WhisperWelcome	FV05VM2 - 3" Duct		Bathroom/Utility Room	1	53	3.3	0.4	50											1/25/2006	3/12/2012	United States, Canada	ES_1001583_Duct FM2 - 3" Duct_0312201200 0000_1001583
Panasonic	Panasonic	WhisperWelcome	FV05VM2 - 4" Duct		Bathroom/Utility Room	1	58	3.6	0.3	50											1/25/2006	3/12/2012	United States, Canada	ES_1001583_Duct FM2 - 4" Duct_0312201200 0000_1001583
Panasonic	Panasonic	WhisperWelcome	FV05VK3 - 4" Duct		Bathroom/Utility Room	1	54	12.6	0.0	50											12/28/2010	3/27/2012	United States, Canada	ES_1001584_Duct K3 - 4" Duct_0327201200 0000_1001584
Panasonic	Panasonic	WhisperWelcome	FV05VK3 - 6" Duct		Bathroom/Utility Room	1	54	12.6	0.0	50											12/28/2010	3/27/2012	United States, Canada	ES_1001584_Duct K3 - 6" Duct_0327201200 0000_1001584
Panasonic	Panasonic	WhisperCeiling	FV05VQ5 - 4" Duct		Bathroom/Utility Room	1	53	4.7	0.0	50											1/7/2010	3/12/2012	United States, Canada	ES_1001585_Duct Q5 - 4" Duct_0312201200 0000_1001585
Panasonic	Panasonic	WhisperCeiling	FV05VQ5 - 6" Duct		Bathroom/Utility Room	1	53	4.7	0.0	50											1/7/2010	3/12/2012	United States, Canada	ES_1001585_Duct Q5 - 6" Duct_0312201200 0000_1001585

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier		
Panasonic	Panasonic	WhisperValue	FV05VS1		Bathroom/Utility Room	1	60	3.4	0.4	50												12/28/2010	3/21/2012	United States, Canada	ES_31845_FV05V S1_03212012000 000_1001586	
Panasonic	Panasonic	WhisperFit	FV08VF2 - 3" Duct		Bathroom/Utility Room	1	71	2.9	0.8	70												1/25/2006	3/27/2012	United States, Canada	F2 - 3" Duct_0327201200 0000_1001587	
Panasonic	Panasonic	WhisperFit	FV08VF2 - 4" Duct		Bathroom/Utility Room	1	81	3.3	0.8	80												1/25/2006	3/27/2012	United States, Canada	F2 - 4" Duct_0327201200 0000_1001587	
Panasonic	Panasonic	WhisperFit Lite	FV08VFL3 - 3" Duct		Bathroom/Utility Room with Lighting	1	74	3.1	0.5	70	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		4/1/2012	4/25/2012	United States, Canada	FL3 - 3" Duct_0425201200 0000_1001831		
Panasonic	Panasonic	WhisperFit Lite	FV08VFL3 - 4" Duct		Bathroom/Utility Room with Lighting	1	81	2.8	0.5	80	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		4/1/2012	4/25/2012	United States, Canada	FL3 - 4" Duct_0425201200 0000_1001831		
Panasonic	Panasonic	WhisperWelcome	FV08VFM2 - 3" Duct		Bathroom/Utility Room	1	74	3.1	0.9	70												9/21/2010	3/12/2012	United States, Canada	FM2 - 3" Duct_0312201200 0000_1001588	
Panasonic	Panasonic	WhisperWelcome	FV08VFM2 - 4" Duct		Bathroom/Utility Room	1	84	3.5	0.8	80												9/21/2010	3/12/2012	United States, Canada	FM2 - 4" Duct_0312201200 0000_1001588	
Panasonic	Panasonic	WhisperGreen	FV08VK3 - 4" Duct		Bathroom/Utility Room	1	85	12.5	0.1	80												8/10/2010	3/12/2012	United States, Canada	K3 - 4" Duct_0312201200 0000_1001589	
Panasonic	Panasonic	WhisperGreen	FV08VK3 - 6" Duct		Bathroom/Utility Room	1	85	12.5	0.1	80												8/10/2010	3/12/2012	United States, Canada	K3 - 6" Duct_0312201200 0000_1001589	
Panasonic	Panasonic	WhisperGreen	FV08VKL3		Bathroom/Utility Room with Lighting	1	83	11.5	0.2	80	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV08V KL3_0626201200 0000_1002028		
Panasonic	Panasonic	WhisperGreen	FV08VKM2		Bathroom/Utility Room	3 or more	38 - 84	7.8 - 8.7	0.0 - 0.2	80, 50, 30												3/1/2009	3/27/2012	United States, Canada	ES_31845_FV08V KM2_0327201200 0000_1001836	
Panasonic	Panasonic	WhisperGreen	FV08VKM3 - 4" Duct		Bathroom/Utility Room	3 or more	37 - 85	11.2 - 12.6	0.0 - 0.1	80, 50, 30												8/10/2010	3/12/2012	United States, Canada	KM3 - 4" Duct_0312201200 0000_1001591	
Panasonic	Panasonic	WhisperGreen	FV08VKM3 - 6" Duct		Bathroom/Utility Room	3 or more	37 - 85	11.2 - 12.6	0.0 - 0.1	80, 50, 30												8/10/2010	3/12/2012	United States, Canada	KM3 - 6" Duct_0312201200 0000_1001591	
Panasonic	Panasonic	WhisperGreen LED	FV08VKME3		Bathroom/Utility Room with Lighting	3 or more	31 - 80	9.0 - 11.8	0 - 0.2	80, 30, 50	LED	912	11.42	79.9	0.93	3000K	82	20,000	Non-Dimmable		3/1/2013	4/1/2013	United States, Canada	ES_31845_FV08V KME3_040120130 00000_1002205		
Panasonic	Panasonic	WhisperGreen	FV08VKML3		Bathroom/Utility Room with Lighting	3 or more	31 - 83	8.8 - 13.2	0.1 - 0.2	80, 50, 30	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV08V KML3_062620120 00000_1002031		
Panasonic	Panasonic	WhisperGreen	FV08VKS3 - 4" Duct		Bathroom/Utility Room	3 or more	37 - 85	11.2 - 12.6	0.0 - 0.1	80, 50, 30												8/10/2010	3/12/2012	United States, Canada	KS3 - 4" Duct_0312201200 0000_1001593	
Panasonic	Panasonic	WhisperGreen	FV08VKS3 - 6" Duct		Bathroom/Utility Room	3 or more	37 - 85	11.2 - 12.6	0.0 - 0.1	80, 50, 30												8/10/2010	3/12/2012	United States, Canada	KS3 - 6" Duct_0312201200 0000_1001593	
Panasonic	Panasonic	WhisperGreen LED	FV08VKE3		Bathroom/Utility Room with Lighting	3 or more	31 - 80	9.0 - 11.8	0 - 0.2	80, 30, 50	LED	912	11.42	79.9	0.93	3000K	82	20,000	Non-Dimmable		3/1/2013	4/1/2013	United States, Canada	ES_31845_FV08V KE3_040120130 00000_1002206		
Panasonic	Panasonic	WhisperGreen	FV08VKSL3		Bathroom/Utility Room with Lighting	3 or more	31 - 83	8.8 - 13.2	0.1 - 0.2	80, 50, 30	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV08V KSL3_062620120 00000_1002030		
Panasonic	Panasonic	WhisperCeiling	FV08VQ5 - 4" Duct		Bathroom/Utility Room	1	85	5.6	0.0	80												1/30/2010	3/12/2012	United States, Canada	Q5 - 4" Duct_0312201200 0000_1001595	
Panasonic	Panasonic	WhisperCeiling	FV08VQ5 - 6" Duct		Bathroom/Utility Room	1	85	5.6	0.0	80												1/30/2010	3/12/2012	United States, Canada	Q5 - 6" Duct_0312201200 0000_1001595	
Panasonic	Panasonic	WhisperSense	FV08VQC5 - 4" Duct		Bathroom/Utility Room	1	81	5.2	0.0	80												4/25/2011	3/27/2012	United States, Canada	QC5 - 4" Duct_0327201200 0000_1001601	
Panasonic	Panasonic	WhisperSense	FV08VQC5 - 6" Duct		Bathroom/Utility Room	1	81	5.2	0.0	80												4/25/2011	3/27/2012	United States, Canada	QC5 - 6" Duct_0327201200 0000_1001601	
Panasonic	Panasonic	WhisperSense Lite	FV08VQL5		Bathroom/Utility Room with Lighting	1	82	4.7	0.2	80	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV08V QCL5_062620120 00000_1002034		
Panasonic	Panasonic	WhisperLite	FV08VQL5		Bathroom/Utility Room with Lighting	1	81	5.4	0.2	80	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV08V QL5_0626201200 0000_1002033		
Panasonic	Panasonic	WhisperRecessed	FV08VRL1		Bathroom/Utility Room with Lighting	1	81	4.0	0.8	80	Fluorescent	1380	17.16	80	0.5	2700K	82	10,000	Non-Dimmable		5/1/2012	5/10/2012	United States, Canada	ES_31845_FV08V RL1_0510201200 0000_1001598		
Panasonic	Panasonic	WhisperValue	FV08VS1		Bathroom/Utility Room	1	93	3.4	1.3	80												12/28/2010	3/12/2012	United States, Canada	ES_31845_FV08V S1_03122012000 000_1001599	
Panasonic	Panasonic	WhisperValue Lite	FV08VSL2		Bathroom/Utility Room with Lighting	1	81	3.3	1.3	80	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		4/1/2012	4/25/2012	United States, Canada	ES_31845_FV08V SL2_0425201200 0000_1001833		
Panasonic	Panasonic	WhisperWall	FV08WQ1		Bathroom/Utility Room	1	77	4.5	1.1	70												9/14/2010	3/12/2012	United States, Canada	ES_31845_FV08 WQ1_031220120 00000_1001600	
Panasonic	Panasonic	WhisperLine	FV10NLF1		Bathroom/Utility Room	1	125	3.6		120												6/30/2009	3/27/2012	United States, Canada	ES_31845_FV10 NLF1_032720120 00000_3000470	
Panasonic	Panasonic	WhisperValue	FV10VS1		Bathroom/Utility Room	1	107	3.0	1.5	100												5/29/2009	3/27/2012	United States, Canada	ES_31845_FV10V S1_03272012000 000_1001603	
Panasonic	Panasonic	WhisperValue Lite	FV10VSL2		Bathroom/Utility Room with Lighting	1	107	2.9	1.5	100	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		4/1/2012	4/25/2012	United States, Canada	ES_31845_FV10V SL2_0425201200 0000_1001834		
Panasonic	Panasonic	WhisperFit	FV11VF2 - 3" Duct		Bathroom/Utility Room	1	95	2.9	1.5	90												9/6/2011	3/27/2012	United States, Canada	F2 - 3" Duct_0327201200 0000_1001657	
Panasonic	Panasonic	WhisperFit	FV11VF2 - 4" Duct		Bathroom/Utility Room	1	111	3.6	1.5	110													9/6/2011	3/27/2012	United States, Canada	F2 - 4" Duct_0327201200 0000_1001657
Panasonic	Panasonic	WhisperFit Lite	FV11VFL3 - 3" Duct		Bathroom/Utility Room with Lighting	1	95	2.9	1.5	90	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		5/1/2012	4/25/2012	United States, Canada	FL3 - 3" Duct_0425201200 0000_1001835		
Panasonic	Panasonic	WhisperFit Lite	FV11VFL3 - 4" Duct		Bathroom/Utility Room with Lighting	1	110	3.3	1.3	110	Fluorescent	2257	32.97	68.5	0.53	3500K	81	10,000	Non-Dimmable		5/1/2012	4/25/2012	United States, Canada	FL3 - 4" Duct_0425201200 0000_1001835		
Panasonic	Panasonic	WhisperGreen	FV11VK3 - 4" Duct		Bathroom/Utility Room	1	111	9.7	0.3	110												3/1/2012	3/27/2012	United States, Canada	K3 - 4" Duct_0327201200 0000_1001659	
Panasonic	Panasonic	WhisperGreen	FV11VK3 - 6" Duct		Bathroom/Utility Room	1	111	9.7	0.3	110												3/1/2012	3/27/2012	United States, Canada	K3 - 6" Duct_0327201200 0000_1001659	
Panasonic	Panasonic	WhisperGreen Lite	FV11VKL3		Bathroom/Utility Room with Lighting	1	111	8.8	0.7	110	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV11V KL3_0626201200 0000_1002037		
Panasonic	Panasonic	WhisperCeiling	FV11VQ5 - 4" Duct		Bathroom/Utility Room	1	112	5.3	0.3	110												3/3/2010	3/27/2012	United States, Canada	Q5 - 4" Duct_0327201200 0000_1001602	
Panasonic	Panasonic	WhisperCeiling	FV11VQ5 - 6" Duct		Bathroom/Utility Room	1	112	5.3	0.3	110												3/3/2010	3/27/2012	United States, Canada	Q5 - 6" Duct_0327201200 0000_1001602	
Panasonic	Panasonic	WhisperWelcome	FV11VQC5 - 4" Duct		Bathroom/Utility Room	1	113	4.7	0.3	110												4/25/2010	3/27/2012	United States, Canada	QC5 - 4" Duct_0327201200 0000_1001604	

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Panasonic	Panasonic	WhisperWelcome	FV11VQC5 - 6" Duct		Bathroom/Utility Room	1	113	4.7	0.3	110											4/25/2010	3/27/2012	United States, Canada	ES_31845_FV11VQC5_032720120000_1001604
Panasonic	Panasonic	WhisperSense Lite	FV11VQL5		Bathroom/Utility Room with Lighting	1	112	4.4	0.7	110	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV11VQL5_0626201200000_1002036
Panasonic	Panasonic	WhisperLite	FV11VQL5		Bathroom/Utility Room with Lighting	1	110	4.7	0.5	110	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV11VQL5_062620120000_1002035
Panasonic	Panasonic	WhisperGreen	FV13VK3		Bathroom/Utility Room	1	134	11.5	0.2	130											8/18/2010	3/27/2012	United States, Canada	ES_31845_FV13VK3_032720120000_1001664
Panasonic	Panasonic	WhisperGreen	FV13VKL3		Bathroom/Utility Room with Lighting	1	130	9.2	0.8	130	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV13VKL3_062620120000_1002038
Panasonic	Panasonic	WhisperGreen	FV13VKM3		Bathroom/Utility Room	3 or more	56 - 134	11.5 - 23.3	0.0 - 0.2	130, 90, 50											8/18/2010	3/27/2012	United States, Canada	ES_31845_FV13VKM3_032720120000_1001795
Panasonic	Panasonic	WhisperGreen	FV13VKML3		Bathroom/Utility Room with Lighting	3 or more	52 - 130	9.2 - 12.4	0.1 - 0.8	130, 90, 50	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV13VKML3_0626201200000_1002039
Panasonic	Panasonic	WhisperGreen	FV13VKS3		Bathroom/Utility Room	3 or more	56 - 134	11.5 - 23.3	0.0 - 0.2	130, 90, 50											8/18/2010	3/27/2012	United States, Canada	ES_31845_FV13VKS3_032720120000_1001797
Panasonic	Panasonic	WhisperGreen	FV13VKS3L3		Bathroom/Utility Room with Lighting	3 or more	51 - 130	9.2 - 12.4	0.1 - 0.8	130, 90, 50	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV13VKS3L3_0626201200000_1002029
Panasonic	Panasonic	WhisperCeiling	FV15VQ5		Bathroom/Utility Room	1	151	5.4	0.3	150											3/3/2010	3/27/2012	United States, Canada	ES_31845_FV15VQ5_032720120000_1001666
Panasonic	Panasonic	WhisperSense Lite	FV15VQL5		Bathroom/Utility Room with Lighting	1	152	4.8	0.9	150	Fluorescent	2257	32.97	68.5	0.51	3500K	81	10,000	Non-Dimmable		1/1/2012	6/26/2012	United States, Canada	ES_31845_FV15VQL5_062620120000_1002032
Panasonic	Panasonic	WhisperLine	FV20NLF1		Bathroom/Utility Room	1	240	4.3		240											7/27/2010	3/27/2012	United States, Canada	ES_31845_FV20NLF1_0327201200000_3000471
Panasonic	Panasonic	WhisperCeiling	FV20VQ3		Bathroom/Utility Room	1	202	4.5	0.8	190											3/15/2010	3/27/2012	United States, Canada	ES_31845_FV20VQ3_032720120000_5000120
Panasonic	Panasonic	WhisperLine	FV30NLF1		Bathroom/Utility Room	1	343	3.6		340											7/26/2010	3/27/2012	United States, Canada	ES_31845_FV30NLF1_0327201200000_3000472
Panasonic	Panasonic	WhisperCeiling	FV30VQ3		Bathroom/Utility Room	1	293	4.7	2	290											6/18/2010	4/10/2012	United States, Canada	ES_31845_FV30VQ3_041020120000_5000119
Panasonic	Panasonic	WhisperLine	FV40NLF1		Bathroom/Utility Room	1	441	3.2		440											1/27/2012	3/27/2012	United States, Canada	ES_31845_FV40NLF1_0327201200000_3000473
Prime Industrial Products	PRIME	PME	PME110		Bathroom/Utility Room	1	118	3.3	1.1	110											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PM E110_0110201300000_1002143
Prime Industrial Products	PRIME	PME	PME130		Bathroom/Utility Room	1	135	3.3	1.5	130											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PM E130_0110201300000_1002144
Prime Industrial Products	PRIME	PME	PME50		Bathroom/Utility Room	1	56	2.2	0.2	50											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PM E50_0110201300000_1002145
Prime Industrial Products	PRIME	PME	PME70		Bathroom/Utility Room	1	71	2.9	0.3	70											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PM E70_0110201300000_1002146
Prime Industrial Products	PRIME	PME	PME90		Bathroom/Utility Room	1	93	3.3	0.8	90											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PM E90_0110201300000_1002147
Prime Industrial Products	PRIME	PME	PQ50		Bathroom/Utility Room	1	55	2.0	0.8	50											7/1/2009	1/10/2013	United States, Canada	ES_1084110_PQ 50_0110201300000_1002148
Progress Lighting	Progress Lighting	PV00809STRWB	PV00809STRWB		Bathroom/Utility Room with Lighting	1	70	2.1	1.2	70	Fluorescent	900	13.83	71	0.62	2700K	82	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States	ES_41249_PV00809STRWB_0924201200000_1002071
Progress Lighting	Progress Lighting	PV00809STRWB	PV00809STRWB		Bathroom/Utility Room with Lighting	1	70	2.1	1.3	70	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable	Changed lamp and requalified 9/24/2012	7/1/2009	5/10/2012	United States	ES_41249_PV00809STRWB_0510201200000_1001873
Progress Lighting	Progress Lighting	PV00874STRWB	PV00874STRWB		Bathroom/Utility Room with Lighting	1	70	2.1	1.2	70	Fluorescent	900	13.83	71	0.62	2700K	82	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States	ES_41249_PV00874STRWB_0924201200000_1002070
Progress Lighting	Progress Lighting	PV00874STRWB	PV00874STRWB		Bathroom/Utility Room with Lighting	1	70	2.1	1.3	70	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable	Changed lamp and requalified 9/24/2012	7/1/2009	5/10/2012	United States	ES_41249_PV00874STRWB_0510201200000_1001875
Progress Lighting	Progress Lighting	PV02030	PV02030		Bathroom/Utility Room	1	93	4.2	1.0	80											9/1/2009	4/10/2012	United States	ES_41249_PV02030_0410201200000_1001705
Progress Lighting	Progress Lighting	PV02130WB	PV02130WB		Bathroom/Utility Room with Lighting	1	93	3.4	1.0	80	Fluorescent	900	12.92	70.8	0.55	2700K	82	10,000	Non-Dimmable	Changed lamp and requalified 9/24/2012	9/1/2009	5/10/2012	United States	ES_41249_PV02130WB_0510201200000_1001874
Progress Lighting	Progress Lighting	PV02130WB	PV02130WB		Bathroom/Utility Room with Lighting	1	93	3.4	1.0	80	Fluorescent	900	13.83	71	0.62	2700K	82	10,000	Non-Dimmable		9/1/2012	9/24/2012	United States	ES_41249_PV02130WB_0924201200000_1002073
Qingdao Xingbang	Sterling	SE	E080XB03		Bathroom/Utility Room	1	94	3.0	0.3	80											3/1/2010	8/10/2012	United States, Canada	ES_1107853_E080XB03_0810201200000_1002054
Qingdao Xingbang	Sterling	SE	E080XB08		Bathroom/Utility Room	1	96	2.9	0.7	90											5/1/2010	8/10/2012	United States, Canada	ES_1107853_E080XB08_0810201200000_1002055
Qingdao Xingbang	Sterling	SE	E110XB07		Bathroom/Utility Room	1	114	3.1	0.6	110											5/1/2010	8/10/2012	United States, Canada	ES_1107853_E110XB07_0810201200000_1002056
Qingdao Xingbang	Sterling	SE	E110XB07A		Bathroom/Utility Room	1	124	3.4	1.2	120											5/1/2010	8/10/2012	United States, Canada	ES_1107853_E110XB07A_0810201200000_1002057
Qingdao Xingbang	Sterling	SE	SE100		Bathroom/Utility Room	1	114	3.2	0.6	110											4/1/2012	4/10/2012	United States, Canada	ES_1107853_SE100_0410201200000_1001938
Qingdao Xingbang	Sterling	SE	SE110		Bathroom/Utility Room	1	114	3.2	0.6	110											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE110_0327201200000_1001756
Qingdao Xingbang	Sterling	SE	SE110H		Bathroom/Utility Room	1	134	3.2	0.6	110											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE110H_0327201200000_1001757
Qingdao Xingbang	Sterling	SE	SE110LH		Bathroom/Utility Room with Lighting	1	114	3.2	0.6	110	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States, Canada	ES_1107853_SE110LH_0410201200000_1001764
Qingdao Xingbang	Sterling	SE110S	SE110S		Bathroom/Utility Room	1	114	3.2	0.6	110											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE110S_0701201300000_1002239
Qingdao Xingbang	Sterling	SE	SE120		Bathroom/Utility Room	1	124	3.4	1.2	120											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE120_0327201200000_1001758
Qingdao Xingbang	Sterling	SE	SE120H		Bathroom/Utility Room	1	124	3.4	1.2	120											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE120H_0327201200000_1001759
Qingdao Xingbang	Sterling	SE	SE120LH		Bathroom/Utility Room with Lighting	1	124	3.4	1.2	120	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States, Canada	ES_1107853_SE120LH_0410201200000_1001765
Qingdao Xingbang	Sterling	SE	SE120M		Bathroom/Utility Room	1	124	3.4	1.2	120											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE120M_0327201200000_1001760

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Qingdao Xingbang	Sterling	SE120S	SE120S		Bathroom/Utility Room	1	124	3.4	1.2	120											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE120S_0701201300000_1002240
Qingdao Xingbang	Sterling	SE	SE140		Bathroom/Utility Room	1	156	3.8	1.1	150											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE140_0327201200000_1001761
Qingdao Xingbang	Sterling	SE	SE140L		Bathroom/Utility Room with Lighting	1	156	3.8	1.1	150	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		5/1/2012	4/25/2012	United States, Canada	ES_1107853_SE140L_0425201200000_1001937
Qingdao Xingbang	Sterling	SE	SE150		Bathroom/Utility Room	1	156	3.8	1.1	150											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE150_0327201200000_1001762
Qingdao Xingbang	Sterling	SE150S	SE150S		Bathroom/Utility Room	1	156	3.8	1.1	150											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE150S_0701201300000_1002241
Qingdao Xingbang	Sterling	SE	SE80		Bathroom/Utility Room	1	96	2.9	0.7	90											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE80_0327201200000_1001751
Qingdao Xingbang	Sterling	SE	SE80Q		Bathroom/Utility Room	1	94	3.0	0.3	80											5/1/2012	7/26/2012	United States, Canada	ES_1107853_SE80Q_0726201200000_1002047
Qingdao Xingbang	Sterling	SE80QS	SE80QS		Bathroom/Utility Room	1	95	3.0	0.3	80											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE80QS_0701201300000_1002233
Qingdao Xingbang	Sterling	SE	SE90		Bathroom/Utility Room	1	96	2.9	0.7	90											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE90_0327201200000_1001752
Qingdao Xingbang	Sterling	SE	SE90H		Bathroom/Utility Room	1	96	2.9	0.7	90											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE90H_0327201200000_1001753
Qingdao Xingbang	Sterling	SE90HS	SE90HS		Bathroom/Utility Room	1	96	2.9	0.7	90											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE90HS_0701201300000_1002234
Qingdao Xingbang	Sterling	SE	SE90LH		Bathroom/Utility Room with Lighting	1	96	2.9	0.7	90	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		4/1/2012	4/10/2012	United States, Canada	ES_1107853_SE90LH_0410201200000_1001763
Qingdao Xingbang	Sterling	SE	SE90Q		Bathroom/Utility Room	1	94	3.0	0.3	90											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE90Q_0327201200000_1001754
Qingdao Xingbang	Sterling	SE	SE90QH		Bathroom/Utility Room	1	94	3.0	0.3	90											4/1/2012	3/27/2012	United States, Canada	ES_1107853_SE90QH_0327201200000_1001755
Qingdao Xingbang	Sterling	SE90QS	SE90QS		Bathroom/Utility Room	1	95	3.0	0.3	90											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE90QS_0701201300000_1002236
Qingdao Xingbang	Sterling	SE90S	SE90S		Bathroom/Utility Room	1	96	2.9	0.7	90											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE90S_0701201300000_1002237
Qingdao Xingbang	Sterling	SED110	SED110		Bathroom/Utility Room	1	124	10.4	0.5	110											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE110_0701201300000_1002242
Qingdao Xingbang	Sterling	SED120	SED120		Bathroom/Utility Room	1	124	10.4	0.5	120											6/1/2013	7/1/2013	United States, Canada	ES_1107853_SE120_0701201300000_1002243
Qingdao Xingbang	Sterling	SN	SN80		Bathroom/Utility Room	1	80	2.8	1.1	80											7/1/2012	7/26/2012	United States, Canada	ES_1107853_SN80_0726201200000_1002044
RenewAire, LLC	RenewAire	V110	V110		Bathroom/Utility Room	1	112	4.7	0.8	110											6/1/2008	3/27/2012	United States, Canada	ES_1016358_V110_0327201200000_1001670
RenewAire, LLC	RenewAire	V150	V150		Bathroom/Utility Room	1	150	4.7	0.2	150											6/1/2008	3/27/2012	United States, Canada	ES_1016358_V150_0327201200000_1001671
RenewAire, LLC	RenewAire	V50	V50		Bathroom/Utility Room	1	58	4.6	0.1	50											6/1/2008	4/10/2012	United States, Canada	ES_1016358_V50_0410201200000_1001669
RenewAire, LLC	RenewAire	V80	V80		Bathroom/Utility Room	1	83	5.2	0.2	80											6/1/2008	3/27/2012	United States, Canada	ES_1016358_V80_0327201200000_1001668
Reversomatic Manufacturing Ltd.	Apollo	CF170BC	CF170BC		Bathroom/Utility Room	1	163	3.9	1.5	160											5/23/2008	3/27/2012	United States, Canada	ES_1020485_CF170BC_0327201200000_1001779
Reversomatic Manufacturing Ltd.	Apollo	QB80BC	QB80BC		Bathroom/Utility Room	1	60	2.0	0.6	60											12/21/2006	3/27/2012	United States, Canada	ES_1020485_QB80BC_0327201200000_1001773
Reversomatic Manufacturing Ltd.	Apollo	QCF130BC	QCF130BC		Bathroom/Utility Room	1	122	3.4	1.3	120											7/21/2008	4/10/2012	United States, Canada	ES_1020485_QCF130BC_0410201200000_1001777
Reversomatic Manufacturing Ltd.	Apollo	QK130BC	QK130BC		Bathroom/Utility Room	1	108	3.8	1.5	100											12/29/2004	3/27/2012	United States, Canada	ES_1020485_QK130BC_0327201200000_1001781
Reversomatic Manufacturing Ltd.	Apollo	TLD200BC	TLD200BC		Bathroom/Utility Room	1	228	3.1		220											3/19/2007	3/27/2012	United States, Canada	ES_1020485_TLD200BC_0327201200000_3000564
Reversomatic Manufacturing Ltd.	Reversomatic	4000250ES2	4000250ES2		Range Hood with Lighting	2	103 - 127	3.3 - 3.4	1.5 - 2	100, 120	Fluorescent	1461	22	66.2	0.53	2700K	83	10,000	Non-Dimmable		7/30/2010	3/1/2013	United States, Canada	ES_1020485_4000250ES2_0301201300000_4501787
Reversomatic Manufacturing Ltd.	Reversomatic	CF170ES	CF170ES		Bathroom/Utility Room	1	163	3.9	1.5	160											5/23/2008	3/27/2012	United States, Canada	ES_1020485_CF170ES_0327201200000_1001778
Reversomatic Manufacturing Ltd.	Reversomatic	QB80	QB80		Bathroom/Utility Room	1	65	1.6	2.0	60											1/1/1999	3/27/2012	United States, Canada	ES_1020485_QB80_0327201200000_1001772
Reversomatic Manufacturing Ltd.	Reversomatic	QCF110ES	QCF110ES		Bathroom/Utility Room	1	110	3.3	1.2	110											3/12/2010	3/27/2012	United States, Canada	ES_1020485_QCF110ES_0327201200000_1001784
Reversomatic Manufacturing Ltd.	Reversomatic	QCF125ES	QCF125ES		Bathroom/Utility Room	1	112	3.1	2.0	110											2/22/2006	3/27/2012	United States, Canada	ES_1020485_QCF125ES_0327201200000_1001782
Reversomatic Manufacturing Ltd.	Reversomatic	QCF130ES	QCF130ES		Bathroom/Utility Room	1	122	3.4	1.3	120											7/10/2008	4/10/2012	United States, Canada	ES_1020485_QCF130ES_0410201200000_1001776
Reversomatic Manufacturing Ltd.	Reversomatic	QCF80ES	QCF80ES		Bathroom/Utility Room	1	80	3.5	0.3	80											2/1/2011	3/27/2012	United States, Canada	ES_1020485_QCF80ES_0327201200000_1001774
Reversomatic Manufacturing Ltd.	Reversomatic	QCF80ESS	QCF80ESS		Bathroom/Utility Room	1	100	3.7	0.9	100											1/11/2010	3/27/2012	United States, Canada	ES_1020485_QCF80ESS_0327201200000_1001775
Reversomatic Manufacturing Ltd.	Reversomatic	QK130ES	QK130ES		Bathroom/Utility Room	1	108	3.8	1.5	100											12/29/2004	3/27/2012	United States, Canada	ES_1020485_QK130ES_0327201200000_1001780
Reversomatic Manufacturing Ltd.	Reversomatic	QK150ES	QK150ES		Bathroom/Utility Room	1	138	3.6	1.0	130											6/16/2010	3/27/2012	United States, Canada	ES_1020485_QK150ES_0327201200000_1001783
Reversomatic Manufacturing Ltd.	Reversomatic	QK160ES	QK160ES		Bathroom/Utility Room	1	152	3.8	0.9	150											1/31/2011	3/27/2012	United States, Canada	ES_1020485_QK160ES_0327201200000_1001785
Reversomatic Manufacturing Ltd.	Reversomatic	QK180ES	QK180ES		Bathroom/Utility Room	1	181	3.6	1.5	180											1/31/2011	3/27/2012	United States, Canada	ES_1020485_QK180ES_0327201200000_1001786
Reversomatic Manufacturing Ltd.	Reversomatic	TL240ES	TL240ES		Bathroom/Utility Room	1	217	3.0		210											3/19/2007	3/27/2012	United States, Canada	ES_1020485_TL240ES_0327201200000_3000565
Reversomatic Manufacturing Ltd.	Reversomatic	TL340	TL340		Bathroom/Utility Room	1	331	3.1		330											6/18/1996	4/10/2012	United States, Canada	ES_1020485_TL340_0410201200000_3000566

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Reversomatic Manufacturing Ltd.	Reversomatic	TLD200ES	TLD200ES		Bathroom/Utility Room	1	228	3.1		220											3/19/2007	3/27/2012	United States, Canada	ES_1020485_TLD200ES_032720120000_3000563
Reversomatic Manufacturing Ltd.	Softaire	SA150S	SA150S		Bathroom/Utility Room	1	175	3.7	1.5	170											6/25/2009	3/27/2012	United States, Canada	ES_1020485_SA150S_032720120000_1001792
Reversomatic Manufacturing Ltd.	Softaire	SA200S	SA200S		Bathroom/Utility Room	1	217	3.0	3.0	210											6/25/2009	3/27/2012	United States, Canada	ES_1020485_SA200S_032720120000_1001793
Reversomatic Manufacturing Ltd.	Softaire	SA50D	SA50D		Bathroom/Utility Room	1	68	3.6	1.0	60											6/26/2009	3/27/2012	United States, Canada	ES_1020485_SA50D_032720120000_1001788
Reversomatic Manufacturing Ltd.	Softaire	SA70D	SA70D		Bathroom/Utility Room	1	84	3.9	0.3	80											6/26/2009	3/27/2012	United States, Canada	ES_1020485_SA70D_032720120000_1001789
Reversomatic Manufacturing Ltd.	Softaire	SA90S	SA90S		Bathroom/Utility Room	1	114	4.2	1.0	110											6/26/2009	3/27/2012	United States, Canada	ES_1020485_SA90S_032720120000_1001790
Reversomatic Manufacturing Ltd.	Softaire	SA90SM	SA90SM		Bathroom/Utility Room	1	114	4.2	1.0	110											6/26/2009	3/27/2012	United States, Canada	ES_1020485_SA90SM_032720120000_1001791
Spruce Environmental Technologies, Inc.	HomeAire	ADC	ADC4		Bathroom/Utility Room	1	115	5.5		110											5/1/2008	2/26/2012	United States, Canada	ES_1088240_ADC4_022620120000_3000418
Spruce Environmental Technologies, Inc.	HomeAire	ADC	ADC6		Bathroom/Utility Room	1	239	3.3		230											5/1/2008	2/26/2012	United States, Canada	ES_1088240_ADC6_022620120000_3000417
Spruce Environmental Technologies, Inc.	Spruce	RB	RB110		Bathroom/Utility Room	1	105	5.6		100											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RB110_022620120000_3000416
Spruce Environmental Technologies, Inc.	Spruce	RB	RB275		Bathroom/Utility Room	1	239	3.3		230											5/1/2008	2/26/2012	United States, Canada	ES_1088240_RB275_022620120000_3000415
Spruce Environmental Technologies, Inc.	Spruce	RB	RB300		Bathroom/Utility Room	1	272	3.2		270											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RB300_022620120000_3000414
Spruce Environmental Technologies, Inc.	Spruce	RB	RB400		Bathroom/Utility Room	1	452	3.2		450											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RB400_022620120000_3000413
Spruce Environmental Technologies, Inc.	Spruce	RB	RB500		Bathroom/Utility Room	1	508	3.9		500											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RB500_022620120000_3000412
Spruce Environmental Technologies, Inc.	Spruce	RL	RL300		Bathroom/Utility Room	1	246	3.2		240											11/23/2010	2/26/2012	United States, Canada	ES_1088240_RL300_022620120000_3000419
Spruce Environmental Technologies, Inc.	Spruce	RL	RL350		Bathroom/Utility Room	1	290	3.4		280											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RL350_022620120000_3000423
Spruce Environmental Technologies, Inc.	Spruce	RL	RL450		Bathroom/Utility Room	1	461	3.3		460											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RL450_022620120000_3000422
Spruce Environmental Technologies, Inc.	Spruce	RL	RL500		Bathroom/Utility Room	1	502	3.8		500											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RL500_022620120000_3000421
Spruce Environmental Technologies, Inc.	Spruce	RL	RL600		Bathroom/Utility Room	1	613	3.2		610											11/30/2006	2/26/2012	United States, Canada	ES_1088240_RL600_022620120000_3000420
S&P USA Ventilation Systems, LLC	Soler & Palau	TD	TD100		Bathroom/Utility Room	2	66 - 71	3.1 - 3.1		70, 60											12/1/2005	3/12/2012	United States	ES_1036074_TD100_031220120000_3000427
S&P USA Ventilation Systems, LLC	Soler & Palau	TD	TD100X		Bathroom/Utility Room	2	60 - 108	3.2 - 4.0		100, 60											12/1/2005	3/27/2012	United States	ES_1036074_TD100X_032720120000_3000456
S&P USA Ventilation Systems, LLC	Soler & Palau	TD Silent	TD100XS - 4" Duct		Bathroom/Utility Room	2	62 - 107	3.2 - 3.3		100, 60											11/1/2011	3/12/2012	United States	ES_1036074_TD100XS_4_031220120000_3000431
S&P USA Ventilation Systems, LLC	Soler & Palau	TD Silent	TD100XS - 5" Duct		Bathroom/Utility Room	2	82 - 153	4.2 - 4.6		150, 80											11/1/2011	3/12/2012	United States	ES_1036074_TD100XS_5_031220120000_3000431
S&P USA Ventilation Systems, LLC	Soler & Palau	TD	TD125		Bathroom/Utility Room	2	111 - 187	4.1 - 4.4		180, 110											12/1/2005	3/27/2012	United States	ES_1036074_TD125_032720120000_3000457
S&P USA Ventilation Systems, LLC	Soler & Palau	TD	TD150		Bathroom/Utility Room	2	174 - 260	3.3 - 4.2		260, 170											12/1/2005	3/12/2012	United States	ES_1036074_TD150_031220120000_3000428
S&P USA Ventilation Systems, LLC	Soler & Palau	TD Silent	TD150S		Bathroom/Utility Room	2	191 - 302	3.5 - 4.6		300, 190											11/1/2011	3/12/2012	United States	ES_1036074_TD150S_031220120000_3000429
S&P USA Ventilation Systems, LLC	Soler & Palau	TD	TD200		Bathroom/Utility Room	2	396 - 473	4.9 - 4.9		470, 390											12/1/2005	3/12/2012	United States	ES_1036074_TD200_031220120000_3000424
S&P USA Ventilation Systems, LLC	Soler & Palau	TD Silent	TD200S		Bathroom/Utility Room	2	352 - 484	3.2 - 4.0		480, 350											11/1/2011	3/12/2012	United States	ES_1036074_TD200S_031220120000_3000430
S&P USA Ventilation Systems, LLC	S&P	PC	PC110		Bathroom/Utility Room	1	114	3.2	0.6	110											3/1/2013	2/1/2013	United States, Canada	ES_1036074_PC110_020120130000_1002195
S&P USA Ventilation Systems, LLC	S&P	PC	PC150		Bathroom/Utility Room	1	156	3.8	1.1	150											3/1/2013	2/1/2013	United States, Canada	ES_1036074_PC150_020120130000_1002196
S&P USA Ventilation Systems, LLC	S&P	PC	PC80		Bathroom/Utility Room	1	94	3.0	0.3	80											3/1/2013	2/1/2013	United States, Canada	ES_1036074_PC80_020120130000_1002193
Steipro Design Inc	Steipro Design	BFQ	BFQ050		Bathroom/Utility Room	1	52	1.7	0.3	50											11/1/2012	3/1/2013	United States, Canada	ES_1041906_BFQ050_030120130000_1002201
Steipro Design Inc	Steipro Design	BFQ	BFQ080		Bathroom/Utility Room	1	80	2.4	1.2	80											11/1/2012	3/1/2013	United States, Canada	ES_1041906_BFQ080_030120130000_1002202
Steipro Design Inc	Steipro Design	BFQ	BFQ100		Bathroom/Utility Room	1	100	2.9	2	100											11/1/2012	3/1/2013	United States, Canada	ES_1041906_BFQ100_030120130000_1002203
Steipro Design Inc	Steipro Design	BFSQ	BFSQ050		Bathroom/Utility Room	1	51	1.9	0.3	50											7/1/2012	6/25/2012	United States, Canada	ES_1041906_BFSQ050_062520120000_1001993
Steipro Design Inc	Steipro Design	BFSQ	BFSQ080		Bathroom/Utility Room	1	80	2.8	0.6	80											7/1/2012	6/25/2012	United States, Canada	ES_1041906_BFSQ080_062520120000_1001994
Steipro Design Inc	Steipro Design	BFSQ	BFSQ110		Bathroom/Utility Room	1	113	3.3	1.2	110											7/1/2012	6/25/2012	United States, Canada	ES_1041906_BFSQ110_062520120000_1001995
Steipro Design Inc	Steipro Design	BFSQ	BFSQ110		Bathroom/Utility Room	1	113	3.3	1.2	110											1/1/2013	1/10/2013	United States, Canada	ES_1041906_BFSQ110_011020130000_1002130
Steipro Design Inc	Steipro Design	BFSQ	BFSQ110050		Bathroom/Utility Room	2	51 - 113	1.9 - 3.2	0.3 - 1.1	110, 50											11/1/2012	3/1/2013	United States, Canada	ES_1041906_BFSQ110050_03012013000000_1002204
Steipro Design Inc	Steipro Design	BFSQ	BFSQ150L5		Bathroom/Utility Room	1	151	3.8	1.1	150											7/1/2012	6/25/2012	United States, Canada	ES_1041906_BFSQ150L5_06252012000000_1001996
Steipro Design Inc	Steipro Design	BFSQ	BFSQ150L5		Bathroom/Utility Room	1	151	3.8	1.1	150											1/1/2013	1/10/2013	United States, Canada	ES_1041906_BFSQ150L5_01102013000000_1002131
Steipro Design Inc	Steipro Design	BFSQ	BFSQ180L5		Bathroom/Utility Room	1	181	3.5	1.5	180											7/1/2012	6/25/2012	United States, Canada	ES_1041906_BFSQ180L5_06252012000000_1001997

ENERGY STAR Partner	Brand	Model Name	Model Number	Additional Model List	Unit Type	Number of Speeds	As-Tested Airflow (CFM)*	Fan Efficacy (CFM/W)*	Sound Level (sones)*	Airflow Certified Rating (CFM)**	Lighting Technology Used	Light Output (Lumens)	Total Input Power (Watts)	Luminaire Efficacy	Power Factor	Correlated Color Temperature (Kelvin)	Color Rendering Index (CRI)	Life of Light Source (Hours)	Special Features (Dimming, Motion Sensing etc)	Notes	Date Available On Market	Date Qualified	Markets	ENERGY STAR Model Identifier
Steipro Design Inc	Steipro Design	BFSQ	BFSQ180L5		Bathroom/Utility Room	1	181	3.5	1.5	180											1/1/2013	1/10/2013	United States, Canada	ES_1040836_D10_Q180L5_01102013000000_1002132
The Home Depot	Hampton Bay	315888	315888		Bathroom/Utility Room	1	151	3.5	1.5	140											1/16/2012	3/12/2012	United States	ES_31912_315888_03122012000000_1001564
The Home Depot	Hampton Bay	316183	316183		Bathroom/Utility Room with Lighting	1	145	3.1	1.5	140	Fluorescent	981	13	72.7	0.62	2700K	82	10,000	Non-Dimmable		1/16/2012	4/1/2012	United States	ES_31912_316183_04012012000000_1001414
The Home Depot	Hampton Bay	316622	316622		Bathroom/Utility Room with Lighting	1	119	3.7	1.2	110	Fluorescent	981	13	72.7	0.62	2700K	82	10,000	Non-Dimmable		1/16/2012	4/1/2012	United States	ES_31912_316622_04012012000000_1001415
The Home Depot	Hampton Bay	317898	317898		Bathroom/Utility Room	1	128	3.8	1.0	110											1/16/2012	3/12/2012	United States	ES_31912_317898_03122012000000_1001563
The Home Depot	Hampton Bay	986793	986793		Bathroom/Utility Room	1	96	3.2	1.0	80											1/1/2012	4/10/2012	United States	ES_31912_986793_04102012000000_1001885
The Home Depot	Hampton Bay	986793	986793		Bathroom/Utility Room	1	96	3.2	1.0	90											10/1/2011	5/1/2013	United States	ES_31912_986793_05012013000000_1002218
Ventamatic Ltd.	NuVent	NXSH80	NXSH80		Bathroom/Utility Room	1	90	2.1	1.5	80											3/1/2012	3/27/2012	United States, Canada	ES_1033540_NXSH80_03272012000000_1001794
Windridge Fans Corporation	Windridge	D100	D100		Bathroom/Utility Room	1	100	3.4	1.2	100											6/1/2007	8/10/2012	United States, Canada	ES_1040836_D10_08102012000000_1001880
Windridge Fans Corporation	Windridge	D110	D110		Bathroom/Utility Room	1	111	3.6	1.5	110											6/1/2007	8/10/2012	United States, Canada	ES_1040836_D11_08102012000000_1001879
Windridge Fans Corporation	Windridge	D120	D120		Bathroom/Utility Room	1	122	3.8	2.0	120											6/1/2007	8/10/2012	United States, Canada	ES_1040836_D12_08102012000000_1001878
Windridge Fans Corporation	Windridge	D50	D50		Bathroom/Utility Room	1	52	1.6	0.1	50											9/1/2008	8/10/2012	United States, Canada	ES_1040836_D50_08102012000000_1001876
Windridge Fans Corporation	Windridge	D80	D80		Bathroom/Utility Room	1	86	3.0	0.8	80											6/1/2007	8/10/2012	United States, Canada	ES_1040836_D80_08102012000000_1001881
Windridge Fans Corporation	Windridge	D90	D90		Bathroom/Utility Room	1	90	3.1	1.0	90											6/1/2007	8/10/2012	United States, Canada	ES_1040836_D90_08102012000000_1001881
Windridge Fans Corporation	Windridge	EP110	EP110		Bathroom/Utility Room	1	112	4.1	2.0	110											6/1/2007	8/10/2012	United States, Canada	ES_1040836_EP110_08102012000000_1001884
Windridge Fans Corporation	Windridge	EP80	EP80		Bathroom/Utility Room	1	80	2.6	1.3	80											6/1/2007	8/10/2012	United States, Canada	ES_1040836_EP80_08102012000000_1001883
Windridge Fans Corporation	Windridge	EP90	EP90		Bathroom/Utility Room	1	94	3.8	1.5	90											9/1/2008	8/10/2012	United States, Canada	ES_1040836_EP90_08102012000000_1001877
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1213H	BPT1213H		Bathroom/Utility Room	1	78	4.3	1.0	70											3/20/2012	6/11/2012	United States	ES_1112354_BPT1213H_06112012000000_1001962
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1424A	BPT1424A		Bathroom/Utility Room	1	114	4.4	1.0	110											3/20/2012	3/12/2012	United States	ES_1112354_BPT1424A_03122012000000_1001549
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1424ALB3	BPT1424ALB3		Bathroom/Utility Room with Lighting	1	112	3.5	1.0	110	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		3/20/2012	5/25/2012	United States	ES_1112354_BPT1424ALB3_05252012000000_1001926
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1424ALW3	BPT1424ALW3		Bathroom/Utility Room with Lighting	1	113	4.4	1.0	110	Fluorescent	900	13	70.8	0.55	2700K	82	10,000	Non-Dimmable		3/20/2012	5/25/2012	United States	ES_1112354_BPT1424ALW3_05252012000000_1001927
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1834A1	BPT1834A1		Bathroom/Utility Room	1	128	3.8	1.0	110											1/16/2012	3/12/2012	United States	ES_1112354_BPT1834A1_03122012000000_1001562
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1834ALE1	BPT1834ALE1		Bathroom/Utility Room with Lighting	1	119	3.7	1.2	110	Fluorescent	981	13	70.9	0.62	2700K	82	10,000	Non-Dimmable		1/16/2012	3/27/2012	United States	ES_1112354_BPT1834ALE1_03272012000000_1001579
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1854A	BPT1854A		Bathroom/Utility Room	1	151	3.5	1.5	140											1/16/2012	3/12/2012	United States	ES_1112354_BPT1854A_03122012000000_1001561
Zhongshan Airzone Ventilated Technology Co., Ltd.	Win Air	BPT1854AL	BPT1854AL		Bathroom/Utility Room with Lighting	1	145	3.1	1.5	140	Fluorescent	981	13	70.9	0.62	2700K	82	10,000	Non-Dimmable		1/1/2012	3/27/2012	United States	ES_1112354_BPT1854AL_03272012000000_1001560

Definitions for Column Headers

Performance Characteristic	Definitions
ENERGY STAR Partner	An organization that signed a Partnership Agreement with EPA to manufacture or private label ENERGY STAR qualified products.
Brand	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Name	An identifier assigned by the manufacturer or private labeler to a product or family/series of products for sales and marketing purposes.
Model Number	A distinguishing identifier, usually alphanumeric, assigned to a product by the manufacturer or private labeler.
Additional Model Information	This column includes for the qualified model or family, family members, additional model names, model numbers and other identifying information associated with a product or family/series of products for sales and marketing purposes. Other identifying information includes, but is not limited to, SKUs, UPC codes, retail numbers, and/or descriptions of models included/not included in the reported Model Family.
Unit Type	The type of ventilating fan.
Number of Speeds	The number of speeds available for a ventilating fan. For fans with three or more speeds, only 3 is displayed.
As-Tested Airflow	Where a range of as-tested airflow, efficacy, or sound level values is reported, this indicates that in the case of a range hood, multiple configurations are available, and in the case of a bathroom or utility room fan, or an in-line ventilating fan, the fan has more than one speed.
Fan Efficacy	Efficacy is calculated by using airflow and fan motor electrical power values as tested per the requirements of this specification. Fan motor electrical usage is the only energy consumption considered for the fan efficacy calculation. Energy used for other fan auxiliaries (e.g., lights, sensors, heaters, timers, or night lights) is not included in the determination of fan efficacy.

Performance Characteristic	Definitions
Sound Level	Residential bath and utility ventilating fans and range hoods must meet maximum allowable sound levels between 2-3 sones. There are no sound requirements for single or multi-port in-line fans.
Airflow Certified Rating	It is standard industry practice to round down airflow to the nearest 10 cfm when publishing this metric in product directories as the Airflow Certified Rating. For this reason, Airflow Certified Rating and As-Tested Airflow may occasionally differ on this list. In the case of a range hood, Airflow Certified Rating represents performance at working speed, while in the case of a bathroom or utility room fan, or an in-line ventilating fan, it represents maximum speed.
Lighting Technology Used	The light source technology utilized by the fixture: compact fluorescent light (CFL), light emitting diode (LED), or halogen.
Light Output	The amount of light emitted by the light source or light fixture. Non directional fixtures (with removable light sources i.e. GU24 base bulbs) are measured at the light source and do not account for light lost from the fixture, while other fixtures meant to put light on a specific application (e.g. recessed downlights, under cabinet lights, accent lights, cove lights) are measured at the fixture level, only counting the light that escapes the fixture.
Total Input Power	Total power consumed by the luminaire while in use.
Light Output	The amount of light emitted by the light source or light fixture. Non directional fixtures (with removable light sources i.e. GU24 base bulbs) are measured at the light source and do not account for light lost from the fixture, while other fixtures meant to put light on a specific application (e.g. recessed downlights, under cabinet lights, accent lights, cove lights) are measured at the fixture level, only counting the light that escapes the fixture.

Performance Characteristic	Definitions
Luminaire Efficacy	The quotient of the total luminous flux (lumens) emitted by the fixture over the total power input (Watts). It is expressed in lumens per watt (lm/W). For ENERGY STAR qualified fixtures this applies to light fixtures that are considered directional and are measured at the fixture level. This includes the following residential grade directional fixture types: line-voltage track lights, ceiling fan light kits, undercabinet and cove lighting, downlights, recessed, pendant or surface mounted and includes retrofit kits for existing recessed cans. This also includes the following LIMITED commercial fixture types: Accent lights such as line-voltage track lights, under cabinet task lights, portable desk task lights, downlights, recessed, pendant or surface-mounts BUT EXCLUDES typical commercial and industrial fixtures such as recessed troffers or linear forms (e.g. linear fluorescent pendants) typically used in office spaces.
Power Factor	Ratio of real power flowing to the lamp to the apparent power in the circuit. A lamp with a lower power factor will draw more current than a lamp with a higher power factor of the same wattage.
Correlated Color Temperature	A description of the "color" of a light source measured on the Kelvin (K) scale. CFLs are available in a range of color temperatures. Lower values (2700-3000K) mean the white light has a warmer (red-yellow) tone, while higher kelvin (4100-6500K) mean the white light has a cooler (bluer) tone.
Color Rendering Index	Measure of the degree of color shift objects undergo when illuminated by the light source as compared with the color of those same objects when illuminated by a reference source of comparable color temperature.
Light Source Life	The expected useful life of the light source. Measured differently depending on the technology of the light source. For example, LED lighting expected useful life is based on the estimated point at which only 70% of the original light output remains, while for older technologies, like fluorescent and halogen, estimated useful life is based on the measured median sample life.
Special Features	Most fixtures are designed to operate on an on/off switch. However, some fixtures have been designed with features to perform in specialized applications, such as with dimmers, three-way, or photo cell controls. Special features and compatibility with controls should be clearly marked on the product packaging, cut sheet or web site for the product.

Performance Characteristic	Definitions
Notes	Indicates information on certification relevant to the consumer (i.e. product variations, unique issues concerning the model's listing, etc.).
Date Available on Market	The date that the model is available for purchase.
Date Qualified	The date on which the product was confirmed to meet the ENERGY STAR specification.
Markets	This list/dataset includes products sold in the U.S. and/or Canada and other ENERGY STAR partner countries.
ENERGY STAR Model Identifier	A unique string of characters used to identify models with the same performance characteristics. This sequence is generated by certification bodies and is reported as a single row of data on the lists of certified products.

Key Efficiency Criteria

Qualified models meet all ENERGY STAR requirements as listed in the Version 3.2 ENERGY STAR Program Requirements for Ventilating Fans that are effective as of April 1, 2012.

Criteria for ENERGY STAR Qualified Residential Ventilating Fans - Minimum Efficacy Levels	
Airflow	Minimum Efficacy Level (cfm/W)*
Range Hoods — up to 500 cfm (max)	2.8
Bathroom and Utility Room Fans — 10 to 89 cfm	1.4
Bathroom and Utility Room Fans — 90 to 500 cfm (max)	2.8
In-Line (single-port & multi-port) Fans	2.8

Criteria for ENERGY STAR Qualified Residential Ventilating Fans — Maximum Sound Levels	
Airflow (cfm)	Maximum Allowable Sound Level (Sones)*
Range Hoods — up to 500 cfm (max)	2
Bathroom and Utility Room Fans — 10 to 139 cfm	2
Bathroom and Utility Room Fans — 140 to 500 cfm (max)	3

Installed Fan Performance	
Airflow (cfm)	Rated Airflow (0.25 in. w.g.)
Bathroom and Utility Room Fans — 10 to 89 cfm	0.6
Bathroom and Utility Room Fans — 90 to 500 cfm	0.7

Notes:

* Based on static pressure reference measurement (consult the full program requirements).

Criteria for ENERGY STAR Qualified Residential Ventilating Fans with Lighting

Performance Characteristic	Specification Luminaires V1.2
Light Output	<p>Non-directional luminaires (those listed with a "Source Efficacy" value in column J): ≥ 800 lumens, or ≥ 450 lumens for fixtures with three sources or more.</p> <p>Directional fixtures: ≥ 125 lumens/foot for undercabinet, 200 lumens/foot for cove mount, 345 or 575 for downlights (depending on aperture size), 200 lumens per head for accent lights, 300 lumens for outdoor post-mounted luminaires.</p>
Source Efficacy (non-directional luminaires)	<p>≥ 65 lm/W ≥ 70 lm/W after September 2013</p>
Luminaire Efficacy (directional luminaires)	Dependent on fixture type/application starting at ≥ 29 lm/W
Power Factor	<p>Residential: ≥ 0.5 Commercial: ≥ 0.9</p> <p>Solid State Residential with input power greater than 5 watts: ≥ 0.7</p>
Correlated Color Temperature	Lamps shipped with luminaires shall have one of the following nominal correlated color temperatures (CCT): 2700K, 3000K, 3500K, 4000/4100K, 5000K (commercial only)
Color Rendering Index	Ra ≥ 80

Criteria for ENERGY STAR Qualified Residential Ventilating Fans with Lighting

Performance Characteristic	Specification Luminaires V1.2
Light Source Life	Fluorescent and HID: ≥ 10,000 hours Halogen incandescent: ≥ 2,500 hours Solid state (LED): ≥ 25,000 residential or ≥ 35,000 commercial